

## DAFTAR PUSTAKA

- Abdurahman, Bandiara, R., Supriyadi, R., 2019. The Growing Burden of End Stage Renal Disease in Indonesia: Ten Years of The Indonesian Renal Registry Reports. *Kidney International Report*.  
<https://doi.org/10.1016/j.ekir.2019.05.843>
- Acha, K. *et al.* 2020. Incidence and Risk Factors of Non Tunneled Hemodialysis Catheter Infections: A Follow up Study in Two Hemodialysis Centers in Cameroon. *Kidney International Reports* 5, S1–S392.  
[https://www.kireports.org/article/S2468-0249\(20\)30283-7/pdf](https://www.kireports.org/article/S2468-0249(20)30283-7/pdf)
- Alonso, B. *et al.* 2019 ‘Correction: Is heparinized 40% ethanol lock solution efficient for reducing bacterial and fungal biofilms in an in vitro model(PLOS ONE(2019) 14:8(e0221702)DOI:10.1371/journal.pone.0219098)’, *PLoS ONE*. doi: 10.1371/journal.pone.0221702.
- Association, A. D. (2021) ‘2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes—2021’, *Diabetes Care*, 44(Supplement 1), pp. S15–S33. doi: 10.2337/DC21-S002.
- Aurora Reyna, M. A. and Kim, T. (2014) ‘Hemodialysis vascular access complications: Recognition and management’, *Hospital Medicine Clinics*. doi: 10.1016/j.ehmc.2014.06.003.
- Bangun, P., Hanafie, A., Wijaya, D.W., 2016. Perbandingan Chlorhexidine 2% - Alkohol 70% Dengan Povidone Iodine 10% - Alkohol 70% Terhadap Penurunan Kepadatan Kuman Dalam Mengurangi CRBSI Pada Pemasangan CVC. *JAI (Jurnal Anestesiologi Indones.)* 8, 93. <https://doi.org/10.14710/jai.v8i2.19808>
- Basri, N.S., Patrianef, P., 2017. Infection of Double Lumen Catheter as Hemodialysis Access. *New Ropanasuri J. Surg.* 2, 25–28. <https://doi.org/10.7454/nrjs.v2i1.18>
- Benghanem Gharbi, M., Elseviers, M., Zamd, M., Belghiti Alaoui, A., Benahadi, N., Trabelssi, E.H., Bayahia, R., Ramdani, B., De Broe, M.E., 2016. Chronic kidney disease, hypertension, diabetes, and obesity in the adult population of Morocco: how to avoid “over”- and “under”-diagnosis of CKD. *Kidney Int.* 89, 1363–1371. <https://doi.org/10.1016/j.kint.2016.02.019>
- Benjamin, O., Lappin, S.L., 2020. End-Stage Renal Disease, in: *StatPearls [Internet]*. StatPearls Publishing, Treasure Island (FL), hal. 4–7.
- Blackwood, R. A., Issa, M., Klein, K., Mody, R., Willers, M., Teitelbaum, D., 2015. Ethanol lock therapy for the treatment of intravenous catheter infections that have failed standard treatment. *Journal of pediatric infection disease society.* 6(1), 94-97. <https://doi.org/10.1093/jpids/piv060>

- Bond, A., Chadwick, P., Smith, T.R., Nightingale, J.M.D., Lal, S., 2020. Diagnosis and management of catheter-related bloodstream infections in patients on home parenteral nutrition. *Frontline Gastroenterol.* 11, 48–54. <https://doi.org/10.1136/flgastro-2018-101094>
- Borges, P. de R. R. and Bedendo, J. (2015) ‘Risk factors associated with temporary catheter-related infection in patients on dialysis treatment’, *Texto e Contexto Enfermagem*. doi: 10.1590/0104-07072015000670014.
- Broom, J. K. *et al.* (2012) ‘A randomised controlled trial of Heparin versus EthAnol Lock THERapY for the prevention of Catheter Associated infecTion in Haemodialysis patients - The HEALTHY-CATH trial’, *BMC Nephrology*. doi: 10.1186/1471-2369-13-146.
- Brück, K., Stel, V.S., Gambaro, G., Hallan, S., Völzke, H., Ärnlöv, J., Kastarinen, M., Guessous, I., Vinhas, J., Stengel, B., Brenner, H., Chudek, J., Romundstad, S., Tomson, C., Gonzalez, A.O., Bello, A.K., Ferrieres, J., Palmieri, L., Browne, G., Capuano, V., Van Biesen, W., Zoccali, C., Gansevoort, R., Navis, G., Rothenbacher, D., Ferraro, P.M., Nitsch, D., Wanner, C., Jager, K.J., 2016. CKD Prevalence Varies across the European General Population. *J. Am. Soc. Nephrol.* 27, 2135–2147. <https://doi.org/10.1681/ASN.2015050542>
- Cesaro, S. *et al.* (2004) ‘A prospective survey on incidence and outcome of Broviac/Hickman catheter-related complications in pediatric patients affected by hematological and oncological diseases’, *Annals of Hematology*. doi: 10.1007/s00277-003-0796-9.
- Chen, I.C., Yang, S.C., Liu, K.T., Wu, Y.H., 2019. Delayed malposition of a double-lumen hemodialysis catheter that caused hemorrhage and hypovolemic shock: A case report. *Medicine (Baltimore)*. 98, e14192. <https://doi.org/10.1097/MD.00000000000014192>
- Clements, J., Rosca, M., Cavallin, C., Falkenhagen, S., Ittoop, T., Jung, C., Mazzella, M., Reed, J., Schluentz, M., VanDyke, C., 2020. Type 2 Diabetes and Chronic Conditions Disparities in Medicare Beneficiaries in the State of Michigan. *Am. J. Med. Sci.* 359, 218–225.
- Crnich, C. J. *et al.* 2005. ‘The Effects of Prolonged Ethanol Exposure on the Mechanical Properties of Polyurethane and Silicone Catheters Used for Intravascular Access’, *Infection Control & Hospital Epidemiology*. doi: 10.1086/502607.
- Daoud, D.C., Wanten, G., Joly, F., 2020. Antimicrobial Locks in PATients Receiving Home Parenteral Nutrition. *Nutrients* 2020 Feb 10;12(2):439. doi: 10.3390/nu12020439.

- D'Agati, V.D., Chagnac, A., de Zeeuw, D.L., de Zeeuw, A.P.J., Levi, M., Porrini, E., Herman-Edelstein, M., Praga, M., 2016. Obesity-related glomerulopathy: clinical and pathologic characteristics and pathogenesis. *Nat. Rev. Nephrol.* 12, 453–471. <https://doi.org/10.1038/nrneph.2016.75>
- Denic, A., Lieske, J.C., Chakkerla, H.A., Poggio, E.D., Alexander, M.P., Singh, P., Kremers, W.K., Lerman, L.O., Rule, A.D., 2017. The Substantial Loss of Nephrons in Healthy Human Kidneys with Aging. *J. Am. Soc. Nephrol.* 28, 313–320. <https://doi.org/10.1681/ASN.2016020154>
- Depkes, 2017. InfoDATIN Pusat Data dan Informasi Kementerian Kesehatan RI: Situasi Penyakit Ginjal Kronis 1–10.
- Dewiasty, E., Alwi, I., Dharmeizar, Harimurti, K., 2016. Peran Estimasi Laju Filtrasi Glomerulus ( eGFR ) sebagai Prediktor Mortalitas pada Pasien Sindrom Koroner Akut selama Perawatan di ICCU Estimated Glomerular Filtration Rate ( eGFR ) as an In-Hospital. *J. Penyakit Dalam Indones.* 3, 193–199.
- Ene-Iordache, B., Perico, N., Bikbov, B., Carminati, S., Remuzzi, A., Perna, A., Islam, N., Bravo, R.F., Aleckovic-Halilovic, M., Zou, H., Zhang, L., Gouda, Z., Tchokhanelidze, I., Abraham, G., Mahdavi-Mazdeh, M., Gallieni, M., Codreanu, I., Togtokh, A., Sharma, S.K., Koirala, P., Uprety, S., Ulasi, I., Remuzzi, G., 2016. Chronic kidney disease and cardiovascular risk in six regions of the world (ISN-KDDC): a cross-sectional study. *Lancet Glob. Heal.* 4, e307–e319. [https://doi.org/10.1016/S2214-109X\(16\)00071-1](https://doi.org/10.1016/S2214-109X(16)00071-1)
- Fraser, S.D.S., Aitken, G., Taal, M.W., Mindell, J.S., Moon, G., Day, J., O'Donoghue, D., Roderick, P.J., 2015. Exploration of Chronic Kidney Disease Prevalence Estimates Using New Measures of Kidney Function in the Health Survey for England. *PLoS One* 10, e0118676. <https://doi.org/10.1371/journal.pone.0118676>
- Gahlot, R., 2014. Catheter Related Bloodstream Infections. *International Journal of Critical Illness and Injury Science* Vol.4 issue 2. doi:10.403/2229-5151.134184
- Gajee, 2017. Antibiotic Lock Therapy. NHS Found. Trust. <https://doi.org/10.32388/6ydpou>
- Girndt, M., Trocchi, P., Scheidt-Nave, C., Markau, S., Stang, A., 2016. The Prevalence of Renal Failure. *Dtsch. Aertzblatt Online.* <https://doi.org/10.3238/arztebl.2016.0085>
- Glassock, R.J., 2016. Evaluation of proteinuria redux. *Kidney Int.* 90, 938–940. <https://doi.org/10.1016/j.kint.2016.07.044>
- Glassock, R.J., Warnock, D.G., Delanaye, P., 2017. The global burden of chronic kidney disease: estimates, variability and pitfalls. *Nat. Rev. Nephrol.* 13, 104–

114. <https://doi.org/10.1038/nrneph.2016.163>
- Goksu, S., Khattar, D., 2020. Cystic Kidney Disease, in: StatPearls [Internet]. StatPearls Publishing, Treasure Island (FL).
- Golestaneh, L., Mokrzycki, M.H., 2018. Prevention of hemodialysis catheter infections: Ointments, dressings, locks, and catheter hub devices. *Hemodial. Int.* 22, S75–S82. <https://doi.org/10.1111/hdi.12703>
- Goossens, G. A., 2015. Flushing and Locking of Venous Catheters: Available Evidence and Evidence Deficit. Hindawi Publishing Corporation Nursing Research and Practice Volume 2015. <http://dx.doi.org/10.1155/2015/985686>
- Gundogan, K., *et al.* 2019. Ethanol Lock Therapy Markedly Reduces Catheter Related Bloodstream Infection in Adults Requiring Home Parenteral Nutrition: A Retrospective Study From a Tertiary Medical Center. *Journal of Prenteral and Enteral Nutrition* Volume 00(0). doi:10.1002/jpen.1698
- Harding, J., Pavkov, M., Magliano, D., Shaw, J., Gregg, E., 2019. Global trends in diabetes complications: a review of current evidence. *Diabetologia* 62, 3–16.
- Hill, N.R., Fatoba, S.T., Oke, J.L., Hirst, J.A., O’Callaghan, C.A., Lasserson, D.S., Hobbs, F.D.R., 2016. Global Prevalence of Chronic Kidney Disease – A Systematic Review and Meta-Analysis. *PLoS One* 11, e0158765. <https://doi.org/10.1371/journal.pone.0158765>
- Hodgin, J.B., Bitzer, M., Wickman, L., Afshinnia, F., Wang, S.Q., O’Connor, C., Yang, Y., Meadowbrooke, C., Chowdhury, M., Kikuchi, M., Wiggins, J.E., Wiggins, R.C., 2015. Glomerular Aging and Focal Global Glomerulosclerosis: A Podometric Perspective. *J. Am. Soc. Nephrol.* 26, 3162–3178. <https://doi.org/10.1681/ASN.2014080752>
- Ishigami, J., Matsushita, K., 2019. Clinical epidemiology of infectious disease among patients with chronic kidney disease. *Clin. Exp. Nephrol.* 23, 437–447.
- Kemenkes RI, 2020. Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19). *Germas* 4, 0–115.
- Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group., 2019. KDIGO 2019 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kidney Int. Suppl* 3, 1–150.
- Kriz, W., Lemley, K. V., 2015. A Potential Role for Mechanical Forces in the Detachment of Podocytes and the Progression of CKD. *J. Am. Soc. Nephrol.* 26, 258–269. <https://doi.org/10.1681/ASN.2014030278>
- Kubiak, D. W. *et al.* (2014) ‘Adjunctive management of central line-associated bloodstream infections with 70% ethanol-lock therapy’, *Journal of*

*Antimicrobial Chemotherapy*. doi: 10.1093/jac/dku017.

- Lee, K.-Y., 2017. A unified pathogenesis for kidney diseases, including genetic diseases and cancers, by the protein-homeostasis-system hypothesis. *Kidney Res. Clin. Pract.* 36, 132–144. <https://doi.org/10.23876/j.krcp.2017.36.2.132>
- Lees, J.S., McQuarrie, E.P., Mordi, N., Geddes, C.C., Fox, J.G., Mackinnon, B., 2017. Risk factors for bleeding complications after nephrologist-performed native renal biopsy. *Clin. Kidney J.* 10, 573–577. <https://doi.org/10.1093/ckj/sfx012>
- Li, J., An, C., Kang, L., Mitch, W.E., Wang, Y., 2017. Recent Advances in Magnetic Resonance Imaging Assessment of Renal Fibrosis. *Adv. Chronic Kidney Dis.* 24, 150–153. <https://doi.org/10.1053/j.ackd.2017.03.005>
- Merikhi, A. *et al.* (2019) ‘Comparison of the effect of antibiotic-lock and ethanol-lock methods on infection rate in children with hemodialysis catheter.’, *American journal of clinical and experimental urology*.
- Mermel, L. A. and Alang, N. (2014) ‘Adverse effects associated with ethanol catheter lock solutions: A systematic review’, *Journal of Antimicrobial Chemotherapy*. doi: 10.1093/jac/dku182.
- Metcalf, S. C. L., Chambers, S. T. and Pithie, A. D. (2004) ‘Use of ethanol locks to prevent recurrent central line sepsis’, *Journal of Infection*. doi: 10.1016/j.jinf.2003.08.010.
- Miller, L.M., Clark, E., Dipchand, C., Hiremath, S., Kappel, J., Kiaii, M., Lok, C., Luscombe, R., Moist, L., Oliver, M., MacRae, J., 2016. Hemodialysis tunneled catheter-related infections. *Can. J. Kidney Heal. Dis.* 3. <https://doi.org/10.1177/2054358116669129>
- Mokha, J. S. *et al.* (2017) ‘Effects of Ethanol Lock Therapy on Central Line Infections and Mechanical Problems in Children with Intestinal Failure’, *Journal of Parenteral and Enteral Nutrition*. doi: 10.1177/0148607115625057.
- National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK), 2018. Hemodialysis [WWW Document].
- Romagnani, P., Remuzzi, G., Glassock, R., Levin, A., Jager, K.J., Tonelli, M., Massy, Z., Wanner, C., Anders, H.J., 2017. Chronic kidney disease. *Nat. Rev. Dis. Prim.* 3. <https://doi.org/10.1038/nrdp.2017.88>
- Rosalie, A. *et al.* 2021. ‘Comparison of ethanol lock and heparin lock solution as prevention of catheter-related bloodstream infection in hemodialysis patients: systematic review and meta-analysis of randomized controlled trials’, *Journal of Indonesia Vascular Access*. doi: 10.51559/jinava.v1i1.7.

- Satyanarayana, R.V., Narothona, R. A., Chronic Renal Failure. Statpearls Publishing, 2020. <https://www.ncbi.nlm.nih.gov/books/NBK535404/>.
- Saxena, A. K. and Panhotra, B. R. (2005) 'Haemodialysis catheter-related bloodstream infections: Current treatment options and strategies for prevention', *Swiss Medical Weekly*. doi: 2005/09/smw-10860.
- Schnaper, H.W., 2017. The Tubulointerstitial Pathophysiology of Progressive Kidney Disease. *Adv. Chronic Kidney Dis.* 24, 107–116. <https://doi.org/10.1053/j.ackd.2016.11.011>
- Shah, H. *et al.* 2013. Intravascular Catheter Related Bloodstream Infection. *The Neurohospital* 3(3) 144-151. Doi:10.1177/1941874413476043
- Shrestha, S. K. and Raut, K. B. (2015) 'Role of Ethanol Lock Therapy Vs Heparin Lock In Preventing Infections in Non-Tunneled Hemodialysis Catheters', *Journal of Universal College of Medical Sciences*, 3(4), pp. 30–36. doi: 10.3126/jucms.v3i4.24266.
- Soelistijo, S. A. *et al.* (2021) *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2021*, PB. PERKENI. Available at: <https://pbperkeni.or.id/wp-content/uploads/2021/11/22-10-21-Website-Pedoman-Pengelolaan-dan-Pencegahan-DMT2-Ebook.pdf> (Accessed: 2 December 2021).
- Stanifer, J.W., Kilonzo, K., Wang, D., Su, G., Mao, W., Zhang, Lei, Zhang, La, Nayak-Rao, S., Miranda, J.J., 2017. Traditional Medicines and Kidney Disease in Low- and Middle-Income Countries: Opportunities and Challenges. *Semin. Nephrol.* 37, 245–259. <https://doi.org/10.1016/j.semnephrol.2017.02.005>
- Stanifer, J.W., Muiru, A., Jafar, T.H., Patel, U.D., 2016. Chronic kidney disease in low- and middle-income countries. *Nephrol. Dial. Transplant.* 31, 868–874. <https://doi.org/10.1093/ndt/gfv466>
- Staplin, N., Haynes, R., Herrington, W.G., Reith, C., Cass, A., Fellström, B., Jiang, L., Kasiske, B.L., Krane, V., Levin, A., Walker, R., Wanner, C., Wheeler, D.C., Landray, M.J., Baigent, C., Emberson, J., Baigent, C., Landray, M.J., Reith, C., Emberson, J., Wheeler, D.C., Tomson, C., Wanner, C., Krane, V., Cass, A., Craig, J., Neal, B., Jiang, L., Hooi, L.S., Levin, A., Agodoa, L., Gaziano, M., Kasiske, B.L., Walker, R., Massy, Z.A., Feldt-Rasmussen, B., Krairitichai, U., Ophascharoensuk, V., Fellström, B., Holdaas, H., Tesar, V., Wiecek, A., Grobbee, D., de Zeeuw, D., Grönhagen-Riska, C., Dasgupta, T., Lewis, D., Herrington, W.G., Mafham, M., Majoni, W., Wallendszus, K., Grimm, R., Pedersen, T., Tobert, J., Armitage, J., Baxter, A., Bray, C., Chen, Y., Chen, Z., Hill, M., Knott, C., Parish, S., Simpson, D., Sleight, P., Young, A., Collins, R., 2016. Smoking and Adverse Outcomes in Patients With CKD: The Study of

- Heart and Renal Protection (SHARP). *Am. J. Kidney Dis.* 68, 371–380. <https://doi.org/10.1053/j.ajkd.2016.02.052>
- Stegmayr, B., 2017. Dialysis Procedures Alter Metabolic Conditions. *Nutrients* 9, 548. <https://doi.org/10.3390/nu9060548>
- Sumida, K., Kovesdy, C.P., 2017. Disease Trajectories Before ESRD: Implications for Clinical Management. *Semin. Nephrol.* 37, 132–143. <https://doi.org/10.1016/j.semnephrol.2016.12.003>
- Tan, M., Lau, J., Guglielmo, B.J., 2014. Ethanol Locks in the Prevention and Treatment of Catheter Related Bloodstream Infections. *Annals of Pharmacotherapy*. DOI: 10.1177/1060028014524049
- Tonneijck, L., Muskiet, M.H.A., Smits, M.M., van Bommel, E.J., Heerspink, H.J.L., van Raalte, D.H., Joles, J.A., 2017. Glomerular Hyperfiltration in Diabetes: Mechanisms, Clinical Significance, and Treatment. *J. Am. Soc. Nephrol.* 28, 1023–1039. <https://doi.org/10.1681/ASN.2016060666>
- Vadakedath, S., Kandi, V., 2017. Dialysis: A Review of the Mechanisms Underlying Complications in the Management of Chronic Renal Failure. *Cureus* 9. <https://doi.org/10.7759/cureus.1603>
- Vercaigne, L. M. *et al.* (2016) ‘An ethanol/sodium citrate locking solution compared to heparin to prevent hemodialysis catheter-related infections: A randomized pilot study’, *Journal of Vascular Access*. doi: 10.5301/jva.5000486.
- Weir, C. B. and Jan, A. (2021) ‘BMI Classification Percentile And Cut Off Points’, *StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK541070/> (Accessed: 4 December 2021).
- WHO (2021) *Body mass index - BMI*. Available at: [https://www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi?source=post\\_page-----](https://www.euro.who.int/en/health-topics/disease-prevention/nutrition/a-healthy-lifestyle/body-mass-index-bmi?source=post_page-----) - (Accessed: 2 December 2021).
- Wish, J. B., Sharon, M., 2017. Moving Beyond the Assured Improving Fistula Success Rates. *J AM Soc Nephrol* 28. <https://doi.org/10.1681/ASN.2017060663>
- Wyld, M., Morton, R., Aouad, L., Magliano, D., Polkinghorne, K., Chadban, S., 2020. The impact of comorbid chronic kidney disease and diabetes on health-related quality-of-life: a 12-year community cohort study. *Nephrol. Dial. Transplant.*
- Xu, D., Chen, M., Zhou, F., Zhao, M., 2017. Risk Factors for Severe Bleeding Complications in Percutaneous Renal Biopsy. *Am. J. Med. Sci.* 353, 230–235.

<https://doi.org/10.1016/j.amjms.2016.12.019>

- Xu, Y. *et al.* (2020) 'Early diagnostic value of serum procalcitonin levels for catheter-related blood stream infection in first-ever acute ischemic stroke patients', *BMC neurology*. *BMC Neurol*, 20(1). doi: 10.1186/S12883-019-1557-2.
- Zhang, J. *et al.* (2019) 'Ethanol locks for the prevention of catheterrelated infection in patients with central venous catheter: A systematic review and meta-analysis of randomized controlled trials', *PLoS ONE*. doi: 10.1371/journal.pone.0222408.
- Zhang, P. *et al.* (2018) 'Ethanol locks for the prevention of catheter-related bloodstream infection: A meta-analysis of randomized control trials', *BMC Anesthesiology*. doi: 10.1186/s12871-018-0548-y.
- Zoccali, C., Vanholder, R., Massy, Z.A., Ortiz, A., Sarafidis, P., Dekker, F.W., Fliser, D., Fouque, D., Heine, G.H., Jager, K.J., Kanbay, M., Mallamaci, F., Parati, G., Rossignol, P., Wiecek, A., London, G., 2017. The systemic nature of CKD. *Nat. Rev. Nephrol.* 13, 344–358. <https://doi.org/10.1038/nrneph.2017.52>