

DAFTAR PUSTAKA

1. Sierpinska T, Golebiewska M, Kuch J, Lapuc M. *The influence of the vertical dimension on masticatory muscle activities and hyoid bone position in complete denture wearer* . Advance in medical sciences. 2009; pp 104- 108
2. Wiro W, Habar ID. *Cephalometric Analysis for Determining The Vertical Dimension (Case Report)*. Journal of Dentomaxillofacial Science, 2017;2(1):41.
3. Strajni L, Stani D, Markovi D, Stojanovi L. *Cephalometric Indicators of the Vertical Dimension of Occlusion*. Coll. Antropol. 2008; 2: 535–541.
4. Enkling N, Enkling-Scholl J, Albrecht D, Bornstein M, Schimme M. *Determination of the occlusal vertical dimension in edentulous patients using lateral cephalograms*. J Oral Rehabil. 2018;00:1–7.
5. Yanikoglu N, Güldag M and Duymu S. *Determination of the Occlusal Vertical Dimension: Use of Maxillary and Mandibular Posterior Teeth Measurement in Edentate Subjects*. Eur. J. Prosthodont. Rest. Dent. 2005;Vol.13, No. 1
6. Zahra A, Soesetijo A , Djati F. Perbandingan dimensi vertikal oklusal sebelum dan setelah insersi gigi tiruan lengkap dengan metode Niswonger dan radiografi sefalometri. J Ked Gi Unpad. 2019 april; 31(1): 47-53.
7. Hadjieva H, Dimova M, Hadjieva E, Todorov S. *Changes In The Vertical Dimention Of Occlusion During Different Periods of Complete denture wear - a comparative study*. Journal of IMAB. 2014; vol. 20, issue 3
8. Millet C, Leterme A, Jeanin C, Jaudoin P. *Vertical dimention In the treatment of the edentulous patient*. Rev Stomatol of maxillofac. 2010;Nov-Des:111 (5-6)
9. Majeed M, Afzal M, Kashif M. *Determination of Occlusal Vertical Dimension in A Pakistani Population using craniofacial Measurement*. JUMDC. 2015; Vol. 6, Issue 1,
10. Alhajj M N, Khalifa N, Abduo , Amran A G, Ismail I A. *Determination of*

Occlusal Vertical Dimension for Complete Dentures Patients: An Updated Review. Journal Oral Rehabilitation. 2017 Nov;44(11):896-907

11. Morata C, Pizarro A, Gonzalez H, Zambra FR. *A craniometry-based predictive model to determine Occlusal Vertical dimension.* The J Of Prosth Dent 2019:1-7.
12. Zielak J C, Neto D G, Cunha L F, Deliberador T M, Giovanini A F. *Cephalometric Approach to the Occlusal Vertical Dimension Reestablishment. Case Report.* Hindawi Publishing Corporation. 2014
13. Wirahadikusumah A., Koesmaningati H, Fardaniah S. Digital photo analysis as a predictor of physiological vertical dimension. Journal of Dentistry Indonesia. 2011; 18(2): 38
14. Geerts GA, Stuhlinger ME, Nel DG. *A Comparison of the Accuracy of Two Methods used by Pre-doctoral Students to measure Vertical Dimension.* Journal of Prosthetic Dentistry. 2004; 91:59
15. Zarb GA, Bolender CL, Hickey JC. Buku ajar prostodonsi untuk pasien tak bergigi menurut Boucher. 10th ed. Alih bahasa: Daroewati M, Henni K. BAB 12 Pertimbangan Biologik dalam Hubungan Vertikal Rahang. Jakarta: EGC ; 1990. h. 232-39
16. Turrell AJW. Clinical Assessment Of Vertical Dimension. Journal Of Prosthetic Dentistry. 2006;96:79-2
17. Gunadi H.A., dkk. Ilmu Geligi Tiruan Sebagian Lepas. Edisi 2. Jakarta : EGC;2016. 295-99,30
18. Teng GL, Subrata G, Ardan R. The comparisaon between the length of vertical dimension of occlusion and the length of thumb on undergraduate mongoloid student. Padjajaran Journal of dentistry. 2011; 23(1):39-45.
19. Amiruddin M, Thalib B. *Vertical Dimension Measurement Directly On The Face And Indirectly By Cephalometric.* Analisis Pengukuran Dimensi Vertikal Secara Langsung Pada Wajah Dan Tidak Langsung Dengan Analisis Sefalometri. Makassar Dent J. 2019;8(1):27
20. Baker, SB 2007, 'Orthognatic Surgery', *Grabb and Smith's Plastic Surgery*, 6th edn, Editor : Thorne, CH et all, Printed by Lipincott Williams and Wilkins, USA, hh. 257-258
21. Jacobson, A 2006, 'Steiner analysis'. Radiographic cephalometry from basics to 3-D imaging, Quintessence Publishing Co, Limited, New Malden, Surrey, UK, hh. 71-78

22. Iriyanto SY. Analisa Citra digital dan konten based image retrieval. CV Anugrah Utama Raharja. 2016;7-28
23. Mizumoto Y, Deguchi ST, Fong KWC. *Assessment of Facial Golden Proportions among Young Japanese Women*. American Journal of Orthodontics and dentofacial Orthopedics. 2009;136:168-73
24. Chairani CM, Rahmi E. Korelasi Antara dimensi vertikal oklusi dengan Panjang jari klingking pada sub-ras deutro melayu. Majalah Kedokteran Gigi Indonesia, 2016;2(3):155-6.
25. Knebelman S. The Craniometric Method For Establishing Occlusal Vertical Dimension. U.S. Patent No. 4718850. Wynnewood, Pa.: Craniometrics, Inc., 1987.
26. Fehrenbach MJ, Herring SW. Illustrated anatomy of the head. 5th ed ed. St. Louis, Missouri : Elsevier ; 2017. 13.
27. Madjeed MI, Haralur SB, Khan MF, et al. *An Anthropometric Study of Cranio-Facial Measurements and Their Correlation with Vertical Dimension of Occlusion among Saudi Arabian Subpopulations*. 2018 April 15;6(4):680-686.
28. Helal MA, Shahbba RA. *Evaluation for the Reliability of the Craniofacial Measurements in Determination of Vertical Dimension of Occlusion*. Journal of Clinical Research in Dentistry. 2018; Vol 1.
29. Rugh JR, Drago CJ. *Vertical dimension: A study of clinical rest position and jaw muscle activity*. The Journal of Prosthetic Dentistry. 1982 June; Vol 45.
30. Bhat VS, Gopinathan M. *Reliability of determining vertical dimension of occlusion in complete dentures: A clinical study*. The Journal of Indian Prosthodontic Society. March 2006; Vol 6, Issue 1.
31. Ortlieb JD, Laurent M, Laplanche O. *Cephalometric estimation of Vertical Dimension of occlusion*. Journal of Oral rehabilitation. 2000; 802-807.
32. Purba R, Yasmin U, Beumaputra A, Rizkika P. *Occlusal Vertical Dimension Analyzed By Digital Photography Using Graphic Design Softwares*. Majalah Kedokteran Sriwijaya. 2020 Januari; Th. 52 Nomor 1.

LAMPIRAN

Lampiran 1. Dokumentasi Kegiatan

Gambar 1. Pemberian Instruksi Sebelum dilakukan Prosedur penelitian



Gambar 2. Pengukuran DV dari dinding anterior meatus auditorius eksternus dengan aspek medial dinding lateral orbita



Gambar 3. Proses pengambilan foto



Gambar 4. Pencatatan Hasil Pengukuran



Lampiran 2. Hasil Analisis statistik

Explore

Tests of Normality

kategori		Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	Sig.
Dimensi	Knebelaman	,164	13	,200*	,938	13	,436
Vertikal	Sefalometri	,159	13	,200*	,925	13	,292
Oklusi	IP-KA	,293	13	,003	,814	13	,010
	IP-KI	,236	13	,046	,868	13	,048
	SN-GN	,188	13	,200*	,830	13	,016

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
KNEBELAMAN	13	69,00	75,60	71,5462	2,01561
SEFALOMETRI	13	66,00	73,00	68,6923	2,25036
IPKA	13	66,50	75,50	69,6923	2,71982
IPKI	13	66,00	75,00	69,5692	2,76146
SNGN	13	66,00	73,00	68,4615	2,63361
Valid N (listwise)	13				

NPar Tests

Mann-Whitney Test

Ranks

	kategori	N	Mean Rank	Sum of Ranks
Dimensi Vertikal Oklusi	Knebelaman	13	17,85	232,00
	Sefalometri	13	9,15	119,00
	Total	26		

Test Statistics^b

	Dimensi Vertikal Oklusi
Mann-Whitney U	28,000
Wilcoxon W	119,000
Z	-2,908
Asymp. Sig. (2-tailed)	,004
Exact Sig. [2*(1-tailed Sig.)]	,003 ^a

a. Not corrected for ties.

b. Grouping Variable: kategori

NPar Tests

Mann-Whitney Test

Ranks

	kategori	N	Mean Rank	Sum of Ranks
Dimensi Vertikal Oklusi	Knebelaman	13	17,15	223,00
	IP-KA	13	9,85	128,00
	Total	26		

Test Statistics^b

	Dimensi Vertikal Oklusi
Mann-Whitney U	37,000
Wilcoxon W	128,000
Z	-2,445
Asymp. Sig. (2-tailed)	,014
Exact Sig. [2*(1-tailed Sig.)]	,014 ^a

a. Not corrected for ties.

b. Grouping Variable: kategori

NPar Tests

Mann-Whitney Test

Ranks

	kategori	N	Mean Rank	Sum of Ranks
Dimensi Vertikal Oklusi	Knebelaman	13	17,00	221,00
	IP-KI	13	10,00	130,00
	Total	26		

Test Statistics^b

	Dimensi Vertikal Oklusi
Mann-Whitney U	39,000
Wilcoxon W	130,000
Z	-2,335
Asymp. Sig. (2-tailed)	,020
Exact Sig. [2*(1-tailed Sig.)]	,019 ^a

a. Not corrected for ties.

b. Grouping Variable: kategori

NPar Tests

Mann-Whitney Test

Ranks

	kategori	N	Mean Rank	Sum of Ranks
Dimensi Vertikal Oklusi	Knebelaman	13	17,85	232,00
	SN-GN	13	9,15	119,00
	Total	26		

Test Statistics^b

	Dimensi Vertikal Oklusi
Mann-Whitney U	28,000
Wilcoxon W	119,000
Z	-2,908
Asymp. Sig. (2-tailed)	,004
Exact Sig. [2*(1-tailed Sig.)]	,003 ^a

a. Not corrected for ties.

b. Grouping Variable: kategori

NPar Tests

Mann-Whitney Test

Ranks

	kategori	N	Mean Rank	Sum of Ranks
Dimensi Vertikal Oklusi	Sefalometri	13	12,00	156,00
	IP-KA	13	15,00	195,00
	Total	26		

Test Statistics^b

	Dimensi Vertikal Oklusi
Mann-Whitney U	65,000
Wilcoxon W	156,000
Z	-1,009
Asymp. Sig. (2-tailed)	,313
Exact Sig. [2*(1-tailed Sig.)]	,336 ^a

a. Not corrected for ties.

b. Grouping Variable: kategori

NPar Tests

Mann-Whitney Test

Ranks

	kategori	N	Mean Rank	Sum of Ranks
Dimensi Vertikal Oklusi	Sefalometri	13	12,23	159,00
	IP-KI	13	14,77	192,00
	Total	26		

Test Statistics^b

	Dimensi Vertikal Oklusi
Mann-Whitney U	68,000
Wilcoxon W	159,000
Z	-,849
Asymp. Sig. (2-tailed)	,396
Exact Sig. [2*(1-tailed Sig.)]	,418 ^a

a. Not corrected for ties.

b. Grouping Variable: kategori

NPar Tests

Mann-Whitney Test

Ranks

	kategori	N	Mean Rank	Sum of Ranks
Dimensi Vertikal Oklusi	Sefalometri	13	14,19	184,50
	SN-GN	13	12,81	166,50
	Total	26		

Test Statistics^b

	Dimensi Vertikal Oklusi
Mann-Whitney U	75,500
Wilcoxon W	166,500
Z	-,468
Asymp. Sig. (2-tailed)	,640
Exact Sig. [2*(1-tailed Sig.)]	,650 ^a

a. Not corrected for ties.

b. Grouping Variable: kategori

NPar Tests

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
Dimensi Vertikal Oklusi	65	69,5923	2,65149	66,00	75,60
kategori	65	3,00	1,425	1	5

Kruskal-Wallis Test

Ranks

	kategori	N	Mean Rank
Dimensi Vertikal Oklusi	Knebelaman	13	48,85
	Sefalometri	13	26,58
	IP-KA	13	33,35
	IP-KI	13	32,58
	SN-GN	13	23,65
	Total	65	

Test Statistics^{a,b}

	Dimensi Vertikal Oklusi
Chi-Square	13,900
df	4
Asymp. Sig.	,008

a. Kruskal Wallis Test

b. Grouping Variable: kategori

NPar Tests

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
Dimensi Vertikal Oklusi	65	69,5923	2,65149	66,00	75,60
kategori	65	3,00	1,425	1	5

Kruskal-Wallis Test

Ranks

	kategori	N	Mean Rank
Dimensi Vertikal Oklusi	Knebelaman	13	28,00
	Sefalometri	13	14,15
	IP-KA	13	17,85
	Total	39	

Test Statistics^{a,b}

	Dimensi Vertikal Oklusi
Chi-Square	10,362
df	2
Asymp. Sig.	,006

a. Kruskal Wallis Test

b. Grouping Variable: kategori

NPar Tests

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
Dimensi Vertikal Oklusi	39	69,9359	2,59853	66,00	75,60
kategori	65	3,00	1,425	1	5

Kruskal-Wallis Test

Ranks

	kategori	N	Mean Rank
Dimensi Vertikal Oklusi	Knebelaman	13	27,85
	Sefalometri	13	14,38
	IP-KI	13	17,77
	Total	39	

Test Statistics^{a,b}

	Dimensi Vertikal Oklusi
Chi-Square	9,839
df	2
Asymp. Sig.	,007

a. Kruskal Wallis Test

b. Grouping Variable: kategori

NPar Tests

Descriptive Statistics

	N	Mean	Std. Deviation	Minimum	Maximum
Dimensi Vertikal Oklusi	39	69,5667	2,66313	66,00	75,60
kategori	65	3,00	1,425	1	5

Kruskal-Wallis Test

Ranks

	kategori	N	Mean Rank
Dimensi Vertikal Oklusi	Knebelaman	13	28,69
	Sefalometri	13	16,35
	SN-GN	13	14,96
	Total	39	

Test Statistics^{a,b}

	Dimensi Vertikal Oklusi
Chi-Square	11,547
df	2
Asymp. Sig.	,003

a. Kruskal Wallis Test

b. Grouping Variable: kategori