

## DAFTAR PUSTAKA

- Balazs, D., 2001. Intensity of Tropical Karst Development.
- Balouri, M.O.U.N.Y.R., Bouhdid, S.A.M.I.R.A., Harki, E., Sadiki, M.O.U.L.A.Y., Oudhrhiri, W.E.S.S.A.L. and Ibnsouda, S.K., 2015. Antifungal Activity of *Bacillus spp.* Isolated from Calotropis Procera Ait. Rhizosphere Against *Candida albicans*. *Asian J. Pharm. Clin. Res*, 8, pp.213-217.
- Bérdy, J., 2005. Bioactive Microbial Metabolites. *J. Antibiot.*
- Branen, . L. dan P. M. Davidson. 1993. Antimicrobial in Food. Marcel Dekker. New York.
- Butler M.S. and Buss A.D., 2006. Biochem Pharmacol, 71, 919-929.
- Cross, T., 1981. Aquatic *Actinomycetes*: A Critical Survey of the Occurrence, Growth and Role of *Actinomycetes* in Aquatic Habitats. *Journal of Applied Microbiology*, 50(3), pp.397-423.
- Djide, N. dan Sartini. 2014. *Analisis Mikrobiologi Farmasi*. Lembaga Penerbitan Universitas Hasanuddin (Lephas). Makassar. pp.89-90, 282-283, 321-324.
- Djide, N. dan Sartini. 2014. Dasar-dasar Mikrobiologi Farmasi. Lembaga penerbitan Univeristas Hasanuddin (Lephas). Makassar. pp.101, 223, 297-299.
- Islam, M.S., Aryasomayajula, A., Selvaganaphaty, P.R., 2017. A review on Macroscale and Microscale Cell Lysis Methods. *Micrpmachines* 8.

- Jiang, Y., Li, Q., Chen, X., Jiang, C., 2016. Isolation and Cultivation Methods of *Actinobacteria*. *Actinobacteria – Basics Biotechnol. Appl.*
- Kanti, A., 1970. Cellulolytic *Actinomycetes* Isolated from Soil in Bukit Duabelas National Park, Jambi. *Biodiversitas J. Biol. Divers.* 6, 85–89.
- Kekuda, P.T.R., Shobha, K.S., Onkarappa, R., 2010. Studies on isolated from Western Ghat soils of Agumbe, Karnataka. *J. Pharm. Res.* 3, 26–29.
- Liu, Y., Friesen, J.B., Grzelak, E.M., Fan, Q., Tang, T., Duric, K., Jaki, B.U., McAlpine, J.B., Franzblau, S.G., Chen, S.N. and Pauli, G.F., 2017. Sweet Spot Matching: A Thin-Layer Chromatography-Based Counter-current Solvent System Selection Strategi. *Journal of Chromatography A*, 1504, pp.46-54.
- Newman D.J. and Cragg G.M., 2007. *J Nat Prod*, 70, 461-477.
- Okami Y. and Hotta K., 1988. editors, Goodfellow M., Williams S.T. and Mordarski M. Academic Press Inc, New York, 33-67.
- Oskay M., Tamer A.U. and Azeri C., 2004. *African J Biotechnol*, 3 (9), 441-446.
- Owaga E.E, O.C. and C.N.E., Isolasi Dan Aktivitas Antimikroba *Actinomycetes* Dari Tanah Karst Taman Wisata Bantimurung Asal Maros Sulawesi Selatan. *African J. Food, Agric. Nutr. Dev.* 9, 1–8.
- Pandey B., Ghimire P. and Agrawal V.P., 2004. International Conference on the Great Himalayas: Climate, Health, Ecology, Management and Conservation, Kathmandu, Organized by Kathmandu University and


- the Aquatic Ecosystem Healt and Management Society, Canada.
- Pandey, A., Kumar, S., 2015. Antibiotic Activity of Antimicrobial Metabolites Produced From Soil Microorganisms: An Overview. *Int. J. Pharm. Res. Allied Sci.* 4, 28–32.
- Prasetyo, H.D., Santoso, I., Maryanto, A.E., 2021. Production of Antimicrobial Compounds from Two Potential *Actinomycetes* SRM 2 and SD 17 Using Soluble and Local Starch. *J. Phys. Conf. Ser.* 1725.
- Pratama, Y., Sarjono, P.R., Mulyani., 2015. Skrining Metabolit Sekunder Bakteri Endofit yang Berfungsi sebagai Antidiabetes dari Daun Mimba (*Azadirachta indica*). *J. Kim. Sains dan Apl.* 18, 73-78.
- Raihan, M., Taqwa, N., Hanifah, A.R., Lallo, S., Ismail, I., Amir, M.N., 2020. Skrining Fitokimia Ekstrak Kulit Buah Nangka (*Artocarpus heterophyllus*) dan Aktivitas Antioksidannya terhadap [2,2'-azinobis-(3-ethylbenzothiazoline-6-sulfonate)] (ABTS). *Maj. Farm. Dan Farmakol.* 23, 101-105.
- Sabaratnam, V., Fiedler, H.-P., Ward, A., Goodfellow, M., 2004. Production and Chemical Characterization of Antifungal Metabolites From *Micromonospora* sp. M39 Isolated From Mangrove Rhizosphere Soil. *World J. Microbiol. Biotechnol.* 523-528.
- Salaria, N., Sharma, Sandeep, Sharma, Sarika, Pradesh, H., States, U., 2017. *Actinomycetes*: Potential and Applications IV, 32–44.
- Shiska, P., Prasetyo, Y., A.S., 2017. *Jurnal Geodesi*. Undip Januari 2017  
METODE POLARIMETRIK SAR ( SYNTHETIC APERTURE RADAR )

- 6, 66–73.
- Shahat, A.S., Abouwarda, A. and El-Wafa, W.M.A., 2011. Production of Anti-*Candida albicans* by Egyptian *Srptomyces* isolates. *International Journal of Microbiological Research*, 2(2), pp.167-171.
- Sharma, M., 2014. *Actinomycetes*: Source, Identification, and Their Applications. *Int J Curr Microbiol App Sci*, 3(2), pp.801-32.
- Solecka, J., Zajko, J., Postek, M., Rajnisz, A., 2012. Biologically Active Secondary Metabolites from Actinomycetes. *Cent. Eur. J. Biol.* 7, 373-390.
- Song, Q., Huang, Y., Yang, H., 2012. Optimization of Fermentation against *Sclerotinia sclerotiorum*. *J. Agric. Sci.* 4, 95-102.
- Stahl, E., 1962. Thin-Layer Chromatography. A Laboratory Handbook. Springer. pp.4-50.
- Sulistyani, N., and Akbar, A.N., 2014. Activity of *Actinomycetes* Isolates from Seeweed (*Euchema cottoni*) as Antibiotic Producer against *Staphylococcus aureus* and *Escherihia coli*. *Jurnal Ilmu Kefarmasian Indonesia*, 12(1), pp.1-9.
- Valle, D.L., Puzon, J.J.M., Cabrera, E.C. and Rivera, W.L., 2016. Thin-Layer Chromatography-Bioautography and Gas Chromatography-Mass Spectrometry of Antimicrobial Leaf Extract from Philippine *Piper betle* L. Against Multidrug-Resistant Bacteria. *Evidence-Based Complementary and Alternative Medicine*, 2016.
- Wang, X., Huang, L., Kang, Z., Buchenauer, H., Gao, X., 2010.

Optimization of the Fermentation Process of *Actinomycetes* strain  
Hhs.015(T). *J. Biomed. Biotechnol.* 2010.

## LAMPIRAN

### Lampiran 1. Skema kerja penelitian



## Lampiran 2. Komposisi Media

**Tabel 4. Komposisi Media NA**

Nama Bahan	Jumlah
Beef extract	0,3 g
Pepton	0,5 g
Agar	1,5 g
Aquadest	Ad 100 MI


**Tabel 5. Komposisi Media SNA**

Nama Bahan	Jumlah
Agar	20 g
Pati terlarut	20 g
KNO <sub>3</sub>	1 g
MgSO <sub>4</sub>	0,5 g
K <sub>2</sub> HPO <sub>4</sub>	0,5 g
FeSO <sub>4</sub>	0,01
Aquadest	Ad 1000 mL

**Tabel 6. Komposisi Media SNB**

Nama Bahan	Jumlah
Pati terlarut	20 g
KNO <sub>3</sub>	1 g
K <sub>2</sub> HPO <sub>4</sub>	0,5 g
MgSO <sub>4</sub>	0,5 g
NaCl	0,5 g
FeSO <sub>4</sub>	0,01 g
Aquadest	Ad 1000 mL

### Lampiran 3. Lokasi Pengambilan Sampel



Gambar 10. Peta lokasi pengambilan sampel




Gambar 11. Tempat pengambilan sampel

#### Lampiran 4. Gambar Hasil Penelitian



Gambar 12. Hasil uji antagonis isolat terhadap *S. aureus*



Gambar 13. Hasil uji antagonis terhadap *E. coli*



Gambar 14. Hasil fermentasi selama 16 hari



Gambar 15. Hasil uji aktivitas antimikroba terhadap *S. aureus*



Gambar 16. Hasil uji aktivitas antimikroba terhadap *E. coli*