

Daftar Pustaka

- Ahmadi, H., Ebrahimi, A. and Ghorbani, F. (2020) 'The impact of COVID - 19 pandemic on dental practice in Iran : a questionnaire - based report', *BMC Oral Health*, pp. 1–9. doi: 10.1186/s12903-020-01341-x.
- Aldhuwayhi, S. *et al.* (2021) 'COVID-19 knowledge and perceptions among dental specialists: A cross-sectional online questionnaire survey', *Risk Management and Healthcare Policy*, 14, pp. 2851–2861. doi: 10.2147/RMHP.S306880.
- Alduraywish, A. A., Srivastava, K. C. and Shrivastava, D. (2020) 'A countrywide survey in Saudi Arabia regarding the knowledge and attitude of health care professionals about coronavirus disease (COVID-19)'. Available at: <https://www.mdpi.com/853060>.
- Arora, S. *et al.* (2020) 'Evaluation of Knowledge and Preparedness Among Indian Dentists During the Current COVID-19 Pandemic: A Cross-Sectional Study'.
- Ather, A. *et al.* (2020) 'Coronavirus Disease 19 (COVID-19): Implications for Clinical Dental Care', *Journal of Endodontics*, 46(5), pp. 584–595. doi: 10.1016/j.joen.2020.03.008.
- Ayub, K. and Alani, A. (2020) 'Acute endodontic and dental trauma provision during the COVID-19 crisis', 229(3), pp. 169–175.
- Azim, A. A. and Shabbir, J. (2020) 'Clinical endodontic management during the COVID-19 pandemic: a literature review and clinical recommendations', pp. 1461–1471. doi: 10.1111/iej.13406.
- Barabari, P. and Moharamzadeh, K. (2020) 'Novel Coronavirus (COVID-19) and Dentistry – A Comprehensive Review of Literature', pp. 1–18.
- Bds, B. P. *et al.* (2020) 'To Drill or Not to Drill : Management of Endodontic Emergencies and In-Process Patients during the COVID-19 Pandemic', *Journal of Endodontics*, 46(11), pp. 1559–1569. doi: 10.1016/j.joen.2020.08.008.
- Chen, J. and Ph, D. (2020) 'Pathogenicity and Transmissibility of 2019-nCoV—A Quick Overview and Comparison with Other Emerging Viruses', *Microbes and Infection*. doi: 10.1016/j.micinf.2020.01.004.

- Chughtai, A. A. *et al.* (2020) 'Policies on the use of respiratory protection for hospital health workers to protect from coronavirus disease (COVID-19)'. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7174826/>.
- 'Coronavirus disease (COVID-19): Characteristics in children and considerations for dentists providing their care' (2020), (March), pp. 1–6. doi: 10.1111/ipd.12653.
- Deepika, Ajay Kumar Nagapal and Rohit Paul (2020) 'Infection Control in Endodontics During COVID Era: A Review', *International Healthcare Research Journal*, 4(9), pp. RV1–RV6. doi: 10.26440/ihrj/0409.12316.
- Galicia, J. C. *et al.* (2021) 'Response by Endodontists to the SARS-CoV-2 (COVID-19) Pandemic: An International Survey', *Frontiers in Dental Medicine*, 1(January), pp. 1–10. doi: 10.3389/fdmed.2020.617440.
- Ge, Z. *et al.* (2020) 'Possible aerosol transmission of COVID-19 and special precautions in dentistry'. Available at: <https://link.springer.com/article/10.1631/jzus.B2010010>.
- Ibuka, Y. and Chapma, G. B. (2010) 'The dynamics of risk perceptions and precautionary behavior in response to 2009 (H1N1) pandemic influenza'. Available at: <https://bmcinfectdis.biomedcentral.com/articles/10.1186/1471-2334-10-296>.
- Id, A. N. *et al.* (2020) 'Knowledge , attitudes , practices of / towards COVID 19 preventive measures and symptoms : A cross-sectional study during the exponential rise of the outbreak in Cameroon', pp. 1–15. doi: 10.1371/journal.pntd.0008700.
- Islam, M. S. *et al.* (2020) 'Current knowledge of COVID-19 and infection prevention and control strategies in healthcare settings: A global analysis'. Available at: <https://www.cambridge.org/core/journals/infection-control-and-hospital-epidemiology/article/current-knowledge-of-covid19-and-infection-prevention-and-control-strategies-in-healthcare-settings-a-global-analysis/92A6DE5D0B61CBEB5880F7A9FCC5C03F>.
- Kamate, S. K. *et al.* (2020) 'Assessing knowledge, attitudes and practices of dental practitioners regarding the COVID-19 pandemic: A multinational study', *Dental and Medical Problems*, 57(1), pp. 11–17. doi: 10.17219/DMP/119743.




- Kilic, E. and Demirel, F. (2008) 'The Turkish adaptation study of motivated strategies for learning questionnaire (MSLQ) for 12-18 year old children : Results of confirmatory factor analysis 1', (January).
- Kochhar, A. S. *et al.* (2020) 'Dentistry during and after COVID-19Pandemic : Pediatric Considerations'.
- Kratzel, A. *et al.* (2020) 'Inactivation of Severe Acute Respiratory Syndrome Coronavirus 2 by WHO-Recommended Hand Rub Formulations and Alcohols', 26(7), pp. 6–9.
- Krithikadatta, J., Nawal, R. R. and Amalavathy, K. (2021) 'Endodontic and dental practice during COVID - 19 pandemic: Position statement from the Indian Endodontic Society, Indian Dental Association , and International Federation of Endodontic Associations', pp. 55–66. doi: 10.4103/endo.endo.
- Lai, T. H. T. *et al.* (2020) 'Stepping up infection control measures in ophthalmology during the novel coronavirus outbreak: an experience from Hong Kong'. Available at: <https://link.springer.com/article/10.1007/s00417-020-04641-8>.
- Lai, X. *et al.* (2020) 'Will healthcare workers improve infection prevention and control behaviors as COVID-19risk emerges and increases, in China?' Availableat: <https://aricjournal.biomedcentral.com/articles/10.1186/s13756-020-00746-1>.
- Lee, T. *et al.* (2020) 'Since January 2020 Elsevier has created a COVID-19resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19. The COVID-19resource centre is hosted on Elsevier Connect , the company ' s public news and information ', (January).
- Li, X. *et al.* (2020) 'Detection of SARS - CoV - 2 in conjunctival secretions from patients without ocular symptoms', *Infection*, (0123456789). doi: 10.1007/s15010-020-01524-2.
- Loch, C. *et al.* (2020) 'COVID-19 and dental clinical practice : Students and clinical staff perceptions of health risks and educational impact', 2(August), pp. 1–9. doi: 10.1002/jdd.12402.
- Malhão, E. C. *et al.* (2021) 'Endodontic treatment during COVID-19pandemic - Economic perception of dental professionals', *Brazilian Journal of Oral Sciences*, 20, pp. 1–8. doi: 10.20396/bjos.v20i00.8663555.

- Mallineni, S. K. *et al.* (2022) 'Knowledge and perceptions regarding coronavirus (COVID-19) among pediatric dentists during lockdown period', *International Journal of Environmental Research and Public Health*, 19(1), pp. 1–13. doi: 10.3390/ijerph19010209.
- Meng, L., Hua, F. and Bian, Z. (2020) 'Coronavirus disease 2019 (COVID-19): emerging and future challenges for dental and oral medicine'. Available at: <https://journals.sagepub.com/doi/abs/10.1177/0022034520914246>.
- Mustafa, R. M. *et al.* (2020) 'Kansans in the Middle of the Pan demic: Risk Perception, Knowledge, Compliance with Preventive Measures, and Primary Sources of Information about COVID-19', *PLoS ONE*, 20(8 August), pp. 1–13. doi: 10.1371/journal.pone.0237630.
- Mustafa, R. M., Alshali, R. Z. and Bukhary, D. M. (2020) 'Dentists ' Knowledge , Attitudes , and Awareness of Infection Control Measures during COVID-19Outbreak : A Cross-Sectional Study in Saudi Arabia'.
- Numbers, S. I. N. (2020) 'Coronavirus disease 2019 (COVID-19)', 2019(April).
- Pai, S. *et al.* (2021) 'Work-life balance amongst dental professionals during the COVID-19pandemic -A structural equation modelling approach', *PLoS ONE*, 16(8 August), pp. 1–13. doi: 10.1371/journal.pone.0256663.
- Patel, M. (2020) 'Heliyon Infection control in dentistry during COVID – 19 pandemic : what has changed?', *Heliyon*, 6(July), p. e05402. doi: 10.1016/j.heliyon.2020.e05402.
- Peng, X. *et al.* (2020) 'Transmission routes of 2019-nCoV and controls in dental practice', *International Journal of Oral Science*, 12(1), pp. 1–6. doi: 10.1038/s41368-020-0075-9.
- Pîrvu, C., Pătraşcu, I. and Pîrv, D. (2014) 'The dentist's operating posture–ergonomic aspects'. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4151237/>.
- Plessas, A., Delgado, M. B. and Nasse, M. (2018) 'Impact of stress on dentists' clinical performance. A systematic review.' Available at: <https://europepmc.org/article/med/29381272>.
- Shetty, A. *et al.* (2020) 'The Psychological Impact of the COVID-19Pandemic on Dental Healthcare Professionals', pp. 98–105. doi: 10.4103/jioh.jioh.

- Sood, I. *et al.* (2022) 'Assessment of COVID-19-related awareness, knowledge, prevention practices and challenges faced by truck drivers in major transport cities of India: a cross-sectional survey', *BMJ Open*, 12(2), p. e052543. doi: 10.1136/bmjopen-2021-052543.
- Srivastava, K. C. *et al.* (2020) 'Knowledge, attitudes and practices regarding COVID-19 among dental health care professionals: a cross-sectional study in Saudi Arabia', *Journal of International Medical Research*, 48(12). doi: 10.1177/0300060520977593.
- Srivastava, K. C. and Shrivastav, D. (2020) 'Knowledge, attitudes and practices regarding COVID-19 among dental health care professionals: a cross-sectional study in Saudi Arabia'. Available at: <https://journals.sagepub.com/doi/abs/10.1177/0300060520977593>.
- Táccio, G. and Candeiro, D. M. (2020) 'Knowledge about Coronavirus disease 19 (COVID-19) and its professional repercussions among Brazilian endodontists', 19, pp. 1–11.
- Utami, F., Putri, K., & Hidayati, H. (2017). Hubungan Pengetahuan dan Sikap dengan Tindakan Mahasiswa Program Profesi Dokter Gigi RSGMP Universitas Andalas Terhadap Pengendalian Infeksi. *Andalas Dental Journal*, 5(2), 80-91. https://doi.org/10.25077/andalas_dent.j.v5i2.156
- Zavala-flores, E. (2020) 'SARS-CoV-2 infection and pulmonary tuberculosis: an analysis of the situation in Peru Infecção por SARS-CoV-2 y tuberculosis pulmonar: análisis de la situación en el Perú Infecção por SARS-CoV-2 e tuberculose pulmonar: análise da situação no Peru', 36(11). doi: 10.1590/0102-311X00094520.
- Zhong, Y., Liu, W. and Lee, T. (2020) 'Risk perception, knowledge, information sources and emotional states among COVID-19 patients in Wuhan, China', *NURS OUTLOOK*, (January).
- Zhurakivska, K., Troiano, G. and Pannone, G. (2020) 'An Overview of the Temporal Shedding of SARS-CoV-2 RNA in Clinical Specimens', 8(August), pp. 1–9. doi: 10.3389/fpubh.2020.00487.
- Wahyuni, *et al.*, 2015. Tindakan pencegahan dan pengendalian infeksi pada perawatan periodonsia di rumah sakit gigi dan mulut Unsrat. *Jurnal e-GiGi (eG)*, Volume 3, Nomor 2, Juli-Desember 2015
- Pedersen, Gordon W. 2012. Buku Ajar Praktis Bedah Mulut (Oral Surgery)/Gordon W. Pedersen; editor, Lilian Yuwono. EGC: Jakarta pp. 2-29..

- Mattos, F.F & Pordeus, I.A. (2020). COVID-19: a new turning point for dental practice. *Brazilian oral research*, 34.
- Mulyadi, M. (2011). Penelitian kuantitatif dan kualitatif serta pemikiran dasar menggabungkannya. *Jurnal studi komunikasi dan media*, 15(1), 128-137.,
- Rukajat, A. (2018). Pendekatan Penelitian Kuantitatif: Quantitative Research Approach. Deepublish.
- Zaenal, A. (2012). Penelitian pendidikan metode dan paradigma baru. Bandung: Remaja Rosdakarya. Examine.
- Brisline, (1970). Back translation for cross-cultural research. *Journal of Cross-Cultural Psychology*, 1, 185-216.
- Widjarjono, A. (2010). Analisis Statistika Multivariat Terapan. Yogyakarta: UPP STIM YKPN.
- Jamco, J., & Balami, A. M. (2020). Analisis Kruskal-Wallis Untuk Mengetahui Konsentrasi Belajar Mahasiswa Berdasarkan Bidang Minat Program Studi Statistika Fmipa Unpatti. *Parameter: Jurnal Riset Matematika, Statistika dan Terapannya*, 1(1), 39-44.
- Srinivasan, M., Thyvalikakath, T.P., Cook, B.N. and Zero, D.T. (2021), COVID-19 and saliva: A primer for dental health care professionals. *Int Dent J*. <https://doi.org/10.1111/idj.12606>
- Volgenant, CMC, Persoon, IF, de Ruijter, RAG, de Soet, JJ(H). Infection control in dental health care during and after the SARS-CoV-2 outbreak. *Oral Dis*. 2020; 00: 1– 10. <https://doi.org/10.1111/odi.13408>
- What's the difference between a dentist and an endodontist?. Cited <https://www.aae.org/patients/why-see-an-endodontistt/whats-difference-dentist-endodontistt/> ;
- Torjesen I. COVID-19: Delta variant is now UK's most dominant strain and spreading through schools. *BMJ*. 2021 Jun 4;373:n1445. doi: 10.1136/bmj.n1445. PMID: 34088699.
- Varma SR, Jaber M, Abu Fanas S, Desai V, Thomas S, Khair M. Pathogen reduction technology: A novel possibility for inactivation of blood products used in oral and periodontal surgeries. *J Int Soc Prevent Communit Dent* 2020;10:713-718

DOKUMENTASI PENELITIAN



PERTANYAAN SURVEY MELALUI LINK GOOGLE FORM :

https://docs.google.com/forms/d/e/1FAIpQLSdD7KfcV4YJ9lyjw9YdX3EF67-Cz_WZH1vhi2Ac5vTccarS7Q/viewform?usp=sf_li nk

HASIL OLAH DATA MENTAH

EXAMINE VARIABLES=pengetahuan persepsi BY k.pengendalian
/PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT
/COMPARE GROUPS
/STATISTICS DESCRIPTIVES
/CINTERVAL 95
/MISSING LISTWISE
/NOTOTAL.

Explore

		Notes
Output Created		31-MAR-2022 11:29:44
Comments		
Input	Data	C:\Users\petjo\OneDrive - 365 users\data tirta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	253
Missing Value Handling	Definition of Missing	User-defined missing values for dependent variables are treated as missing.
	Cases Used	Statistics are based on cases with no missing values for any dependent variable or factor used.
Syntax		EXAMINE VARIABLES=pengetahuan persepsi BY k.pengendalian /PLOT BOXPLOT STEMLEAF HISTOGRAM NPLOT /COMPARE GROUPS /STATISTICS DESCRIPTIVES /CINTERVAL 95 /MISSING LISTWISE /NOTOTAL.
Resources	Processor Time	00:00:02,28
	Elapsed Time	00:00:02,05

k.pengendalian

Case Processing Summary

	k.pengendalian	Cases				Total N	
		Valid N	Valid Percent	Missing N	Missing Percent		
pengetahuan	cukup	109	100.0%	0	0.0%	109	
	baik	144	100.0%	0	0.0%	144	
persepsi	cukup	109	100.0%	0	0.0%	109	
	baik	144	100.0%	0	0.0%	144	

Descriptives

k.pengendalian		Statistic	Std. Error				
pengetahuan	cukup	Mean	6.9908	.11098			
		95% Confidence Interval for Mean	Lower Bound	6.7708			
			Upper Bound	7.2108			
		5% Trimmed Mean	7.0204				
		Median	7.0000				
		Variance	1.343				
		Std. Deviation	1.15867				
		Minimum	4.00				
		Maximum	10.00				
		Range	6.00				
		Interquartile Range	2.00				
		Skewness	-.418	.231			
		Kurtosis	.425	.459			
		persepsi	baik	Mean	9.1944	.09416	
				95% Confidence Interval for Mean	Lower Bound	9.0083	
					Upper Bound	9.3806	
5% Trimmed Mean	9.2145						
Median	9.0000						
Variance	1.277						
Std. Deviation	1.12987						
Minimum	7.00						
Maximum	11.00						
Range	4.00						
Interquartile Range	2.00						
Skewness	.110			.202			
Kurtosis	-.822			.401			
pengetahuan	cukup			Mean	9.8440	.09942	
				95% Confidence Interval for Mean	Lower Bound	9.6470	
					Upper Bound	10.0411	
		5% Trimmed Mean	9.8619				
		Median	10.0000				
		Variance	1.077				
Std. Deviation	1.03793						



	Minimum		7.00	
	Maximum		12.00	
	Range		5.00	
	Interquartile Range		2.00	
	Skewness		-.440	.231
	Kurtosis		-.172	.459
baik	Mean		10.9583	.07098
	95% Confidence Interval for Mean	Lower Bound	10.8180	
		Upper Bound	11.0986	
	5% Trimmed Mean		10.9784	
	Median		11.0000	
	Variance		.726	
	Std. Deviation		.85178	
	Minimum		9.00	
	Maximum		13.00	
	Range		4.00	
	Interquartile Range		.00	
	Skewness		-.195	.202
	Kurtosis		.318	.401

Tests of Normality



	k.pengendalian	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
		Statistic	df	Sig.	Statistic	df	
pengetahuan	cukup	.210	109	.000	.921	109	
	baik	.200	144	.000	.904	144	
persepsi	cukup	.266	109	.000	.891	109	
	baik	.276	144	.000	.871	144	

pengetahuan



Histograms




Normal Q-Q Plots





Detrended Normal Q-Q Plots








persepsi Histograms





Detrended Normal Q-Q Plots





```
T-TEST GROUPS=k.pengendalian(1 2)
/MISSING=ANALYSIS
/VARIABLES=pengetahuan persepsi
/CRITERIA=CI(.95).
```

T-Test

Notes

Output Created	31-MAR-2022 11:31:00	
Comments		
Input	Data	C:\Users\petjo\OneDrive - 365 users\data kak tirta.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	253
Missing Value Handling	Definition of Missing	User defined missing values are treated as missing.
	Cases Used	Statistics for each analysis are based on the cases with no missing or out-of-range data for any variable in the analysis.
Syntax	T-TEST GROUPS=k.pengendalian(1 2) /MISSING=ANALYSIS /VARIABLES=pengetahuan persepsi /CRITERIA=CI(.95).	
Resources	Processor Time	00:00:00,02
	Elapsed Time	00:00:00,02

Group Statistics

	k.pengendalian	N	Mean	Std. Deviation	Std. Error Mean
pengetahuan	cukup	109	6.9908	1.15867	.11098
	baik	144	9.1944	1.12987	.09416
persepsi	cukup	109	9.8440	1.03793	.09942
	baik	144	10.9583	.85178	.07098

Independent Samples Test

		Levene's Test for Equality of Variances		t-test for Equality of Means						
		F	Sig.	t	df					
pengetahuan	Equal variances assumed	.940	.333	-15.194	251					
	Equal variances not assumed			-15.141	229.592					
persepsi	Equal variances assumed	6.724	.010	-9.373	251					
	Equal variances not assumed			-9.122	205.788					



REKOMENDASI PERSETUJUAN ETIK

Nomor: 0098/PL.09/KEPK FKG-RSGM UNHAS/2021

Tanggal: 09 Agustus 2021

Dengan ini menyatakan bahwa protokol dan dokumen yang berhubungan dengan protokol berikut ini telah mendapatkan persetujuan etik:

No. Protokol	UH 17120500	No Protokol Sponsor	
Peneliti Utama	drg. Tirta Asprimi Angraeni	Sponsor	Pribadi
Judul Peneliti	Pengaruh Pengetahuan Dan Persepsi Risiko Endodontist Terhadap Pengendalian Infeksi Covid-19 Selama Pandemi		
No. Versi Protokol	1	Tanggal Versi	05 Agustus 2021
No. Versi Protokol		Tanggal Versi	
Tempat Penelitian	Makassar		
Dokumen Lain			
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard	Masa Berlaku 09 Agustus 2021-09 Agustus 2022	Frekuensi Review Lanjutan
Ketua Komisi Etik Penelitian	Nama: Dr. drg. Marhamah, M.Kes	Tanda Tangan 	Tanggal
Sekretaris Komisi Etik Penelitian	Nama: drg. Muhammad Ikbal, Sp.Pros	Tanda Tangan 	Tanggal

Kewajiban peneliti utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum diimplementasikan
- Menyerahkan laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan lapor SUSAR dalam 72 jam setelah peneliti utama menerima laporan.
- Menyerahkan laporan kemajuan (*progress report*) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah.
- Menyerahkan laporan akhir setelah penelitian berakhir.
- Melaporkan penyimpangan dari protokol yang disetujui (*protocol deviation/violation*)
- Mematuhi semua aturan yang berlaku.