

DAFTAR PUSTAKA

- Abdullah Sarkar, M. and Ozair, A., 2021. Anxiety, Uncertainty, and Resilience of Medical Students Worldwide during the COVID-19 Pandemic. *Anxiety, Uncertainty, and Resilience During the Pandemic Period - Anthropological and Psychological Perspectives*.
- Akhtarul Islam, M., Barna, S. D., Raihan, H., Nafiul Alam Khan, M., & Tanvir Hossain, M. (2020). Depression and anxiety among university students during the COVID-19 pandemic in Bangladesh: A web-based cross-sectional survey. *PLoS ONE*, 15(8 August), 1–12. <https://doi.org/10.1371/journal.pone.0238162>
- American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders (5th ed.). <https://doi.org/10.1176/appi.books.9780890425596>
- Beesdo, K., Knappe, S., & Pine, D. S. (2009). Anxiety and anxiety disorders in children and adolescents: developmental issues and implications for DSM-V. *The Psychiatric clinics of North America*, 32(3), 483–524. <https://doi.org/10.1016/j.psc.2009.06.002>
- Brooks SK, Webster RK, Smith LE, Woodland L, Wessely S, Greenberg N, Rubin GJ. (2020) The psychological impact of quarantine and how to reduce it: rapid review of the evidence. *Lancet*. Mar14;395(10227):912–920. doi: 10.1016/S0140-6736(20)30460-8.
- Bruffaerts R, Mortier P, Kiekens G, Auerbach RP, Cuijpers P, Demyttenaere K, Green JG, Nock MK, Kessler RC. (2018) Mental health problems in college freshmen: prevalence and academic functioning. *J Affect Disord*. Jan 01;225:97–103.

doi:0.1016/j.jad.2017.07.044

- Bystritsky, A., Sahib, S. K., Michael, E. C., et al. (2013). Current Diagnosis and Treatment of Anxiety Disorders. *Pharmacy and Therapeutics*, 38(1): 41-44.
- Claresta, Laveda Jesslyn And Purwoko, Yosef (2017) Pengaruh Konsumsi Cokelat Terhadap Tingkat Kecemasan Mahasiswa Fakultas Kedokteran Praujian. Undergraduate Thesis, Faculty Of Medicine.
- Fawaz, M., & Samaha, A. (2020). E-learning: Depression, anxiety, and stress symptomatology among Lebanese university students during COVID-19 quarantine. *Nursing Forum*, October 2020, 52–57. <https://doi.org/10.1111/nuf.12521>
- Gail W. Stuart. (2006). *Buku Saku Keperawatan Jiwa*. Alih Bahasa: Ramona P. Kapoh & Egi Komara
- Karno M, Golding JM, Sorenson SB, Burnam MA. (1988). The epidemiology of obsessive-compulsive disorder in five US communities. *Arch Gen Psychiatry*. Dec. 45(12):1094-9. [Medline].
- Keputusan Bersama Menteri Pendidikan dan Kebudayaan, Menteri Agama, Menteri Kesehatan dan Menteri Dalam Negeri No. 01/KB/2021, No. 516 Tahun 2020, No. HK.03.01/Menkes/363/2020, dan No. 440-882 tentang *Panduan Penyelenggaraan Pembelajaran pada Tahun Ajaran 2020/2021 dan Tahun Akademik 2020/2021 di masa Covid-19*
- Kessler RC, McGonagle KA, Zhao S, Nelson CB, Hughes M, Eshleman S, et al. (1994). Lifetime

and 12-month prevalence of DSM-III-R psychiatric disorders in the United States. Results from the National Comorbidity Survey. *Arch Gen Psychiatry*. Jan. 51(1):8-19. [Medline].

Khoshaim, H. B., Al-Sukayt, A., Chinna, K., Nurunnabi, M., Sundarasan, S., Kamaludin, K., Baloch, G. M., & Hossain, S. F. A. (2020). Anxiety Level of University Students During COVID-19 in Saudi Arabia. *Frontiers in Psychiatry*, 11(December), 1–7.
<https://doi.org/10.3389/fpsy.2020.579750>

Lai J, Ma S, Wang Y, Cai Z, Hu J, Wei N, et al.(2020) Factors associated with mental health outcomes among health care workers exposed to coronavirus disease 2019. *JAMA Netw Open* Mar 02;3(3):e203976. doi: 10.1001/jamanetworkopen.2020.3976.

Lee, C., Juarez, M., Rae, G., Jones, L., Rodriguez, R., Davis, J., Boysen-Osborn, M., Kashima, K., Krane, N., Kman, N., Langsfeld, J. and Harries, A., 2021. Anxiety, PTSD, and stressors in medical students during the initial peak of the COVID-19 pandemic. *PLOS ONE*, 16(7), p.e0255013.

Magee WJ, Eaton WW, Wittchen HU, McGonagle KA, Kessler RC. (1996) Agoraphobia, simple phobia, and social phobia in the National Comorbidity Survey. *Arch Gen Psychiatry*. Feb. 53(2):159-68. [Medline].

Mancevska, S., Bozinovska, L., Tecce, J., Pluncevik-Gligoroska, J., & Sivevska-Smilevska, E. (2008). Depression, anxiety and substance use in medical students in the Republic of Macedonia. *Bratislava Medical Journal*, 109(12), 568–572.

McHugh RK. (2015) Treatment of co-occurring anxiety disorders and substance use disorders.

Harv Rev Psychiatry. doi: 10.1097/HRP.0000000000000058.

Mirza, A. A., Baig, M., Beyari, G. M., Halawani, M. A., & Mirza, A. A. (2021). Depression and anxiety among medical students: A brief overview. *Advances in Medical Education and Practice, 12*, 393–398. <https://doi.org/10.2147/AMEP.S302897>

Nabila, A., Mahmuda, I., Sulistyani and Herdaetha, A., 2021. Anxiety Levels of Undergraduate and Clerkship Medical Students during the COVID-19 Pandemic. *Ulum Islamiyyah*, pp.91-102.

Pliszka, S. R. (2009). Treating ADHD and comorbid disorders: Psychosocial and psychopharmacological interventions. New York, NY: The Guilford Press

RAUF, N. S. (2017). *Perbandingan Tingkat Kecemasan Antara Mahasiswa Semester Satu Program Studi Pendidikan Dokter Fakultas Kedokteran Dan Program Studi Pendidikan Kedokteran Gigi S1 Fakultas Kedokteran Gigi Universitas Hasanuddin Angkatan 2017. REPOSITORY UNHAS.*

Saali, A., Stanislawski, E., Kumar, V., Chan, C., Hurtado, A., Pietrzak, R., Charney, D., Ripp, J. and Katz, C., 2021. The Psychiatric Burden on Medical Students in New York City Entering Clinical Clerkships During the COVID-19 Pandemic. *Psychiatric Quarterly*,.

Saddik, B., Hussein, A., Sharif-Askari, F., Kheder, W., Temsah, M., Koutaich, R., Haddad, E., Al-Roub, N., Marhoon, F., Hamid, Q. and Halwani, R., 2021. *<p>Increased Levels of Anxiety Among Medical and Non-Medical University Students During the COVID-19 Pandemic in the United Arab Emirates</p>*.

- Sarikaya, O., Civaner, M. and Kalaca, S., 2006. The anxieties of medical students related to clinical training. *International Journal of Clinical Practice*, 60(11), pp.1414-1418.
- Son, C., Hegde, S., Smith, A., Wang, X., & Sasangohar, F. (2020). Effects of COVID-19 on college students' mental health in the United States: Interview survey study. *Journal of Medical Internet Research*, 22(9), 1–20. <https://doi.org/10.2196/21279>
- Soodan S, Arya A. (2015). Understanding the Pathophysiology and Management of the Anxiety Disorders. *Hum Journals Rev Artic*
- Stein MB, Stein DJ. (2008) Social anxiety disorder. *Lancet* Mar 29. 371(9618):1115-25. [Medline].
- Wittchen HU, Fehm L. (2001). Epidemiology, patterns of comorbidity, and associated disabilities of social phobia. *Psychiatr Clin North Am*. Dec. 24(4):617-41. [Medline].
- Wu, Y.-C., Chen, C.-S. and Chan, Y.-J. (2020) 'The outbreak of COVID-19', *Journal of the Chinese Medical Association*, 83(3), pp. 217–220. doi: 10.1097/jcma.0000000000000270.
- Rachmayanti, Retno. (2017). *Perbandingan Kecemasan Sebelum Dan Sesudah Diperdengarkan Murottal Al-Quran Pada Mahasiswa Profesi Yang Akan Melakukan Pencabutan Gigi Di Klinik Bedah Mulut RSGM Universitas Jember*. (REPOSITORY UNIVERSITAS JEMBER)

Lampiran I

LEMBAR PERSETUJUAN SETELAH PENJELASAN (PSP) (INFORMED CONSENT)

Saya yang bertanda tangan di bawah ini :

Nama :
NIM :
Jenis Kelamin :
Umur :
Angkatan :
No. telp/HP :

Setelah mendapatkan penjelasan dari peneliti tentang penelitian “Perbandingan tingkat kecemasan mahasiswa preklinik dan tingkat profesi dokter (coass) fakultas kedokteran Universitas Hasanuddin di masa pandemi Covid-19 tahun 2021”, maka dengan ini saya mengatakan bahwa saya memahami penjelasan secara lengkap dan secara sukarela dan tanpa paksaan bersedia ikut serta dalam penelitian tersebut.

Demikianlah surat pernyataan ini untuk dapat dipergunakan seperlunya.

Makassar,..... 2021

Tanda tangan,

Saksi 1:

(.....)

Saksi 2:

(.....)

LEMBAR PENGUMPULAN DATA PENELITIAN**I. Karakteristik Responden**

1. Nama :
2. Nim :
3. Umur :
4. Angkatan :
5. Status Mahasiswa :
: Coass
 Preklinik

Riwayat Penyakit

- Diabetes : Ya Tidak
- Hipertensi : Ya Tidak
- Stroke : Ya Tidak
- Penyakit Jantung : Ya Tidak
- Penyakit Kandungan : Ya Tidak
- Trauma kepala atau leher : Ya Tidak
- Gangguan psikologi berat : Ya Tidak

KUESIONER TINGKAT KECEMASAN–GAD-7 (*Generalized Anxiety Disorder 7*) Untuk Mahasiswa Pre-Klinik

Dalam 2 minggu ini apakah anda merasakan hal – hal :	Tidak sama sekali (0)	Kurang dari satu minggu (1)	Satu Minggu (2)	Hampir setiap hari (3)
1. Merasa tidak tenang (panas dingin, perasaan kacau, pikiran kosong)				
2. Tidak dapat menghentikan atau mengendalikan rasa khawatir (berdebar, gemetar, keringat dingin)				
3. Terlalu khawatir banyak hal (takut persiapan kurang saat menghadapi ujian, takut terkena Covid-19)				
4. Gangguan istirahat (saat tidur sering terbangun atau sulit memulai tidur)				
5. Gelisah hingga sulit untuk duduk diam				
6. Menjadi lebih mudah jengkel dan marah (perasaan lebih sensitive)				
7. Merasa takut jika sesuatu terjadi (selalu berfikiran berlebihan terhadap sesuatu kejadian yang belum terjadi)				

KUESIONER TINGKAT KECEMASAN-GAD-7 (Generalized Anxiety Disorder 7) Untuk Mahasiswa Klinik (COASS)

Dalam 2 minggu ini apakah anda merasakan hal – hal :	Tidak sama sekali (0)	Kurang dari satu minggu (1)	Satu Minggu (2)	Hampir setiap hari (3)
1. Merasa tidak tenang (panas dingin, perasaan kacau, pikiran kosong)				
2. Tidak dapat menghentikan atau mengendalikan rasa khawatir (berdebar, gemetar, keringat dingin)				
3. Terlalu khawatir banyak hal (takut melakukan tindakan medis yang salah, takut kekurangan ilmu karena pasien berkurang, takut terkena Covid-19, takut membawa penyakit ke keluarga,)				
4. Gangguan istirahat (saat tidur sering terbangun atau sulit memulai tidur)				
5. Gelisah hingga sulit untuk duduk diam				
6. Menjadi lebih mudah jengkel dan marah (perasaan lebih sensitive)				
7. Merasa takut jika sesuatu terjadi (selalu berfikiran berlebihan terhadap sesuatu kejadian yang belum terjadi)				

Lampiran II Rekomendasi Penelitian



REKOMENDASI PERSETUJUAN ETIK

Nomor : 746/UN4.6.4.5.31/ PP36/ 2021

Tanggal: 25 Nopember 2021

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH21110708	No Sponsor	
Peneliti Utama	A. Afiq Raihan	Sponsor	
Judul Peneliti	PERBANDINGAN TINGKAT KECEMASAN MAHASISWA PREKLINIK DAN TINGKAT PROFESI DOKTER (COASS) FAKULTAS KEDOKTERAN UNIVERSITAS HASANUDDIN DI MASA PANDEMI COVID-19 TAHUN 2021		
No Versi Protokol	1	Tanggal Versi	18 Nopember 2021
No Versi PSP	1	Tanggal Versi	18 Nopember 2021
Tempat Penelitian	FaKultas Kedokteran Universitas Hasanuddin Makassar		
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 25 Nopember 2021 sampai 25 Nopember 2022	Frekuensi review lanjutan
Ketua Komisi Etik Penelitian Kesehatan FKUH RSUH dan RSWs	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan	
Sekretaris Komisi Etik Penelitian Kesehatan FKUH RSUH dan RSWs	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amademen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

Lampiran III Hasil Data Kuisioner

		Angkatan			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2015.00	62	18.0	18.0	18.0
	2016.00	68	19.7	19.7	37.7
	2017.00	66	19.1	19.1	56.8
	2018.00	58	16.8	16.8	73.6
	2019.00	46	13.3	13.3	87.0
	2020.00	45	13.0	13.0	100.0
	Total	345	100.0	100.0	

		Status			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Pre Klinik	149	43.2	43.2	43.2
	Coass	196	56.8	56.8	100.0
	Total	345	100.0	100.0	

		JK			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	113	32.8	32.8	32.8
	Perempuan	232	67.2	67.2	100.0
	Total	345	100.0	100.0	

		Usia			
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 19 tahun	54	15.7	15.7	15.7
	20 tahun	49	14.2	14.2	29.9
	21 tahun	39	11.3	11.3	41.2
	22 tahun	72	20.9	20.9	62.0
	> 23 tahun	131	38.0	38.0	100.0
	Total	345	100.0	100.0	

		Riwayat			
		Frequency	Percent	Valid Percent	Cumulative Percent

Valid	Diabetes	5	1.4	1.4	1.4
	Gangguan psikologi berat	1	.3	.3	1.7
	Hipertensi	10	2.9	2.9	4.6
	Penyakit Jantung	3	.9	.9	5.5
	Tidak ada	326	94.5	94.5	100.0
	Total	345	100.0	100.0	

Kat.GAD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	67	19.4	19.4	19.4
	Ringan	85	24.6	24.6	44.1
	Sedang	150	43.5	43.5	87.5
	Berat	43	12.5	12.5	100.0
	Total	345	100.0	100.0	

GAD.1

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	60	17.4	17.4	17.4
	1.00	138	40.0	40.0	57.4
	2.00	120	34.8	34.8	92.2
	3.00	27	7.8	7.8	100.0
	Total	345	100.0	100.0	

GAD.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	76	22.0	22.0	22.0
	1.00	108	31.3	31.3	53.3
	2.00	134	38.8	38.8	92.2
	3.00	27	7.8	7.8	100.0
	Total	345	100.0	100.0	

GAD.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	36	10.4	10.4	10.4
	1.00	106	30.7	30.7	41.2

	2.00	141	40.9	40.9	82.0
	3.00	62	18.0	18.0	100.0
	Total	345	100.0	100.0	

GAD.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	86	24.9	24.9	24.9
	1.00	102	29.6	29.6	54.5
	2.00	130	37.7	37.7	92.2
	3.00	27	7.8	7.8	100.0
	Total	345	100.0	100.0	

GAD.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	110	31.9	31.9	31.9
	1.00	138	40.0	40.0	71.9
	2.00	85	24.6	24.6	96.5
	3.00	12	3.5	3.5	100.0
	Total	345	100.0	100.0	

GAD.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	74	21.4	21.4	21.4
	1.00	124	35.9	35.9	57.4
	2.00	127	36.8	36.8	94.2
	3.00	20	5.8	5.8	100.0
	Total	345	100.0	100.0	

GAD.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	46	13.3	13.3	13.3
	1.00	106	30.7	30.7	44.1
	2.00	121	35.1	35.1	79.1
	3.00	72	20.9	20.9	100.0
	Total	345	100.0	100.0	

Apakah tuntutan belajar untuk lebih aktif di COASS membuat anda cemas?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	26	7.5	13.3	13.3
	Ya	170	49.3	86.7	100.0
	Total	196	56.8	100.0	
Missing	System	149	43.2		
Total		345	100.0		

Apakah metode pembelajaran semi offline dan online terhadap COASS membuat anda cemas terhadap pengetahuan mengenai tindakan kedokteran ?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	21	6.1	10.7	10.7
	Ya	175	50.7	89.3	100.0
	Total	196	56.8	100.0	
Missing	System	149	43.2		
Total		345	100.0		

Apakah pembelajaran ini semi offline dan online membuat anda cemas terhadap Uji Kompetensi Mahasiswa Program Profesi Pendidikan Dokter ?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	30	8.7	15.3	15.3
	Ya	166	48.1	84.7	100.0
	Total	196	56.8	100.0	
Missing	System	149	43.2		
Total		345	100.0		

Apakah jadwal yang padat pada saat COASS membuat anda cemas ?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	20	5.8	10.2	10.2
	Ya	176	51.0	89.8	100.0
	Total	196	56.8	100.0	
Missing	System	149	43.2		
Total		345	100.0		

Apakah resiko terkena covid-19 membuat anda cemas ?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	76	22.0	22.0	22.0
	Ya	269	78.0	78.0	100.0
	Total	345	100.0	100.0	

Apakah merasa terisolasi dan pembatasan aktivitas mmebuat anda merasa cemas ?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	130	37.7	37.7	37.7
	Ya	215	62.3	62.3	100.0
	Total	345	100.0	100.0	

Apakah perkuliahan online membuat anda merasa cemas ?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	152	44.1	44.1	44.1
	Ya	193	55.9	55.9	100.0
	Total	345	100.0	100.0	

Apakah resiko membawa virus ke lingkungan rumah membuat anda merasa cemas ?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	55	15.9	15.9	15.9
	Ya	290	84.1	84.1	100.0
	Total	345	100.0	100.0	

Apakah menghadapi ujian membuat anda cemas ?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak	24	7.0	7.0	7.0
	Ya	321	93.0	93.0	100.0
	Total	345	100.0	100.0	

CROSSTABS

/TABLES=GAD.1 GAD.2 GAD.3 GAD.4 GAD.5 GAD.6 GAD.7 BY Status
/FORMAT=AVALUE TABLES

/CELLS=COUNT COLUMN
/COUNT ROUND CELL.

Crosstabs

Notes		
Output Created		26-NOV-2021 09:54:07
Comments		
Input	Data	C:\Users\adi_f\Downloads\Downlo ads\Data Afiq Raihan.sav
	Active Dataset	DataSet2
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	345
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics for each table are based on all the cases with valid data in the specified range(s) for all variables in each table.
Syntax		CROSSTABS /TABLES=GAD.1 GAD.2 GAD.3 GAD.4 GAD.5 GAD.6 GAD.7 BY Status /FORMAT=AVALUE TABLES /CELLS=COUNT COLUMN /COUNT ROUND CELL.
Resources	Processor Time	00:00:00.02
	Elapsed Time	00:00:00.02
	Dimensions Requested	2
	Cells Available	524245

Case Processing Summary

	Cases	
Valid	Missing	Total

	N	Percent	N	Percent	N	Percent
GAD.1 * Status	345	100.0%	0	0.0%	345	100.0%
GAD.2 * Status	345	100.0%	0	0.0%	345	100.0%
GAD.3 * Status	345	100.0%	0	0.0%	345	100.0%
GAD.4 * Status	345	100.0%	0	0.0%	345	100.0%
GAD.5 * Status	345	100.0%	0	0.0%	345	100.0%
GAD.6 * Status	345	100.0%	0	0.0%	345	100.0%
GAD.7 * Status	345	100.0%	0	0.0%	345	100.0%

GAD.1 * Status Crosstabulation

		Status			
		Pre Klinik	Coass	Total	
GAD.1	.00	Count	49	11	60
		% within Status	32.9%	5.6%	17.4%
	1.00	Count	67	71	138
		% within Status	45.0%	36.2%	40.0%
	2.00	Count	25	95	120
		% within Status	16.8%	48.5%	34.8%
	3.00	Count	8	19	27
		% within Status	5.4%	9.7%	7.8%
Total		Count	149	196	345
		% within Status	100.0%	100.0%	100.0%

GAD.2 * Status Crosstabulation

		Status			
		Pre Klinik	Coass	Total	
GAD.2	.00	Count	62	14	76
		% within Status	41.6%	7.1%	22.0%
	1.00	Count	60	48	108
		% within Status	40.3%	24.5%	31.3%
	2.00	Count	22	112	134
		% within Status	14.8%	57.1%	38.8%
	3.00	Count	5	22	27
		% within Status	3.4%	11.2%	7.8%
Total		Count	149	196	345
		% within Status	100.0%	100.0%	100.0%

GAD.3 * Status Crosstabulation

		Status		Total	
		Pre Klinik	Coass		
GAD.3	.00	Count	30	6	36
		% within Status	20.1%	3.1%	10.4%
1.00		Count	64	42	106
		% within Status	43.0%	21.4%	30.7%
2.00		Count	37	104	141
		% within Status	24.8%	53.1%	40.9%
3.00		Count	18	44	62
		% within Status	12.1%	22.4%	18.0%
Total		Count	149	196	345
		% within Status	100.0%	100.0%	100.0%

GAD.4 * Status Crosstabulation

		Status		Total	
		Pre Klinik	Coass		
GAD.4	.00	Count	54	32	86
		% within Status	36.2%	16.3%	24.9%
1.00		Count	60	42	102
		% within Status	40.3%	21.4%	29.6%
2.00		Count	24	106	130
		% within Status	16.1%	54.1%	37.7%
3.00		Count	11	16	27
		% within Status	7.4%	8.2%	7.8%
Total		Count	149	196	345
		% within Status	100.0%	100.0%	100.0%

GAD.5 * Status Crosstabulation

		Status		Total	
		Pre Klinik	Coass		
GAD.5	.00	Count	81	29	110
		% within Status	54.4%	14.8%	31.9%
1.00		Count	47	91	138
		% within Status	31.5%	46.4%	40.0%
2.00		Count	15	70	85
		% within Status	10.1%	35.7%	24.6%
3.00		Count	6	6	12

		Status		
		Pre Klinik	Coass	Total
Total	% within Status	4.0%	3.1%	3.5%
	Count	149	196	345
	% within Status	100.0%	100.0%	100.0%

GAD.6 * Status Crosstabulation

		Status			
		Pre Klinik	Coass	Total	
GAD.6	.00	Count	52	22	74
		% within Status	34.9%	11.2%	21.4%
	1.00	Count	53	71	124
		% within Status	35.6%	36.2%	35.9%
	2.00	Count	32	95	127
		% within Status	21.5%	48.5%	36.8%
	3.00	Count	12	8	20
		% within Status	8.1%	4.1%	5.8%
Total		Count	149	196	345
		% within Status	100.0%	100.0%	100.0%

GAD.7 * Status Crosstabulation

		Status			
		Pre Klinik	Coass	Total	
GAD.7	.00	Count	37	9	46
		% within Status	24.8%	4.6%	13.3%
	1.00	Count	58	48	106
		% within Status	38.9%	24.5%	30.7%
	2.00	Count	31	90	121
		% within Status	20.8%	45.9%	35.1%
	3.00	Count	23	49	72
		% within Status	15.4%	25.0%	20.9%
Total		Count	149	196	345
		% within Status	100.0%	100.0%	100.0%

CROSSTABS

/TABLES=Kat.GAD VAR00027 VAR00028 VAR00029 VAR00030 VAR00031 BY Status

/FORMAT=AVALUE TABLES

/STATISTICS=CHISQ

/CELLS=COUNT COLUMN

/COUNT ROUND CELL.

Kat.GAD * Status	345	100.0%	0	0.0%	345	100.0%
Apakah resiko terkena covid-19 membuat anda cemas ? * Status	345	100.0%	0	0.0%	345	100.0%
Apakah merasa terisolasi dan pembatasan aktivitas mmebuat anda merasa cemas ? * Status	345	100.0%	0	0.0%	345	100.0%
Apakah perkuliahan online membuat anda merasa cemas ? * Status	345	100.0%	0	0.0%	345	100.0%
Apakah resiko membawa virus ke lingkungan rumah membuat anda merasa cemas ? * Status	345	100.0%	0	0.0%	345	100.0%
Apakah menghadapi ujian membuat anda cemas ? * Status	345	100.0%	0	0.0%	345	100.0%

Kat.GAD * Status

Crosstab

		Status		Total	
		Pre Klinik	Coass		
Kat.GAD	Tidak ada	Count	52	15	67
		% within Status	34.9%	7.7%	19.4%
	Ringan	Count	56	29	85
		% within Status	37.6%	14.8%	24.6%
	Sedang	Count	28	122	150
		% within Status	18.8%	62.2%	43.5%
	Berat	Count	13	30	43
		% within Status	8.7%	15.3%	12.5%
Total		Count	149	196	345
		% within Status	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)
Pearson Chi-Square	89.903 ^a	3	.000

Likelihood Ratio	94.374	3	.000
Linear-by-Linear Association	66.878	1	.000
N of Valid Cases	345		

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 18.57.

Apakah resiko terkena covid-19 membuat anda cemas ? * Status

Crosstab

		Status		Total	
		Pre Klinik	Coass		
Apakah resiko terkena covid-19 membuat anda cemas ?	Tidak	Count	67	9	76
		% within Status	45.0%	4.6%	22.0%
	Ya	Count	82	187	269
		% within Status	55.0%	95.4%	78.0%
Total	Count	149	196	345	
	% within Status	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	80.336 ^a	1	.000		
Continuity Correction ^b	78.003	1	.000		
Likelihood Ratio	85.738	1	.000		
Fisher's Exact Test				.000	.0
Linear-by-Linear Association	80.104	1	.000		
N of Valid Cases	345				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 32.82.

b. Computed only for a 2x2 table

Apakah merasa terisolasi dan pembatasan aktivitas mmebuat anda merasa cemas ? * Status

Crosstab

			Status		Total
			Pre Klinik	Coass	
Apakah merasa terisolasi dan pembatasan aktivitas mmebuat anda merasa cemas ?	Tidak	Count	94	36	130
		% within Status	63.1%	18.4%	37.7%
	Ya	Count	55	160	215
		% within Status	36.9%	81.6%	62.3%
Total		Count	149	196	345
		% within Status	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	72.091 ^a	1	.000		
Continuity Correction ^b	70.199	1	.000		
Likelihood Ratio	73.930	1	.000		
Fisher's Exact Test				.000	.0
Linear-by-Linear Association	71.882	1	.000		
N of Valid Cases	345				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 56.14.

b. Computed only for a 2x2 table

Apakah perkuliahan online membuat anda merasa cemas ? * Status**Crosstab**

			Status		Total
			Pre Klinik	Coass	
Apakah perkuliahan online membuat anda merasa cemas ?	Tidak	Count	88	64	152
		% within Status	59.1%	32.7%	44.1%
	Ya	Count	61	132	193
		% within Status	40.9%	67.3%	55.9%

Total	Count	149	196	345
	% within Status	100.0%	100.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2-sided)	Exact Sig. (1-side)
Pearson Chi-Square	23.950 ^a	1	.000		
Continuity Correction ^b	22.891	1	.000		
Likelihood Ratio	24.125	1	.000		
Fisher's Exact Test				.000	.0
Linear-by-Linear Association	23.881	1	.000		
N of Valid Cases	345				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 65.65.

b. Computed only for a 2x2 table

Apakah resiko membawa virus ke lingkungan rumah membuat anda merasa cemas ? * Status

Crosstab

		Status		Total	
		Pre Klinik	Coass		
Apakah resiko membawa virus ke lingkungan rumah membuat anda merasa cemas ?	Tidak	Count	34	21	55
		% within Status	22.8%	10.7%	15.9%
	Ya	Count	115	175	290
		% within Status	77.2%	89.3%	84.1%
Total	Count	149	196	345	
	% within Status	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2-sided)	Exact Sig. (1-side)
Pearson Chi-Square	9.255 ^a	1	.002		

Continuity Correction ^b	8.374	1	.004		
Likelihood Ratio	9.183	1	.002		
Fisher's Exact Test				.003	.0
Linear-by-Linear Association	9.229	1	.002		
N of Valid Cases	345				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 23.75.

b. Computed only for a 2x2 table

Apakah menghadapi ujian membuat anda cemas ? * Status

Crosstab

				Status		Total
				Pre Klinik	Coass	
Apakah menghadapi ujian membuat anda cemas ?	Tidak	Count	13	11	24	
		% within Status	8.7%	5.6%	7.0%	
	Ya	Count	136	185	321	
		% within Status	91.3%	94.4%	93.0%	
Total	Count	149	196	345		
	% within Status	100.0%	100.0%	100.0%		

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.267 ^a	1	.260		
Continuity Correction ^b	.832	1	.362		
Likelihood Ratio	1.253	1	.263		
Fisher's Exact Test				.290	.1
Linear-by-Linear Association	1.263	1	.261		
N of Valid Cases	345				

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 10.37.

b. Computed only for a 2x2 table

Lampiran IV Biodata Peneliti**BIODATA PENELITI**

Nama : A. Afiq Raihan
NIM : C011181353
Tempat, tanggal lahir : Makassar, 18 Juli 1998
Agama : Islam
Jenis kelamin : Laki - Laki
Alamat : Jl. Landak Baru Taman Metropolitan Blok C.11
Jurusan/Fakultas : Pendidikan Dokter Umum/Kedokteran
Telepon : 0811414911
Email : afiqraihan12@gmail.com
Status Marital : Belum menikah
Warga Negara : Indonesia