

## DAFTAR PUSTAKA

- Abirami, K., Swain, S., Baskaran, V., Venkatesan, K., Sakthivel, K., & Bommayasamy, N. (2021). Distinguishing three Dragon fruit (*Hylocereus* spp.) species grown in Andaman and Nicobar Islands of India using morphological, biochemical and molecular traits. *Scientific Reports*, *11*(1), 1–14. <https://doi.org/10.1038/s41598-021-81682-x>
- Administration Food and Drug, U. (2006). Guidance for industry: Characterization and qualification of cell substrates and other biological starting materials used in the production of viral vaccines for the prevention and treatment of infectious diseases. *Biotechnology Law Report*, *25*(6), 697–723. <https://doi.org/10.1089/blr.2006.25.697>
- Arksey, H., & O'Malley, L. (2005). Scoping studies: Towards a methodological framework. *International Journal of Social Research Methodology: Theory and Practice*, *8*(1), 19–32. <https://doi.org/10.1080/1364557032000119616>
- Bahramsoltani, R., Farzaei, M. H., & Rahimi, R. (2014). Medicinal plants and their natural components as future drugs for the treatment of burn wounds: An integrative review. *Archives of Dermatological Research*, *306*(7), 601–617. <https://doi.org/10.1007/s00403-014-1474-6>
- Bates, M. (2020). The Future of Wound Care. *IEEE Pulse*, *11*(4), 22–25. <https://doi.org/10.1109/MPULS.2020.3008460>
- Bentacur, J. A., Muriel, S. B., & Gonzalez, E. P. (2019). Morphological Characterization of The Red Dragon Friut. *Revista Facultad Nacional de Agronomia*, *73*, 9019–9027. <https://doi.org/10.15446/rfnam.v73n1.77735>
- Beyene, R. T., Derryberry, S. L., & Barbul, A. (2020). The Effect of Comorbidities on Wound Healing. *Surgical Clinics of North America*, *100*(4), 695–705. <https://doi.org/10.1016/j.suc.2020.05.002>
- Blanchard, O. L., & Smoliga, J. M. (2015). Translating dosages from animal models to human clinical trials-revisiting body surface area scaling. *FASEB Journal*, *29*(5), 1629–1634. <https://doi.org/10.1096/fj.14-269043>
- Broughton, G., Janis, J. E., & Attinger, C. E. (2016). Wound healing: An overview. *Plastic and Reconstructive Surgery*, *117*(7 SUPPL.), 1–32. <https://doi.org/10.1097/01.prs.0000222562.60260.f9>
- Budi, H. S., Juliastuti, W. S., Devijanti, R., Yuliati, Y., & Andhini, R. P. (2020). The Potential of Red Dragon Fruit ( *Hylocereuspolyrhizus* ) Rind Extract Accelerates Wound Healing Process Post Tooth Extraction. *Malaysian Journal of Medicine and Health Sciences*, *16*(July), 37–41.
- Butt, H., Mehmood, A., Ali, M., Tasneem, S., Anjum, M. S., Tarar, M. N., Khan, S. N., & Riazuddin, S. (2017). Protective role of vitamin E preconditioning of human dermal fibroblasts against thermal stress in vitro. *Life Sciences*, *184*, 1–9. <https://doi.org/10.1016/j.lfs.2017.07.002>
- Cañedo-Dorantes, L., & Cañedo-Ayala, M. (2019). Skin acute wound healing: A comprehensive review. *International Journal of Inflammation*, *2019*. <https://doi.org/10.1155/2019/3706315>

- Chakraborty, C., Gupta, B., & Ghosh, S. K. (2018). Mobile metadata assisted community database of chronic wound images. *Wound Medicine*, 6(September), 34–42. <https://doi.org/10.1016/j.wndm.2014.09.002>
- Cheok, A., George, T. W., Rodriguez-Mateos, A., & Caton, P. W. (2020). The effects of betalain-rich cacti (dragon fruit and cactus pear) on endothelial and vascular function: A systematic review of animal and human studies. *Food and Function*, 11(8), 6807–6817. <https://doi.org/10.1039/d0fo00537a>
- Chetter, I. C., Oswald, A. V., Fletcher, M., Dumville, J. C., & Cullum, N. A. (2017). A survey of patients with surgical wounds healing by secondary intention; an assessment of prevalence, aetiology, duration and management. *Journal of Tissue Viability*, 26(2), 103–107. <https://doi.org/10.1016/j.jtv.2016.12.004>
- Choo, K. Y., Ong, Y. Y., Lim, R. L. H., Tan, C. P., & Ho, C. W. (2019). Study on bioaccessibility of betacyanins from red dragon fruit (*Hylocereus polyrhizus*). *Food Science and Biotechnology*, 28(4), 1163–1169. <https://doi.org/10.1007/s10068-018-00550-z>
- Choy, K. W., Murugan, D., Leong, X. F., Abas, R., Alias, A., & Mustafa, M. R. (2019). Flavonoids as natural anti-inflammatory agents targeting nuclear factor-kappa B (NFκB) signaling in cardiovascular diseases: A mini review. *Frontiers in Pharmacology*, 10(OCT), 1–8. <https://doi.org/10.3389/fphar.2019.01295>
- Cohen, H., Fait, A., & Tel-Zur, N. (2013). Morphological, cytological and metabolic consequences of autopolyploidization in *Hylocereus* (Cactaceae) species. *BMC Plant Biology*, 13(1), 1. <https://doi.org/10.1186/1471-2229-13-173>
- Colquhoun, H. L., Jesus, T. S., O'Brien, K. K., Tricco, A. C., Chui, A., Zarin, W., Lillie, E., Hitzig, S. L., & Straus, S. (2017). Study protocol for a scoping review on rehabilitation scoping reviews. *Clinical Rehabilitation*, 31(9), 1249–1256. <https://doi.org/10.1177/0269215516688514>
- Colquhoun, H. L., Levac, D., O'Brien, K. K., Straus, S., Tricco, A. C., Perrier, L., Kastner, M., & Moher, D. (2014). Scoping reviews: Time for clarity in definition, methods, and reporting. *Journal of Clinical Epidemiology*, 67(12), 1291–1294. <https://doi.org/10.1016/j.jclinepi.2014.03.013>
- Cooper, S., Cant, R., Kelly, M., Levett-Jones, T., McKenna, L., Seaton, P., & Bogossian, F. (2019). An Evidence-Based Checklist for Improving Scoping Review Quality. *Clinical Nursing Research*, 30(3), 230–240. <https://doi.org/10.1177/1054773819846024>
- Cowin, A. J. (2019). New innovations in wound healing and repair. *International Journal of Molecular Sciences*, 20(7), 2018–2019. <https://doi.org/10.3390/ijms20071724>
- da Silveira Agostini-Costa, T. (2020). Bioactive compounds and health benefits of Pereskioideae and Cactoideae: A review. *Food Chemistry*, 327(January). <https://doi.org/10.1016/j.foodchem.2020.126961>
- Das, S., Samanta, A., & Bose, A. (2015). Design, development and evaluation of fluconazole topical gel. *Asian Journal of Pharmaceutical and Clinical Research*, 8(2), 132–135.
- Draeos, Z. D. (2018). The science behind skin care: Moisturizers. *Journal of Cosmetic Dermatology*, 17(2), 138–144. <https://doi.org/10.1111/jocd.12490>

- European Burns Association. (2017). European Practice Guidelines for Burn Care. *European Burns Association*, 147. <http://euroburn.org/wp-content/uploads/2014/09/EBA-Guidelines-Version-4-2017-1.pdf>
- Fathordoobady, F., Mirhosseini, H., Selamat, J., & Manap, M. Y. A. (2016). Effect of solvent type and ratio on betacyanins and antioxidant activity of extracts from *Hylocereus polyrhizus* flesh and peel by supercritical fluid extraction and solvent extraction. *Food Chemistry*, 202, 70–80. <https://doi.org/10.1016/j.foodchem.2016.01.121>
- Ferretti, A., Ienca, M., Hurst, S., & Vayena, E. (2020). Big Data, Biomedical Research, and Ethics Review: New Challenges for IRBs. *Ethics and Human Research*, 42(5), 17–28. <https://doi.org/10.1002/eahr.500065>
- Gantwerker, E. A., & Hom, D. B. (2011). Skin: Histology and Physiology of Wound Healing. *Facial Plastic Surgery Clinics of North America*, 19(3), 441–453. <https://doi.org/10.1016/j.fsc.2011.06.009>
- Ginwala, R., Bhavsar, R., Chigbu, D. G. I., Jain, P., & Khan, Z. K. (2019). Potential role of flavonoids in treating chronic inflammatory diseases with a special focus on the anti-inflammatory activity of apigenin. *Antioxidants*, 8(2), 1–30. <https://doi.org/10.3390/antiox8020035>
- Givol, O., Kornhaber, R., Visentin, D., Cleary, M., Haik, J., & Harats, M. (2019). A systematic review of *Calendula officinalis* extract for wound healing. *Wound Repair and Regeneration*, 27(5), 548–561. <https://doi.org/10.1111/wrr.12737>
- Gonzalez, A. C. D. O., Andrade, Z. D. A., Costa, T. F., & Medrado, A. R. A. P. (2016). Wound healing - A literature review. *Anais Brasileiros de Dermatologia*, 91(5), 614–620. <https://doi.org/10.1590/abd1806-4841.20164741>
- Guo, S., & DiPietro, L. A. (2010). Critical review in oral biology & medicine: Factors affecting wound healing. *Journal of Dental Research*, 89(3), 219–229. <https://doi.org/10.1177/0022034509359125>
- Gurtner, G., & Thorne, C. (2012). *Wound healing: Normal and abnormal. 6th ed. Chapter 2* (6th ed.).
- Halimoon, N., & Hasan, M. H. A. (2017). Determination and evaluation of antioxidative activity in red dragon fruit (*Hylocereus undatus*) and green kiwi fruit (*Actinidia deliciosa*). *American Journal of Applied Sciences*, 7(11), 1432–1438. <https://doi.org/10.3844/ajassp.2010.1432.1438>
- Hossain, F., Numan, S., & Akhtar, S. (2021). Cultivation , Nutritional Value and Health Benefits of Dragon Fruit ( *Hylocereus* spp .): A Review. *International Journal of Horticultural Science and Technology*, 8(3), 259–269.
- Hunter, R. P., & Isaza, R. (2008). Concepts and issues with interspecies scaling in zoological pharmacology. *Journal of Zoo and Wildlife Medicine*, 39(4), 517–526. <https://doi.org/10.1638/2008-0041.1>
- Ibrahim, N., ‘Izzah, Wong, S. K., Mohamed, I. N., Mohamed, N., Chin, K. Y., Ima-Nirwana, S., & Shuid, A. N. (2018). Wound healing properties of selected natural products. *International Journal of Environmental Research and Public Health*, 15(11). <https://doi.org/10.3390/ijerph15112360>

- Ibrahim, S. R. M., Mohamed, G. A., Khedr, A. I. M., Zayed, M. F., & El-Kholy, A. A. E. S. (2018). Genus *Hylocereus*: Beneficial phytochemicals, nutritional importance, and biological relevance—A review. *Journal of Food Biochemistry*, *42*(2), 1–29. <https://doi.org/10.1111/jfbc.12491>
- Indrianingsih, A. W., Ratih, D., & Indirayati, N. (2020). Uji In Vitro Aktivitas Antioksidan Dari Ekstrak Kulit Buah Naga Merah (*Hylocereus costaricensis*). *Jurnal Penelitian Kehutanan Faloak*, *4*(2), 71–80. <https://doi.org/10.20886/jpkf.2020.4.2.71-80>
- Joanna, B. I. (2020). JBI Manual for Evidence Synthesis. In *JBI Manual for Evidence Synthesis* (Issue July). <https://doi.org/10.46658/jbimes-20-01>
- Joshi, M., & Prabhakar, B. (2020). Phytoconstituents and pharmaco-therapeutic benefits of pitaya: A wonder fruit. *Journal of Food Biochemistry*, *44*(7), 1–15. <https://doi.org/10.1111/jfbc.13260>
- Juliastuti, W. S., Budi, H. S., & Maharani, C. A. (2020). Effect of Dragon Fruit (*Hylocereus Polyrhizus*) Peel Extract on Collagen Fiber Density of Rat Socket Healing. *Indian Journal of Public Health Research & Development*, *11*(47), 1639–1643. <https://doi.org/10.37506/v11/i1/2020/ijphrd/194082>
- Kaltalioglu, K., & Coskun-Cevher, S. (2015). A bioactive molecule in a complex wound healing process: Platelet-derived growth factor. *International Journal of Dermatology*, *54*(8), 972–977. <https://doi.org/10.1111/ijd.12731>
- Kant, V., Jangir, B. L., Nigam, A., Kumar, V., & Sharma, S. (2017). Dose regulated cutaneous wound healing potential of quercetin in male rats. *Wound Medicine*, *19*, 82–87. <https://doi.org/10.1016/j.wndm.2017.10.004>
- Kementerian, K. R. I. (2016). Peraturan Menteri Kesehatan Republik Indonesia Nomor 6 Tahun 2016 Tentang Formularium Obat Herbal Asli Indonesia. *Applied Microbiology and Biotechnology*, *85*(1), 2071–2079.
- Kementerian Kesehatan, R. I. (2020). *Farmakope Indonesia Edisi VI* (Edisi VI, pp. 1–2731). Kementerian Kesehatan RI. Direktorat Jenderal Kefarmasian dan Alat Kesehatan.
- Khan, M. I. (2016). Plant Betalains: Safety, Antioxidant Activity, Clinical Efficacy, and Bioavailability. *Comprehensive Reviews in Food Science and Food Safety*, *15*(2), 316–330. <https://doi.org/10.1111/1541-4337.12185>
- Kim, H. J., Choi, H. K., Moon, J. Y., Kim, Y. S., Mosaddik, A., & Cho, S. K. (2016). Comparative Antioxidant and Antiproliferative Activities of Red and White Pitayas and Their Correlation with Flavonoid and Polyphenol Content. *Journal of Food Science*, *76*(1), 1–8. <https://doi.org/10.1111/j.1750-3841.2010.01908.x>
- Kishimoto, Y., Saito, N., Kurita, K., Shimokado, K., Maruyama, N., & Ishigami, A. (2013). Ascorbic acid enhances the expression of type 1 and type 4 collagen and SVCT2 in cultured human skin fibroblasts. *Biochemical and Biophysical Research Communications*, *430*(2), 579–584. <https://doi.org/10.1016/j.bbrc.2012.11.110>
- Kuhn, K. A., Manieri, N. A., Liu, T. C., & Stappenbeck, T. S. (2014). IL-6 stimulates intestinal epithelial proliferation and repair after injury. *PLoS ONE*, *9*(12). <https://doi.org/10.1371/journal.pone.0114195>

- Kurniawan, Z. G. (2018). *Pengaruh Pemberian Kombinasi Salep Ekstrak Kulit Buah Naga Merah (Hylocereus Polyrhizus) dan Lidah Buaya (Aloe vera) Terhadap Ekspresi TNF- $\alpha$  dan Ketebalan Kolagen Sebagai Pengobatan Luka Insisi Pada Tikus (Rattus norvegicus)*. Brawijaya.
- Kurosaka, M., & Machida, S. (2013). Interleukin-6-induced satellite cell proliferation is regulated by induction of the JAK2/STAT3 signalling pathway through cyclin D1 targeting. *Cell Proliferation*, 46(4), 365–373. <https://doi.org/10.1111/cpr.12045>
- Lalita, C., & Shalini, G. (2019). Creams: A Review on Classification, Preparation Methods, Evaluation and its Applications. *Journal of Drug Delivery & Therapeutics*, 9(3), 661–668. <http://dx.doi.org/10.22270/jddt.v9i3.2678>
- Lee, S., Suh, D. H., Lee, S., Heo, D. Y., Kim, Y. S., Cho, S. K., & Lee, C. H. (2014). Metabolite profiling of red and white pitayas (*Hylocereus polyrhizus* and *Hylocereus undatus*) for comparing betalain biosynthesis and antioxidant activity. *Journal of Agricultural and Food Chemistry*, 62(34), 8764–8771. <https://doi.org/10.1021/jf5020704>
- Levac, D., Colquhoun, H., & O'Brien, K. K. (2010). Scoping studies: Advancing the methodology. *Implementation Science*, 5(1), 1–9. <https://doi.org/10.1186/1748-5908-5-69>
- Li, F. S., & Weng, J. K. (2017). Demystifying traditional herbal medicine with modern approaches. *Nature Plants*, 3(July), 1–7. <https://doi.org/10.1038/nplants.2017.109>
- Lindholm, C., & Searle, R. (2016). Wound management for the 21st century: combining effectiveness and efficiency. *International Wound Journal*, 13, 5–15. <https://doi.org/10.1111/iwj.12623>
- Lockwood, C., dos Santos, K. B., & Pap, R. (2019). Practical Guidance for Knowledge Synthesis: Scoping Review Methods. *Asian Nursing Research*, 13(5), 287–294. <https://doi.org/10.1016/j.anr.2019.11.002>
- Lodhi, S., Jain, A., Jain, A. P., Pawar, R. S., & Singhai, A. K. (2016). Effects of flavonoids from *Martynia annua* and *Tephrosia purpurea* on cutaneous wound healing. *Avicenna Journal of Phytomedicine*, 6(5), 578–591. <https://doi.org/10.22038/ajp.2016.6760>
- Lordani, T. V. A., De Lara, C. E., Ferreira, F. B. P., De Souza Terron Monich, M., Da Silva, C. M., Lordani, C. R. F., Bueno, F. G., Teixeira, J. J. V., & Lonardoni, M. V. C. (2018). Therapeutic effects of medicinal plants on cutaneous wound healing in humans: a systematic review. *Mediators of Inflammation*, 2018. <https://doi.org/10.1155/2018/7354250>
- Luo, H., Cai, Y., Peng, Z., Liu, T., & Yang, S. (2014). Chemical composition and in vitro evaluation of the cytotoxic and antioxidant activities of supercritical carbon dioxide extracts of pitaya (dragon fruit) peel. *Chemistry Central Journal*, 1–7.
- Luu, T.-T.-H., Le, T.-L., Huynh, N., & Quintela-Alonso, P. (2021). Dragon fruit: A review of health benefits and nutrients and its sustainable development under climate changes in Vietnam. *Czech Journal of Food Sciences*, 39(No. 2), 71–94. <https://doi.org/10.17221/139/2020-cjfs>
- Mahdi, M A, Mohammed, M. T., Jassim, A. N., & Taay, Y. M. (2021). Green synthesis of gold NPs by using dragon fruit : Toxicity and wound healing. *Journal of Physics : Conference Series*, 1853, 1–21. <https://doi.org/10.1088/1742-6596/1853/1/012039>

- Mahdi, Montadher Ali, Mohammed, M. T., Mohammed, A., Jassim, N., & Mohammed, A. I. (2018). Phytochemical Content And Anti-Oxidant Activity Of *Hylocereus Undatus* And Study Of Toxicity And The Ability Of Wound Treatment. *Plant Archives*, 18(January 2019), 2672–2680.
- Maleki, S. J., Crespo, J. F., & Cabanillas, B. (2019). Anti-inflammatory effects of flavonoids. *Food Chemistry*, 299(July). <https://doi.org/10.1016/j.foodchem.2019.125124>
- Manihuruk, F. M., Suryati, T., & Arief, I. I. (2017). Effectiveness of the red dragon fruit (*Hylocereus polyrhizus*) peel extract as the colorant, antioxidant, and antimicrobial on beef sausage. *Media Peternakan*, 40(1), 47–54. <https://doi.org/10.5398/medpet.2017.40.1.47>
- Martin, R. F. (2020). Wound Healing. *Surgical Clinics of North America*, 100(4), ix–xi. <https://doi.org/10.1016/j.suc.2020.05.012>
- Mas 'ud, A., Sinrang, W., Erika, K. A., Tahir, T., & Thalib, A. (2018). Pengaruh Pemberian Ekstrak Buah Naga Merah (Ebnm) Topikal Pada Luka Akut Terhadap Perubahan Kadar Matrix Metalloproteinase-9 (Mmp-9) Dan Diameter Luka: an Animal Model Study. *Jurnal Luka Indonesia*, 4(1), 11–23.
- Mayefis, D. (2019). Formulation And Activity Test Of Healing Of Burn Wound Of Gel Preparation From Extracted Of Red Dragon Fruit Peels. *Borneo Journal of Phamascientech*, Vol. 03.
- Milne, J. (2018). Target areas in wound care. *British Journal of Nursing*, 27(12), S3. <https://doi.org/10.12968/bjon.2018.27.Sup12.S3>
- Milne, J. (2019). The importance of skin cleansing in wound care. *British Journal of Nursing*, 28(12), S20–S22. <https://doi.org/10.12968/bjon.2019.28.12.S20>
- Mohiuddin, A. K. (2019). Skin Care Creams: Formulation and Use Related papers. *Dermatology Clinics & Research*, 5(1), 238–27. [www.scitcentral.com](http://www.scitcentral.com)
- Munn, Z., Peters, M. D. J., Stern, C., Tufanaru, C., McArthur, A., & Aromataris, E. (2018). Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Medical Research Methodology*, 18(1), 1–7. <https://doi.org/10.1186/s12874-018-0611-x>
- Naik, K., Thangavel, S., & Alam, A. (2016). Cytotoxicity and Anti-inflammatory Activity of Flavonoid Derivatives Targeting NF-kappaB. *Recent Patents on Inflammation & Allergy Drug Discovery*, 10(2), 119–132. <https://doi.org/10.2174/1872213x10666161114231625>
- Nair, Anroop, Morsy, M. A., & Jacob, S. (2018). Dose translation between laboratory animals and human in preclinical and clinical phases of drug development. *Drug Development Research*, 79(8), 373–382. <https://doi.org/10.1002/ddr.21461>
- Nair, AnroopB, & Jacob, S. (2016). A simple practice guide for dose conversion between animals and human. *Journal of Basic and Clinical Pharmacy*, 7(2), 27. <https://doi.org/10.4103/0976-0105.177703>
- Nurfiah, Tahir, T., & Yusuf, S. (2019). Aktifitas Zat Aktif Berbasis Tanaman Tradisional Indonesia Dalam Penyembuhan Luka. *Jurnal Keperawatan Muhammadiyah Edisi Khusus*, 145–150.

- Öhnstedt, E., Lofton Tomenius, H., Vågesjö, E., & Phillipson, M. (2019). The discovery and development of topical medicines for wound healing. *Expert Opinion on Drug Discovery*, 14(5), 485–497. <https://doi.org/10.1080/17460441.2019.1588879>
- Özay, Y., Güzel, S., Yumrutaş, Ö., Pehlivanoglu, B., Erdoğan, İ. H., Yildirim, Z., Türk, B. A., & Darcan, S. (2019). Wound healing effect of kaempferol in diabetic and nondiabetic rats. *Journal of Surgical Research*, 233, 284–296. <https://doi.org/10.1016/j.jss.2018.08.009>
- Pakyari, M., Farrokhi, A., Maharlooei, M. K., & Ghahary, A. (2013). Critical Role of Transforming Growth Factor Beta in Different Phases of Wound Healing. *Advances in Wound Care*, 2(5), 215–224. <https://doi.org/10.1089/wound.2012.0406>
- Pandy, V. (2020). A Simple Method for Animal Dose Calculation in Preclinical Research. *EC Pharmacology and Toxicology*, 8(3), 1–2. <https://www.econicon.com/ecpt/volume8-issue3.php>
- Parmar, M. Y., Pore, D., Kumar Sharma, S., Singh, T., & Pandya, N. (2019). Nutri Food Sci Int J Health Benefits of Dragon Fruit. *India Nutri Food Sci Int J*, 8(4), 10–12. <https://doi.org/10.19080/NFSIJ.2019.08.555743>
- Paško, P., Galanty, A., Zagrodzki, P., Luksirikul, P., Barasch, D., Nemirovski, A., & Gorinstein, S. (2021). Dragon Fruits as a Reservoir of Natural Polyphenolics with Chemopreventive Properties. *Molecules*, 26(8), 2158. <https://doi.org/10.3390/molecules26082158>
- Patil, P. ., Datir, S. ., & Saudagar, R. . (2019). A Review on Topical Gels as Drug Delivery System. *Journal of Drug Delivery & Therapeutics*, 9(3), 661–668. <http://dx.doi.org/10.22270/jddt.v9i3.2678>
- Permata, F. S., & Febrianto, A. (2019). Salep Ekstrak Kulit Buah Naga (*H. costaricensis*) Menurunkan Ekspresi Interleukin- 2) dan Jumlah Sel Radang Mononuklear terhadap Luka Terbuka di Kulit Tikus Strain Wistar The Ointment of Peel Dragon Fruit ( *Hylicereus costaricensis* ) Extract Dec. *Journal Veterinary Biomedical & Clinical*, 1(2), 24–34.
- Peters, M. D. J., Godfrey, C. M., Khalil, H., McInerney, P., Parker, D., & Soares, C. B. (2015). Guidance for conducting systematic scoping reviews. *International Journal of Evidence-Based Healthcare*, 13(3), 141–146. <https://doi.org/10.1097/XEB.0000000000000050>
- Peters, M. D. J., Marnie, C., Tricco, A. C., Pollock, D., Munn, Z., Alexander, L., McInerney, P., Godfrey, C. M., & Khalil, H. (2020). Updated methodological guidance for the conduct of scoping reviews. *JBIC Evidence Synthesis*, 18(10), 2119–2126. <https://doi.org/10.11124/JBIES-20-00167>
- Peterson, J., Pearce, P. F., Ferguson, L. A., & Langford, C. A. (2017). Understanding scoping reviews: Definition, purpose, and process. *Journal of the American Association of Nurse Practitioners*, 29(1), 12–16. <https://doi.org/10.1002/2327-6924.12380>
- Phongtongpasuk, S., Poadang, S., & Yongvanich, N. (2016). Environmental-friendly Method for Synthesis of Silver Nanoparticles from Dragon Fruit Peel Extract and their Antibacterial Activities. *Energy Procedia*, 89, 239–247. <https://doi.org/10.1016/j.egypro.2016.05.031>
- Polera, N., Badolato, M., Perri, F., Carullo, G., & Aiello, F. (2018). Quercetin and its Natural Sources in Wound Healing Management. *Current Medicinal Chemistry*, 26(31), 5825–5848. <https://doi.org/10.2174/0929867325666180713150626>

- Powers, J. G., Higham, C., Broussard, K., & Phillips, T. J. (2016). Wound healing and treating wounds Chronic wound care and management. *Journal of the American Academy of Dermatology*, 74(4), 607–625. <https://doi.org/10.1016/j.jaad.2015.08.070>
- Pratikcha, R., Adarsh, P. P., & Sujit, D. (2019). Pharmaceutical Creams and their use in wound healing: A Review. *Journal of Drug Delivery and Therapeutics*, 9(3), 907–912. <http://jddtonline.info/index.php/jddt/article/download/3042/2289>
- Pujiastutik, Y. E., Hendarto, H., & Widjiati. (2017). Effect of Hylocereus Polyrhizus Rind Extract Toward Interleukin-1 $\beta$ , Vascular Endothelial Growth Factor Expression, Endometriosis Implant Area. *International Journal of Pharmaceutical and Clinical Research*, 9(08), 617–621. <https://doi.org/10.25258/ijpcr.v9i08.9588>
- Rahmadhani, N., Yudaniayanti, I. S., Saputro, A. L., Triakoso, N., Wibawati, P. A., & Yudhana, A. (2020). Efektivitas Krim Ekstrak Buah Naga Merah (*Hylocereus polyrhizus*) dalam Meningkatkan Jumlah Sel Fibroblas Luka Bakar Derajat II pada Tikus Putih (*Rattus norvegicus*). *Journal Medik Veteriner*, 3(1), 65–75. <https://doi.org/10.20473/jmv.vol3.iss1.2020.65-75>
- Ramil, M. D. I., DC. Mendoza, A. M., & D. Ramil, R. J. (2021). Assessment on the Physicochemical and Phytochemical Properties, Nutritional and Heavy Metal Contents, and Antioxidant Activities of *Hylocereus polyrhizus* Peel from Northern Philippines. *Indian Journal of Science and Technology*, 14(14), 1097–1104. <https://doi.org/10.17485/ijst/v14i14.2286>
- Ramírez-Rodríguez, Y., Martínez-Huélamo, M., Pedraza-Chaverri, J., Ramírez, V., Martínez-Tagüena, N., & Trujillo, J. (2020). Ethnobotanical, nutritional and medicinal properties of Mexican drylands Cactaceae Fruits: Recent findings and research opportunities. *Food Chemistry*, 312(December 2019), 126073. <https://doi.org/10.1016/j.foodchem.2019.126073>
- Ramli, N. S., Ismail, P., & Rahmat, A. (2014). Influence of conventional and ultrasonic-assisted extraction on phenolic contents, betacyanin contents, and antioxidant capacity of red dragon fruit (*Hylocereus polyrhizus*). *Scientific World Journal*, 2014. <https://doi.org/10.1155/2014/964731>
- Reagan-Shaw, S., Nihal, M., & Ahmad, N. (2008). Dose translation from animal to human studies revisited. *The FASEB Journal*, 22(3), 659–661. <https://doi.org/10.1096/fj.07-9574lsf>
- Rina, R. R. (2016). Formulasi dan Uji Aktivitas Gel Ekstrak Etanol Kulit Buah Naga Merah (*Hylocereus Polyrhizus*) Sebagai Obat Luka Bakar. *Jurnal Stikes Ngudi Waluyo*, 12–23.
- Riskesdas, T. (2018). Laporan Nasional RISKESDAS 2018. In *Badan Penelitian dan Pengembangan Kesehatan* (p. 198). Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan. [http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan\\_Nasional\\_RKD2018\\_FINAL.pdf](http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf)
- Rodrigues, M., Kosaric, N., Bonham, C. A., & Gurtner, G. C. (2019). Wound healing: A cellular perspective. *Physiological Reviews*, 99(1), 665–706. <https://doi.org/10.1152/physrev.00067.2017>
- Rodriguez, E. B., Vidallon, M. L. P., Mendoza, D. J. R., & Reyes, C. T. (2016). Health-promoting bioactivities of betalains from red dragon fruit (*Hylocereus polyrhizus* (Weber)




- Britton and Rose) peels as affected by carbohydrate encapsulation. *Journal of the Science of Food and Agriculture*, 96(14), 4679–4689. <https://doi.org/10.1002/jsfa.7681>
- Sabino, F., & Keller, U. auf dem. (2015). Matrix metalloproteinases in impaired wound healing. *Metalloproteinases In Medicine*, 1. <https://doi.org/10.2147/mnm.s68420>
- Saenjum, C., Pattananandecha, T., & Nakagawa, K. (2021). Antioxidative and Anti-Inflammatory Phytochemicals and Related Stable Paramagnetic Species in Different Parts of Dragon Fruit. *Molecules*, 26(12), 3565. <https://doi.org/10.3390/molecules26123565>
- Saini, S., Dhiman, D., & Nanda, S. (2016). Traditional Indian Medicinal Plants With Potential Wound Healing Activity: A Review *International Journal of Pharmaceutical Sciences and Research*, 7(5), 1809–1819. [https://doi.org/10.13040/IJPSR.0975-8232.7\(5\).1809-19](https://doi.org/10.13040/IJPSR.0975-8232.7(5).1809-19)
- Sangeetha, S. K. S., Umamaheswari, S., Reddy, U. M., & Kalkura, S. N. (2016). Flavonoids : Therapeutic Potential of Natural Pharmacological Agents. *International Journal of Pharmaceutical Sciences and Research*, 7(10), 3924. [https://doi.org/10.13040/IJPSR.0975-8232.7\(10\).3924-30](https://doi.org/10.13040/IJPSR.0975-8232.7(10).3924-30)
- Sen, C. K. (2021). Human Wound and Its Burden: Updated 2020 Compendium of Estimates. *Advances in Wound Care*, 10(5), 281–292. <https://doi.org/10.1089/wound.2021.0026>
- Shedoeva, A., Leavesley, D., Upton, Z., & Fan, C. (2019). Wound healing and the use of medicinal plants. *Evidence-Based Complementary and Alternative Medicine*, 2019(Figure 1). <https://doi.org/10.1155/2019/2684108>
- Shrivastav, A., Mishra, A. K., Ali, S. S., Ahmad, A., Abuzinadah, M. F., & Khan, N. A. (2018). In vivo models for assesment of wound healing potential: A systematic review. *Wound Medicine*, 20(January), 43–53. <https://doi.org/10.1016/j.wndm.2018.01.003>
- Som, A. M., Ahmat, N., Abdul Hamid, H. A., & Azizuddin, N. M. (2019). A comparative study on foliage and peels of *Hylocereus undatus* (white dragon fruit) regarding their antioxidant activity and phenolic content. *Heliyon*, 5(2), e01244. <https://doi.org/10.1016/j.heliyon.2019.e01244>
- Soni, A., Dr. Chaudary, A., Dr. Singla, S., & Dr. Goyal, S. (2013). Review On : Novel Approach In Pharmaceutical Gel. *Journal of Pharma Research*, 2(11), 22–33.
- Sorg, H., Tilkorn, D. J., Hager, S., Hauser, J., & Mirastschijski, U. (2017). Skin Wound Healing: An Update on the Current Knowledge and Concepts. *European Surgical Research*, 58(1–2), 81–94. <https://doi.org/10.1159/000454919>
- Stoica, A. E., Grumezescu, A. M., Hermenean, A. O., Andronescu, E., & Vasile, B. S. (2020). Scar-free healing: Current concepts and future perspectives. *Nanomaterials*, 10(11), 1–18. <https://doi.org/10.3390/nano10112179>
- Su, X., Liu, X., Wang, S., Li, B., Pan, T., Liu, D., Wang, F., Diao, Y., & Li, K. (2017). Wound-healing promoting effect of total tannins from *Entada phaseoloides* (L.) Merr. in rats. *Burns*, 43(4), 830–838. <https://doi.org/10.1016/j.burns.2016.10.010>
- Suhartati, R. (2018). Aktivitas Antibakteri Ekstrak Etanol Kulit Buah Naga Merah (*Hylocereus Polyrhizus*) Terhadap Bakteri *Streptococcus pyogenes*. *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analis Kesehatan Dan Farmasi*, 17(2), 513. <https://doi.org/10.36465/jkbth.v17i2.279>

- Tahir, T., Bakri, S., Patellongi, I., Aman, M., Miskad, U. A., Maryunis, M., Yusuf, S., Irma Rahayu, A., & Dahlan Syam, A. (2017). Evaluation of Topical Red Dragon Fruit Extract Effect (*Hylocereus Polyrhizus*) on Tissue Granulation and Epithelialization in Diabetes Mellitus (DM) and Non-DM Wistar Rats: Pre Eliminary Study. *International Journal of Sciences: Basic and Applied Research (IJSBAR) International Journal of Sciences: Basic and Applied Research*, 32(1), 309–320. <http://gssrr.org/index.php?journal=JournalOfBasicAndApplied>
- Tahir, T., Febrianti, N., Wahyuni, S., Rabia, & Syam, Y. (2020). Evaluation of acute wound healing potential of red dragon fruit (*Hylocereus Polyrhizus*) extract cream on type III collagen and Epidermal Growth Factor (EGF) levels: An animal study. *Medicina Clinica Practica*, 3, 100091. <https://doi.org/10.1016/j.mcpsp.2020.100091>
- Tam, K. (2013). Estimating the “first in human” dose - a revisit with particular emphasis on oncology drugs. *ADMET and DMPK*, 1(4), 63–75. <https://doi.org/10.5599/admet.1.4.10>
- Tanesh, S., Tarun, P., Sagar, S., & Bina, G. (2016). Skin Creams as Topical Drug Delivery System: A Review. *Journal of Pharmaceutical and Biological Sciences*, 4(5), 149–154.
- Thalib, A., Erika, K. A., Massi, M. N., Tahir, T., & Mas’ud, A. (2018). Ekstrak Buah Naga Merah (*Hylocereus Polyrhizuz*) Pada Luka Akut Terhadap Kadar Interleukin-6 Fase Inflamasi Pada Wistar. *Jurnal Luka Indonesia*, 4(1), 1–10.
- Thiha, S., Myint, K. T., Thet, D. T., Khaing, T. T., & Swe, K. M. (2019). Effects of Explants and Growth Regulators on In Vitro Regeneration of Dragon Fruit (*Hylocereus undatus* Haworth). In *Department of Horticulture Yezin Agricultural University* (Issue February). Department of Horticulture Yezin Agricultural University.
- Tricco, A. C., Lillie, E., Zarin, W., O’Brien, K. K., Colquhoun, H., Levac, D., Moher, D., Peters, M. D. J., Horsley, T., Weeks, L., Hempel, S., Akl, E. A., Chang, C., McGowan, J., Stewart, L., Hartling, L., Aldcroft, A., Wilson, M. G., Garritty, C., ... Straus, S. E. (2018). PRISMA extension for scoping reviews (PRISMA-ScR): Checklist and explanation. *Annals of Internal Medicine*, 169(7), 467–473. <https://doi.org/10.7326/M18-0850>
- Upadhyay, A., Chattopadhyay, P., Goyary, D., Mitra Mazumder, P., & Veer, V. (2014). *Ixora coccinea* Enhances Cutaneous Wound Healing by Upregulating the Expression of Collagen and Basic Fibroblast Growth Factor . *ISRN Pharmacology*, 2014, 1–9. <https://doi.org/10.1155/2014/751824>
- Velnar, T., Bailey, T., & Smrkolj, V. (2015). The wound healing process: An overview of the cellular and molecular mechanisms. *Journal of International Medical Research*, 37(5), 1528–1542. <https://doi.org/10.1177/147323000903700531>
- Wang, P. H., Huang, B. S., Horng, H. C., Yeh, C. C., & Chen, Y. J. (2018). Wound healing. *Journal of the Chinese Medical Association*, 81(2), 94–101. <https://doi.org/10.1016/j.jcma.2017.11.002>
- Wu, Y., Xu, J., He, Y., Shi, M., Han, X., Li, W., Zhang, X., & Wen, X. (2019). Metabolic profiling of pitaya (*hylocereus polyrhizus*) during fruit development and maturation. *Molecules*, 24(6), 1–16. <https://doi.org/10.3390/molecules24061114>
- Yang, X., Yang, Y., Shi, M., Wang, Y., Zhang, Z., & Lu, Y. (2013). Optimisation of Anthocyanin Extraction from Purple Pitaya and Verification of Antioxidant Properties, Antiproliferative Activity and Macrophage Proliferation Activity. *International Journal of Biology*, 5(3). <https://doi.org/10.5539/ijb.v5n3p19>

- Yong, Y. Y., Dykes, G., Lee, S. M., & Choo, W. S. (2017). Comparative Study of Betacyanin Profile and Antimicrobial Activity of Red Pitahaya (*Hylocereus polyrhizus*) and Red Spinach (*Amaranthus dubius*). *Plant Foods for Human Nutrition*, 72(1), 41–47. <https://doi.org/10.1007/s11130-016-0586-x>
- Yong, Y. Y., Dykes, G., Lee, S. M., & Choo, W. S. (2018). Effect of refrigerated storage on betacyanin composition, antibacterial activity of red pitahaya (*Hylocereus polyrhizus*) and cytotoxicity evaluation of betacyanin rich extract on normal human cell lines. *LWT - Food Science and Technology*, 91, 491–497. <https://doi.org/10.1016/j.lwt.2018.01.078>
- Yussof, S. J. M., Omar, E., Pai, D. R., & Sood, S. (2012). Cellular events and biomarkers of wound healing. *Indian Journal of Plastic Surgery*, 45(2), 220–228. <https://doi.org/10.4103/0970-0358.101282>
- Zhang, P., Tang, Y., Li, N. G., Zhu, Y., & Duan, J. A. (2014). Bioactivity and chemical synthesis of caffeic acid phenethyl ester and its derivatives. *Molecules*, 19(10), 16458–16476. <https://doi.org/10.3390/molecules191016458>
- Zoumalan, C. I. (2018). Topical agents for scar management: Are they effective? *Journal of Drugs in Dermatology*, 17(4), 421–425.

Lampiran  
Lampiran 1. Rekomendasi Persetujuan Komisi Etik





**REKOMENDASI PERSETUJUAN ETIK**

Nomor : 854/UN4.6.4.5.31/ PP36/ 2022

Tanggal: 31 Desember 2021

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH21120806	No Sponsor Protokol	
Peneliti Utama	<b>Erwin Purwanto,S.Kep, Ns</b>	Sponsor	
Judul Peneliti	Efek dan Sedian Ekstrak Buah Naga (Hylocereus Species) Pada Penyembuhan Luka : A Scoping Review		
No Versi Protokol	<b>1</b>	Tanggal Versi	<b>30 Desember 2021</b>
No Versi PSP		Tanggal Versi	
Tempat Penelitian	Ampana Sulawesi Tengah		
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku <b>31 Desember 2021</b> sampai <b>31 Desember 2022</b>	Frekuensi review lanjutan
Ketua KEPK FKUH RSUH dan RSWs	Nama <b>Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)</b>	Tanda tangan 	
Sekretaris KEPK FKUH RSUH dan RSWs	Nama <b>dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)</b>	Tanda tangan 	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapo SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan