

DAFTAR PUSTAKA

- Ali, S. S., Dhaded, & Goudar, S. (2014). The impact of nutrition on child development at 3 years in a rural community of India. *International Journal of Preventive Medicine*, 5(4), 494–499.
- Alwi., et al. (2006). *Ilmu penyakit dalam jilid 1*.
- Antman EM, B. E. (2010). *ST - Segment elevation myocardial infarction*. Dalam : *Loscalzo Jn (ed). Harrison;s cardiovascular medicine, New York : McGraw-hill Medical, pp: 395-413*.
- Benjamin, E. J., Blaha, M. J., Chiuve, S. E., Cushman, M., Das, S. R., Deo, R., De Ferranti, S. D., Floyd, J., Fornage, M., Gillespie, C., Isasi, C. R., Jim'nez, M. C., Jordan, L. C., Judd, S. E., Lackland, D., Lichtman, J. H., Lisabeth, L., Liu, S., Longenecker, C. T., ... Muntner, P. (2017). Heart Disease and Stroke Statistics'2017 Update: A Report from the American Heart Association. In *Circulation* (Vol. 135, Issue 10). <https://doi.org/10.1161/CIR.0000000000000485>
- Bode, C., Smalling, R. W., Berg, G., Burnett, C., Lorch, G., Kalbfleisch, J. M., Chernoff, R., Christie, L. G., Feldman, R. L., Seals, A. A., & Weaver, W. D. (1996). Randomized comparison of coronary thrombolysis achieved with double-bolus reteplase (recombinant plasminogen activator) and front-loaded, accelerated alteplase (recombinant tissue plasminogen activator) in patients with acute myocardial infarction. *The R. Circulation*, 94(5), 891–898. <https://doi.org/10.1161/01.cir.94.5.891>
- Budiana IP., et al. (2015). *high myeloperoxidase level as a prognostic factor cardiovascular events at six month in patients presenting with acute*

coronary syndrome.

- Cheng, J. W. (2001). Recognition, pathophysiology, and management of acute myocardial infarction. *American Journal of Health-System Pharmacy: AJHP: Official Journal of the American Society of Health-System Pharmacists*, 58(18), 1709–1721.
- Deitcher, S. R., & Jaff, M. R. (2002). Pharmacologic and clinical characteristics of thrombolytic agents. *Reviews in Cardiovascular Medicine*, 3 Suppl 2, S25-33.
- Dharma, S., Andriantoro, H., Purnawan, I., Dakota, I., Basalamah, F., Hartono, B., Rasmin, R., Isnaniyah, H., Yamin, M., Wijaya, I. P., Pratama, V., Gunarto, T. B., Juwana, Y. B., Suling, F. R. W., Witjaksono, A. M. O., Lasanudin, H. F., Iskandarsyah, K., Priatna, H., Tedjasukmana, P., ... Rao, S. V. (2016). Characteristics, treatment and in-hospital outcomes of patients with STEMI in a metropolitan area of a developing country: an initial report of the extended Jakarta Acute Coronary Syndrome registry. *BMJ Open*, 6(8), e012193. <https://doi.org/10.1136/bmjopen-2016-012193>
- Fauci, Braunwald, Kasper, D. (2010). *17th Edition Harrison's Principles of Internal Medicine. New South Wales.* McGraw Hill.
- Fischer, S., & Kohnert, U. (1997). Major mechanistic differences explain the higher clot lysis potency of reteplase over alteplase: Lack of fibrin binding is an advantage for bolus application of fibrin-specific thrombolytics. *Fibrinolysis and Proteolysis*, 11(3), 129–135. [https://doi.org/10.1016/S0268-9499\(97\)80057-4](https://doi.org/10.1016/S0268-9499(97)80057-4)
- Goodwill, A. G., Dick, G. M., Kiel, A. M., & Tune, J. D. (2018). Regulation of

- Coronary Blood Flow HHS Public Access. *Compr Physiol*, 7(2), 321–382.
<https://doi.org/10.1002/cphy.c160016>
- Guyton AC, H. J. (2007). *Buku Ajar Fisiologi Kedokteran*. EGC.
- Kaplan, A. P., Meier, H. L., & Mandel, R. J. (1976). The Hageman factor dependent pathways of coagulation, fibrinolysis, and kinin-generation. *Seminars in Thrombosis and Hemostasis*, 3(1), 1–26.
<https://doi.org/10.1055/s-0028-1087162>
- Kumar, A., & Cannon, C. P. (2009). Acute coronary syndromes: diagnosis and management, part I. *Mayo Clinic Proceedings*, 84(10), 917–938.
[https://doi.org/10.1016/S0025-6196\(11\)60509-0](https://doi.org/10.1016/S0025-6196(11)60509-0)
- Landau, P. (2015). Annual Report 2015. *Bulletin of Medieval Canon Law*, 32(1), xi–xii. <https://doi.org/10.1353/bmc.2015.0008>
- Mirza, A. J., Taha, A. Y., & Khedhir, B. R. (2018). Risk factors for acute coronary syndrome in patients below the age of 40 years. *Egyptian Heart Journal*, 70(4), 233–235. <https://doi.org/10.1016/j.ehj.2018.05.005>
- Mozaffarian, D., Benjamin, E. J., Go, A. S., Arnett, D. K., Blaha, M. J., Cushman, M., Das, S. R., de Ferranti, S., Després, J.-P., Fullerton, H. J., Howard, V. J., Huffman, M. D., Isasi, C. R., Jiménez, M. C., Judd, S. E., Kissela, B. M., Lichtman, J. H., Lisabeth, L. D., Liu, S., ... Turner, M. B. (2016). Heart Disease and Stroke Statistics-2016 Update: A Report From the American Heart Association. *Circulation*, 133(4), e38–360.
<https://doi.org/10.1161/CIR.0000000000000350>
- Mulay, D. V., & Mukhedkar, S. M. (2013). Prognostic significance of the distortion of terminal portion of QRS complex on admission

electrocardiogram in ST segment elevation myocardial infarction. *Indian Heart Journal*, 65(6), 671–677. <https://doi.org/10.1016/j.ihj.2013.10.012>

O’Gara, P. T., Kushner, F. G., Ascheim, D. D., Casey, D. E. J., Chung, M. K., de Lemos, J. A., Ettinger, S. M., Fang, J. C., Fesmire, F. M., Franklin, B. A., Granger, C. B., Krumholz, H. M., Linderbaum, J. A., Morrow, D. A., Newby, L. K., Ornato, J. P., Ou, N., Radford, M. J., Tamis-Holland, J. E., ... Yancy, C. W. (2013). 2013 ACCF/AHA guideline for the management of ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. *Circulation*, 127(4), e362-425. <https://doi.org/10.1161/CIR.0b013e3182742cf6>

Oemar, H. (1996). *Buku Ajar Kardiologi. Anatomi Janung dan Pembuluh Darah. Dalam: Arjatmo Tjokronegoro dan Hendra Utama.*. Balai Penerbit Fakultas Kedokteran Universitas Indonesia.

Perler, B. (2005). Thrombolytic therapies: The current state of affairs. *Journal of Endovascular Therapy*, 12(2), 224–232. <https://doi.org/10.1583/04-1438.1>

Practice, C. (2011). *Pharmaco-invasive Therapy for STEMI*; 96–102.

Randomised trial of intravenous streptokinase, oral aspirin, both, or neither among 17,187 cases of suspected acute myocardial infarction: ISIS-2. ISIS-2 (Second International Study of Infarct Survival) Collaborative Group. (1988). *Lancet (London, England)*, 2(8607), 349–360.

Riskerdas. (2013). *Hasil Riskesdas*.

Robbins, K. C. (2012). *Robbins Basic Pathology* (V. Kumar, A. Abbas, & J. Aster (Eds.); 9th ed.). 14th June 2012.

- Rognoni, A., Cavallino, C., Veia, A., Bacchini, S., Rosso, R., Facchini, M., Secco, G. G., Lupi, A., Nardi, F., Rametta, F., & Bongo, A. S. (2015). Send Orders for Reprints to reprints@benthamscience.ae Pathophysiology of Atherosclerotic Plaque Development. *Cardiovascular & Hematological Agents in Medicinal Chemistry*, *13*, 10–13.
- Santoso M, S. T. (2005). *Penyakit Jantung Koroner*. Cermin Dunia Kedokteran.
- Satoto, H. H. (2014). Patofisiologi Penyakit Jantung Koroner Coronary Heart Disease Pathophysiology. *Jurnal Anestesiologi Indonesia*, *VI*(3), 209–223.
- Smalling, R. W. (1996). Molecular biology of plasminogen activators: what are the clinical implications of drug design? *The American Journal of Cardiology*, *78*(12A), 2–7. [https://doi.org/10.1016/s0002-9149\(96\)00736-9](https://doi.org/10.1016/s0002-9149(96)00736-9)
- Smalling, R. W. (1997). A fresh look at the molecular pharmacology of plasminogen activators: from theory to test tube to clinical outcomes. *American Journal of Health-System Pharmacy: AJHP: Official Journal of the American Society of Health-System Pharmacists*, *54 Suppl 1*, S17-22. https://doi.org/10.1093/ajhp/54.suppl_1.S17
- Smalling, R. W., Bode, C., Kalbfleisch, J., Sen, S., Limbourg, P., Forycki, F., Habib, G., Feldman, R., Hohnloser, S., & Seals, A. (1995). More rapid, complete, and stable coronary thrombolysis with bolus administration of reteplase compared with alteplase infusion in acute myocardial infarction. RAPID Investigators. *Circulation*, *91*(11), 2725–2732. <https://doi.org/10.1161/01.cir.91.11.2725>
- Sudoyo AW, Setiyohadi B, Alwi I, D. (2010). *Buku Ajar Ilmu Penyakit Dalam Jilid 3 Edisi V*. Interna Publishing.

- Summaria, L., Arzadon, L., Bernabe, P., & Robbins, K. C. (1974). The interaction of streptokinase with human, cat, dog, and rabbit plasminogens. The fragmentation of streptokinase in the equimolar plasminogen-streptokinase complexes. *The Journal of Biological Chemistry*, 249(15), 4760–4769.
- Syaifuddin, H. (2006). *Anatomi dan Fisiologi Untuk Mahasiswa Keperawatan Edisi 3*. Penerbit Buku Kedokteran EGC.
- Thygesen, K., Alpert, J. S., Jaffe, A. S., Simoons, M. L., Chaitman, B. R., White, H. D., Thygesen, K., Alpert, J. S., White, H. D., Jaffe, A. S., Katus, H. A., Apple, F. S., Lindahl, B., Morrow, D. A., Chaitman, B. A., Clemmensen, P. M., Johanson, P., Hod, H., Underwood, R., ... Mendis, S. (2012). Third universal definition of myocardial infarction. *European Heart Journal*, 33(20), 2551–2567. <https://doi.org/10.1093/eurheartj/ehs184>
- Tsikouris, J. P., & Tsikouris, A. P. (2001). A review of available fibrin-specific thrombolytic agents used in acute myocardial infarction. *Pharmacotherapy*, 21(2), 207–217. <https://doi.org/10.1592/phco.21.2.207.34103>
- WHO, 2015. (2015). *WHO, Projections of mortality and causes of death, 2015 and 2030*. https://www.who.int/healthinfo/global_burden_disease/projections2015_
- Widimsky, P., Wijns, W., Fajadet, J., de Belder, M., Knot, J., Aaberge, L., Andrikopoulos, G., Baz, J. A., Betriu, A., Claeys, M., Danchin, N., Djambazov, S., Erne, P., Hartikainen, J., Huber, K., Kala, P., Klineva, M., Kristensen, S. D., Ludman, P., ... Zeymer, U. (2010). Reperfusion therapy for ST elevation acute myocardial infarction in Europe: description of the current situation in 30 countries. *European Heart Journal*, 31(8), 943–957.

<https://doi.org/10.1093/eurheartj/ehp492>

Wilcox, R. G. (1995). Randomised, double-blind comparison of reteplase double-bolus administration with streptokinase in acute myocardial infarction (INJECT): trial to investigate equivalence. International Joint Efficacy Comparison of Thrombolytics. *The Lancet*, 346(8971), 329–336. [https://doi.org/10.1016/S0140-6736\(95\)92224-5](https://doi.org/10.1016/S0140-6736(95)92224-5)

Yang, Y., Sterling, J., Storici, F., Resnick, M. A., & Gordenin, D. A. (2008). Hypermutable of damaged single-strand DNA formed at double-strand breaks and uncapped telomeres in yeast *Saccharomyces cerevisiae*. *PLoS Genetics*, 4(11), e1000264. <https://doi.org/10.1371/journal.pgen.1000264>

Lampiran 1 : Biodata Diri Penulis



Nama Lengkap : Ainani Adlina Nurramadhani
 Stambuk : C011171361
 Tempat, Tanggal Lahir : Poso, 26 Desember 1999
 Agama : Islam
 Golongan Darah : A
 Suku : Banjar – Bugis
 Alamat : Jl. Jati No. 81 / Rusunawa 2 Blok C
 Nama Orang Tua
 • Ayah : Ir. Safran Rinaldi
 • Ibu : Salima A Sadik
 Alamat Orang Tua : Jl. Jati No. 81
 Pekerjaan Orang Tua
 • Ayah : Wiraswasta
 • Ibu : Wiraswasta
 Anak ke : 1 dari 3 Bersaudara
 No.Telp : 081344046454
 Email : ainaniadlina@gmail.com