

DAFTAR PUSTAKA

- AACE. (2011). Medical guidelines for clinical practice for developing a diabetes mellitus comprehensive care plan. *Endocrine Practice*, 17(2).
- Amalia, A. W., Gayatri, P. R., & Tuna, H. (2020). Effects of GITA Gymnastics on BMI and HbA1C in Elderly with Diabetes Mellitus. *Faletehan Health Journal*, 7(03), 155–161. <https://doi.org/10.33746/fhj.v7i03.168>
- Anderson, J. G., & Taylor, A. G. (2011). The metabolic syndrome and mind-body therapies: A systematic review. *Journal of Nutrition and Metabolism*, 2011. <https://doi.org/10.1155/2011/276419>
- Anggita, P. R., Sucipto, A., & Amestiasih, T. (2021). Rubber Band Resistance Exercise Kombinasi Terapi Musik Efektif Menurunkan Kadar Gula Darah Puasa Pasien Diabetes Mellitus Tipe 2. *Jurnal Citra Keperawatan*, 9(2), 87–95. <https://doi.org/10.31964/jck.v9i2.160>
- Armstrong, M. J., & Sigal, R. J. (2015). Exercise as medicine: Key Concepts in Discussing Physical Activity with Patients who have Type 2 Diabetes. *Canadian Journal of Diabetes*, 39(5), S129–S133. <https://doi.org/10.1016/j.jcjd.2015.09.081>
- Bavaresco Gambassi, B., Lopes dos Santos, M. D., & Furtado Almeida, F. de J. (2019). Basic guide for the application of the main variables of resistance training in elderly. *Aging Clinical and Experimental Research*, 31(7), 1019–1020. <https://doi.org/10.1007/s40520-019-01181-y>
- Berard, L. D., Siemens, R., & Woo, V. (2018). Monitoring Glycemic Control. *Canadian Journal of Diabetes*, 42, S47–S53. <https://doi.org/10.1016/j.jcjd.2017.10.007>
- Black, Joyce; Hawks, J. (2014). *Keperawatan Medikal Bedah (Manajemen Klinis Untuk Hasil yang Diharapkan)* (Edisi 8). Salemba Medika.

- Black, J. M., & Hawks, H. J. (2014). *Keperawatan Medikal Bedah* (8th ed.). Elsevier.
- Botton, C. E., Umpierre, D., Rech, A., Pfeifer, L. O., Machado, C. L. F., Teodoro, J. L., Dias, A. S., & Pinto, R. S. (2018). Effects of resistance training on neuromuscular parameters in elderly with type 2 diabetes mellitus: A randomized clinical trial. *Experimental Gerontology*, *113*(September), 141–149. <https://doi.org/10.1016/j.exger.2018.10.001>
- Cannata, F., Vadalà, G., Russo, F., Papalia, R., Napoli, N., & Pozzilli, P. (2020). Beneficial effects of physical activity in diabetic patients. *Journal of Functional Morphology and Kinesiology*, *5*(3). <https://doi.org/10.3390/JFMK5030070>
- Chaoyang, L., Ford, E. S., Guixiang, Z., & Mokdad, A. h. (2009). Prevalence of prediabetes and its association with clustering of cardiometabolic risk factors and hiperinsulinemia among U.S adolescents, National Health and Nutrition Examination Survey 2005 - 2006. *Diabetes Care Care*, *32*, 342–347.
- Chiwanga, F. S., Njelekela, M. A., Diamond, M. B., Bajunirwe, F., Guwatudde, D., Nankya-Mutyoba, J., Kalyesubula, R., Adebamowo, C., Ajayi, I. O., Reid, T. G., Volmink, J., Laurence, C., Adami, H. O., Holmes, M. D., & Dalal, S. (2016). Urban and rural prevalence of diabetes and pre-diabetes and risk factors associated with diabetes in Tanzania and Uganda. *Global Health Action*, *9*(1). <https://doi.org/10.3402/gha.v9.31440>
- Chuang, T. J., Huang, C. L., Lee, C. H., Hsieh, C. H., Hung, Y. J., Hung, C. F., Liang, Y. J., Chen, Y. L., Hsia, T. L., & Pei, D. (2016). The differences of metabolic syndrome in elderly subgroups: A special focus on young-old, old-old and oldest old. *Archives of Gerontology and Geriatrics*, *65*, 92–97. <https://doi.org/10.1016/j.archger.2016.03.008>
- Colberg, S. R., Sigal, R. J., Fernhall, B., Regensteiner, J. G., Blissmer, B. J., Rubin, R. R., Chasan-Taber, L., Albright, A. L., & Braun, B. (2010).

Exercise and type 2 diabetes: The American College of Sports Medicine and the American Diabetes Association: Joint position statement. *Diabetes Care*, 33(12). <https://doi.org/10.2337/dc10-9990>

Cryer, P. E. (2014). Glycemic goals in diabetes: Trade-off between glycemic control and iatrogenic hypoglycemia. *Diabetes*, 63(7), 2188–2195. <https://doi.org/10.2337/db14-0059>

Du, Y. F., Ou, H. Y., Beverly, E. A., & Chiu, C. J. (2014). Achieving glycemic control in elderly patients with type 2 diabetes: A critical comparison of current options. *Clinical Interventions in Aging*, 9, 1963–1980. <https://doi.org/10.2147/CIA.S53482>

Elmagd, M. A. (2016). Benefits, need and importance of daily exercise. *International Journal of Physical Education, Sports and Health*, 3(5), 22–27. www.kheljournal.com

Emmy Amalia, Suksmi Yitnamurti, & Sony Wibisono. (2019). Hubungan Kepribadian dengan Kontrol Glikemik Pasien Diabetes Mellitus Tipe 2 di RSUD Dr. Soetomo Surabaya. *Unram Medical Journal*, 8(1), 7. <https://doi.org/10.29303/jku.v8i1.326>

Ewais, E. S., Ahamed, M. A., & Farahat, N. H. (2019). Health belief model for prevention of diabetic foot among elderly. *Novelty Journal*, 6(2), 846–857.

Fabunmi, A. A., Jumbo, I. S., & Oloyede, M. J. (2019). Physical Exercise: Knowledge, attitude and participation of senior secondary school students of selected private schools in Ibadan North Local Government Area, Oyo State (Nigeria). *Health Promotion & Physical Activity*, 7(2), 9–14. <https://doi.org/10.5604/01.3001.0013.2660>

Ferrara, C. K. B. (2012). Metabolic syndrome and obesity : epidemiology and prevention by physical activity and exercise. *School of Education and Nursing, Federal University, Brazil*.

- Ferrer-García, J. C., Sánchez López, P., Pablos-Abella, C., Albalat-Galera, R., Elvira-Macagno, L., Sánchez-Juan, C., & Pablos-Monzó, A. (2011). Benefits of a home-based physical exercise program in elderly subjects with type 2 diabetes mellitus. *Endocrinología y Nutrición (English Edition)*, *58*(8), 387–394. <https://doi.org/10.1016/j.endoen.2011.05.007>
- Figueira, F. R., Umpierre, D., Casali, K. R., Tetelbom, P. S., Henn, N. T., Ribeiro, J. P., & Schaan, B. D. (2013). Aerobic and Combined Exercise Sessions Reduce Glucose Variability in Type 2 Diabetes: Crossover Randomized Trial. *PLoS ONE*, *8*(3), 1–10. <https://doi.org/10.1371/journal.pone.0057733>
- Flint, A., & Arslanian, S. (2011). Treatment of type 2 diabetes in youth. *Diabetes Care*, *34*(2), S177–S183.
- Geer, J. Van De, Veeger, N., Groot, M., Zock, H., Leget, C., Prins, J., & Vissers, K. (2017). Multidisciplinary Training on Spiritual Care for Patients in Palliative Care Trajectories Improves the Attitudes and Competencies of Hospital Medical Staff: Results of a Quasi-Experimental Study. *American Journal of Hospice and Palliative Medicine*, *35*(2), 218–228. <https://doi.org/10.1177/1049909117692959>
- Han, A. R., Park, S. A., & Ahn, B. E. (2018). Reduced *stress* and improved physical functional ability in elderly with mental health problems following a horticultural therapy program. *Complementary Therapies in Medicine*, *38*, 19–23. <https://doi.org/10.1016/j.ctim.2018.03.011>
- Hangping, Z., Xiaona, Q., Qi, Z., Qingchun, L., Na, Y., Lijin, J., Siying, L., Shuo, Z., Xiaoming, Z., Xiaoxia, L., Qian, X., Jaimovich, D., Yiming, L., & Bin, L. (2019). The impact on glycemic control through progressive resistance training with bioDensity TM in Chinese elderly patients with type 2 diabetes: The PReTTy2 (Progressive Resistance Training in Type 2 Diabetes) Trial. *Diabetes Research and Clinical Practice*, *150*, 64–71. <https://doi.org/10.1016/j.diabres.2019.02.011>

- Herpreet, T., Joseph, L. F., Kate, M. G., Laura, S., Geetha, G., Marie, S., Naama, G., & Beth, C. B. (2018). Yoga as a complementary therapy for patients with type 2 diabetes. *Physiology & Behavior*, *66*(4), 693–698.
<https://doi.org/10.17761/2018-00026>. Yoga
- Imran, S. A., Rabasa-Lhoret, R., & Ross, S. (2013). Targets for Glycemic Control. *Canadian Journal of Diabetes*, *37*(SUPPL.1), S31–S34.
<https://doi.org/10.1016/j.jcjd.2013.01.016>
- Innamorati, M., Pompili, M., Di Vittorio, C., Baratta, S., Masotti, V., Badaracco, A., Conwell, Y., Girardi, P., & Amore, M. (2014). Suicide in the old elderly: Results from one Italian county. *American Journal of Geriatric Psychiatry*, *22*(11), 1158–1167. <https://doi.org/10.1016/j.jagp.2013.03.003>
- Innes, K. E., & Selfe, T. K. (2016). Yoga for adults with type 2 diabetes: A systematic review of controlled trials. *Journal of Diabetes Research*, *2016*, 10–12. <https://doi.org/10.1155/2016/6979370>
- Isabelle, M. P., & Simon, M. (2020). Comparison between elderly and young drivers' performances on a driving simulator and self-assessment of their driving attitudes and mastery. *Accident Analysis and Prevention*, *135*(September 2019), 105317. <https://doi.org/10.1016/j.aap.2019.105317>
- Jin, E. H., Park, S., & So, J. M. (2015). The effect of muscle power training with elastic band on blood glucose, cytokine, and physical function in elderly women with hyperglycemia. *Journal of Exercise Nutrition and Biochemistry*, *19*(1), 19–24. <https://doi.org/10.5717/jenb.2015.19.1.19>
- Johannsen, N. M., Sparks, L. M., Zhang, Z., Earnest, C. P., Smith, S. R., Church, T. S., & Ravussin, E. (2013). Determinants of the Changes in Glycemic Control with Exercise Training in Type 2 Diabetes: A Randomized Trial. *PLoS ONE*, *8*(6), 4–9. <https://doi.org/10.1371/journal.pone.0062973>
- Karstoft, K., Winding, K., Knudsen, S. H., Nielsen, J. S., Thomsen, C., Pedersen, B. K., & Solomon, T. P. J. (2013). The effects of free-living interval-walking

training on glycemic control, body composition, and physical fitness in type 2 diabetic patients: A randomized, controlled trial. *Diabetes Care*, 36(2), 228–236. <https://doi.org/10.2337/dc12-0658>

Khansa, R. R. (2020). Effect of nutrition education with the principles of Diabetes Self-Management Education (DSME) on knowledge and physical activity of type 2 diabetes patients. *ARGIPA (Arsip Gizi Dan Pangan)*, 5(2), 66–74. <https://doi.org/10.22236/argipa.v5i2.3900>

Kim, Y., & Lee, E. (2019). The association between elderly people's sedentary behaviors and their health-related quality of life: Focusing on comparing the young-old and the old-old. *Health and Quality of Life Outcomes*, 17(1), 1–9. <https://doi.org/10.1186/s12955-019-1191-0>

Kirwan, J. P., Sacks, J., & Nieuwoudt, S. (2017). The essential role of exercise in the management of type 2 diabetes. *Cleveland Clinic Journal of Medicine*, 84(7), S15–S21. <https://doi.org/10.3949/ccjm.84.s1.03>

Koyra, H. C., & Doda, B. E. (2017). Physical exercise and factors affecting among adult diabetic patients at Wolaita Soddo University teaching referral hospital, Southern Ethiopia. *International Journal of Physical Education, Sports and Health*, 4(5), 82–86.

Kusna, I. N., Sudirman, Widiyanto, B., Supriyana, & Ta'adi. (2020). The Effectiveness of Acupressure Pen and Active Stretching (Acupenas) on Fasting Blood Sugar Levels among Type 2 Diabetes Mellitus Patients. *International Journal of Nursing and Health Services (IJNHS)*, 3(6), 687–694.

Lubis, R. F., & Kanzasabilla, R. (2021). Latihan Senam Dapat Menurunkan Kadar Glukosa Darah pada Penderita Diabetes Melitus Tipe II. *Jurnal Biostatistik, Kependudukan, Dan Informatika Kesehatan*, 1(3), 177. <https://doi.org/10.51181/bikfokes.v1i3.4649>

Martins, F. M., de Paula Souza, A., Nunes, P. R. P., Michelin, M. A., Murta, E. F.

- C., Resende, E. A. M. R., de Oliveira, E. P., & Orsatti, F. L. (2018). High-intensity body weight training is comparable to combined training in changes in muscle mass, physical performance, inflammatory markers and metabolic health in postmenopausal women at high risk for type 2 diabetes mellitus: A randomized controlled cl. *Experimental Gerontology*, *107*(December 2017), 108–115. <https://doi.org/10.1016/j.exger.2018.02.016>
- Melo, K. C. B., Araújo, F. de S., Cordeiro Júnior, C. C. M., de Andrade, K. T. P., & Moreira, S. R. (2020). Pilates Method Training: Functional and Blood Glucose Responses of Older Women With Type 2 Diabetes. *Journal of Strength and Conditioning Research*, *34*(4), 1001–1007. <https://doi.org/10.1519/JSC.0000000000002704>
- Mendes, R., Sousa, N., Themudo-Barata, J. L., & Reis, V. M. (2019). High-intensity interval training versus moderate-intensity continuous training in middle-aged and older patients with type 2 diabetes: A randomized controlled crossover trial of the acute effects of treadmill walking on glycemic control. *International Journal of Environmental Research and Public Health*, *16*(21), 1–14. <https://doi.org/10.3390/ijerph16214163>
- Merdawati, L., Primagusty, R., Afriyanti, E., & Fatmadona, R. (2019). Pengaruh Latihan Yoga Terhadap Kadar Gula Darah Pasien Diabetes Melitus Tipe 2. *NERS Jurnal Keperawatan*, *14*(1), 19. <https://doi.org/10.25077/njk.14.1.19-30.2018>
- Mimenza-Alvarado, A. J., Jiménez-Castillo, G. A., Yeverino-Castro, S. G., Barragán-Berlanga, A. J., Pérez-Zepeda, M. U., Ávila-Funes, J. A., & Aguilar-Navarro, S. G. (2020). Effect of poor glycemic control in cognitive performance in the elderly with type 2 diabetes mellitus: The Mexican Health and Aging Study. *BMC Geriatrics*, *20*(1), 1–8. <https://doi.org/10.1186/s12877-020-01827-x>
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). PRISMA 2009 Flow Diagram. *Annals of Internal Medicine*, *151*(4), 264–269.

<https://doi.org/10.1371/journal.pmed1000097>

Motahari-Tabari, N., Ahmad Shirvani, M., Shirzad-E-Ahoodashty, M., Yousefi-Abdolmaleki, E., & Teimourzadeh, M. (2015). The effect of 8 weeks aerobic exercise on insulin resistance in type 2 diabetes: a randomized clinical trial. *Global Journal of Health Science*, 7(1), 115–121.

<https://doi.org/10.5539/gjhs.v7n1p115>

Oliveira, C., Simões, M., Carvalho, J., & Ribeiro, J. (2012). Combined exercise for people with type 2 diabetes mellitus: A systematic review. *Diabetes Research and Clinical Practice*, 98(2), 187–198.

<https://doi.org/10.1016/j.diabres.2012.08.004>

Pearson-Stuttard, J., Blundell, S., Harris, T., Cook, D. G., & Critchley, J. (2016). Diabetes and infection: Assessing the association with glycaemic control in population-based studies. *The Lancet Diabetes and Endocrinology*, 4(2), 148–158.

[https://doi.org/10.1016/S2213-8587\(15\)00379-4](https://doi.org/10.1016/S2213-8587(15)00379-4)

Permaningtyas Tritisari, K., Dian Ariestiningsih, A., Handayani, D., & Kusumastuty, I. (2018). The Relationship Among Four Pillars of Diabetes Mellitus Management with Blood Glucose Levels and Nutritional Status in Middle-Aged Diabetic Adults. *Research Journal of Life Science*, 5(1), 23–34.

<https://doi.org/10.21776/ub.rjls.2018.005.01.3>

Peters, M. D. J., Godfrey, C. M., McInerney, P., Munn, Z., Tricco, A., & Khalil, H. (2020). Chapter 11 : Scoping Reviews (2020 Version). In E. Aromataris & Z. Munn (Eds.), *Joanna Briggs Institute Reviewer's Manual*. JBI.

Peters, M. D. J., Marnie, C., Colquhoun, H., Garritty, C. M., Hempel, S., Horsley, T., Langlois, E. V., Lillie, E., O'Brien, K. K., Tunçalp, Özge, Wilson, M. G., Zarin, W., & Tricco, A. C. (2021). Scoping reviews: reinforcing and advancing the methodology and application. *Systematic Reviews*, 10(1), 1–6.

<https://doi.org/10.1186/s13643-021-01821-3>

Price, A. ., & Wilson, M. . (2005). *Patofisiologi Konsep klinis proses - proses*

penyakit (6 th). EGC.

Punthakee, Z., Goldenberg, R., & Katz, P. (2018). Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome. *Canadian Journal of Diabetes*, 42, S10–S15. <https://doi.org/10.1016/j.jcjd.2017.10.003>

Putri, P., Rachmadi, F., & Faisal Kholid Fahdi. (2017). Pengaruh Senam Chair Exercise Terhadap Penurunan Kadar Gula Darah Pada Penderita Diabetes Melitus. *Jurnal ProNers*, 50(1).

Ranasinghe, C., Hills, A. P., Constantine, G. R., Finlayson, G., Katulanda, P., & King, N. A. (2018). Study protocol: A randomised controlled trial of supervised resistance training versus aerobic training in Sri Lankan adults with type 2 diabetes mellitus: SL-DART study. *BMC Public Health*, 18(1), 1–10. <https://doi.org/10.1186/s12889-018-5069-6>

Röhling, M., Herder, C., Roden, M., Stemper, T., & Müssig, K. (2016). Effects of Long-Term Exercise Interventions on Glycaemic Control in Type 1 and Type 2 Diabetes: a Systematic Review. *Experimental and Clinical Endocrinology and Diabetes*, 124(8), 487–494. <https://doi.org/10.1055/s-0042-106293>

Rohmawati, N., Sulistiyani, S., Yustiana, N., Aryatika, K., Turkadze, T., & Zalizar, L. (2020). The knowledge, attitudes and behaviors of family influence diabetic mellitus diet's compliance among elderly. *Annals of Tropical Medicine and Public Health*, 23(3), 125–133. <https://doi.org/10.36295/ASRO.2020.2336>

Rumahorbo, H. (2014). *Mencegah Diabetes mellitus degan perubahan gaya hidup*. In Media.

Sanghani, N., Parchwani, D., Palandurkar, K., Shah, A., & Dhanani, J. (2013). Impact of lifestyle modification on glycemic control in patients with type 2 diabetes mellitus. *Indian Journal of Endocrinology and Metabolism*, 17(6), 1030. <https://doi.org/10.4103/2230-8210.122618>

- Savikj, M., Gabriel, B. M., Alm, P. S., Smith, J., Caidahl, K., Björnholm, M., Fritz, T., Krook, A., Zierath, J. R., & Wallberg-Henriksson, H. (2019). Afternoon exercise is more efficacious than morning exercise at improving blood glucose levels in individuals with type 2 diabetes: a randomised crossover trial. *Diabetologia*, *62*(2), 233–237. <https://doi.org/10.1007/s00125-018-4767-z>
- Sazlina, S. G., Browning, C. J., & Yasin, S. (2012). Promoting physical activity in sedentary elderly Malays with type 2 diabetes: A protocol for randomised controlled trial. *BMJ Open*, *2*(6). <https://doi.org/10.1136/bmjopen-2012-002119>
- Shah, S. Z. A., Karam, J. A., Zeb, A., Ullah, R., Shah, A., Haq, I. U., Ali, I., Darain, H., & Chen, H. (2021). Movement is Improvement: The Therapeutic Effects of Exercise and General Physical Activity on Glycemic Control in Patients with Type 2 Diabetes Mellitus: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Diabetes Therapy*, *12*(3), 707–732. <https://doi.org/10.1007/s13300-021-01005-1>
- Sharma, M., Nazareth, I., & Petersen, I. (2016). Trends in incidence, prevalence and prescribing in type 2 diabetes mellitus between 2000 and 2013 in primary care: A retrospective cohort study. *BMJ Open*, *6*(1). <https://doi.org/10.1136/bmjopen-2015-010210>
- Sholiha, S. R., Sudiarto, S., & Setyonegoro, S. A. (2019). Kombinasi Walking Exercise Dan Hydrotherapy Mempengaruhi Kadar Glukosa Darah Pada Penderita Diabetes Mellitus Tipe II. *Jendela Nursing Journal*, *3*(1), 58. <https://doi.org/10.31983/jnj.v3i1.4617>
- Simpson, K. A., Mavros, Y., Kay, S., Meiklejohn, J., de Vos, N., Wang, Y., Guo, Q., Zhao, R., Climstein, M., Baune, B. T., Blair, S., O’Sullivan, A. J., Simar, D., Singh, N., & Singh, M. A. F. (2015). Graded Resistance Exercise And Type 2 Diabetes in Older adults (The GREAT2DO study): Methods and baseline cohort characteristics of a randomized controlled trial. *Trials*, *16*(1).

<https://doi.org/10.1186/s13063-015-1037-y>

- Smeltzer, C. S., & Bare, G. B. (2002). *Buku Ajar Keperawatan Medikal Bedah*. Lipincott-Rapen.
- Sridharan, K., Mohan, R., Ramaratnam, S., & Panneerselvam, D. (2011). Ayurvedic treatments for diabetes mellitus. *Cochrane Database of Systematic Reviews*, 12. <https://doi.org/10.1002/14651858.cd008288.pub2>
- Strizich, G., Kaplan, R. C., González, H. M., Daviglius, M. L., Giachello, A. L., Teng, Y., Lipton, R. B., & Grober, E. (2016). Glycemic control, cognitive function, and family support among middle-aged and older Hispanics with diabetes: The Hispanic Community Health Study/Study of Latinos. *Diabetes Research and Clinical Practice*, 117, 64–73. <https://doi.org/10.1016/j.diabres.2016.04.052>
- Sun, H., Saeedi, P., Karuranga, S., Pinkepank, M., Ogurtsova, K., Duncan, B. B., Stein, C., Basit, A., Chan, J. C. N., Mbanya, J. C., Pavkov, M. E., Ramachandaran, A., Wild, S. H., James, S., Herman, W. H., Zhang, P., Bommer, C., Kuo, S., Boyko, E. J., & Magliano, D. J. (2022). IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. *Diabetes Research and Clinical Practice*, 183, 109119. <https://doi.org/10.1016/j.diabres.2021.109119>
- Suyono, S. (2014). *Ilmu Penyakit Dalam* (S. Setiati, I. Alwi, A. Sudoyo W, M. K Simadibrata, B. Setiyohadi, & A. Fahrial Syam (eds.); VI). Interna Publishing.
- Suyono, S., Waspadji, S., Soegondo, S., Soewondo, P., Subekti, I., Semiardji, G., Jui Edi, T., Batubara, J. R. ., Ilyas, E., Basuki, E., Rifki, N., Nurali, I. A., Irawati, D., Sukardji, K., Tambunan, M., Yulia, Gultom, Y., & Renowati, T. sari. (2009). *Penatalaksanaan Diabetes Mellitus Terpadu* (S. Soegondo, P. Soewondo, & I. Subekti (eds.); edisi II). Balai Penerbit FKUI.
- Teo, S. Y. M., Kanaley, J. A., Guelfi, K. J., Cook, S. B., Hebert, J. J., Forrest, M.

- R. L., & Fairchild, T. J. (2018). Exercise timing in type 2 diabetes mellitus: A systematic review. *Medicine and Science in Sports and Exercise*, *50*(12), 2387–2397. <https://doi.org/10.1249/MSS.0000000000001732>
- The Joanna Briggs Institute. (2020). *Joanna Briggs Institute Reviewer's Manual* (E. Aromataris & Z. Munn (eds.); Issue March). The Joanna Briggs Institute.
- Tokmakidis, S. P., Touvra, A. M., Douda, H. T., Smilios, I., Kotsa, K., & Volaklis, K. A. (2014). Training, detraining, and retraining effects on glycemic control and physical fitness in women with type 2 diabetes. *Hormone and Metabolic Research*, *46*(13), 974–979. <https://doi.org/10.1055/s-0034-1390483>
- Ty, H., & Krawinkel, M. (2016). *Dietary Diversity Score : A Measure of Nutritional Adequacy or an Indicator of Healthy Diet ?* *3*(3), 15–17.
- Umpierre, D., Kramer, C. K., Leita, C. B., Gross, J. L., Ribeiro, J. P., & Schaan, B. D. (2016). Physical Activity Advice Only or Structured With HbA 1c Levels in Type 2 Diabetes. A Systematic Review and Meta-analysis. *JAMA: The Journal of the American Medical Association*, *305*(17), 1790–1799.
- Van Dijk, J. W., Manders, R. J. F., Canfora, E. E., Van Mechelen, W., Hartgens, F., Stehouwer, C. D. A., & Van Loon, L. J. C. (2013). Exercise and 24-h glycemic control: Equal effects for all type 2 diabetes patients? *Medicine and Science in Sports and Exercise*, *45*(4), 628–635. <https://doi.org/10.1249/MSS.0b013e31827ad8b4>
- Van Dijk, J. W., Tummers, K., Stehouwer, C. D. A., Hartgens, F., & Van Loon, L. J. C. (2012). Exercise therapy in type 2 diabetes: Is daily exercise required to optimize glycemic control? *Diabetes Care*, *35*(5), 948–954. <https://doi.org/10.2337/dc11-2112>
- Van Dijk, J. W., & Van Loon, L. J. C. (2015). Exercise strategies to optimize glycemic control in type 2 diabetes: A continuing glucose monitoring perspective. *Diabetes Spectrum*, *28*(1), 24–31.

<https://doi.org/10.2337/diaspect.28.1.24>

Van Dijk, J. W., Venema, M., Van Mechelen, W., Stehouwer, C. D. A., Hartgens, F., & Van Loon, L. J. C. (2013). Effect of moderate-intensity exercise versus activities of daily living on 24-hour blood glucose homeostasis in male patients with type 2 diabetes. *Diabetes Care*, *36*(11), 3448–3453.

<https://doi.org/10.2337/dc12-2620>

Wang, Q., Zhang, X., Fang, L., Guan, Q., Gao, L., & Li, Q. (2018). Physical Activity Patterns and Risk of Type 2 Diabetes and Metabolic Syndrome in Middle-Aged and Elderly Northern Chinese Adults. *Journal of Diabetes Research*, 2018. <https://doi.org/10.1155/2018/7198274>

White, R. D. (2012). Patient empowerment and optimal glycemic control. *Current Medical Research and Opinion*, *28*(6), 979–989.

<https://doi.org/10.1185/03007995.2012.677417>

Winding, K. M., Munch, G. W., & Iepsen, U. W. (2018). The effect of low-volume high-intensity interval training versus endurance training on glycemic control in individuals with type 2 diabetes. *Diabetes, Obesity and Metabolism*, *20*(6), 1–27.

Wishah, R. A., Al-Khawaldeh, O. A., & Albsoul, A. M. (2015). Impact of pharmaceutical care interventions on glycemic control and other health-related clinical outcomes in patients with type 2 diabetes: Randomized controlled trial. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*, *9*(4), 271–276. <https://doi.org/10.1016/j.dsx.2014.09.001>

Yanai, H., Adachi, H., Masui, Y., Katsuyama, H., Kawaguchi, A., Hakoshima, M., Waragai, Y., Harigae, T., Hamasaki, H., & Sako, A. (2018). Exercise Therapy for Patients With Type 2 Diabetes: A Narrative Review. *Journal of Clinical Medicine Research*, *10*(5), 365–369.

<https://doi.org/10.14740/jocmr3382w>

Yang, P., Swardfager, W., Fernandes, D., Laredo, S., Tomlinson, G., Oh, P. I., &

Thomas, S. (2017). Finding the Optimal volume and intensity of Resistance Training Exercise for Type 2 Diabetes: The FORTE Study, a Randomized Trial. *Diabetes Research and Clinical Practice*, 130(416), 98–107.
<https://doi.org/10.1016/j.diabres.2017.05.019>

LAMPIRAN

Pubmed

Wiley

Clinicalkey :

The screenshot shows the ClinicalKey search interface. The search query is "Elderly OR old age AND DM type 2 A". The results page shows 29 results. A filter sidebar on the left includes categories like Source Type (Journal Articles: 29), Specialties (Nursing: 5), and various nursing sub-specialties. The main content area displays a search tip about the term "control" and a list of results. The top result is titled "Effects of a nurse led web-based transitional care program on the glycemic control a...".

Cochrane library

The screenshot shows the Cochrane library search results page. The search query is "Elderly AND DM type 2 AND physical exercise OR physical activity AND glyemic control in". The results page shows 7 trials matching the search. A sidebar on the left allows filtering by year (2018-2022) and date added to the CENTRAL database. The main content area displays a list of trials, with the top result titled "Therapeutics. In people with newly diagnosed type 2 diabetes an intensive dietary intervention, with or without an activity programme, improves glycaemic control over 12 months compared with usual care".

Taylor and francis :

The screenshot shows the Taylor and Francis search results page. The search query is "Physical activity and renal function in the Italian kidney transplant population". The results page shows 14 articles. A sidebar on the left allows filtering by access type (Open Access), article type, subject, journal, and publication date. The main content area displays a list of articles, with the top result titled "Physical activity and renal function in the Italian kidney transplant population".

Google Scholar

The screenshot shows a Google Scholar search results page. The search query is "lansia DM tipe 2 dan latihan fisik dan kontrol glikemik". The page displays several search results, each with a title, author information, and a PDF link. The results are as follows:

Artikel	Sekitar 493 hasil (0,04 dtk)	MASUK
<p>Kapan saja Sejak 2022 Sejak 2018 Rentang khusus... 2011 — 2022 Telusuri</p> <p>Urutkan menurut relevansi Urutkan menurut tanggal</p> <p>Semua jenis Artikel kajian</p> <p><input type="checkbox"/> sertakan paten <input checked="" type="checkbox"/> mencakup kutipan <input checked="" type="checkbox"/> Buat lansiran</p>	<p>Karakteristik, Dukungan Keluarga dan Efikasi Diri pada Lanjut Usia Diabetes Mellitus Tipe 2 di Kelurahan Padangsari, Semarang [PDF] wima.ac.id DY Banaadhani, FA MM, R Hadi - Jurnal Ners Lentera, 2016 - journal.wima.ac.id ... Kehangatan dan karamahan yang diberikan keluarga merupakan bentuk dukungan emosional kepada lansia DM tipe 2 dalam kaitannya dengan kontrol glikemik, diet dan latihan fisik ... ☆ Simpan 59 Kutip Dirujuk 22 kali Artikel terkait 6 versi 88</p> <p>Kadar Hba1C Pada Pasien Diabetes Mellitus Tipe 2 Di Puskesmas Bahu Kecamatan Malalayang Kota Manado [PDF] unsrat.ac.id MRS Utomo, H Wungouw, S Marunduh - eBiomedik, 2015 - ejournal.unsrat.ac.id ... Kontrol glikemik yang optimal yaitu terkendalinya konsentrasi glukosa ... latihan fisik dibanding kelompok kontrol (7.65 vs. 8.31% ... otot dan marker inflamasi pada lansia dengan diabetes. ... ☆ Simpan 59 Kutip Dirujuk 35 kali Artikel terkait 4 versi 88</p> <p>Pengendalian diabetes melitus tipe 2 pada pasien di Puskesmas Jayabaru Kota Banda Aceh [PDF] kemkes.go.id N Ramadhan, N Marissa ... - Media Penelitian ..., 2018 - ejournal2.litbang.kemkes.go.id ... of DM control by patients with type 2 diabetes mellitus in ... besar pasien DM tipe 2 tidak mencapai target glikemik sesuai ... DM bukan lansia. Hal ini mengingat sifat-sifat khusus pasien ... ☆ Simpan 59 Kutip Dirujuk 11 kali Artikel terkait 2 versi 88</p> <p>[PDF] Pengaruh progressive muscle relaxation terhadap gula darah pada pasien diabetes mellitus tipe 2 di Panti Sosial Trasnra Werda Sahai Nan Aluh [PDF] umsb.ac.id</p>	

At the bottom of the page, there is a Windows taskbar with three open PDF files: "202-535-1-PB.pdf", "2424-Article Text-2-...pdf", and "562-1123-1-SM.pdf". A "Activate Windows" watermark is visible in the bottom right corner.