

DAFTAR PUSTAKA

- Abdelaziz A. A. (2006). Bandwidth Enhancement Of Microstrip Antenna. Misr University for Science and Technology. Department of Electronics and Communication Faculty of Engineering.
- Adnan, A. Ejah Umraeni Salam, Arham Arifin, Muhammad Rizal. (2018). Forest Fire Detection using LoRa Wireless Mesh Topology. 2018 2nd East Indonesia Conference on Computer and Information Technology (EIConCIT). IEEE.
- Agilent Technologies. (2001). Surface Mount RF PIN Switch and Limiter Diodes. Datasheet HSMP-382x Series and HSMP-482x Series.
- A. Di Serio, J. Buckley, J. Barton, R. Newberry, M. Rodencal, G. Dunlop, B. O'Flynn. (2018). Potential of Sub-GHz Wireless for Future IoT Wearable and Design of Compact 915 MHz Antenna. *Sensors*, 18, 22.
- A. Kausar, H. Mehrpouyan, M. Sellathurai, R. Qian, and S. Kausar. (2016). *Energy efficient switched parasitic array antenna for 5G networks and IoT*. in Proc. 2016 Loughborough Antennas & Propagation Conference (LAPC), Loughborough, UK, pp. 1-5. IEEE.
- A. Zanella, N. Bui, A. Castellani, L. Vangelista, and M. Zorzi. (2014). Internet of Things for Smart Cities. *IEEE Internet of Things Journal*. pp. 22-32.
- Balanis, C. A. (2005). *Antenna Theory - Analysis and Design. Third Edition*. New York: New Jersey : John Willey and Sons.
- Balanis, C.A & Ioannides, P.I. (2007). Introduction to Smart Antenna. First Edition. Morgan and Claypool Publishers.

- Balanis, C. A. (2008). *Modern Antenna Handbook*. New York. USA: Wiley-Interscience.
- Costa. I., Spadoti. D., Cerqueira S. Jr. A., Rodriguez. S., Puerta. R., Vegas Olmos. J. J., & Monroy. T. (2017). Optically Controlled Reconfigurable Antenna for 5G Future Broadband Cellular Communication Networks. *Journal of Microwave, Optoelectronics and Electromagnetic Applications*. 208-217.
- Eko Murdyantoro, Imron Rosyadi, Hilmi Septian. (2019). Study Of LoRa OLG01 Distance Performance As Wireless Connectivity IoT Infrastructure. *Dinamika Rekayasa* Vol. 15 No. 1. pp. 47-56.
- Elecfreaks. *Ultrasonic Ranging Module HC - SR04*. Datasheet. <https://www.sparkfun.com>.
- E. Palantei, D. V. Thiel. (2005). Electronically Switched Parasitic Smart Antenna for Wireless Communication. Conference Digest of The 9th Australian Symposium on Antennas, Sydney, Australia, p. 24.
- E. Palantei, D. V. Thiel. (2007). The Impact of Bias Voltage on The Performance of A PIN Diode Loaded Smart Antenna. *Journal of The Japan Society of Applied Electromagnetics and Mechanics*, Vol. 15 No. 3, p. 274-277.
- F. Alam, R. Mehmood, I. Katib, N. N. Albogami, and A. Albeshri. (2017). *Data Fusion and IoT for Smart Ubiquitous Environments: A Survey*. *IEEE Access*, vol. 5, pp. 9533-9554.

Flame Sensor Module. Technical Datasheet.

<https://www.sunrom.com/p/fire-flame-sensor-module>

Hanwei Electronics. Technical Datasheet MQ-2 Gas Sensor.

<http://www.hwsensor.com>.

K. K. Katare, A. Biswas, K. P. Esselle. (2017). Directive Array Based Pattern Reconfigurable Antenna. 2017 11th European Conference on Antennas and Propagation (EUCAP). IEEE.

L. Santamaria, F. Ferrero, L. Lizzi. (2018). Radiation Pattern Agile Antenna for Smart IoT Gateways. 2018 IEEE International Symposium on Antennas and Propagation & USNC/URSI National Radio Science Meeting. IEEE.

M. R. Senouci, A. Mellouk. (2016). Deploying Wireless Sensor Networks. Elsevier Ltd.

M. T. Lazarescu. (2013). Design of a WSN Platform for Long-Term Environmental Monitoring for IoT Applications. IEEE Journal on Emerging and Selected Topics in Circuits and Systems. pp. 45 – 54.

Marcel Colman Eric Stieber (2012). *Radio Direction Finding Network Receiver Design for Low-cost Public Service Applications* (Master dissertation, California Polytechnic State University, San Luis Obispo).

Microsemi-Watertown. (1998). The Pin Diode Circuit Designers' Handbook. Microsemi Corporation.

- N. Shoaib, S. Ilyas, A. Raza, T. Hassan. (2019). Beam Steering Using Active Superstrate Antenna for WLAN Applications. 2019 IEEE International Symposium on Antennas and Propagation and USNC-URSI Radio Science Meeting. IEEE.
- Nyoman Putra Sastra & Dewa Made Wiharta. (2016). Environmental monitoring as an IoT application in building smart campus of Universitas Udayana. 2016 International Conference on Smart Green Technology in Electrical and Information Systems (ICSGTEIS). IEEE.
- OSEPP Electronics. Datasheet DHT11 Humidity & Temperature Sensor. <http://www.mouser.com>.
- P. Sotres, J. R. Santana, L. Sánchez, J. Lanza, and L. Muñoz. (2017). Practical Lessons From the Deployment and Management of a Smart City Internet-of-Things Infrastructure: The SmartSantander Testbed Case. IEEE Access, vol. 5, pp. 14309-14322.
- Rauf. M. F. (2018). Internet of Things (IoT) dalam Revolusi Industri 4.0. Jakarta: medium.com.
- Rizky Pratama Hudhajanto, Nurul Fahmi, Eko Prayitno, Rosmida. (2018). Real-Time Monitoring for Environmental Through Wireless Sensor Network Technology. 2018 International Conference on Applied Engineering (ICAE). IEEE.
- R. Fantacci, T. Pecorella, R. Viti, and C. Carlini. (2014). A network architecture solution for efficient IOT WSN backhauling: challenges

- and opportunities. *IEEE Wireless Communications*, vol. 21, no. 4, pp. 113 – 119.
- R. Konch, A. Sarma, S. Goswami, K. Sarmah. (2018). Design of a Pattern Reconfigurable Switched Parasitic Array for Null Steering Application. 2018 2nd International Conference on Electronics, Materials Engineering & Nano-Technology (IEMENTech). IEEE.
- R. Sanchez-Iborra, M.D. Cano. (2016). State of The Art in LP-WAN Solution for Industrial IoT Services. *Sensors*, 16, 708.
- R. Sanchez-Iborra, Ignacio G. Liaño, Christian Simoes, Elena Couñago. (2018). Tracking and Monitoring System Based on LoRa Technology for Lightweight Boats. *Electronics*. MDPI.
- Rohde & Schwarz. (2019). *R&S ZVH Handheld Cable and Antenna Analyzer*. www.rohde-schwarz.com.
- S.Sankar. D. (2016). Internet Of Things (IOT): A Survey On Empowering Technologies. Research Opportunities And Applications. *International Journal of Pharmacy & Technology*. 26117-26141.
- S. Y. Wang, Y. R.Chen, T. Y. Chen, C. H.Chang, Y. H. Cheng, C. C. Hsu, Y. B. Lin. (2017). Performance of LoRa-Based IoT Applications on Campus. 2017 IEEE 86th Vehicular Technology Conference (VTCFall). IEEE.
- Sokol. V. (2013). Reconfigurable Antenna Simulation. *IEEE Microwave Magazine*

Sri Wiwoho Mudjanarko. S. W. (2017). Pemanfaatan Internet Of Things (IOT) Sebagai Solusi Manajemen Transportasi Kendaraan Sepeda Motor. Prosiding Seminar Nasional Aplikasi Teknologi Prasarana Wilayah X (ATPW) (pp. 151-164). Surabaya: Departemen Teknik Infrastruktur Sipil ITS Surabaya.

Steven F. Barrett. (2013). Arduino Microcontroller Processing for Everyone. Third Edition. Morgan & Claypool Publishers.

Lampiran : Listing program switching control unit antenna

```
/* Antenna Switching Control Unit
//Pin number assignments
const int refPin = 8;
const int ledPin1 = 2;
const int ledPin2 = 3;
const int ledPin3 = 4;
const int ledPin4 = 5;
const int ledPin4 = 6;
const int ledPin4 = 7;
long interval = 30000; // switching delay used to set frequency (ms)
void setup() {
  // set pins to output
  pinMode(refPin, OUTPUT);
  pinMode(ledPin1, OUTPUT);
  pinMode(ledPin2, OUTPUT);
  pinMode(ledPin3, OUTPUT);
  pinMode(ledPin4, OUTPUT);
  pinMode(ledPin5, OUTPUT);
  pinMode(ledPin6, OUTPUT);
  pinMode(refPin, OUTPUT);

  //set initial pin states to LOW
  digitalWrite(refPin, LOW);
  digitalWrite(ledPin1, LOW);
  digitalWrite(ledPin2, LOW);
  digitalWrite(ledPin3, LOW);
  digitalWrite(ledPin4, LOW);
  digitalWrite(ledPin5, LOW);
  digitalWrite(ledPin6, LOW);
}
void loop()
{
  //Cycle through each pin progressively with delay between
  //reference pin only switches every 2 cycles for 50% 500Hz wave
  digitalWrite(refPin, HIGH);
  digitalWrite(ledPin1, LOW);
  digitalWrite(ledPin2, LOW);
  digitalWrite(ledPin3, HIGH);
  digitalWrite(ledPin4, HIGH);
  digitalWrite(ledPin5, HIGH);
  digitalWrite(ledPin6, LOW);
  delayMicroseconds(interval);
  digitalWrite(refPin, HIGH);
  digitalWrite(ledPin1, LOW);
  digitalWrite(ledPin2, LOW);
}
```

```
digitalWrite(ledPin3, LOW);
digitalWrite(ledPin4, HIGH);
digitalWrite(ledPin5, HIGH);
digitalWrite(ledPin6, HIGH);
delayMicroseconds(interval);
digitalWrite(refPin, LOW);
digitalWrite(ledPin1, HIGH);
digitalWrite(ledPin2, LOW);
digitalWrite(ledPin3, LOW);
digitalWrite(ledPin4, LOW);
digitalWrite(ledPin5, HIGH);
digitalWrite(ledPin6, HIGH);
delayMicroseconds(interval);
digitalWrite(refPin, LOW);
digitalWrite(ledPin1, HIGH);
digitalWrite(ledPin2, HIGH);
digitalWrite(ledPin3, LOW);
digitalWrite(ledPin4, LOW);
digitalWrite(ledPin5, LOW);
digitalWrite(ledPin6, HIGH);
delayMicroseconds(interval);
digitalWrite(refPin, LOW);
digitalWrite(ledPin1, HIGH);
digitalWrite(ledPin2, HIGH);
digitalWrite(ledPin3, HIGH);
digitalWrite(ledPin4, LOW);
digitalWrite(ledPin5, LOW);
digitalWrite(ledPin6, LOW);
delayMicroseconds(interval);
digitalWrite(refPin, LOW);
digitalWrite(ledPin1, LOW);
digitalWrite(ledPin2, HIGH);
digitalWrite(ledPin3, HIGH);
digitalWrite(ledPin4, HIGH);
digitalWrite(ledPin5, LOW);
digitalWrite(ledPin6, LOW);
delayMicroseconds(interval);}
```