

DAFTAR PUSTAKA

1. Bowe, W.P., Shalita, A.R. 2011. ‘Introduction: epidemiology, cost, and psychosocial implications’, in Shalita, A.R., Rosso, J.Q., Webster, G.F. (eds). *Acne vulgaris*. 1st ed. New York: CRC Press, pp. 1-22. Available from: <https://books.google.com/>
2. Behnam, B., Taheri, R., Ghorbani, R., Allameh, P. 2013, ‘Psychological impairments in the patients with acne’, *Indian Journal of Dermatology*, vol.58, no.1 pp. 26-29. [Online], Available at: <http://www.e-ijd.org/>
3. Ab, H.H., Awadh, A. 2015, ‘Study of psychological stress and acne vulgaris among pharmacy students’, *Value in Health*, vol. 18, [Online], available at: <http://www.valueinhealthjournal.com>
4. Zaenglein, A.L., Gruber, E.M., Thiboutot, D.M., Strauss, J.S. 2008. ‘Acne vulgaris and acneiform eruption’, in Fitzpatrick, T.B., Eisen, A.Z., Wolff, K., Freedberg, I.M., Austen, K. (eds). *Dermatology in general medicine*. 7th ed. New York: McGraw-Hill, pp. 690-703.
5. Afriyanti, R.N. 2015, ‘Akne vulgaris pada remaja’, *J Majority* vol.4, no.6 p.10. [Online], available at: juke.kedokteran.unila.ac.id
6. Sihotang, I.B., Wasitaatmadja, S.M. (2015). ‘Akne vulgaris’, in Menaldi, S.L., Bramono, K., Indriani, W. (eds). *Ilmu penyakit kulit dan kelamin*. 7th ed. Jakarta: Badan Penerbit FK UI pp. 288 – 291.
7. Feldman, S., Careccia, R., Barham, K. and Hancox, J. 2004. Diagnosis and Treatment of Acne. *American Family Physician*, 69(6), 2123-2129.
8. Wasitaatmadja, S. 2010. Akne, Erupsi Akneiformis, Rosasea, Rinofima. In: A. Djuanda, ed., *Ilmu Penyakit Kulit dan Kelamin*, 6th ed. Jakarta: Badan Penerbit FK UI, 253-259.
9. Vos, T., Flaxman, A.D., Naghavi, M. 2012, ‘Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010’, *Lancet*, vol. 380 pp. 2163–2196. [Online, Available at: www.thelancet.com]
10. Bhate, K., Williams, C.H. 2013, ‘Epidemiology of acne vulgaris’, *Brit J Dermatol*, vol.168, no.3 pp. 474-485. [Online], Available at: <http://onlinelibrary.wiley.com>
11. Tsai, M.C., Chen, W., Cheng, Y.W., Wang, C.Y., Chen, G.Y., Hsu, T.J. 2006, ‘Higher body mass index is a significant risk factor for acne formation in schoolchildren’, *Eur J Dermatol*, vol. 16 pp.251-253. [Online], Available at: <http://www.springer.com>
12. World Health Organization. 2016. *Obesity and overweight*. Geneva: WHO; 2016 Available from <http://www.who.int>
13. Brown, R.G., Harman, K., Johnston, G. 2017, *Lecture Notes: Dermatology*, 11th ed, Chichester: John Wiley & Sons, Inc., pp. 55-57. Available from: <https://books.google.com/>

14. Adityan, B., Kumari, R., Thappa, D.M. 2009, ‘Scoring systems in acne vulgaris’, Indian J Dermatol Venereol Leprol, vol. 75, no. 3 pp. 323-326. [Online], Available at: <http://www.ijdvl.com>
15. Tan, J.K. 2014. ‘Evaluation of clinical severity by acne grading and lesion counting’ in Zoubolis, C.C., Katsambas, A.D., Kligman, A.M. (eds). Pathogenesis and treatment of acne and rosaceae. London: Springer Heidelberg Dordrecht p. 329. Available at: <https://books.google.com/>
16. Truter, I. 2009, ‘Evidence based pharmacy practice acne vulgaris’, SA Pharmaceutical Journal, pp. 13-19. [Online], Available at: www.sapj.co.za
17. Shen, Y., Wang, T., Zhou, C., Wang, X., Ding, X., Tian, S. et al. 2012, ‘Prevalence of acne vulgaris in Chinese adolescents and adults: a community based study of 17.345 subjects in six cities’, Acta Derm Venereol, vol. 92 pp. 40-44. [Online], accessed 2 Mei 2017, Available at: <https://www.medicaljournals.se/acta/>
18. Ramdani, R., Sibero, H.T. 2015, ‘Treatment for acne vulgaris’, J Majority, vol. 4, no. 2 pp. 92-94. [Online], available at: juke.kedokteran.unila.ac.id
19. Afriyanti, R.N. 2015, ‘Akne vulgaris pada remaja’, J Majority vol.4, no.6 p.10. [Online], available at: juke.kedokteran.unila.ac.id
20. Widjaja, E. 2000. Rosasea dan Akne Vulgaris. In: M. Harahap, ed., Ilmu Penyakit Kulit, 1st ed. Jakarta: Hipokrates, 35-45.
21. Centers for Disease Control and Preventions (CDC), 2016. About Child & Teen BMI. United States: Centers for Disease Control and Preventions (CDC). Available from <https://www.cdc.gov>
22. Oberemok, S.S., Shalita, A.R. 2002, ‘Acne vulgaris I: pathogenesis and diagnosis’, Cutis, vol.70, no.2 pp. 101-105. [Online], Available at: <http://www.mdedge.com/cutis>
23. Mantzoros, S.C. 2006. Obesity and diabetes. New Jersey: Humana Press pp. 260- 263, Available at: <https://books.google.com/>
24. Baptiste, C.G., Battista, M.C., Trottier, A., Patrice, J. 2010, ‘Insulin and hyperandrogenism in women with polycystic ovary syndrome’, J Steroid Biochem Mol Biol, vol. 122. [Online], Available at: <http://www.sciencedirect.com>
25. Rotstein, A. 2010, ‘Polycystic ovarian syndrome’, J Obs Gyn Can, vol. 32, no. 5 pp. 423-425, 426-428. [Online], , Available at: <http://www.sciencedirect.com>
26. Svendsen P.F., Madsbad, S., Nilas, L., Paulsen, S.K., Pedersen, S.B. 2009, ‘Expression of 11β-hydroxysteroid dehydrogenase 1 and 2 in subcutaneous adipose tissue of lean and obese women with and without polycystic ovary syndrome’, Int J Obes, vol. 33, no. 11 pp. 1249-1256. [Online], Available at: <https://www.nature.com>
27. Wasitaatmadja, S.M., 2007. Akne, Erupsi Akneiformis, Rosasea, Rinofima.

- Dalam:Djuanda,A.(eds).*IlmuPenyakitKulitdanKelaminEdisiKelima*. Jakarta : Balai Penerbit FK UIpp:254-60.
28. Landro, A.D., Cazzaniga, S., Parazzini, F., Ingordo, V., Cusano, F., Atzori, L., Cutri, F.T., Musumeci, M.L., Zinetti, C., Pezzarossa, E., Bettoli, V., Caproni, M., Scoco, G.L., Bonci, A., Bencini, P., Naldi, L., 2012. Family history, body mass index, selected dietary factors, menstrual history, and risk of moderate to severe acne in adolescents and young adults. J AM ACAD DERMATOL, VOLUME 67, NUMBER 6..
 29. Wertenteil, S., Strunk, A., & Garg, A. 2018. Overall and subgroup prevalence of acne vulgaris among patients with hidradenitis suppurativa. J AM ACAD DERMATOL, VOLUME jj, NUMBER j.
 30. Saeidi, S., Nejad, F.C., Ebrahimi, A., Najafi, F., Rahimi, Z., Raygani, A.V., Shakiba, E., & Rahimi, Z. 2018. PPAR γ Pro12Ala and C161T polymorphisms in patients with acne vulgaris: Contribution to lipid and lipoprotein profile. S. Saeidi et al. / Advances in Medical Sciences 63 (2018) 147–151
 31. Snast, I.S., Dalal, A., Twig, G., Astman, N., Kedem, R., Levin, D., Erlich, Y., Leshem, Y.A., Lapidoth, M., Hodak, E., & Levi, A. 2019. Acne and obesity: A nationwide study of 600,404 adolescents. J AM ACAD DERMATOL, VOLUME jj, NUMBER j.
 32. Hacivelioglu, S., Gungoe, A.N.C., Gencer, M., Uysal., A., Hizli, D., Koc, E., & Cosar, E. 2013. CLINICAL ARTICLE Acne severity and the Global Acne Grading System in polycystic ovary syndrome. International Journal of Gynecology and Obstetrics 123 (2013) 33–36.
 33. Okoro, E.O., Adebola, F., Ogunbiyi, George, A., Mobolaji, & Subulade. 2016. Association of diet with acne vulgaris among adolescents in Ibadan, southwest Nigeria. International Journal of Dermatology, doi: 10.1111/ijd.13166.
 34. Kutlu, O., Balta, I., & Eksioglu, H.M. 2020. Determination of the Effect of Diet on the Development and Severity of Acne Vulgaris by Using Insulin Index and Glycemic Index. Turkiye Klinikleri J Dermatol. 2020;30(1):6-14, DOI: 10.5336/dermato.2019-71783.
 35. Huang, X., Zhang, J., Li, J., Zhao, S., Xiao, Y., Huang, Y., Jing, D., Chen, L Zhang, X., Su, J., Kuang, Y., Zhu, W., Chen., M., Chen, X., & Shen, M. 2018. Daily Intake of Soft Drinks and Moderate-to-Severe Acne Vulgaris in Chinese Adolescents., The Journal Of Pediatrics
 36. Alshammr ie, F.F., Alshamari, R., Alharbi, R.M., Khan, F.H., & Alshammary, S.K. 2020. Epidemiology of Acne Vulgaris and Its Association With Lifestyle Among Adolescents and Young Adults in Hail, Kingdom of Saudi Arabia: A Community- Based Study. Article DOI: 10.7759/cureus.9277
 37. Cerman, A.A., Aktas, E., Altunay, I. K., Arici, J.E., Tulunay, A., & Ozturk, F.Y. 2016. Dietary glycemic factors, insulin resistance, and adiponectin levels in acne vulgaris. J AM ACAD DERMATOL, VOLUME 75, NUMBER 1.
 38. Burris, J., Rietkerk, W., & Woolf, K. 2014. Relationships of Self-Reported Dietary Factors and Perceived Acne Severity in a Cohort of New York Young

- Adults. Journal Of The Academy Of Nutrition And Dietetics, March 2014 Volume 114 Number 3.
39. Abulnaja, K.O. 2009. Changes in the hormone and lipid profile of obese adolescent Saudi females with acne vulgaris. *Acne vulgaris in obese Saudi adolescent females* www.bjournal.com.br Brazilian Journal of Medical and Biological Research (2009) 42: 501-505 ISSN 0100-879X
 40. Adel, S., Elraheem, T.A.A., Ezzat, G., & Ismail, N.M. 2020. Role of insulin-like growth factor 1 in pathogenesis of acne vulgaris: relation to acne severity and body mass index. International Journal of Research in Dermatology *Adel S et al. Int J Res Dermatol. 2020 Mar;6(2):147-150* <http://www.ijord.com>, DOI: <http://dx.doi.org/10.18203/issn.2455-4529.IntJResDermatol20200593>
 41. Pektas, S.D., Cinar, N., Duman, D.D., Kara, A., Batu, J., Celik, S.K., & Aksoy, D.Y. 2020. The relationship among androgens, insulin resistance and ghrelin polymorphisms in post-adolescent male patients with severe acne vulgaris. Advances in Dermatology and Allergology 5, October. DOI: <https://doi.org/10.5114/ada.2020.100492>
 42. Kara, Y.A. & Ozdemir, D. 2019. Evaluation of food consumption in patients with acne vulgaris and its relationship with acne severity. *J Cosmet Dermatol.* 2019;00:1–5. wileyonlinelibrary.com/journal/jocd
 43. Lynn, D.D., Umari, T., Dunnick, C.A., & Dellavalle, R.P. 2016. The epidemiology of acne vulgaris in late adolescence. Adolescent Health, Medicine, and Therapeutics.
 44. Lu, P.H., & Hsu, C.H. 2014. Body mass index is negatively associated with acne lesion counts in Taiwanese women with post-adolescent acne. European Academy of Dermatology and Venereology, DOI: 10.1111/jdv.12754 JEADV
 45. Emiroglu, N., Cengiz, F.P., & Kemeriz, F. 2015. Insulin resistance in severe acne vulgaris. Original paper, Postep Derm Alergol 2015; XXXII (4): 281–285. DOI: 10.5114/pdia.2015.53047
 46. Reynolds, R.C., Lee, S., Choi, J.Y., Atkinson, F.S., Stockmann, K.S., Petpcz, P., Miller, J.C.B. 2010. Effect of the Glycemic Index of Carbohydrates on *Acne vulgaris*. *Nutrients*, 2, 1060-1072; doi:10.3390/nu2101060.
 47. Tasoula, E., Chalikias, J., Danopoulou, I., Rigopoulos, Gregoriou, S., Lazarou, D., & Katsambas, A. 2012. The impact of acne vulgaris on quality of life and psychic health in young adolescents in Greece. Results of a population survey. *An Bras Dermatol.* 2012;87(6):862-9.
 48. Shariatpanahi, G., Hashemi, R., Asadaadi, M., Shirzadi, N., Haddadi, N.S., & Shakoei, S. 2020. Association between metabolic syndrome and acne in teenage girls: a cross-sectional Study. Original Article, Iranian Journal Of Dermatology, Vol 23, No 3, Doi: 10.22034/Ijd.2020.111544
 49. Zore, T., Liznewa, D., Brakta, S., Walker, W., Suturina, L., Azziz, R. 2018. Minimal Difference In Phenotype Between Adolescents And Young Adults With Polycystic Ovary Syndrome. Original Article: Reproductive Endocrinology, Vol. - No. - / -

50. Alan, S., and Cenosizoglu, E. 2014, ‘Effects of hyperandrogenism and high body mass index on acne severity in women’, *Saudi Med J*, vol. 35 no. 8 pp. 886-889. [Online], accessed 17 November 2017, available at: <https://www.ncbi.nlm.nih.gov>
51. Melnik, B.C. 2015, Linking diet to acne metabolomics, inflammation, and comedogenesis : an Update. *Clin Cosmet Investig Dermatol*. Jul 15;8:371- 88.
52. Raditra, G.Z.H., & Sari, M. I. 2020. *The Correlation Between Body Mass Index And Acne Vulgaris. Sumatera Medical Journal (SUMEJ) Vol. 3, No.1.*