

DAFTAR PUSTAKA

- [1] D. A. Yaseen and M. Scholz, *Textile dye wastewater characteristics and constituents of synthetic effluents: a critical review*, vol. 16, no. 2. Springer Berlin Heidelberg, 2019. doi: 10.1007/s13762-018-2130-z.
- [2] D. Sistesya and H. Sutanto, "Sifat optis lapisan zno:ag yang dideposisi di atas substrat kaca menggunakan metode *chemical solution deposition* (csd) dan aplikasinya pada degradasi zat warna *methylene blue*," *Youngster Phys. J.*, vol. 1, no. 4, pp. 71–80, 2013.
- [3] K. M. Lee, C. W. Lai, K. S. Ngai, and J. C. Juan, *Recent developments of zinc oxide based photocatalyst in water treatment technology: A review*, vol. 88. Elsevier Ltd, 2016. doi: 10.1016/j.watres.2015.09.045.
- [4] S. S. Naik, S. J. Lee, S. Yeon, Y. Yu, and M. Y. Choi, "Pulsed laser-assisted synthesis of metal and nonmetal-codoped ZnO for efficient photocatalytic degradation of Rhodamine B under solar light irradiation," *Chemosphere*, vol. 274, p. 129782, 2021, doi: 10.1016/j.chemosphere.2021.129782.
- [5] T. M. Rashid, U. M. Nayef, M. S. Jabir, and F. A. H. Mutlak, "Synthesis and characterization of Au:ZnO (core:shell) nanoparticles via laser ablation," *Optik (Stuttg.)*, vol. 244, no. July, p. 167569, 2021, doi: 10.1016/j.ijleo.2021.167569.
- [6] A. Dougherty, C. Harper, F. Iskandar, I. Arif, and G. Dougherty, "In situ functionalization of gadolinium oxide nanoparticles with polyethylene glycol (PEG) by pulsed laser ablation in a liquid medium (PLAL)," *J. Sci. Adv. Mater. Devices*, vol. 3, no. 4, pp. 419–427, 2018, doi: 10.1016/j.jsamd.2018.08.003.
- [7] Z. Fan, P. pan Ji, J. Zhang, D. Segets, D. R. Chen, and S. C. Chen, "Wavelet neural network modeling for the retention efficiency of sub-15 nm nanoparticles in ultrafiltration under small particle to pore diameter ratio," *J. Memb. Sci.*, vol. 635, no. June, p. 119503, 2021, doi: 10.1016/j.memsci.2021.119503.
- [8] E. Anang, H. Liu, X. Fan, D. Zhao, and X. Gong, "Compositional evolution of nanoscale zero valent iron and 2,4-dichlorophenol during dechlorination by attapulgite supported Fe/Ni nanoparticles," *J. Hazard. Mater.*, vol. 412, no. January, p. 125246, 2021, doi: 10.1016/j.jhazmat.2021.125246.
- [9] C. Xu, R. Zou, Y. Peng, Q. Liu, S. Ruan, and J. Hu, "In situ transmission electron microscope studies on one-dimensional nanomaterials: Manipulation, properties and applications," *Prog. Mater. Sci.*, vol. 113, p. 100674, 2020, doi: 10.1016/j.pmatsci.2020.100674.
- [10] Y. Wang, L. Wang, X. Zhang, X. Liang, Y. Feng, and W. Feng, "Two-dimensional nanomaterials with engineered bandgap: Synthesis, properties, applications," *Nano Today*, vol. 37, p. 101059, 2021, doi:

10.1016/j.nantod.2020.101059.

- [11] S. Zou, H. Li, L. Liu, S. Wang, X. Zhang, and G. Zhang, “Research on improving comprehensive properties of a new sawdust composite insulation material by torrefaction,” *Process Saf. Environ. Prot.*, vol. 152, pp. 361–374, 2021, doi: 10.1016/j.psep.2021.06.015.
- [12] S. Joishy, A. Antony, P. Poornesh, R. J. Choudhary, and R. B.V, “Influence of Cd on structure, surface morphology, optical and electrical properties of nano crystalline ZnS films,” *Sensors Actuators, A Phys.*, vol. 303, p. 111719, 2020, doi: 10.1016/j.sna.2019.111719.
- [13] M. A. Almessiere *et al.*, “Review on functional bi-component nanocomposites based on hard/soft ferrites: Structural, magnetic, electrical and microwave absorption properties,” *Nano-Structures and Nano-Objects*, vol. 26, p. 100728, 2021, doi: 10.1016/j.nanoso.2021.100728.
- [14] Y. Poplavko, *Semiconductors, Chapter 8*. 2019. doi: 10.1016/B978-0-12-815780-0.00008-6.
- [15] D. Shindo and Z. Akase, “Direct observation of electric and magnetic fields of functional materials,” *Mater. Sci. Eng. R Reports*, vol. 142, no. May, p. 100564, 2020, doi: 10.1016/j.mser.2020.100564.
- [16] A. Oprea, D. Degler, N. Barsan, A. Hemeryck, and J. Rebbholz, *Basics of semiconducting metal oxide-based gas sensors*. Elsevier Inc., 2018. doi: 10.1016/B978-0-12-811224-3.00003-2.
- [17] M. F. L’Annunziata, *The atomic nucleus, nuclear radiation, and the interaction of radiation with matter*, vol. 1. 2020. doi: 10.1016/B978-0-12-814397-1.00001-7.
- [18] H. Gleiter, T. Schimmel, and H. Hahn, “Nanostructured solids - From nanoglasses to quantum transistors,” *Nano Today*, vol. 9, no. 1, pp. 17–68, 2014, doi: 10.1016/j.nantod.2014.02.008.
- [19] Ü. D. Özgür, V. Avrutin, and H. Morkoç, *Zinc oxide materials and devices grown by MBE*. 2013. doi: 10.1016/B978-0-12-387839-7.00016-6.
- [20] P. W. J. Glover, *Geophysical Properties of the Near Surface Earth: Electrical Properties*, vol. 11. Elsevier B.V., 2015. doi: 10.1016/B978-0-444-53802-4.00189-5.
- [21] M. Jurisch, S. Eichler, and M. Bruder, *Vertical Bridgman Growth of Binary Compound Semiconductors*, Second Edi., vol. 2. Elsevier B.V., 2015. doi: 10.1016/B978-0-444-63303-3.00009-2.
- [22] H. Bouzid, M. Faisal, F. A. Harraz, S. A. Al-Sayari, and A. A. Ismail, “Synthesis of mesoporous Ag/ZnO nanocrystals with enhanced photocatalytic activity,” *Catal. Today*, vol. 252, pp. 20–26, 2015, doi: 10.1016/j.cattod.2014.10.011.

- [23] J. Sen Chang, J. Strunk, M. N. Chong, P. E. Poh, and J. D. Ocon, "Multi-dimensional zinc oxide (ZnO) nanoarchitectures as efficient photocatalysts: What is the fundamental factor that determines photoactivity in ZnO?," *J. Hazard. Mater.*, vol. 381, no. August, p. 120958, 2020, doi: 10.1016/j.jhazmat.2019.120958.
- [24] H. Zhai *et al.*, "Direct sunlight responsive Ag-ZnO heterostructure photocatalyst: Enhanced degradation of rhodamine B," *J. Phys. Chem. Solids*, vol. 78, pp. 35–40, 2015, doi: 10.1016/j.jpcs.2014.11.004.
- [25] X. Liao *et al.*, "Au-Ag-Au double shell nanoparticles-based localized surface plasmon resonance and surface-enhanced Raman scattering biosensor for sensitive detection of 2-mercapto-1-methylimidazole," *Talanta*, vol. 117, pp. 203–208, 2013, doi: 10.1016/j.talanta.2013.08.051.
- [26] W. Xu *et al.*, "Localized surface plasmon resonances in self-doped copper chalcogenide binary nanocrystals and their emerging applications," *Nano Today*, vol. 33, 2020, doi: 10.1016/j.nantod.2020.100892.
- [27] A. Amirjani and D. F. Haghshenas, "Ag nanostructures as the surface plasmon resonance (SPR)-based sensors: A mechanistic study with an emphasis on heavy metallic ions detection," *Sensors Actuators, B Chem.*, vol. 273, no. July, pp. 1768–1779, 2018, doi: 10.1016/j.snb.2018.07.089.
- [28] P. Song, H. Xu, J. Wang, Y. Shiraishi, and Y. Du, "Construct 3D networked Au-Cu nanowires for enhanced plasmon-driven catalytic ethylene glycol oxidation through visible light irradiation," *J. Power Sources*, vol. 399, no. July, pp. 59–65, 2018, doi: 10.1016/j.jpowsour.2018.07.083.
- [29] H. Hu, D. Qian, P. Lin, Z. Ding, and C. Cui, "Oxygen vacancies mediated in-situ growth of noble-metal (Ag, Au, Pt) nanoparticles on 3D TiO₂ hierarchical spheres for efficient photocatalytic hydrogen evolution from water splitting," *Int. J. Hydrogen Energy*, vol. 45, no. 1, pp. 629–639, 2020, doi: 10.1016/j.ijhydene.2019.10.231.
- [30] L. Xu *et al.*, "Enhanced synergistic coupling effect of ternary Au/Ag/AgCl nanochains for promoting natural-solar-driven photocatalysis," *Appl. Surf. Sci.*, vol. 545, no. January, p. 149054, 2021, doi: 10.1016/j.apsusc.2021.149054.
- [31] J. He, A. Kumar, M. Khan, and I. M. C. Lo, "Critical review of photocatalytic disinfection of bacteria: from noble metals- and carbon nanomaterials-TiO₂ composites to challenges of water characteristics and strategic solutions," *Sci. Total Environ.*, vol. 758, p. 143953, 2021, doi: 10.1016/j.scitotenv.2020.143953.
- [32] P. Prema *et al.*, "Statistical optimization of silver nanoparticle synthesis by green tea extract and its efficacy on colorimetric detection of mercury from industrial waste water," *Environ. Res.*, vol. 204, no. PA, p. 111915, 2022, doi: 10.1016/j.envres.2021.111915.

- [33] G. Fan *et al.*, “Double photoelectron-transfer mechanism in Ag–AgCl/WO₃/g-C₃N₄ photocatalyst with enhanced visible-light photocatalytic activity for trimethoprim degradation,” *J. Hazard. Mater.*, vol. 403, no. August 2020, p. 123964, 2021, doi: 10.1016/j.jhazmat.2020.123964.
- [34] N. Güy, K. Atacan, İ. Yıldırım, and M. Özacar, “Insight into the efficient photocatalytic removal mechanism of organic pollutants by plasmonic Z-scheme MoS₂/Ag/Ag₃VO₄ heterojunction under visible light,” *J. Mol. Liq.*, vol. 326, 2021, doi: 10.1016/j.molliq.2021.115311.
- [35] M. Faisal, M. Jalalah, F. A. Harraz, A. M. El-Toni, J. P. Labis, and M. S. Al-Assiri, “A novel Ag/PANI/ZnTiO₃ ternary nanocomposite as a highly efficient visible-light-driven photocatalyst,” *Sep. Purif. Technol.*, vol. 256, no. September 2020, p. 117847, 2021, doi: 10.1016/j.seppur.2020.117847.
- [36] M. A. Gondal *et al.*, “Facile synthesis, characterization and photocatalytic performance of Au-Ag alloy nanoparticles dispersed on graphitic carbon nitride under visible light irradiations,” *J. Mol. Catal. A Chem.*, vol. 423, pp. 114–125, 2016, doi: 10.1016/j.molcata.2016.06.013.
- [37] X. Zhao, X. Zhang, D. Han, and L. Niu, “Ag supported Z-scheme WO_{2.9}/g-C₃N₄ composite photocatalyst for photocatalytic degradation under visible light,” *Appl. Surf. Sci.*, vol. 501, no. September 2019, p. 144258, 2020, doi: 10.1016/j.apsusc.2019.144258.
- [38] M. Sher *et al.*, “Synthesis of novel ternary hybrid g-C₃N₄@Ag-ZnO nanocomposite with Z-scheme enhanced solar light-driven methylene blue degradation and antibacterial activities,” *J. Environ. Chem. Eng.*, vol. 9, no. 4, p. 105366, 2021, doi: 10.1016/j.jece.2021.105366.
- [39] R. Beura, R. Pachaiappan, and T. Paramasivam, “Photocatalytic degradation studies of organic dyes over novel Ag-loaded ZnO-graphene hybrid nanocomposites,” *J. Phys. Chem. Solids*, vol. 148, p. 109689, 2021, doi: 10.1016/j.jpcs.2020.109689.
- [40] P. Das, T. Dutta, S. Manna, S. Loganathan, and P. Basak, “Facile green synthesis of non-genotoxic, non-hemolytic organometallic silver nanoparticles using extract of crushed, wasted, and spent *Humulus lupulus* (hops): Characterization, anti-bacterial, and anti-cancer studies,” *Environ. Res.*, vol. 204, no. PA, p. 111962, 2022, doi: 10.1016/j.envres.2021.111962.
- [41] M. M. Seitkalieva, D. E. Samoylenko, K. A. Lotsman, K. S. Rodygin, and V. P. Ananikov, “Metal nanoparticles in ionic liquids: Synthesis and catalytic applications,” *Coord. Chem. Rev.*, vol. 445, p. 213982, 2021, doi: 10.1016/j.ccr.2021.213982.
- [42] N. Kumar *et al.*, “Top-down synthesis of graphene: A comprehensive review,” *FlatChem*, vol. 27, no. November 2020, p. 100224, 2021, doi: 10.1016/j.flatc.2021.100224.


- [43] Z. Said, A. A. Hachicha, S. Aberoumand, B. A. A. Yousef, E. T. Sayed, and E. Bellos, "Recent advances on nanofluids for low to medium temperature solar collectors: energy, exergy, economic analysis and environmental impact," *Prog. Energy Combust. Sci.*, vol. 84, 2021, doi: 10.1016/j.pecs.2020.100898.
- [44] A. V. Rane, K. Kanny, V. K. Abitha, and S. Thomas, *Methods for Synthesis of Nanoparticles and Fabrication of Nanocomposites*. Elsevier Ltd., 2018. doi: 10.1016/b978-0-08-101975-7.00005-1.
- [45] K. Nakamura, *Synthesis of Nanoparticles by Radio Frequency Induction Thermal Plasma*. Elsevier B.V., 2018. doi: 10.1016/B978-0-444-64110-6.00078-0.
- [46] J. Yan, V. Karpovych, and M. Sulkes, "Pulsed laser surface heating: A tool for studying pyrolysis product chemistry in molecular beams," *Chem. Phys. Lett.*, vol. 762, p. 138122, 2021, doi: 10.1016/j.cplett.2020.138122.
- [47] C. Wu, Y. Rong, and R. Yang, "Thermal ablation regulation for ultraviolet (UV) nanosecond laser precision cutting of polycarbonate (PC) film," *Opt. Laser Technol.*, vol. 143, no. July, p. 107365, 2021, doi: 10.1016/j.optlastec.2021.107365.
- [48] K. W. Kolasinski, M. C. Gupta, and L. V. Zhigilei, *Plume and nanoparticle formation during laser ablation*. Elsevier, 2018. doi: 10.1016/B978-0-12-409547-2.14045-4.
- [49] Y. Liu, M. Wei, T. Zhang, H. Qiao, and H. Li, "Overview on the development and critical issues of water jet guided laser machining technology," *Opt. Laser Technol.*, vol. 137, no. August 2020, p. 106820, 2021, doi: 10.1016/j.optlastec.2020.106820.
- [50] J. Rossbach, J. R. Schneider, and W. Wurth, "10 years of pioneering X-ray science at the Free-Electron Laser FLASH at DESY," *Phys. Rep.*, vol. 808, pp. 1–74, 2019, doi: 10.1016/j.physrep.2019.02.002.
- [51] J. A. De Mesa, A. P. Rillera, M. J. F. Empizo, N. Sarukura, R. V. Sarmago, and W. O. Garcia, "Low-energy femtosecond pulsed laser deposition of cerium (IV) oxide thin films on silicon substrates," *J. Cryst. Growth*, vol. 574, no. March, p. 126323, 2021, doi: 10.1016/j.jcrysgro.2021.126323.
- [52] S. A. Irimiciuc *et al.*, "In situ optical and electrical analysis of transient plasmas generated by ns-laser ablation for Ag nanostructured film production," *Vacuum*, vol. 193, no. May, 2021, doi: 10.1016/j.vacuum.2021.110528.
- [53] M. Curcio, A. De Bonis, S. Brutti, A. Santagata, and R. Teghil, "Pulsed laser deposition of thin films of TiO₂ for Li-ion batteries," *Appl. Surf. Sci. Adv.*, vol. 4, no. September 2020, p. 100090, 2021, doi: 10.1016/j.apsadv.2021.100090.

- [54] U. Nandi, D. Jana, and D. Talukdar, "Scaling description of non-ohmic direct current conduction in disordered systems," *Prog. Mater. Sci.*, vol. 71, pp. 1–92, 2015, doi: 10.1016/j.pmatsci.2014.12.001.
- [55] Y. Horikawa *et al.*, "Synthesis of iron-based nanoparticles from ferrocene by femtosecond laser irradiation: Suppression of the particle growth in a mixture of water and hexane," *Chem. Phys. Lett.*, vol. 750, no. April, p. 137504, 2020, doi: 10.1016/j.cplett.2020.137504.
- [56] Z. Yan and D. B. Chrisey, "Pulsed laser ablation in liquid for micro-/nanostucture generation," *J. Photochem. Photobiol. C Photochem. Rev.*, vol. 13, no. 3, pp. 204–223, 2012, doi: 10.1016/j.jphotochemrev.2012.04.004.
- [57] M. Villar *et al.*, "In-situ infrared thermography measurements to master transmission laser welding process parameters of PEKK," *Opt. Lasers Eng.*, vol. 106, no. September 2017, pp. 94–104, 2018, doi: 10.1016/j.optlaseng.2018.02.016.
- [58] A. Stone *et al.*, "Femtosecond laser-writing of 3D crystal architecture in glass: Growth dynamics and morphological control," *Mater. Des.*, vol. 146, no. 2017, pp. 228–238, 2018, doi: 10.1016/j.matdes.2018.03.016.
- [59] S. Black and L. Jobling, "Physical principles of LASER," *Anaesth. Intensive Care Med.*, vol. 15, no. 11, pp. 530–532, 2014, doi: 10.1016/j.mpaic.2014.08.003.
- [60] S. Modha, Y. Shen, H. Chamouni, A. Mulchandani, and H. Tsutsui, "Laser-etched grooves for rapid fluid delivery for a paper-based chemiresistive biosensor," *Biosens. Bioelectron.*, vol. 180, no. November 2020, p. 113090, 2021, doi: 10.1016/j.bios.2021.113090.
- [61] Y. H. Siao and C. Da Wen, "Influence of process parameters on heat transfer of molten pool for selective laser melting," *Comput. Mater. Sci.*, vol. 193, no. January, p. 110388, 2021, doi: 10.1016/j.commatsci.2021.110388.
- [62] P. Nancy, J. James, S. Valluvadasan, R. A. V. Kumar, and N. Kalarikkal, "Laser-plasma driven green synthesis of size controlled silver nanoparticles in ambient liquid," *Nano-Structures and Nano-Objects*, vol. 16, pp. 337–346, 2018, doi: 10.1016/j.nanoso.2018.09.006.
- [63] T. Begildayeva *et al.*, "Production of copper nanoparticles exhibiting various morphologies via pulsed laser ablation in different solvents and their catalytic activity for reduction of toxic nitroaromatic compounds," *J. Hazard. Mater.*, vol. 409, p. 124412, 2021, doi: 10.1016/j.jhazmat.2020.124412.
- [64] V. V. Ranade and V. M. Bhandari, *Industrial Wastewater Treatment, Recycling, and Reuse: An Overview*. Elsevier Ltd., 2014. doi: 10.1016/B978-0-08-099968-5.00001-5.


- [65] M. Behera, J. Nayak, S. Banerjee, S. Chakraborty, and S. K. Tripathy, "A review on the treatment of textile industry waste effluents towards the development of efficient mitigation strategy: An integrated system design approach," *J. Environ. Chem. Eng.*, vol. 9, no. 4, p. 105277, 2021, doi: 10.1016/j.jece.2021.105277.
- [66] V. Selvaraj, T. Swarna Karthika, C. Mansiya, and M. Alagar, "An over review on recently developed techniques, mechanisms and intermediate involved in the advanced azo dye degradation for industrial applications," *J. Mol. Struct.*, vol. 1224, 2021, doi: 10.1016/j.molstruc.2020.129195.
- [67] P. Pal, *Industry-Specific Water Treatment*. 2017. doi: 10.1016/b978-0-12-810391-3.00006-0.
- [68] C. Rizzo, S. Marullo, F. Billeci, and F. D'Anna, "Catalysis in Supramolecular Systems: the Case of Gel Phases," *European J. Org. Chem.*, vol. 2021, no. 22, pp. 3148–3169, 2021, doi: 10.1002/ejoc.202100372.
- [69] M. Nie *et al.*, "Photocatalytic property of silver enhanced Ag/ZnO composite catalyst," *Chem. Phys. Lett.*, vol. 768, no. November 2020, p. 138394, 2021, doi: 10.1016/j.cplett.2021.138394.
- [70] S. S. Naik, S. J. Lee, T. Begildayeva, Y. Yu, H. Lee, and M. Y. Choi, "Pulsed laser synthesis of reduced graphene oxide supported ZnO/Au nanostructures in liquid with enhanced solar light photocatalytic activity," *Environ. Pollut.*, vol. 266, p. 115247, 2020, doi: 10.1016/j.envpol.2020.115247.
- [71] L. Durso *et al.*, "Enhanced optical response of ZnO/Ag nanocolloids prepared by a picosecond laser," *J. Lumin.*, vol. 178, pp. 204–209, 2016, doi: 10.1016/j.jlumin.2016.06.002.
- [72] S. Iqbal *et al.*, "Design Ag-doped ZnO heterostructure photocatalyst with sulfurized graphitic C₃N₄ showing enhanced photocatalytic activity," *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, vol. 272, no. September 2020, p. 115320, 2021, doi: 10.1016/j.mseb.2021.115320.
- [73] T. K. Pathak, E. Coetsee-Hugo, H. C. Swart, C. W. Swart, and R. E. Kroon, "Preparation and characterization of Ce doped ZnO nanomaterial for photocatalytic and biological applications," *Mater. Sci. Eng. B Solid-State Mater. Adv. Technol.*, vol. 261, no. September, p. 114780, 2020, doi: 10.1016/j.mseb.2020.114780.
- [74] N. S. Satdeve, R. P. Ugwekar, and B. A. Bhanvase, "Ultrasound assisted preparation and characterization of Ag supported on ZnO nanoparticles for visible light degradation of methylene blue dye," *J. Mol. Liq.*, vol. 291, p. 111313, 2019, doi: 10.1016/j.molliq.2019.111313.
- [75] K. A. Elsayed *et al.*, "Fabrication of ZnO-Ag bimetallic nanoparticles by laser ablation for anticancer activity," *Alexandria Eng. J.*, vol. 61, no. 2, pp. 1449–1457, 2022, doi: 10.1016/j.aej.2021.06.051.

- [76] R. Anugrahwidya, N. Yudasari, and D. Tahir, "Optical and structural investigation of synthesis ZnO/Ag Nanoparticles prepared by laser ablation in liquid," *Mater. Sci. Semicond. Process.*, vol. 105, no. September 2019, 2020, doi: 10.1016/j.mssp.2019.104712.
- [77] Abdul Halim Abdullah, Elisa Rasouli, Ernee Noryana Muhamad, and Pooneh Kia, "Synthesis of Ag/ZnO Photocatalysts for the Photodegradation of Methyl Orange Dye," *J. Res. Nanosci. Nanotechnol.*, vol. 2, no. 1, pp. 61–69, 2021, doi: 10.37934/jrnn.2.1.6169.
- [78] B. Chai, X. Wang, S. Cheng, H. Zhou, and F. Zhang, "One-pot triethanolamine-assisted hydrothermal synthesis of Ag/ZnO heterostructure microspheres with enhanced photocatalytic activity," *Ceram. Int.*, vol. 40, no. 1 PART A, pp. 429–435, 2014, doi: 10.1016/j.ceramint.2013.06.019.
- [79] S. Ilyas, H. Heryanto, and D. Tahir, "Correlation between structural and optical properties of CuO/carbon nanoparticle in supports the photocatalytic performance and attenuate the electromagnetic wave," *J. Environ. Chem. Eng.*, vol. 9, no. 1, p. 104670, 2021, doi: 10.1016/j.jece.2020.104670.
- [80] M. Wang, J. Xu, T. Sun, Y. Tang, G. Jiang, and Y. Shi, "Facile photochemical synthesis of hierarchical cake-like ZnO/Ag composites with enhanced visible-light photocatalytic activities," *Mater. Lett.*, vol. 219, pp. 236–239, 2018, doi: 10.1016/j.matlet.2018.02.113.
- [81] A. Ataei, A. Mehrizad, and K. Zare, "Photocatalytic degradation of cefazoline antibiotic using zeolite-supported CdS/CaFe₂O₄ Z-scheme photocatalyst: Optimization and modeling of process by RSM and ANN," *J. Mol. Liq.*, vol. 328, p. 115476, 2021, doi: 10.1016/j.molliq.2021.115476.
- [82] A. F. Cabrera, C. E. R. Torres, S. G. Marchetti, and S. J. Stewart, "Journal of Environmental Chemical Engineering Degradation of methylene blue dye under dark and visible light conditions in presence of hybrid composites of nanostructured MgFe₂O₄ ferrites and oxygenated organic compounds," *J. Environ. Chem. Eng.*, vol. 8, no. 5, p. 104274, 2020, doi: 10.1016/j.jece.2020.104274.


Lampiran A. Hasil Degradasi Fotokatalis ZnO, ZnO/Ag terhadap RB-25



Gambar 1. Degradasi di Bawah Cahaya UV 2 jam, b. 4 jam, c. 6 jam, d. 8 jam (RB-25, ZnO, ZnO/Ag 1, ZnO/Ag 3, dan ZnO/Ag 5)










Gambar 2. Degradasi di Bawah Cahaya Tampak a. 2 jam, b. 4 jam, c. 6 jam, d. 8 jam







Gambar 3 Degradasi Tanpa Cahaya 8 Jam

Lampiran B. Spektrum FESEM-EDS ZnO/Ag Nanopartikel




1. Spektrum FESEM-EDS ZnO-Ag 1









2. Spektrum FESEM-EDS ZnO-Ag 3

Electron Image 1





3. Spektrum FESEM-EDS ZnO-Ag 5

Electron Image 1

