

DAFTAR PUSTAKA

1. de Campos MM, Kobayashi FY, Barbosa T de S, Costa S da S, Lucas B de L, Castelo PM. Characteristics of salivary secretion in normal-weight, overweight and obese children: A preliminary study: Salivary composition and excessive fat tissue. *Odontology*. 2014;102(2):318–24.
2. De Almeida PDV, Grégio AMT, Machado MÂN, De Lima AAS, Azevedo LR. Saliva composition and functions: A comprehensive review. *J Contemp Dent Pract*. 2008;9(3):072–80.
3. Rodian M, Hemiawati Satari M, Rolleta Bagian Oral Biologi Fakultas Kedokteran Gigi E, Padjadjaran Jl Sekeloa Selatan U. Efek Mengunyah Permen Karet Yang Mengandung Sukrosa, Xylitol, Probiotik Terhadap Karakteristik Saliva (Effect of Chewing Gum Containing Sucrose, Xylitol and Probiotic To Saliva Characteristic). *dentika Dent J*. 2011;16(1):44–8.
4. Jayalie V. F, Surya MN, Wiryawan C, Nainggolan L. Prinsip Imunokromatografi Imunoglobulin A Saliva sebagai Metode Deteksi Jurnal Mahasiswa Kedokteran Indonesia Tinjauan Pustaka Prinsip Imunokromatografi Imunoglobulin A Saliva sebagai Metode Deteksi Dini dan Cepat Virus Dengue secara Non-Invasif. *J Mhs Kedokt Indones*. 2015;(July 2016):21–8.
5. Watanabe K, Jesmin S, Murase Y, Takeda T, Shiraki T, Sengoku Y. Effects of Repetitive Altitude Training on Salivary Immunoglobulin A Secretion in Collegiate Swimmers. *J Clin Med Res*. 2019;11(8):550–5.
6. Rentería I, Suarez PCG, Martínez EC, Grandjean P, Maldonado AJ. Salivary Immunoglobulin A responses to 6-minute walk test in elderly women. *J Hum*

- Sport Exerc. 2019;14(1):225–35.
7. Soesilawati P, Notopuro H, Yuliati Y, Ariani MD, Firdauzy MAB. The role of salivary sIgA as protection for dental caries activity in Indonesian children. Clin Cosmet Investig Dent. 2019;11:291–5.
 8. Situmorang M. Penentuan Indeks Massa Tubuh (IMT) melalui Pengukuran Berat dan Tinggi Badan Berbasis Mikrokontroler AT89S51 dan PC. J Teor Dan Apl Fis. 2015;03(02):102–10.
 9. Starzak DE, Konkol KF and McKun AJ. Effects of cardiorespiratory fitness and obesity on salivary secretory IgA and alpha-amylase in South African children. Children, 2016; 3(12): 1-10.
 10. Soesilo D, Susanto RE, Diyanti I. peran sorbitol dalam mempertahankan kestabilan pH saliva pada proses pencegahan karies. Dent.J.2005;38(1):25-8
 11. Dewi TK, Miko H, Therapy D, Tasikmalaya PK, Barat J. Pengaruh sebelum dan sesudah berkumur dengan larutan jeruk nipis terhadap perubahan pH saliva. 2020;1(1):11–8.
 12. Sánchez ERB, Honores MJC. Efecto de la aparato-ortodoncia fija sobre el flujo y la viscosidad salival Effect of orthodontic fixed appliances on salivary flow and viscosity. 2015;3(3):186–90.
 13. Celec P, Tóthová L, Šebeková K, Podracká L, Boor P. Salivary markers of kidney function - Potentials and limitations. Clin Chim Acta. 2016;453(January 2016):28–37.
 14. Ethel S. Anatomi dan Fisiologi untuk pemula. Jakarta: EGC; 2004.hal. 283-4
 15. Galvan, R. F, Barranco V, Galvan JC, Batlle, Sebastian FeliuFajardo S, García. We are IntechOpen , the world ' s leading publisher of Open Access

- books Built by scientists , for scientists TOP 1 %. Intech [Internet]. 2016;i(tourism):13. Available from:<https://www.intechopen.com/books/advanced-biometrictechnologies/liveness-detection-in-biometrics>.
16. Tamin S, Yassi D. Penyakit kelenjar saliva dan peran sialoendoskopi untuk diagnostik dan terapi. Oto Rhino Laryngol Indones. 2011;41(2):95
 17. Mhaske S. Salivary Gland Pathology DEVELOPMENT OF SALIVARY GLAND. 2019;(March).
 18. Merinda W, Indahyani D.E, Rahayu Y.C. Hubungan pH dan kapasitas buffer saliva terhadap indeks karies siswa SLB-A bintoro jember. Artikel ilmiah hasil penelitian mahasiswa 2013;1-2.
 19. Humphrey, Williamson. A review of saliva: Normal composition, flow, and function. The Journal of Prosthetic Dentistry.2001;85(2):2-3
 20. Sari R.K, widiajmoko A. Pengaruh komplikasi neuropati terhadap xerostomia pada penderita diabetes mellitus tipe II. IDJ. 2012;1(2):2,6
 21. Utoyo B., Yuwono P., Kusumawati W. Pengaruh stimulasi pemberian tablet hisap vitamin c terhadap peningkatan sekresi saliva pada pasien gagal ginjal kronik yang menjalani terapi hemodialisa di RS PKU muhammadiyah gombong. Jurnal Ilmiah Kesehatan Keperawatan. 2016;12(1):2-3
 22. Löfgren C.D. Wickström C. Sonesson M. A systematic review of methods to diagnose oral dryness and salivary gland function. BMC Oral Health. 2012;12(29):3,4,21-2
 23. Kusuma A.R.P. Pengaruh merokok terhadap kesehatan gigi dan rongga mulut. Available from: <http://jurnal.unissula.ac.id/index.php/majalah%20ilmiah/sultanagung/article/viewFile/39/33>. Accessed June 16 2016

24. Nogueira RD, Sesso MLT, Borges MCL, Mattos-Graner RO, Smith DJ, Ferriani VPL. Salivary IgA antibody responses to *Streptococcus mitis* and *Streptococcus mutans* in preterm and fullterm newborn children. *Arch Oral Biol* [Internet]. 2012;57(6):647–53. Available from: <http://dx.doi.org/10.1016/j.archoralbio.2011.11.011>
25. Oikawa J, Ukawa S, Ohira H, Kawamura T, Wakai K, Ando M, et al. Diabetes mellitus is associated with low secretion rates of immunoglobulin a in saliva. *J Epidemiol*. 2015;25(7):470–4.
26. Kakoei S, Hosseini B, Haghdoost AA, Sanjari M, Gholamhosseini A, Afshar VFN. Evaluation of salivary secretory immunoglobulin a levels in diabetic patients and association with oral and dental manifestations. *Sultan Qaboos Univ Med J*. 2015;15(4):e507–11.
27. Engeland CG, Hugo FN, Hilgert JB, Nascimento GG, Junges R, Lim HJ, et al. Psychological distress and salivary secretory immunity. *Brain Behav Immun* [Internet].
28. Suzuki N, Nakanishi K, Yoneda M, Hirofumi T, Hanioka T. Relationship between salivary stress biomarker levels and cigarette smoking in healthy young adults: An exploratory analysis. *Tob Induc Dis* [Internet]. 2016;14(1):1–7. Available from: <http://dx.doi.org/10.1186/s12971-016-0085-8>
29. Ellberg CC, Sayler K, Hibell LC. Maternal distress across the postnatal period is associated with infant secretory immunoglobulin A. *Dev Psychobiol*. 2020;62(4):544–53
30. Sudibjo, Prijo., Prasetyo, Yudik., Rismayanthi C. Tinggi Badan , Berat Badan ,Serta Indeks Masa Tubuh (Imt) Bagi Mahasiswa Program Studi Ilmu

- Keolahragaan Fik Uny Tahun Akademik 2018 Dan Comparison of Fitness Levels , Height , Weight , and Body Mass Index (Bmi) for the Students of Sport Science Stud. Medikora. 2019;XVIII(2):108–20.
31. Nurseto F, Tarigan H, Cahyadi A, Artikel I. Jurnal. 2019;1(1):8–15
 32. Hambali S, Suwendar E. Erratum: Indeks Massa Tubuh Atlet Senam Artistik Jawa Barat. JUARA J Olahraga. 2020;5(1):110.
 33. Dobner J, Kaser S. Body mass index and the risk of infection - from underweight to obesity. Clin Microbiol Infect [Internet]. 2018;24(1):24–8. Available from: <https://doi.org/10.1016/j.cmi.2017.02.013>
 34. Pallaro A, Barbeito S, Taberner P, Marino P, Franchello A, Strasnoy I, et al. Total salivary IgA, serum C3c and IgA in obese school children. J Nutr Biochem. 2002;13(9):539–42.
 35. Abdallah DY, Jadaan MM, McCabe JP. Body mass index and risk of surgical site infection following spine surgery: A meta-analysis. Eur Spine J. 2013;22(12):2800–9.
 36. Roa I, Del Sol M. Obesity, salivary glands and oral pathology. Colomb Med. 2018;49(4):280–7.
 37. Martinez-Herrera M, Silvestre-Rangil J, Silvestre FJ. Association between obesity and periodontal disease. A systematic review of epidemiological studies and controlled clinical trials. Med Oral Patol Oral Cir Bucal. 2017;22(6):e708–15.
 38. Dhaifullah E, Al-Maweri SA, Koppolu P, Elkhtat E, Mostafa D, Mahgoub M. Body mass index and periodontal health status among young Saudi adults: A cross-sectional study. Ann Saudi Med. 2019;39(6):433–40.

39. Starzak DE, Konkol KF and McKun AJ. Effects of cardiorespiratory fitness and obesity on salivary secretory IgA and alpha-amylase in South African children. *Children*, 2016; 3(12): 1-10.
40. Guaré R, Ciamponi A, Santos M, Gorjão R, Diniz M. Caries Experience and Salivary Parameters among Overweight Children and Adolescents. *Dent J*. 2013;1(4):31–40
41. Konkol KF, McKune AJ. Salivary Biomarkers in Children: Exercise, Physical Activity and Obesity Studies. *Sport Exerc Med - Open J*. 2016;2(2):15–23.
42. Torres García E, García Suárez PC, Renteria I, Grandjean PW, Jiménez-Maldonado A. Effect of Short , Strenuous Exercise on Salivary IgA Levels in Obese Males. *Int J Sport Sci*. 2018;8(5):145–51
43. Perez MM, Pessoa JS, Ciamponi AL, Diniz MB, Santos MTBR, Alves HHDO, et al. Correlation of salivary immunoglobulin A with body mass index and fat percentage in overweight/obese children. *J Appl Oral Sci*. 2019;27:1–8
44. Doshi Y, Shah M, Hirani S. Concentration of salivary immunoglobulin A, in relation to periodontal disease, plaque, and calculus. *J Int Clin Dent Res Organ*. 2010;2(3):126.