

**DAFTAR PUSTAKA**

1. Rukh G, Ericson U, Andersson-Assarsson J, Orho-Melander M, Sonestedt E. Dietary starch intake modifies the relation between copy number variation in the salivary amylase gene and BMI. *Am J Clin Nutr.* 2017;106(1):256–62.
2. Benn AM, Thomson WM. Saliva: an overview Report Saliva: An Overview. *N Z Dent J.* 2014;(September):92-96.
3. Fajrin NF, Agus Z, Kasuma N. Hubungan Body Mass Index dengan Laju Aliran prevalence of underweight and overweight, defined by using the CDC and IOTF cut points Saliva studi pada Mahasiswa Fakultas Kedokteran Gigi Universitas Andalas. *Maj Ked Gi Ind.* 2015 des; 1(2): 157
4. Mascitti M, Coccia E, Vignini A, et al. Anorexia, oral health and antioxidant salivary system: A clinical study on adult female subjects. *Dent J.* 2019;7(2).
5. Tuan NT, Nicklas TA. Age, sex and ethnic differences in the in Asian children. *Eur J Clin Nutr.* 2009;63(11):1305-1312. doi:10.1038/ejcn.2009.9
6. Kasuma N. Fisiologi dan Patologi Saliva. *Andalas Univ Press.* 2015:54.
7. Bonnefond A, Yengo L, Dechaume A, Canouil M, Castelain M, Roger E, et al. Relationship between salivary/pancreatic amylase and body mass index: A systems biology approach. *BMC Med.* 2017;15(1):1–10.
8. Soesilo D, Santoso RE, Diyatri I. Peranan sorbitol dalam mempertahankan kestabilan pH saliva pada proses pencegahan karies. *Dent. J* 2005; 38 (1): 258.

9. Rahayu FA, Handajani J. Mengonsumsi minuman beralkohol dapat menurunkan derajat keasaman dan volume saliva. *Dentika Dental Journal* 2010; 15(1): 15-9.
10. Almeida PDVD, Gregio AMT, Machado MAN, Lima AASD, Azevedo LR. Saliva composition and functions : A comprehensive review. *The Journal of Contemporary Dental Practice* 2008; 9(3):5 SSUDAH INI 8-9
11. Aldossari NM, El Gabry EE, Gawish GEH, Tarantino G. Association between salivary amylase enzyme activity and obesity in Saudi Arabia. *Med (United States)*. 2019;98(23):1–5.
12. Celec P, Tóthová Ľ, Šebeková K, Podracká Ľ, Boor P. Salivary markers of kidney function - Potentials and limitations. *Clin Chim Acta*. 2016;453(January 2016):28–37.
13. Ethel S. *Anatomi dan Fisiologi untuk pemula*. Jakarta: EGC; 2004.hal. 283-4
14. Novy B, Young D. Dental caries: A pH-mediated disease. *CDHA Journal* 2010; 25(1);13.
15. Merinda W, Indahyani D.E, Rahayu Y.C. Hubungan pH dan kapasitas buffer saliva terhadap indeks karies siswa SLB-A bintoro jember. *Artikel Ilmia Hasil Penelitian Mahasiswa*. 2013; 1-2.
16. Humphrey,Williamson. A review of saliva : Normal composition, flow, and function. *The Journal of Prosthetic Dentistry*.2001;85(2):2-3.
17. Carlson E.R., Ord R.A. *Textbook and color atlas of salivary gland pathology*. USA: Wiley-Blackwell;2008. hal.4, 14-7, 61-87.
18. Sari R.K, widiajmoko A. Pengaruh komplikasi neuropati terhadap xerostomia

pada penderita diabetes mellitus tipe II. IDJ. 2012;1(2):2-6.

19. Löfgren C.D, Wickström C, Sonesson M. A systematic review of methods to diagnose oral dryness and salivary gland function. BMC Oral Health. 2012;12(29):3,4,21-2
20. Indriana T. The relationship between salivary flow rate and calcium ion secretion in saliva. Stomatognathic J.K.G Unej. 2010;7(2): 1-3
21. Ethel S. Anatomi dan Fisiologi untuk pemula. Jakarta: EGC; 2004.hal. 283-4
22. Sulendra KT, Fatmawati DWA, Nugroho R. Hubungan pH dan viskositas saliva terhadap indeks DMF-T pada Siswa-siswi sekolah dasar balet baru I dan balet baru II sukowono jember. Jember : Artikel Ilmiah Hasil Penelitian Mahasiswa; 2013; 2.
23. Situmorang M. Penentuan Indeks Massa Tubuh (IMT) melalui Pengukuran Berat dan Tinggi Badan Berbasis Mikrokontroler AT89S51 dan PC. J Teor Dan Apl Fis. 2015;03(02):102–10.
24. Bui CL, Womer RB, Mick R, Dormans JP, Tochner Z, Maity A. 2574. Int J Radiat Oncol. 2006.
25. Jayasinghe SU, Torres SJ, Nowson CA, Tilbrook AJ, Turner AI. Cortisol, alpha amylase, blood pressure and heart rate responses to food intake in men aged 50-70 years: Importance of adiposity. BMC Obes. 2014;1(1):1–10.
26. Takai N. Stress Activity Saliva Masaki Yamaguchi ( member ), Takahiro Masashi Kanemaru ( non-member ), Yasufumi Mizuno ( non-member )\*,. 2003;
27. Salvolini E, Di Giorgio R, Curatola A, Mazzanti L, Fratto G. Biochemical modifications of human whole saliva induced by pregnancy. BJOG An Int J Obstet Gynaecol. 1998;105(6):656–60.
28. Razooki Hasan H. Salivary and Serum  $\alpha$ -Amylase Activity and their Correlations with Oxidative Stress Index Among Different Iraqi Smokers Groups. MOJ Addict Med Ther. 2017;4(1).

29. Sudibjo, Prijo., Prasetyo, Yudik., Rismayanthi C. Tinggi Badan , Berat Badan Serta Indeks Masa Tubuh ( Imt ) Bagi Mahasiswa Program Studi Ilmu Keolahragaan Fik Uny Tahun Akademik 2018 Dan Comparison of Fitness Levels , Height , Weight , and Body Mass Index ( Bmi ) for the Students of Sport Science Stud. Medikora. 2019;XVIII(2):108–20.
30. Nurseto F, Tarigan H, Cahyadi A, Artikel I. Jurnal. 2019;1(1):8–15
31. Hambali S, Suwandar E. Erratum: Indeks Massa Tubuh Atlet Senam Artistik Jawa Barat. JUARA J Olahraga. 2020;5(1):110.
32. Viljakainen H, Andersson-Assarsson JC, Armenio M, Pekkinen M, Pettersson M, Valta H, et al. Low copy number of the AMY1 locus is associated with early-onset female obesity in Finland. PLoS One. 2015;10(7):1–13.
33. Depart- P, Hospital B, York N. Carbohydrate Tolerance. 2020;747–52.
34. Aldossari NM, El Gabry EE, Gawish GEH, Tarantino G. Association between salivary amylase enzyme activity and obesity in Saudi Arabia. Med (United States). 2019;98(23):1–5.
35. Starzak D, Konkol K, McKune A. Effects of Cardiorespiratory Fitness and Obesity on Salivary Secretory IgA and Alpha-Amylase in South African Children. Children. 2016;
36. Aydin S. A comparison of ghrelin, glucose, alpha-amylase and protein levels in saliva from diabetics. J Biochem Mol Biol. 2007;40(1):29–35.
37. Saleem MA, Sc M, Abdulla WL, Sc M, Salman ZA, Sc B, et al. Relation between Salivary Amylase and BMI in Children with Tonsillitis. Int J Sci Res. 2017;6(7):1906–7.