

## DAFTAR PUSTAKA

- Amanda, D. A. (2020) ‘Rasio Neutrofil-Limfosit pada Covid-19; Sebuah tinjauan literatur’, *Wellness And Healthy Magazine*, 2(2), pp. 219–223.
- Anrather, J. and Iadecola, C. (2016) ‘Inflammation and Stroke: An Overview’, *Neurotherapeutics*. doi: 10.1007/s13311-016-0483-x.
- Ansar, W. et al. (2016) ‘Acute-Phase Proteins and Responses and Their Application in Clinical Chemistry’, in *Biology of C Reactive Protein in Health and Disease*. doi: 10.1007/978-81-322-2680-2\_3.
- Audina, D. and Halimuddin, H. (2016) ‘Usia, Jenis Kelamin Dan Klasifikasi Hipertensi Dengan Jenis Stroke Di Rsud Dr. Zainoel Abidin Banda Aceh’, *Jurnal Ilmiah Mahasiswa Fakultas Keperawatan*, 1(1).
- Bhattacharya, A. et al. (2019) ‘Assessment of nutritional status using anthropometric variables by multivariate analysis’, *BMC public health*, 19(1), pp. 1–9.
- Boehme, A. K., Esenwa, C. and Elkind, M. S. V. (2017) ‘Stroke Risk Factors, Genetics, and Prevention’, *Circulation Research*. doi: 10.1161/CIRCRESAHA.116.308398.
- Bratawijaya K, R. (2017) ‘Imunologi Dasar’. Fakultas Kedokteran UNISSULA.
- Burgos, R. et al. (2018) ‘ESPEN guideline clinical nutrition in neurology’, *Clinical Nutrition*, 37(1), pp. 354–396. doi: 10.1016/j.clnu.2017.09.003.
- Cabrerizo, S. et al. (2015) ‘Serum albumin and health in older people: Review and meta analysis’, *Maturitas*. doi: 10.1016/j.maturitas.2015.02.009.
- Chalouhi, N., Hoh, B. L. and Hasan, D. (2013) ‘Review of cerebral aneurysm formation, growth, and rupture’, *Stroke*. doi: 10.1161/STROKEAHA.113.002390.

- Chen, J. *et al.* (2019) ‘Impact of Smoking Status on Stroke Recurrence’, *Journal of the American Heart Association*. doi: 10.1161/JAHA.118.011696.
- Chen, R., Ovbiagale, B. and Feng, W. (2016) ‘Diabetes and Stroke: Epidemiology, Pathophysiology, Pharmaceuticals and Outcomes’, *American Journal of the Medical Sciences*, 351(4), pp. 380–386. doi: 10.1016/j.amjms.2016.01.011.
- Christopher Edet, E. (2018) ‘Micronutrient deficiency, a novel nutritional risk factor for insulin resistance and Syndrom X’, *Archives of Food and Nutritional Science*. doi: 10.29328/journal.afns.1001013.
- Collins, S., Duffield, A. and Myatt, M. (2000) *Assessment of nutritional status of adults in emergency-affected populations*, Secretariat of the UN ACC/Sub-Committee on Nutrition. SWITZERLAND.
- Corrigan, M. L. *et al.* (2011) ‘Nutrition in the stroke patient’, *Nutrition in Clinical Practice*, 26(3), pp. 242–252. doi: 10.1177/0884533611405795.
- Coupland, A. P. *et al.* (2017) ‘The definition of stroke’, *Journal of the Royal Society of Medicine*. doi: 10.1177/0141076816680121.
- Dai, Y. *et al.* (2019) ‘Long-term impact of prognostic nutritional index in cervical esophageal squamous cell carcinoma patients undergoing definitive radiotherapy’, *Annals of Translational Medicine*. doi: 10.21037/atm.2019.03.60.
- Das, P. *et al.* (2018) ‘The validity of mid-upper arm circumference as an indicator of low BMI in population screening for undernutrition: a study among adult slum dwellers in eastern India’, *Public Health Nutrition*, 21(14), pp. 2575–2583. doi: 10.1017/S1368980018001301.
- Deckx, N. *et al.* (2013) ‘Neuroendocrine immunoregulation in multiple sclerosis’, *Clinical*

- and Developmental Immunology*. doi: 10.1155/2013/705232.
- Dierick, F. et al. (2017) ‘Hemorrhagic versus ischemic stroke: Who can best benefit from blended conventional physiotherapy with robotic-assisted gait therapy’, *PLoS ONE*, 12(6), pp. 1–17. doi: 10.1371/journal.pone.0178636.
- Du, J. et al. (2016) ‘Association of mean platelet volume and platelet count with the development and prognosis of ischemic and hemorrhagic stroke’, *International journal of laboratory hematology*, 38(3), pp. 233–239.
- Forget, P. et al. (2017) ‘What is the normal value of the neutrophil-to-lymphocyte ratio?’, *BMC Research Notes*. doi: 10.1186/s13104-016-2335-5.
- Gomes, F., Emery, P. W. and Weekes, C. E. (2016) ‘Risk of Malnutrition Is an Independent Predictor of Mortality, Length of Hospital Stay, and Hospitalization Costs in Stroke Patients’, *Journal of Stroke and Cerebrovascular Diseases*, 25(4), pp. 799–806. doi: 10.1016/j.jstrokecerebrovasdis.2015.12.017.
- Grace, M. et al. (2016) ‘Role of dyslipidemia in stroke and comparison of lipid profile in ischemic and hemorrhagic stroke -a case control study’, *International Journal of Advances in Medicine*. doi: 10.18203/2349-3933.ijam20162520.
- Haley, M. J. et al. (2017) ‘Adipose tissue and metabolic and inflammatory responses to stroke are altered in obese mice’, *DMM Disease Models and Mechanisms*. doi: 10.1242/dmm.030411.
- Harris, S. et al. (2018) ‘TOAST Subtypes of Ischemic Stroke and Its Risk Factors: A Hospital-Based Study at Cipto Mangunkusumo Hospital, Indonesia’, *Stroke Research and Treatment*. doi: 10.1155/2018/9589831.
- Hauer, A. J. et al. (2017) ‘Age-specific vascular risk factor profiles according to stroke

- subtype', *Journal of the American Heart Association*, 6(5). doi: 10.1161/JAHA.116.005090.
- Hiraga, A. (2017) 'Gender Differences and Stroke Outcomes', *Neuroepidemiology*. doi: 10.1159/000475451.
- Irwan U, E. M. (no date) 'Pengaruh Hipertensi Terhadap Kejadian Stroke Iskemik dan Hemoragik di RSNN Bukit Tinggi', 2011.
- Johnson, W. et al. (2016) 'Stroke: A global response is needed', *Bulletin of the World Health Organization*. doi: 10.2471/BLT.16.181636.
- Jung, K.-H. (2018) 'New Pathophysiological Considerations on Cerebral Aneurysms', *Neurointervention*. doi: 10.5469/neuroint.2018.01011.
- Kamel, H. et al. (2016) 'Atrial Fibrillation and Mechanisms of Stroke: Time for a New Model', *Stroke*, 47(3), pp. 895–900. doi: 10.1161/STROKEAHA.115.012004.
- Koom, W. S. et al. (2012) 'Nutritional status of patients treated with radiotherapy as determined by subjective global assessment', *Radiation oncology journal*, 30(3), p. 132.
- Lee, J. S. et al. (2018) 'Reference values of neutrophil-lymphocyte ratio, lymphocyte-monocyte ratio, platelet-lymphocyte ratio, and mean platelet volume in healthy adults in South Korea', *Medicine (United States)*. doi: 10.1097/MD.0000000000011138.
- Lee, S. H. (2017) 'Pathophysiology of ischemic stroke', in *Acute Ischemic Stroke: Medical, Endovascular, and Surgical Techniques*. doi: 10.1007/978-981-10-0965-5\_1.
- Levitt, D. G. and Levitt, M. D. (2016) 'Human serum albumin homeostasis: A new look at the roles of synthesis, catabolism, renal and gastrointestinal excretion, and the clinical value of serum albumin measurements', *International Journal of General Medicine*. doi: 10.2147/IJGM.S102819.

- Liu, C. C. *et al.* (2019) ‘Neutrophil-to-lymphocyte ratio as a predictive marker of metabolic syndrome’, *Medicine (United States)*. doi: 10.1097/MD.00000000000017537.
- Lurie, J. M. *et al.* (2019) ‘Virchow’s triad in “silent” deep vein thrombosis’, *Journal of Vascular Surgery: Venous and Lymphatic Disorders*. doi: 10.1016/j.jvsv.2019.02.011.
- De Meyer, S. F. *et al.* (2016) ‘Thromboinflammation in stroke brain damage’, *Stroke*. doi: 10.1161/STROKEAHA.115.011238.
- Musuka, T. D. *et al.* (2015) ‘Diagnosis and management of acute ischemic stroke: Speed is critical’, *CMAJ*. doi: 10.1503/cmaj.140355.
- Mutiarasari, D. (2019) ‘ISCHEMIC STROKE: SYMPTOMS, RISK FACTORS, AND PREVENTION’, *Medika Tadulako, Jurnal Ilmiah Kedokteran*.
- Nam, K. W. *et al.* (2018) ‘High neutrophil-to-lymphocyte ratio predicts stroke-associated pneumonia’, *Stroke*, 49(8), pp. 1886–1892. doi: 10.1161/STROKEAHA.118.021228.
- Namale, G. *et al.* (2018) ‘Risk Factors for Hemorrhagic and Ischemic Stroke in Sub-Saharan Africa’, *Journal of Tropical Medicine*. doi: 10.1155/2018/4650851.
- Oesch, L. *et al.* (2017) ‘Obesity paradox in stroke ± Myth or reality? A systematic review’, *PLoS ONE*. doi: 10.1371/journal.pone.0171334.
- Parmar, P. (2018) ‘Stroke: Classification and diagnosis’, *Clinical Pharmacist*. doi: 10.1211/CP.2018.20204150.
- PDGKI (2019) Pedoman Nasional Pelayanan Kedokteran Tatalaksana Malnutrisi Dewasa, Kementerian Kesehatan Republik Indonesia.
- PDGKI (no date) Pedoman Nasional Pelayanan Kedokteran.
- Ratnasari, W. P. P. B. N. (2017) ‘Correlation Between Neutrophil To Lymphocyte Ratio With Child Turcotte Pugh In Liver Cirrhosis Patients’, *Acta Interna The Journal of Internal*

- Medicine*. doi: 10.22146/actainterna.27003.
- RI, K. (2018) ‘hasil utama riskesdas’.
- Righy, C. *et al.* (2015) ‘Molecular, Cellular and Clinical Aspects of Intracerebral Hemorrhage: Are the Enemies Within?’, *Current Neuropharmacology*, 14(4), pp. 392–402. doi: 10.2174/1570159x14666151230110058.
- Roy, S. *et al.* (2016) ‘Acute Phase Proteins and their Potential Role as an Indicator for Fish Health and in Diagnosis of Fish Diseases’, *Protein & Peptide Letters*. doi: 10.2174/0929866524666161121142221.
- Saand, A. R. *et al.* (2019) ‘Systemic inflammation in hemorrhagic strokes – A novel neurological sign and therapeutic target?’, *Journal of Cerebral Blood Flow and Metabolism*. doi: 10.1177/0271678X19841443.
- Sabbouh, T. and Torbey, M. T. (2018) ‘Malnutrition in Stroke Patients: Risk Factors, Assessment, and Management’, *Neurocritical Care*, 29(3), pp. 374–384. doi: 10.1007/s12028-017-0436-1.
- Santos, E. W. *et al.* (2017) ‘Hematological alterations in protein malnutrition’, *Nutrition Reviews*. doi: 10.1093/nutrit/nux041.
- Scrutinio, D. *et al.* (2020) ‘Association Between Malnutrition and Outcomes in Patients With Severe Ischemic Stroke Undergoing Rehabilitation’, *Archives of Physical Medicine and Rehabilitation*. doi: 10.1016/j.apmr.2019.11.012.
- Shao, Z., Tu, S. and Shao, A. (2019) ‘Pathophysiological mechanisms and potential therapeutic targets in intracerebral hemorrhage’, *Frontiers in Pharmacology*. doi: 10.3389/fphar.2019.01079.
- Shi, Z. (2017) ‘Pathophysiology of Hemorrhagic Stroke’, in. doi: 10.1007/978-981-10-

5804-2\_5.

Simats, A., García-Berrocoso, T. and Montaner, J. (2016) ‘Neuroinflammatory biomarkers:

From stroke diagnosis and prognosis to therapy’, *Biochimica et Biophysica Acta -*

*Molecular Basis of Disease*. doi: 10.1016/j.bbadi.2015.10.025.

Song, S. Y. *et al.* (2019) ‘Clinical Significance of Baseline Neutrophil-to-Lymphocyte

Ratio in Patients With Ischemic Stroke or Hemorrhagic Stroke: An Updated Meta-

Analysis’, *Frontiers in Neurology*, 10(October). doi: 10.3389/fneur.2019.01032.

Sung, P.-H. *et al.* (2019) ‘The Correlation between Severity of Neurological Impairment

and Left Ventricular Function in Patients after Acute Ischemic Stroke’, *Journal of Clinical*

*Medicine*. doi: 10.3390/jcm8020190.

Tao, C. *et al.* (2017) ‘Clinical Value of Neutrophil to Lymphocyte and Platelet to

Lymphocyte Ratio After Aneurysmal Subarachnoid Hemorrhage’, *Neurocritical Care*,

26(3), pp. 393–401. doi: 10.1007/s12028-016-0332-0.

Tohme, S. *et al.* (2017) ‘Prognostic Nutritional Index Is Associated with Survival in

Patients with Unresectable Hepatocellular Carcinoma Treated with Radioembolization’,

*Journal of Vascular and Interventional Radiology*. doi: 10.1016/j.jvir.2016.10.016.

Toprak, E. *et al.* (2017) ‘Platelet-to-lymphocyte ratio: A new inflammatory marker for the

diagnosis of preterm premature rupture of membranes’, *Journal of the Turkish German*

*Gynecology Association*. doi: 10.4274/jtgga.2017.0028.

Tripathi, R. P. A. D. A. K. (2019) *Advancement in the Pathophysiology of Cerebral Stroke*,

*Advancement in the Pathophysiology of Cerebral Stroke*. doi: 10.1007/978-981-13-1453-7.

Wajngarten, M. and Sampaio Silva, G. (2019) ‘Hypertension and stroke: Update on

treatment’, *European Cardiology Review* . doi: 10.15420/ecr.2019.11.1.

Wolfe, M. S. and Y, S. (2007) *color atlas of pathophysiology*, *Journal of Cell Science*. doi: 10.1242/jcs.03481.

Wu, L. et al. (2019) ‘Neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio in Chinese Han population from Chaoshan region in South China’, *BMC Cardiovascular Disorders*. doi: 10.1186/s12872-019-1110-7.

Xu, J. et al. (2020) ‘Platelet-rich plasma and regenerative dentistry’, *Australian dental journal*, 65(2), pp. 131–142.

Ye, G. lian et al. (2019) ‘The prognostic role of platelet-to-lymphocyte ratio in patients with acute heart failure: A cohort study’, *Scientific Reports*. doi: 10.1038/s41598-019-47143-2.

Ye, L. L. et al. (2018) ‘The prognostic value of preoperative prognostic nutritional index in patients with hypopharyngeal squamous cell carcinoma: A retrospective study’, *Journal of Translational Medicine*. doi: 10.1186/s12967-018-1391-0.

Yin, X. et al. (2016) ‘Prognostic Role of Neutrophil-to-Lymphocyte Ratio in Prostate Cancer’, *Medicine*. doi: 10.1097/md.0000000000002544.

Zhang, W. et al. (2017) ‘Preoperative prognostic nutritional index is a powerful predictor of prognosis in patients with stage III ovarian cancer’, *Scientific Reports*. doi: 10.1038/s41598-017-10328-8.

Zheng, H. et al. (2016) ‘Mechanism and therapy of brain edema after intracerebral hemorrhage’, *Cerebrovascular Diseases*. doi: 10.1159/000445170.

Zhou, T. et al. (2019) ‘Comparison of the prognostic value of systemic inflammation response markers in small cell lung cancer patients’, *Journal of Cancer*. doi: 10.7150/jca.29319.

Zhu, Y. *et al.* (2020) ‘Mid-upper arm circumference as a simple tool for identifying central obesity and insulin resistance in type 2 diabetes’, *PLoS ONE*, 15(5), pp. 1–13. doi: 10.1371/journal.pone.0231308.