

DAFTAR PUSTAKA

1. Chen N, Zhou M, Dong X, Qu J, Gong F, Han Y, et al. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study. *The Lancet*. 2020;395(10223):507-13.
2. COVID W. Coronavirus pandemic. [Updated 2021 August 23. Cited 2021].
3. Gralinski LE, Menachery VDJV. Return of the Coronavirus: 2019-nCoV. 2020;12(2):135.
4. Wang D, Hu B, Hu C, Zhu F, Liu X, Zhang J, et al. Clinical characteristics of 138 hospitalized patients with 2019 novel coronavirus–infected pneumonia in Wuhan, China. 2020;323(11):1061-9.
5. Wu F, Zhao S, Yu B, Chen Y-M, Wang W, Song Z-G, et al. A new coronavirus associated with human respiratory disease in China. 2020;579(7798):265-9.
6. Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, et al. A novel coronavirus from patients with pneumonia in China, 2019. 2020.
7. Zou X, Li S, Fang M, Hu M, Bian Y, Ling J, et al. Acute physiology and chronic health evaluation II score as a predictor of hospital mortality in patients of coronavirus disease 2019. 2020;48(8):e657.
8. Sunaryo A, Redjeki IS, Bisri TJMKTI. Perbandingan validasi APACHE II dan SOFA score untuk memperkirakan mortalitas pasien yang dirawat di ruang perawatan intensif. 2012;2(1):11-20.
9. Gregoire RG. Assessment of severity of illness in *Principles of Critical Care*. 2 ed: Mc Graw Hill; 1998.
10. Mellado-Artigas R, Mujica LE, Ruiz ML, Ferreyro BL, Angriman F, Arruti E, et al. Predictors of failure with high-flow nasal oxygen therapy in COVID-19 patients with acute respiratory failure: a multicenter observational study. 2021;9(1):1-9.

11. Shang W, Dong J, Ren Y, Tian M, Li W, Hu J, et al. The value of clinical parameters in predicting the severity of COVID-19. 2020;92(10):2188-92.
12. Carubbi F, Salvati L, Alunno A, Maggi F, Borghi E, Mariani R, et al. Ferritin is associated with the severity of lung involvement but not with worse prognosis in patients with COVID-19: data from two Italian COVID-19 units. *Scientific Reports*. 2021;11(1):4863.
13. Cheng L, Li H, Li L, Liu C, Yan S, Chen H, et al. Ferritin in the coronavirus disease 2019 (COVID-19): A systematic review and meta-analysis. 2020;34(10):e23618.
14. Fu J, Kong J, Wang W, Wu M, Yao L, Wang Z, et al. The clinical implication of dynamic neutrophil to lymphocyte ratio and D-dimer in COVID-19: A retrospective study in Suzhou China. 2020;192:3-8.
15. Aggarwal A, Arora U, Mittal A, Aggarwal A, Singh K, Ray A, et al. Use of HFNC in COVID-19 patients in non-ICU setting: Experience from a tertiary referral centre of north India and a systematic review of literature. 2021.
16. Lee JY, Kim HA, Huh K, Hyun M, Rhee J-Y, Jang S, et al. Risk factors for mortality and respiratory support in elderly patients hospitalized with COVID-19 in Korea. 2020;35(23).
17. Mahida RY, Chotalia M, Alderman J, Patel C, Hayden A, Desai R, et al. Characterisation and outcomes of ARDS secondary to pneumonia in patients with and without SARS-CoV-2: a single-centre experience. 2020;7(1):e000731.
18. Jin Y, Yang H, Ji W, Wu W, Chen S, Zhang W, et al. Virology, epidemiology, pathogenesis, and control of COVID-19. 2020;12(4):372.
19. Seymour CW, Kennedy JN, Wang S, Chang C-CH, Elliott CF, Xu Z, et al. Derivation, validation, and potential treatment implications of novel clinical phenotypes for sepsis. 2019;321(20):2003-17.
20. Cascella M, Rajnik M, Aleem A, Dulebohn S, Di Napoli RJS. Features, evaluation, and treatment of coronavirus (COVID-19). 2021.

21. Yuki K, Fujiogi M, Koutsogiannaki SJCi. COVID-19 pathophysiology: A review. 2020;215:108427.
22. Xu H, Zhong L, Deng J, Peng J, Dan H, Zeng X, et al. High expression of ACE2 receptor of 2019-nCoV on the epithelial cells of oral mucosa. 2020;12(1):1-5.
23. Zhang B, Zhou X, Qiu Y, Song Y, Feng F, Feng J, et al. Clinical characteristics of 82 cases of death from COVID-19. 2020;15(7):e0235458.
24. Pan Y, Zhang D, Yang P, Poon LL, Wang QJTLid. Viral load of SARS-CoV-2 in clinical samples. 2020;20(4):411-2.
25. Joly BS, Siguret V, Veyradier AJIcm. Understanding pathophysiology of hemostasis disorders in critically ill patients with COVID-19. 2020;46(8):1603-6.
26. Wu Z, McGoogan JMJJ. Characteristics of and important lessons from the coronavirus disease 2019 (COVID-19) outbreak in China: summary of a report of 72 314 cases from the Chinese Center for Disease Control and Prevention. 2020;323(13):1239-42.
27. Utama MS, Lasmono C, Merati TPJA. Sequential (Sepsis-Related) Organ Failure Assessment (SOFA) as a predictor of mortality and its correlation with capillary lactate levels in sepsis patients. 2018;60:18.42.
28. Singer M, Deutschman CS, Seymour CW, Shankar-Hari M, Annane D, Bauer M, et al. The third international consensus definitions for sepsis and septic shock (Sepsis-3). 2016;315(8):801-10.
29. Jones AE, Trzeciak S, Kline JAJCcm. The Sequential Organ Failure Assessment score for predicting outcome in patients with severe sepsis and evidence of hypoperfusion at the time of emergency department presentation. 2009;37(5):1649.
30. d'Estaintot BL, Santambrogio P, Granier T, Gallois B, Chevalier JM, Précigoux G, et al. Crystal structure and biochemical properties of the human mitochondrial ferritin and its mutant Ser144Ala. 2004;340(2):277-93.

31. Vargas-Vargas M, Cortés-Rojo CJRPdSP. Ferritin levels and COVID-19. 2020;44:e72.
32. Zhou F, Yu T, Du R, Fan G, Liu Y, Liu Z, et al. Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study. 2020;395(10229):1054-62.
33. Chen N, Zhou M, Dong X, Qu J, Gong F, Han Y, et al. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study. 2020;395(10223):507-13.
34. Fox SE, Akmatbekov A, Harbert JL, Li G, Brown JQ, Vander Heide RSJTLRM. Pulmonary and cardiac pathology in African American patients with COVID-19: an autopsy series from New Orleans. 2020;8(7):681-6.
35. Liu T, Zhang J, Yang Y, Ma H, Li Z, Zhang J, et al. The role of interleukin-6 in monitoring severe case of coronavirus disease 2019. 2020;12(7):e12421.
36. Mehta P, McAuley DF, Brown M, Sanchez E, Tattersall RS, Manson JJTl. COVID-19: consider cytokine storm syndromes and immunosuppression. 2020;395(10229):1033-4.
37. Luo X, Zhou W, Yan X, Guo T, Wang B, Xia H, et al. Y, Zhang, B, Yang, W. 2020.
38. Yamada T, Wakabayashi M, Yamaji T, Chopra N, Mikami T, Miyashita H, et al. Value of leukocytosis and elevated C-reactive protein in predicting severe coronavirus 2019 (COVID-19): a systematic review and meta-analysis. 2020;509:235-43.
39. Mueller AA, Tamura T, Crowley CP, DeGrado JR, Haider H, Jezmir JL, et al. Inflammatory biomarker trends predict respiratory decline in COVID-19 patients. 2020;1(8):100144.
40. Zhao Z, Chen A, Hou W, Graham JM, Li H, Richman PS, et al. Prediction model and risk scores of ICU admission and mortality in COVID-19. 2020;15(7):e0236618.

41. Bersten AD, Handy J. Oh's Intensive Care Manual E-Book: Elsevier Health Sciences; 2013.
42. Besnier E, Hobeika S, NSeir S, Lambiotte F, Du Cheyron D, Sauneuf B, et al. High-flow nasal cannula therapy: clinical practice in intensive care units. 2019;9(1):1-8.
43. Rochweg B, Einav S, Chaudhuri D, Mancebo J, Mauri T, Helviz Y, et al. The role for high flow nasal cannula as a respiratory support strategy in adults: a clinical practice guideline. 2020;46(12):2226-37.
44. Samuel J, Franklin C. Hypoxemia and hypoxia. Common surgical diseases: Springer; 2008. p. 391-4.
45. Indonesia PDP. PEDOMAN TATALAKSANA COVID-19. Jakarta2021. 138 p.
46. Roca O, Messika J, Caralt B, García-de-Acilu M, Sztrymf B, Ricard J-D, et al. Predicting success of high-flow nasal cannula in pneumonia patients with hypoxemic respiratory failure: The utility of the ROX index. 2016;35:200-5.
47. Basheer M, Saad E, Shlezinger D, Assy N. Convalescent Plasma Reduces Mortality and Decreases Hospitalization Stay in Patients with Moderate COVID-19 Pneumonia. *Metabolites*. 2021 Nov;11(11):761.