

## DAFTAR PUSTAKA

- Bendale, M. and V, N. K. (2016) 'Comparison of Unipolar (Moore'S Prosthesis) and Bipolar Hemiarthroplasty in Fracture Neck of Femur in the Elderly- a Short-Term Prospective Study', *Journal of Evidence Based Medicine and Healthcare*, 3(92), pp. 5011–5022. doi: 10.18410/jebmh/2016/1053.
- Butler M, Norton R, Lee-Joe T, Cheng A, Campbell AJ. The risk of hip fracture in older people from private homes and institutions. *Age ageing*. 1996; 25:381-5.
- Daniel, M. et al. (2015) 'Early result of hemiarthroplasty in elderly patients with fracture neck of femur', *Nigerian Medical Journal*, 56(1), p. 64. doi: 10.4103/0300-1652.149174.
- D'Arcy J, Devas M. Treatment of fractures of the femoral neck by replacement with the Thompson prosthesis. *JBone Joint Surg*. 1976; 588:279-86.
- Dawadi, T. P. et al. (2018) 'Functional outcome of Austin Moore Hemire Placement Arthroplasty in Fracture Neck of Femur in elderly', *Journal of Manmohan Memorial Institute of Health Sciences*, 3(1), pp. 6–15. doi: 10.3126/jmmihs.v3i1.19174.
- Dutta D, Bajracharya AR. Hemireplacement arthroplasty with unipolar vs bipolar prosthesis for displaced hip fractures in elderly. *Journal Nepal Health Research Council* 2009;7(2):131-134
- Emmerson, B. R., Varacallo, M. and Inman, D. (2020) *Hip Fracture Overview*, StatPearls Publishing, Treasure Island (FL).
- Frihagen, F. (2009) 'On the diagnosis and treatment of femoral neck fractures', *Acta*

Orthopaedica, 80(SUPPL. 335), pp. 1–26. doi:  
10.1080/17453690610046611.

Hedbeck, C., Blomfeldt, R., Lapidus, G., Törnkvist, H., Ponzer, S. and Tidermark, J., 2011. Unipolar hemiarthroplasty versus bipolar hemiarthroplasty in the most elderly patients with displaced femoral neck fractures: a randomised, controlled trial. *International Orthopaedics*, 35(11), pp.1703-1711.

Hinchey, Day. Primary prosthetic replacement in fresh femoral neck Fractures. *JBJS*. 1960; 42B:633-40.

Ingahalikar VT, Shekar Kumta. Fracture neck femur anatomical and biomechanical aspects. *Clinic. Orthop. India*, 1987.

Inngul, C., Hedbeck, C., Blomfeldt, R., Lapidus, G., Ponzer, S. and Enocson, A., 2013. Unipolar hemiarthroplasty versus bipolar hemiarthroplasty in patients with displaced femoral neck fractures. A four-year follow-up of a randomised controlled trial. *International Orthopaedics*, 37(12), pp.2457-2464.

Kanis, J. A. et al. (2002) ‘International variations in hip fracture probabilities: Implications for risk assessment’, *Journal of Bone and Mineral Research*, 17(7), pp. 1237–1244. doi: 10.1359/jbmr.2002.17.7.1237.

Lunce Ford EM. Use of Moore self locking Vitallium prosthesis in acute fractures of the femoral neck. *JBJS*. 1965; 47A:832-841.

Malhotra R, Arya R et al. Bipolar hemiarthroplasty in femoral neck fractures. *Arch orthop trauma surg*. 1995; 114:79-82.

Marcus R, Heintz J, Pattee A. Comparison of the AustinMoore and Bipolar

Hemiarthroplasty in the Treatment of Femoral Neck Fractures. *Journal of Orthopaedic Trauma*. 2009; 3(2):173.

Moorthy, V. (2014) Study Of Acetabular Erosion And Activity Level After Hemiarthroplasty, In Neck Of Femur Fracture Patients After A Minimum Period Of 2 Years Dissertation.

Nishi, M. et al. (2019) ‘Cementless Bipolar Hemiarthroplasty for Low-energy Intracapsular Proximal Femoral Fracture in Elderly East-Asian Patients: A Longitudinal 10-year Follow-up Study’, *Hip & Pelvis*, 31(4), p. 206. doi: 10.5371/hp.2019.31.4.206.

Seth MK. (Col). Stress fractures of the neck of femur. *Clinical Orthopaedics India*. 1987; 1:105-9.

Shah, R. M., Patel, H. A. and Rathi, N. (2015) ‘A comparative study of outcomes of unipolar versus bipolar hemiarthroplasty in geriatric age group- a study of 60 cases’, 6(12), pp. 1186–1219.

Shandilya, S. M. et al. (2016) ‘Amp Hemiarthroplasty in the Management of Intracapsular Fracture Femur- Still Relevant in Present Era’, (3), pp. 213–220.

Snyder CK, Lapidus JA, Cawthon PM, Dam T-TL, Sakai LY, Marshall LM, et al. Serum albumin in relation to change in muscle mass, muscle strength, and muscle power in older men. *J Am Geriatr Soc*. 2012/08/20. 2012;60(9):1663–72. Available from: <https://pubmed.ncbi.nlm.nih.gov/22905696>

Xu M et al. Comparison of effectiveness of three operations in treatment of

displaced femoral neck fractures in the elderly patients. 2010;24(12):1419-1423.

Yamagata M, Chao EY, Ilstrup DM et al. Fixed head and bipolar head endoprosthesis. A Retrospective clinical and roentgenographic study. *J Arthroplasty*, 1987; 2:327-41.

Zhao, Y. et al. (2014) 'Outcome of hemiarthroplasty and total hip replacement for active elderly patients with displaced femoral neck fractures: A meta-analysis of 8 randomized clinical trials', *PLoS ONE*, 9(5), pp. 1–7. doi: 10.1371/journal.pone.0098071.

## PERNYATAAN KEASLIAN KARYA AKHIR

Yang bertanda tangan di bawah ini :

Nama : Reza Romadhona Fahlevi

No Stambuk : C114216203

Program studi : PPDS – 1 Ortopedi dan Traumatologi

Menyatakan dengan sebenarnya bahwa tesis yang saya tulis ini benar – benar merupakan hasil karya sendiri, bukan merupakan pengambilalihan tulisan atau pemikiran orang lain. Apabila di kemudian hari terbukti atau dapat dibuktikan bahwa sebagian atau keseluruhan tesis ini hasil karya orang lain, saya bersedia menerima sanksi atas perbuatan tersebut.

Makassar, 10 Mei 2022



Yang menyatakan,

Reza Romadhona Fahlevi

**KARYA AKHIR**

**LONG TERM FUNCTIONAL OUTCOME OF UNIPOLAR AND  
BIPOLAR HEMIARTHROPLASTY IN FRACTURE NECK OF FEMUR  
IN THE ELDERLY AT WAHIDIN SUDIROHUSODO HOSPITAL**

Disusun dan diajukan oleh :

**REZA ROMADHONA FAHLEVI**

Nomor Pokok : C114216203

telah dipertahankan di depan Panitia Ujian Karya Akhir

pada tanggal 17 September 2021

dan dinyatakan telah memenuhi syarat

Menyetujui,

**Komisi Penasihat**

**Ketua**

**Anggota**



dr. M. Ruksal Saleh, Ph.D, Sp.OT (K)  
Pembimbing Utama


Dr. dr. Karya Triko Biakto, MARS, Sp.OT (K) Spine  
Pembimbing Anggota

Kepala Program Studi Departemen Ortopedi  
dan Traumatologi Fakultas Kedokteran UNHAS

Dekan Fakultas Kedokteran  
Universitas Hasanuddin



dr. Muh. Andry Usman, Ph.D, Sp.OT(K)  
NIP. 197504042008121001



Prof. DR. H. Herant Rasvid, Sp.PD-KGH, Sp.GK  
NIP. 196805301996032001