

## DAFTAR PUSTAKA

- A. Boehme, C. Esenwa, M. E. (2018) 'Stroke: Risk factors and prevention', *Journal of the Pakistan Medical Association*, 60(3), p. 412. doi: 10.1161/CIRCRESAHA.116.308398.Stroke.
- Adrian, K. (2020) *Leukosit Tinggi: Ini Penyebab dan Gejalanya, Alodokter*. Available at: <https://www.alodokter.com/leukosit-tinggi-ini-penyebab-dan-gejalanya>.
- Adzani (2019) <https://www.sehatq.com/artikel/mengenal-fungsi-neutrofil-sel-darah-putih-terbanyak-dalam-tubuh>, *Kemendes RI*. Available at: <https://www.sehatq.com/artikel/mengenal-fungsi-neutrofil-sel-darah-putih-terbanyak-dalam-tubuh>.
- Andersen, K. K. *et al.* (2009) 'Hemorrhagic and Ischemic Strokes Compared Stroke Severity, Mortality, and Risk Factors', 40, pp. 2068–2072. doi: 10.1161/STROKEAHA.108.540112.
- Andrytha Gicella Tamburian, Budi Tarmady Ratag, J. E. N. and Fakultas (2020) 'Hubungan antara Hipertensi, Diabetes Melitus, dan Hiperkolesterolemia dengan Kejadian Stroke Iskemik Andrytha', *Indonesian Journal of Public Health and Community Medicine*, 1, pp. 27–33.
- Anrather, J. and Iadecola, C. (2016) 'Inflammation and Stroke: An Overview', *Neurotherapeutics*, 13(4), pp. 661–670. doi: 10.1007/s13311-016-0483-x.
- Army, A. P. (2013) *Wikipedia bahasa Indonesia, ensiklopedia bebas*.
- Astawa, N. (2016) 'Dasar-Dasar Patologi Molekuler', in *Swasta Nulus*, pp. 10–13.
- Bates, C. J., Hamer, M. and Mishra, G. D. (2012) 'A study of relationships between bone-related vitamins and minerals, related risk markers, and subsequent mortality in older British people: the National Diet and Nutrition Survey of People Aged 65 Years and Over', pp. 457–466. doi: 10.1007/s00198-011-1543-z.
- Bern, U. *et al.* (2019) 'Intracerebral hemorrhage: an update on diagnosis and treatment', *Expert Review of Neurotherapeutics*, 0(0), pp. 1–16. doi: 10.1080/14737175.2019.1623671.
- Bill, F. and Foundation, M. G. (2016) 'Global, regional, and national burden of stroke, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016', pp. 439–458. doi: 10.1016/S1474-4422(19)30034-1.
- Boehme, A. K., Esenwa, C. and Elkind, M. S. V. (2017) 'Stroke Risk Factors, Genetics, and Prevention', *Circulation Research*, 120(3), pp. 472–495. doi: 10.1161/CIRCRESAHA.116.308398.
- Ceulemans, A. *et al.* (2010) 'The dual role of the neuroinflammatory response after ischemic stroke: modulatory effects of hypothermia', *Journal of Neuroinflammation*, 7(74), pp. 1–18.
- Çoban, E. (2019) 'Malnutrition Rate in Stroke Patients on Admission', 53(3), pp. 272–275. doi: 10.14744/SEMB.2018.81994.
- Davis, J. P. *et al.* (2004) 'Impact of Premorbid Undernutrition on Outcome in Stroke Patients', *strokeaha*, 35, pp. 1930–1934. doi: 10.1161/01.STR.0000135227.10451.c9.

- Deşer, S. B. *et al.* (2019) 'The association between platelet/lymphocyte ratio, neutrophil/lymphocyte ratio, and carotid artery stenosis and stroke following carotid endarterectomy', *Vascular*, 27(6), pp. 604–611. doi: 10.1177/1708538119847390.
- Eka, I. *et al.* (2017) 'Perbedaan jenis kelamin sebagai faktor risiko terhadap keluaran klinis pasien stroke iskemik', *Jurnal Kedokteran Diponegoro*, 6(2), pp. 655–662.
- Fadly, F. and Vianny, O. (2019) 'Pemanfaatan jaminan kesehatan nasional (jkn) tahun 2018 di provinsi riau', 08(04), pp. 164–167.
- Ghani, L., Mihardja, L. K. and Delima, D. (2016) 'Faktor Risiko Dominan Penderita Stroke di Indonesia', *Buletin Penelitian Kesehatan*, 44(1), pp. 49–58. doi: 10.22435/bpk.v44i1.4949.49-58.
- Gong, P. *et al.* (2021) 'The association of neutrophil to lymphocyte ratio , platelet to lymphocyte ratio , and lymphocyte to monocyte ratio with post-thrombolysis early neurological outcomes in patients with acute ischemic stroke', 6, pp. 1–11.
- Grace, Mary *et al.* (2016) 'Role of dyslipidemia in stroke and comparison of lipid profile in ischemic and hemorrhagic stroke -a case control study', *Int J Adv Med*, 3(3), pp. 694–698.
- Ha, L., Hauge, T. and Iversen, P. O. (2010) 'Body composition in older acute stroke patients after treatment with individualized , nutritional supplementation while in hospital'.
- Herlambang (2020) *Hubungan antara Rasio Neutrofil Limfosit dalam Membedakan Stroke Hemoragik dan Iskemik ( Association Between The Lymphocyte Neutrophil Ratio in Distinguishing Hemorrhagic and Ischemic. BUKU PROSIDING PIN PERDOSSI.*
- Hurn, P. and Brass, L. (2003) 'Estrogen and Stroke', *ahajournals*, (34), pp. 338–341. doi: 10.1161/01.STR.0000054051.88378.25.
- Irdelia, R. R., Tri Joko, A. and Bebasari, E. (2014) 'Profil Faktor Risiko yang dapat dimodifikasi pada Kasus Stroke Berulang di RSUD Arifin Achmad Provinsi Riau', *Jom FK*, 1, pp. 1–15.
- Janis, L. S. *et al.* (2013) 'An Updated Definition of Stroke for the 21st Century', *Stroke*, 44(7), pp. 2064–2089.
- Jayaraj, R. L. *et al.* (2019) 'Neuroinflammation : friend and foe for ischemic stroke', 2, pp. 1–24.
- Justad (2018) 'Dysphagia and Diets', in *Health and Safety Guidelines Dysphagia*, pp. 1–11.
- Kaya, T. *et al.* (2019) 'Association between neutrophil-to-lymphocyte ratio and nutritional status in geriatric patients', *Journal of Clinical Laboratory Analysis*, 33(1), pp. 1–6. doi: 10.1002/jcla.22636.
- Kelly, M. (2011) 'Influence of Age and Health Behaviors on Stroke Risk: Lessons from Longitudinal Studies', *J Am Geriatr Soc*, 58(Suppl 2), pp. 1–8. doi: 10.1111/j.1532-5415.2010.02915.x.Influence.
- Kemenkes (2018) *Risikodes 2018, Kemenkes RI.* doi: 10.1088/1751-8113/44/8/085201.
- Kemenkes (2019) *kemenkes, PNPk Malnutrisi.*
- Khasanah, Harjoko, C. (2016) 'An optional federal charter for insurance: Rationale and design', *Klasifikasi Sel Darah Putih Berdasarkan Ciri Warna dan Bentuk dengan Metode K-*

*Nearest Neighbor (K-NN)*, 6(2), pp. 151–162.

Lakhan, S. E., Kirchgessner, A. and Hofer, M. (2009) ‘Inflammatory mechanisms in ischemic stroke : therapeutic approaches’, 11, pp. 1–11. doi: 10.1186/1479-5876-7-97.

Lindsay, M. P. *et al.* (2019) ‘World Stroke Organization (WSO): Global Stroke Fact Sheet 2019’, *International Journal of Stroke*, 14(8), pp. 806–817. doi: 10.1177/1747493019881353.

Liu, S. *et al.* (no date) ‘Neutrophil – lymphocyte ratio predicts the outcome of intracerebral hemorrhage’, pp. 1–7.

Meilana (2021) *Waspada Stroke dapat menyebabkan kematian, Siloam hospital.*

Meilyana, Djais, G. (2010) ‘Status Gizi Berdasarkan Subjective Global Assessment Sebagai Faktor yang Mempengaruhi Lama Perawatan Pasien Rawat Inap Anak’, 12(3), p. 163.

Negash, B., Dessie, Y. and Gobena, T. (2019) ‘Community Based Health Insurance Utilization and Associated Factors among Informal Workers in Gida Ayana District , Oromia Region , West Ethiopia East African Journal of Health and Biomedical Sciences ( 2019 ) Community Based Health Insurance Utilization’, *East African Journal of Health and Biomedical Sciences*, 3(2), pp. 13–22.

Oktavianus (2014) *Rasio neutrofil limfosit tinggi sebagai prediktor luaran buruk pada penderita stroke iskemik akut.*

Perhimpunan Dokter Spesialis Saraf Indonesia (2016) *Panduan Praktik Klinis Neurologi, Perdossi.*

Rodgers, J. L. *et al.* (2019) ‘Cardiovascular Risks Associated with Gender and Aging’, *J. Cardiovasc. Dev. Dis*, 6, pp. 1–18.

Saand, A. R. *et al.* (2019) ‘Systemic inflammation in hemorrhagic strokes – A novel neurological sign and therapeutic target?’, *Journal of Cerebral Blood Flow and Metabolism*, 39(6), pp. 959–988. doi: 10.1177/0271678X19841443.

Sabbouh, T. and Torbey, M. T. (2019) ‘Malnutrition in Stroke Patients: Risk Factors, Assessment, and Manageme’, *Neurocrit Care*, 29(3), pp. 374–384. doi: 10.1007/s12028-017-0436-1.Malnutrition.

Siddeswari (2015) ‘Pattern of dyslipidemia in ischemic stroke’, *J Med Allied Sci*, 5(2), pp. 26–29.

Siregar (2018) ‘Perbedaan Asupan Dan Status Gizi Pada Pasien Stroke Hemoragik Dan Non Hemoragik DI RSUD PROF. DR. MARGONO SOEKARJO’, *Jurnal Gizi dan Pangan Soedirman*, 2(1), p. 43. doi: 10.20884/1.jgps.2018.2.1.908.

Soriano-tárraga, C. *et al.* (2018) ‘Biological Age is a predictor of mortality in Ischemic Stroke’, pp. 1–8. doi: 10.1038/s41598-018-22579-0.

Suryadi, T. (2019) ‘Penentuan sebab kematian dalam visum et repertum pada kasus kardiovaskuler’, 5(1).

Świtońska, M. *et al.* (2019) ‘Association of neutrophil-to-lymphocyte ratio and lymphocyte-to-monocyte ratio with treatment modalities of acute ischaemic stroke: A pilot study’, *Medicina (Lithuania)*, 55(7). doi: 10.3390/medicina55070342.

Togha, M. *et al.* (2011) ‘Lipid profile in cerebrovascular accidents’, 10(1–2), pp. 1–4.

- Tokgöz, S. *et al.* (2019) 'The Effect of Neutrophil-Lymphocyte Ratio on Prognosis in Acute Hemorrhagic Stroke : A Retrospective Study', 6(1).
- Tsimihodimos, V. *et al.* (2018) 'Hypertension and Diabetes Melitus', 71, pp. 1–7. doi: 10.1161/HYPERTENSIONAHA.117.10546.
- Tun, N. and Arunagirinathan, G. (2017) 'Diabetes mellitus and stroke: A clinical update', *World Journal of Diabetes*, 8(6), pp. 235–243.
- Ummah, F., Belladonna, M. and Retnaningsih, R. (2016) 'Rasio Neutrofil Limfosit Darah Tepi Sebagai Indikator Outcome Pada Stroke Iskemik Akut', *Diponegoro Medical Journal (Jurnal Kedokteran Diponegoro)*, 5(4), pp. 827–841.
- Ummah, F. C., Belladonna, M. and Akut, S. I. (2016) 'Rasio neutrofil limfosit darah tepi sebagai indikator outcome pada stroke iskemik akut', 5(4), pp. 827–841.
- Ummaroh, E. N. (2019) 'Pasien CVA (Cerebro Vaskuler Accident) dengan gangguan komunikasi verbal Di Ruang Aster RSUD Dr. Harjono', *universitas muhammadiyah Ponogoro*.
- Vyas, M. V *et al.* (2021) 'Stroke Incidence by Sex Across the Lifespan', (February), pp. 447–451. doi: 10.1161/STROKEAHA.120.032898.
- Willey (2009) 'Lipid Profile Components and Risk of Ischemic Stroke: The Northern Manhattan Study (NOMAS)', 66(11), pp. 1400–1406. doi: 10.1001/archneurol.2009.210.Lipid.
- Wu, L. *et al.* (2017) 'Mid-Arm Circumference and All- Cause , Cardiovascular , and Cancer Mortality among Obese and Non- Obese US Adults : the National Health and Nutrition Examination Survey III', (November 2016), pp. 1–8. doi: 10.1038/s41598-017-02663-7.
- Xu, J. H. *et al.* (2019) 'Higher Platelet-to-Lymphocyte Ratio Is Associated With Worse Outcomes After Intravenous Thrombolysis in Acute Ischaemic Stroke', *Frontiers in Neurology*, 10(November), pp. 1–8. doi: 10.3389/fneur.2019.01192.
- Yahya, T. *et al.* (2020) 'American Journal of Preventive Cardiology Stroke in young adults : Current trends , opportunities for prevention and pathways forward', 3(June). doi: 10.1016/j.ajpc.2020.100085.
- Yang, Y., Xie, D. and Zhang, Y. (2021) 'Increased Platelet-to-Lymphocyte Ratio is an Independent Predictor of Hemorrhagic Transformation and In-Hospital Mortality Among Acute Ischemic Stroke with Large-Artery Atherosclerosis Patients', 14(July), pp. 7545–7555.
- Zauhani (2019) 'Factors influencing time span of family decision making to send patient with stroke to hospital', (August), pp. 1–5.
- Zhu, Y. *et al.* (2020) 'Mid-upper arm circumference as a simple tool for identifying central obesity and insulin resistance in type 2 diabetes', pp. 1–13. doi: 10.1371/journal.pone.0231308.



**REKOMENDASI PERSETUJUAN ETIK**

Nomor : 223/UN4.6.4.5.31/ PP36/ 2021

Tanggal: 5 April 2021

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH21030196		No Sponsor	
Peneliti Utama	<b>dr. La Ode Jumadil Jaya Sentosa</b>		Sponsor	
Judul Peneliti	Hubungan antara neutrofil-lymphocyte ratio (NLR),platelet-lymphocyte ratio (PLR) terhadap status nutrisi dan mortality rate pada pasien stroke			
No Versi Protokol	<b>1</b>	Tanggal Versi	31 Maret 2021	
No Versi PSP		Tanggal Versi		
Tempat Penelitian	<b>RS Dr. Wahidin Sudirohusodo Makassar</b>			
Jenis Review	<input checked="" type="checkbox"/> Exempted <input type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku	Frekuensi review lanjutan	
Ketua Komisi Etik Penelitian Kesehatan FKUH	Nama <b>Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)</b>	Tanda tangan		
Sekretaris Komisi Etik Penelitian Kesehatan FKUH	Nama <b>dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)</b>	Tanda tangan		

**Kewajiban Peneliti Utama:**

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan