

DAFTAR PUSTAKA

1. Guo YR, Cao QD, Hong ZS, Tan YY, Chen SD, Jin HJ, et al. The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak - an update on the status. *Mil Med Res.* 2020;7(1):11.
2. Isbaniah F, Kusumowardhani D, Sitompul PA. Pedoman Pencegahan dan Pengendalian Coronavirus Disease (COVID-19). Revisi-4. Aziza L, Aqmarina A, Ihsan M, editors. Jakarta: Kementerian Kesehatan RI Direktorat Jenderal Pencegahan dan Pengendalian Penyakit (P2P); 2020. 1–137 p.
3. Taslim NA, Primana DA, Wijayanto, Rani NA, Marniar, Bamahry A. Panduan Praktis Penatalaksanaan Nutrisi COVID-19. 1st ed. Taslim NA, Primana DA, editors. Vol. 1. Jakarta: Perhimpunan Dokter Spesialis Gizi Klinik Indonesia; 2020. 1–47 p.
4. Wang B, Li R, Lu Z, Huang Y. Does comorbidity increase the risk of patients with covid-19: Evidence from meta-analysis. *Aging (Albany NY).* 2020;12(7):6049–57.
5. Guan WJ, Liang WH, Zhao Y, Liang HR, Chen ZS, Li YM, et al. Comorbidity and its impact on 1590 patients with Covid-19 in China: A Nationwide Analysis. *Eur Respir J.* 2020;(March 2020).
6. Yang A, Liu J, Tao W, Li H. The diagnostic and predictive role of NLR , d-NLR and PLR in COVID-19 patients. *Int Immunopharmacol [Internet].* 2020;84(February):106504. Available from: <https://doi.org/10.1016/j.intimp.2020.106504>
7. Qin C, Zhou L, Hu Z, Zhang S, Yang S, Tao Y, et al. Dysregulation of Immune Response in Patients with COVID-19 in Wuhan, China. *Oxford Univ Press Infect Dis Soc Am.* 2020;
8. Wang X, Li X, Shang Y, Wang J, Zhang X, Su D, et al. Ratios of Neutrophil-to-Lymphocyte and Platelet-to-Lymphocyte Predict All-Cause Mortality in Inpatients with Coronavirus Disease 2019 (COVID-19): A Retrospective Cohort Study in A Single Medical Center. *Epidemiol Infect.* 2020;
9. Fernández-Quintela A, Milton-Laskibar I, Trepiana J, Gómez-Zorita S, Kajarabille N, Léniz A, et al. Key Aspects in Nutritional Management of COVID-19 Patients. *J Clin Med.* 2020;9(8):2589.
10. Iddir M, Brito A, Dingo G, Del Campo SSF, Samouda H, La Frano MR, et al. Strengthening the immune system and reducing inflammation and oxidative stress through diet and nutrition: Considerations during the covid-19 crisis. *Nutrients.* 2020;12(6):1–39.

11. Khaled MB, Benajiba N. The role of nutrition in strengthening immune system against newly emerging viral diseases: case of SARS-CoV-2. *North African J Food Nutr Res.* 2020;4(7):240–4.
12. Barazzoni R, Bischoff SC, Breda J, Wickramasinghe K KZ. ESPEN expert statements and practical guidance for nutritional management of individuals with SARS-CoV-2 infection. *Clin Nutr.* 2020;39:1631–8.
13. Gorbalenya AE, Baker SC, Baric RS, de Groot RJ, Drosten C, Gulyaeva AA, et al. The species Severe acute respiratory syndrome-related coronavirus: classifying 2019-nCoV and naming it SARS-CoV-2. *Nat Microbiol.* 2020;5(March).
14. Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, et al. A novel coronavirus from patients with pneumonia in China, 2019. *N Engl J Med.* 2020;382(8):727–33.
15. Zhou P, Yang X Lou, Wang XG, Hu B, Zhang L, Zhang W, et al. A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature.* 2020;579(7798):270–3.
16. Susilo A, Rumende CM, Pitoyo CW, Santoso WD, Yulianti M, Sinto R, et al. Coronavirus Disease 2019 : Tinjauan Literatur Terkini Coronavirus Disease 2019 : Review of Current Literatures. *J Penyakit Dalam Indones.* 2020;7(1):45–67.
17. Xiao F, Tang M, Zheng X, Liu Y, Li X, Shan H. Evidence for gastrointestinal infection of SARS-CoV-2. *Gastroenterology.* 2020;
18. Wit E d., Doremalen N van, Falzarano D, Munster VJ. SARS and MERS: Recent insights into emerging coronaviruses. *Nat Rev Microbiol.* 2016;14(8):523–34.
19. Li G, Fan Y, Lai Y, Han T, Li Z, Zhou P, et al. Coronavirus infections and immune responses. *J Med Virol.* 2020;92(4):424–32.
20. Wu C, Chen X, Cai Y, Xia J, Zhou X, Xu S, et al. Risk Factors Associated with Acute Respiratory Distress Syndrome and Death in Patients with Coronavirus Disease 2019 Pneumonia in Wuhan, China. *JAMA Intern Med.* 2020;180(7):934–43.
21. WHO. Clinical management of severe acute respiratory infection when novel coronavirus (2019-nCoV) infection is suspected. 2020;
22. Karacabey K. The Effect of Nutritional Elements on the Immune System. *J Obes Weight Loss Ther [Internet].* 2012;02(09). Available from: <https://www.omicsonline.org/open-access/the-effect-of-nutritional-elements-on-the-immune-system-2165-7904.1000152.php?aid=10186>
23. Terpos E, Ntanasis-Stathopoulos I, Elalamy I, Kastritis E, Sergentanis TN, Politou M, et al. Hematological findings and complications of COVID-19.

- Am J Hematol. 2020;95(7):834–47.
24. Rosales C. Neutrophil: A cell with many roles in inflammation or several cell types? *Front Physiol.* 2018;9(FEB):1–17.
 25. Nichols BA, Ford Bainton D, Farquhar MG. Differentiation of monocytes: Origin, nature, and fate of their azurophil granules. *J Cell Biol.* 1971;50(2):498–515.
 26. Swirski FK, Nahrendorff M, Etzrodt M, Wildgruber M, Cortez-Retamozo V. Identification of splenic reservoir monocytes and their deployment to inflammatory sites. *Science (80-).* 2009;325(5940):612–6.
 27. Orakpoghenor O, Avazi DO, Markus TP, Olaolu OS. Lymphocytes : A Brief Review -. *Sci J Immunol Immunother.* 2019;3(June):4–8.
 28. Somnez O, Somnez M. Role of platelets in immune system and inflammation. *Porto Biomed J [Internet].* 2017;2(6):311–4. Available from: <http://dx.doi.org/10.1016/j.pbj.2016.11.003>
 29. Erdogan A, Can FE, Gönüllü H. Evaluation of the prognostic role of NLR, LMR, PLR, and LCR ratio in COVID-19 patients. *J Med Virol.* 2021;93(9):5555–9.
 30. Qu R, Ling Y, Xiao W, Xu C, Han L, Guo Z, et al. Platelet - to - lymphocyte ratio is associated with prognosis in patients with coronavirus disease - 19. 2020;(February):1–9.
 31. Thomas L. Monocytes could be critical in dysregulated immunity in COVID - 19. 2020;1–4. Available from: <https://www.news-medical.net/news/20200608/Monocytes-could-be-critical-in-dysregulated-immunity-in-COVID-19.aspx>
 32. Kaya T, Açıkgöz SB, Yıldırım M, Nalbant A, Altaş AE, Cinemre H. Association between neutrophil-to-lymphocyte ratio and nutritional status in geriatric patients. *J Clin Lab Anal.* 2019;33(1):1–6.
 33. Liu Y, Du X, Chen J, Jin Y, Peng L, Wang HHX, et al. Neutrophil-to-lymphocyte ratio as an independent risk factor for mortality in hospitalized patients with COVID-19. 2020;81:6–12.
 34. Gunarsa RG, Simadibrata M, Syam AF, Timan IS, Setiati S, Rani AA. Total Lymphocyte Count as a Nutritional Parameter in Hospitalized Patients. *Indones J Gastroenterol Hepatol Dig Endosc.* 2011;12(2):89–94.
 35. Rocha NP, Fortes RC. Total Lymphocyte Count and Serum Albumin as Predictors of Nutritional Risk in Surgical Patients. *ABCD Arq Bras Cir Dig.* 2015;28(3):193–6.
 36. Pessanha L L, Schmidt Mo M, Ribeiro Ca L, Depolo Ech Á, Fraga Silv NM, Blaser Pet G, et al. Neutrophil-to-lymphocyte Ratio and Nutritional Status in Patients with Cancer in Hospital Admission. *Int J Cancer Res.*

2019;15(1):9–16.

37. Gong S, Gao X, Xu F, Shang Z, Li S, Chen W, et al. Association of lymphocyte to monocyte ratio with severity of coronary artery disease. *Med (United States)*. 2018;97(43).
38. Gao XP, Liu YH, Liu ZY, Wang LJ, Jing CX, Zhu S, et al. Pretreatment lymphocyte-to-monocyte ratio as a predictor of survival among patients with ovarian cancer: A meta-analysis. *Cancer Manag Res*. 2019;11:1907–20.
39. Lee JS, Kim NY, Na SH, Youn YH, Shin CS. Reference values of neutrophil-lymphocyte ratio, lymphocyte-monocyte ratio, platelet-lymphocyte ratio, and mean platelet volume in healthy adults in South Korea. *Med (United States)*. 2018;97(26):1–5.
40. Shen Y, Huang X, Zhang W. Platelet-to-lymphocyte ratio as a prognostic predictor of mortality for sepsis: Interaction effect with disease severity - A retrospective study. *BMJ Open*. 2019;9(1):1–7.
41. Toprak E, Bozkurt M, Çakmak BD, Özçimen EE, Silahlı M, Yumru AE, et al. Platelet-to-lymphocyte ratio: A new inflammatory marker for the diagnosis of preterm premature rupture of membranes. *J Turkish Ger Gynecol Assoc*. 2017;18(3):122–6.
42. Spagnolo PA, Manson JAE, Joffe H. Sex and Gender Differences in Health: What the COVID-19 Pandemic Can Teach Us. *Ann Intern Med*. 2020;173(5):385–6.
43. Lechien JR, Chiesa-Estomba CM, Place S, Van Laethem Y, Cabaraux P, Mat Q, et al. Clinical and epidemiological characteristics of 1420 European patients with mild-to-moderate coronavirus disease 2019. *J Intern Med*. 2020;288(3):335–44.
44. Bwire GM. Coronavirus: Why Men are More Vulnerable to Covid-19 Than Women? *SN Compr Clin Med*. 2020;2(7):874–6.
45. Liu H, Zhou L, Wang H, Wang X, Qu G, Cai J, et al. Malnutrition is associated with hyperinflammation and immunosuppression in COVID-19 patients: A prospective observational study. *Nutr Clin Pract*. 2021;1–9.
46. Chen N, Zhou M, Dong X, Qu J, Gong F, Han Y, et al. Epidemiological and clinical characteristics of 99 cases of 2019 novel coronavirus pneumonia in Wuhan, China: a descriptive study. *Lancet [Internet]*. 2020;395(10223):507–13. Available from: [http://dx.doi.org/10.1016/S0140-6736\(20\)30211-7](http://dx.doi.org/10.1016/S0140-6736(20)30211-7)
47. Wu SJ, Lin YX, Ye H, Li FY, Xiong XZ, Cheng NS. Lymphocyte to monocyte ratio and prognostic nutritional index predict survival outcomes of hepatitis B virus-associated hepatocellular carcinoma patients after curative hepatectomy. *J Surg Oncol*. 2016;114(2):202–10.

48. Ramos R, Macía I, Navarro-Martin A, Déniz C, Rivas F, Ureña A, et al. Prognostic value of the preoperative lymphocyte-to-monocyte ratio for survival after lung cancer surgery. *BMC Pulm Med* [Internet]. 2021;21(1):1–8. Available from: <https://doi.org/10.1186/s12890-021-01446-1>
49. Mauvais-Jarvis F. Aging, male sex, obesity, and metabolic inflammation create the perfect storm for COVID-19. *Diabetes*. 2020;69(9):1857–63.
50. Childs CE, Calder PC, Miles EA. Diet and immune function. *Nutrients*. 2019;11:1–9.
51. Tang W, Shao X, Chen Q, Zhu L, He Y, Lu E. Nutritional status of protein intake in severe pneumonia patients based on dietary nutrition information system. *J Infect Public Health* [Internet]. 2021;14(1):66–70. Available from: <https://doi.org/10.1016/j.jiph.2019.07.016>
52. Caccialanza R, Laviano A, Lobascio F, Montagna E, Bruno R, Ludovisi S, et al. Early nutritional supplementation in non-critically ill patients hospitalized for the 2019 novel coronavirus disease (COVID-19): Rationale and feasibility of a shared pragmatic protocol. *Nutrition*. 2020;74(December 2019).
53. Ding X, Yu Y, Lu B, Huo J, Chen M, Kang Y, et al. Dynamic profile and clinical implications of hematological parameters in hospitalized patients with coronavirus disease 2019. *Clin Chem Lab Med*. 2020;58(8):1365–71.
54. Curbelo J, Bueno SL, Galván-Román JM, Ortega-Gómez M, Rajas O, Fernández-Jiménez G, et al. Inflammation biomarkers in blood as mortality predictors in community-acquired pneumonia admitted patients: Importance of comparison with neutrophil count percentage or neutrophil-lymphocyte ratio. *PLoS One*. 2017;12(3):1–14.
55. Wang D, Hu B, Hu C, Zhu F, Liu X, Zhang J, et al. Clinical Characteristics of 138 Hospitalized Patients with 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China. *JAMA - J Am Med Assoc*. 2020;323(11):1061–9.
56. Fu HY, Li X, Li HJ, Du YR, Zhou YJ, Tang XQ, et al. Single-factor and multifactor analysis of immune function and nucleic acid negative time in patients with COVID-19. *Eur J Inflamm*. 2020;18(319).