

DAFTAR PUSTAKA

1. Méthot J, Hamelin BA, et al. The ACE-DD genotype is associated with endothelial dysfunction in postmenopausal women. *Menopause*. 2006;13(6):959–66.
2. Barrett-Connor E, Bush TL. in Women Estrogen Coronary Heart Disease. *Jama*. 1991;265(14):1861–7.
3. Lelly Aprilia Vidayati MK. Analisis Hubungan Penggunaan Kontrasepsi Pada Wanita menopause {Disertasi}. 2017.
4. Weismiller DG. Menopause. Vol. 36, *Primary Care - Clinics in Office Practice*. 2009. 199–226 p.
5. Yanes LL, Romero DG, et al. Postmenopausal hypertension: Role of the renin-angiotensin system. *Hypertension*. 2010;56(3):359–63.
6. Ferrero V. Six-month effects of the hormone replacement therapy on arterial wave reflection, blood pressure and plasma level of angiotensin-I converting enzyme in postmenopausal healthy women. *Am J Hypertens*. 2001;14(11):A261.
7. Rossman MJ, LaRocca TJ, et al. Healthy lifestyle-based approaches for successful vascular aging. *J Appl Physiology*. 2018;125(6):1888–900.
8. Lv Y, Zhao W, et al. Angiotensin-Converting Enzyme Gene D/I Polymorphism in Relation to Endothelial Function and Endothelial-Released Factors in Chinese Women. *Front Physiology*. 2020;11(September):1–11.
9. Mosca L, Collins P, et al. AHA Science Advisory. *ahajournals*. 2001;499–503.
10. Brosnihan KB, Senanayake PS, et al. Bi-directional actions of estrogen on the renin-angiotensin system. *Brazilian J Med Biol Res*. 1999;32(4):373–81.
11. Umeda M, Ichikawa S, et al. Plasma Level of Angiotensin II in. *Am J Hypertens*. 2001;7061(00):206–11.
12. Malik FS, Lavie CJ, et al. Renin-angiotensin system: Genes to bedside. *Am Heart J*. 1997;134(3):514–26.
13. Vargas RA, Varela Millán JM, et al. Renin–angiotensin system: Basic and clinical aspects—A general perspective. *Endocrinol Diabetes y Nutricion* (English ed) [Internet]. 2022;69(1):52–62. Available from: <https://doi.org/10.1016/j.endien.2022.01.005>
14. Costerousse O, Danilov S. Genetics of Angiotensin I-Converting Enzyme. *CLIN EXPER Hypertension* 19(5&6). 1997;19(Paris, France):659–69.
15. Ahmad Yusof H, Che Muhamed AM. Angiotensin-converting enzyme (ACE) insertion/deletion gene polymorphism across ethnicity: a narrative review of performance gene. *Sport Sci Health*. 2021;17(1):57–77.

16. Kumari S, Sharma N, et al. Beneficial role of D allele in controlling ACE levels: a study among Brahmins of north India. *J Genet.* 2016;95(2):291–5.
17. Rigat B, Hubert C, et al. An insertion/deletion polymorphism in the angiotensin I-converting enzyme gene accounting for half the variance of serum enzyme levels. *J Clin Invest.* 1990;86(4):1343–6.
18. Jalil JE, Mari A, et al. Prevalence of the Angiotensin I Converting Enzyme Insertion/Deletion Polymorphism, Plasma Angiotensin Converting Enzyme Activity, and Left Ventricular Mass in a Normotensive Chilean Population. *Am J Hypertens.* 1995;7061(1961065):697–704.
19. Stokes GS, Monaghan JC, et al. Influence of angiotensin converting enzyme (ACE) genotype on interpretation of diagnostic tests for serum ACE activity. *Aust N Z J Med.* 1999;29(3):315–8.
20. Huang W, Xie C, et al. Association of the angiotensin-converting enzyme gene polymorphism with chronic heart failure in Chinese Han patients. *Eur J Heart Fail.* 2004;6(1):23–7.
21. Zhao J, Qin X, et al. Association between the ACE I/D polymorphism and risk of ischemic stroke: An updated meta-analysis of 47,026 subjects from 105 case-control studies. *J Neurol Sci* [Internet]. 2014;345(1):37–47. Available from: <http://dx.doi.org/10.1016/j.jns.2014.07.023>
22. Bedir A, Arik N, et al. Angiotensin converting enzyme gene polymorphism and activity in Turkish patients with essential hypertension. *Am J Hypertens.* 1999;12(10 I):1038–43.
23. Ribichini F, Steffenino G, et al. Plasma activity and insertion/deletion polymorphism of angiotensin I- converting enzyme: A major risk factor and a marker of risk for coronary stent restenosis. *Circulation.* 1998;97(2):147–54.
24. Li X, Du Y, et al. Correlation of angiotensin-converting enzyme gene polymorphism with effect of antihypertensive therapy by angiotensin- converting enzyme inhibitor. *J Cardiovasc Pharmacol Ther.* 2003;8(1):25–30.
25. Foy CA, McCormack LJ, et al. The angiotensin-I converting enzyme (ACE) gene I/D polymorphism and ACE levels in Pima Indians. *J Med Genet.* 1996;33(4):336–7.
26. Sumino H, Ichikawa S, et al. Effects of hormone replacement therapy on serum angiotensin-converting enzyme activity and plasma bradykinin in postmenopausal women according to angiotensin-converting enzyme-genotype. *Hypertens Res.* 2003;26(1):53–8.
27. Lopez-Sublet M, Caratti di Lanzacco L, et al. Focus on increased serum angiotensin-converting enzyme level: From granulomatous diseases to genetic mutations. *Clin Biochem.* 2018;59:1–8.
28. Coylewright M, Reckelhoff JF, et al. Menopause and hypertension: An age-old debate.

- Hypertension*. 2008;51:952–9.
29. Bakri S 2004. The Interaction of I/D genetic variation of the Angiotensin Converting Enzyme (ACE) gene, hypertension, and Transforming Growth Factor – B1 on the pathogenesis of left ventricular hypertrophy [Disertasi]. Hasanuddin University; 2004.
 30. Crisan D, Carr J. Angiotensin I-converting enzyme: Genotype and disease associations. *J Mol Diagnostics* [Internet]. 2000;2(3):105–15. Available from: [http://dx.doi.org/10.1016/S1525-1578\(10\)60624-1](http://dx.doi.org/10.1016/S1525-1578(10)60624-1)
 31. Woods DR, Montgomery HE, et al. Abstract Angiotensin-converting enzyme and genetics at high altitude. *High Alt Med Biol*. 2001;2(2):201–10.
 32. Carluccio M, Soccio M, et al. Aspects of gene polymorphisms in cardiovascular disease: The renin-angiotensin system. *Eur J Clin Invest*. 2001;31(6):476–88.
 33. Paz Ocaranza M, Riquelme JA, et al. Counter-regulatory renin–angiotensin system in cardiovascular disease. *Nat Rev Cardiol*. 2020;17(2):116–29.
 34. Gómez J, Albaiceta GM, et al. Angiotensin-converting enzymes (ACE, ACE2) gene variants and COVID-19 outcome. *Gene* [Internet]. 2020;762(August):145102. Available from: <https://doi.org/10.1016/j.gene.2020.145102>
 35. Rodriguez GE, Shin BC, et al. Serum angiotensin-converting enzyme activity in normal children and in those with sarcoidosis. *J Pediatr*. 1981;99(1):68–72.
 36. Tiret L, Rigat B, et al. Evidence, from combined segregation and linkage analysis, that a variant of the angiotensin I-converting enzyme (ACE) gene controls plasma ACE levels. *Am J Hum Genet*. 1992;51(1):197–205.
 37. Sasongko TH, Sadewa AH, et al. ACE gene polymorphism in children with nephrotic syndrome in the Indonesian population. *Kobe J Med Sci*. 2005;51(3–4):41–7.
 38. Muhamed C. Polymorphisms in Multi-Ethnic Malaysian and Australian Population. *Int J Public Heal Clin Sci*. 2017;4(5):125–38.
 39. Danser AH, Schalekamp MA, Bax WA et al. Angiotensin-converting enzyme in the human heart. Effect of the deletion/insertion polymorphism. *Circulation*. 1995;92: 1387–1388.
 40. Ohmichi N, Iwai N, et al. Relationship Between the Response to the Angiotensin Converting Enzyme Inhibitor Imidapril and the Angiotensin Converting Enzyme Genotype. *AJH-August*. 1997;7061(97):951–5.
 41. Gadelha A, Yonamine CM, et al. ACE I/D genotype-related increase in ACE plasma activity is a better predictor for schizophrenia diagnosis than the genotype alone. *Schizophr Res* [Internet]. 2015;164(1–3):109–14. Available from: <http://dx.doi.org/10.1016/j.schres.2015.01.044>
 42. Dai S, Ding M, et al. Associations of ACE I/D polymorphism with the levels of ACE,

- kallikrein, angiotensin II and interleukin-6 in STEMI patients. *Sci Rep.* 2019;9(1):1–8.
43. Freire MBS, Van Dijk DJ, et al. DNA polymorphisms in the ACE gene, serum ACE activity and the risk of nephropathy in insulin-dependent diabetes mellitus. *Nephrol Dial Transplant.* 1998;13(10):2553–8.
 44. Ruprecht B, Schürmann M, et al. Korrigierte normwerte für das serum-ACE durch genotypisierung eines deletions-/insertions-polymorphismus des ACE-gens. *Pneumologie.* 2001;55(7):326–32.
 45. Schiavello T, Burke V, et al. Angiotensin-converting enzyme activity and the ACE Alu polymorphism in autosomal dominant polycystic kidney disease. *Nephrol Dial Transplant.* 2001;16(12):2323–7.
 46. Biller H, Zissel G, et al. Genotype-corrected reference values for serum angiotensin-converting enzyme. *Eur Respir J.* 2006;28(6):1085–90.
 47. Kruit A, Grutters JC, et al. ACE I/D-corrected Z-scores to identify normal and elevated ACE activity in sarcoidosis. *Respir Med.* 2007;101(3):510–5.
 48. Nikzamir A, Nakhjavani M, et al. Polymorphism in the angiotensin-converting enzyme (ACE) gene and ACE activity in type 2 diabetic patients. *Acta Med Iran.* 2008;46(4):277–82.
 49. Viktor B, Enyedi A, et al. Expression and Secretion in the serum, lungs and Human Tissue Angiotensin Converting Enzyme (ACE) Activity Modifications , Endogenous Inhibitor. *MDPI.* 2021;1–13.
 50. Oostra BA, Isaacs A, et al. ACE Polymorphisms. *ahajournals.* 2006;1123–33.
 51. Rasyid H, Bakri S, et al. Angiotensin-converting enzyme gene polymorphisms, blood pressure and pulse pressure in subjects with essential hypertension in a South Sulawesi Indonesian population. *Acta Med Indonesia.* 2012;44(4):280–3.
 52. Iskandar H, Bakri S, et al. Peranan Polimorfisme I/D Gen Angiotensin-Converting Enzyme Dan 4G/5G Gen Plasminogen Activator Inhibitor-1 Terhadap Penanda Inflamasi Dan Remodelling Saluran Napas Serta Kejadian Dan Derajat Asma Atopik[Disertasi]. Hasanuddin; 2015.
 53. Shaoji T. Angiotensin Converting Enzyme Gene Polymorphism and Its Enzyme Activity in Serum in Young Japanese Females.pdf. Hirosaki: Tohoku *J.Exp.Med*; 1997. p. 151–5.
 54. Martínez E, Puras A, et al. Angiotensin-converting enzyme (ACE) gene polymorphisms, serum ACE activity and blood pressure in a Spanish-Mediterranean population. *J Hum Hypertension.* 2000;14(2):131–5.
 55. Alhenc-gelas F. Molecular and physiological aspects of angiotensin I converting enzyme. In: Handbook of Physiology-Endocrine Regulation of Water and Electrolyte Balance. Paris, France; p. 81–103.

56. Forrester T, McFarlane-Anderson N, et al. The angiotensin converting enzyme and blood pressure in Jamaicans. *Am J Hypertens*. 1997;10(5 I):519–24.
57. Landazuri P, Granobles C, et al. Gender differences in serum angiotensin-converting enzyme activity and blood pressure in children: An observational study. *Arq Bras Cardiol*. 2008;91(6):352–7.
58. Zhuang S, Wang X, et al. Angiotensin converting enzyme serum activities: Relationship with Alzheimer’s disease. *Brain Res* [Internet]. 2016;1650:196–202. Available from: <http://dx.doi.org/10.1016/j.brainres.2016.09.002>
59. Akatsu H, Ogawa N, et al. Higher activity of peripheral blood angiotensin-converting enzyme is associated with later-onset of Alzheimer’s disease. *J Neurol Sci* [Internet]. 2011;300(1–2):67–73. Available from: <http://dx.doi.org/10.1016/j.jns.2010.09.030>
60. Tejpal S, Sanghera N, et al. Angiotensin converting enzyme (ACE): A marker for personalized feedback on dieting. *Nutrients*. 2020;12(3):1–13.
61. Harp JB, Henry SA, et al. Dietary weight loss decreases serum angiotensin-converting enzyme activity in obese adults. *Obes Res*. 2002;10(10):985–90.
62. Cooper R, McFarlane-Anderson N, et al. ACE, angiotensinogen and obesity: A potential pathway leading to hypertension. *J Hum Hypertension*. 1997;11(2):107–11.
63. Nyström F, Karlberg BE, et al. Serum angiotensin-converting enzyme activity correlates positively with plasma angiotensin II: A population-based study of ambulatory blood pressure and the renin-angiotensin system. *J Hum Hypertension*. 1997;11(5):301–6.
64. Rasyid H, Bakri S. Peran Polimorfisme I/D Gen Ace terhadap Prevalensi Mikroalbuminuria pada Subyek Non-Diabetes[Disertasi]. Hasanuddin; 2016.
65. El-baz RA, Wafa AM, et al. Study of Angiotensin Converting Enzyme Gene Polymorphism in Egyptian Type 2 Diabetes Mellitus with Diabetic Kidney Disease. *Int J Clin Med*. 2018;09(08):629–43.
66. Laurent Papazian, M.D., Ph.D., Jean-Marie Forel MD. Estrogen plus Progestin and the Risk of Coronary Heart Disease. *N Engl J Med*. 2011;365:687–96.
67. Ijsselmuiden CB, Faden RR. Effect Of Enalapril on Mortality and The Development of Heart Failure in Symptomatic patients With Reduced Left Ventrikel Ejection Fractions. *N Engl J Med*. 1992;326:685–91.