

DAFTAR PUSTAKA

- Ahyong, S. T. 2012. Mantis Shrimps (Crustacea : Stomatopoda). *NiWA Biodiversity Memoir* 125:1–113.
- Ahyong, S., T. Chan, & Y.-C. Liao. 2008. A Catalog of the Mantis Shrimp (Stomatopoda) of Taiwan. *A catalog of the mantis shrimps(stomatopoda) of Taiwan*:1–203.
- Anggraeini, E. 2001. Regenerasi Alat Gerak, Pertambahan Bobot Tubuh Pasca Lepas Cangkang, dan Kajian Morfometrik Kepiting Bakau *Scylla serrata* (Forskal) di Rawa Payau Muara Sungai Cikaso, Kabupaten Sukabumi. Institut Pertanian Bogor. Bogor.
- Ariyanti, N. 2010. Struktur Demografi Populasi dan Pola Pertumbuhan Udang Mantis *Harpisquilla raphidea* (Fabricius, 1798) Sebagai Dasar Pengelolaan di Kuala Tungkal, Kabupaten Tanjung Jabung Barat, Jambi. *Skripsi*.
- Astuti, I. R., & F. Ariestyan. 2013. Potensi Dan Prospek Ekonomis Udang Mantis Di Indonesia. *Media Akuakultur* 8:39.
- Besson M, Aubin J, Komen H, Poelman M, Quillet E, Vandepitte M, V. & Arendonk JAM,de B. I. 2016. Enviromental impacts of genetic improvement of growth rate and feed conversation ratio in fish farming under rearing density and nitrogen output limitation. *J Clean Prod* 116:100-109.
- Dimenta, R. H., R. Machrizal, K. Khairul, R. Hasibuan, A. Q. Manurung, & M. Ihsan. 2020. Biologi reproduksi udang mantis *Cloridopsis scorpio* di ekosistem mangrove Belawan, Sumatera Utara. *Depik: Jurnal Ilmu-Ilmu Perairan, Pesisir dan Perikanan* 9:227–334.
- FAO. 1998. The Living Marine Resources of the Western Central Pacific. Page (K. E. Carpenter and V. H. Niem, Eds.). Department of Biological Sciences Old Dominion University Norfolk, Virginia, USA.
- Fauziah. Agustriani F. Purwiyanto, A.I.S., Putri, W.A.E., Suteja Y. 2018 Influence of Enviromental Parameters on the Shrimp Catch in Banyuasin Coastal Water, South Sumatra, Indonesia. *IOP Publishing JPCS*.
- Halomoan, M. 1999. Beberapa aspek biologi reproduksi udang ronggeng (*Squillaharpax* de Haan) di perairan Teluk Banten, Serang, JawaBarat. Departemen Manajemen Sumberdaya Perairan,Fakultas Perikanan dan Ilmu Kelautan, Institut Pertanian Bogor.Bogor.
- Hargiyatno, I. T., F. Satria, A. P. Prasetyo, & M. Fauzi. 2013. Hubungan panjang-berat dan faktor kondisi lobster pasir (*Panulirus homarus*) di Perairan Yogyakarta dan Pacitan. *Bawal* 5:41–48.
- Kusrini, E, Hadie, W. Sumantadinata, K., Sudradjat, A. 2009. Studi Morfomterik Udang Jerbug (*Fenneropenaeus merguiensis* de Man) Dari Beberapa Populasi. *Jurnal Ris. Akuakultur*. Vol.4:15–21.
- Mashar, A. 2011. Pengelolaam Sumberdaya Udang Mantis (*Jarpiosquiila raphidea* Fabricus, 1798) Berdasarkan Informasi Biologi di Kuala Tungkal, Kabupaten Tanjung Jabung Barat, Jambi. Institusi Pertanian Bogor. Bogor.
- Mori, M., Mura, M. & Raniere, S. De 2010. Sexual Dimorphism in *Ressoides pallidus* (Giesbrecht) (Crustacea & Stomatopoda). *Thalassia Salentina*. 32:63-71.
- Mulyono, M, Patria, M.P, Abinawanto, Affandi.R, M.2017. The development of gonad mantis shrimp *Harpisquilla raphidea* Fabricius, 1798 in Banten Bay, Indonesia.

Internasional Journal of Aquatic Science 8(1): 2008-8019. 26-33.

- Mulyono, M., Abinawanto, Mardiyono, Syam,M.Y. & Sudiarsa, I. N. 2018. Morphometric and genetic diversity of mantis shrimp *harpiosquilla raphidea* from karimata strait and Java sea waters, Indonesia. *AACL Bioflux* 11:1681–1687.
- Mulyono, M., & P. Patria. 2018. Keragaman genetik berdasarkan karakter morfometrik udang mantis *Harpiosquilla raphidea* Fabricius, 1798 asal Perairan Indonesia.
- Muzammil, W. 2010. Studi Morfometrik dan Meristik Udang Mantis (*Oratosquillina gravieri* dan *Harpiosquilla raphidea*) di Daerah Pantai Berlumpur Kuala Tungkal. Provinsi Jambi. Institut Pertanian Bogor. Bogor.
- Olson, A.P, Siddon, C.E. & Eckert, G.L. 2018. Spatial variability in size at maturity of golden king crab (*Lithodes aequispinus*) and implications for fisheries management. Royal Society Open Science. 5(3).
- Pratiwi, E. 2010. Segregasi spasial udang mantis *Harpiosquilla raphidea* dan *Oratosquillina gravieri* pada pantai berlumpur di Kuala Tungkal, Kabupaten Tanjung Jabung Barat, Jambi. *Institut Pertanian Bogor, Bogor*.
- Sihombing, M. O. 2018. Studi Morfometrik dan Meristik Udang Mantis (*Oratosquillina gravieri*) di Peraian Pesisir Percut Sei Tuan Provinsi Sumatera Utara: Medan
- Situmeang, N. S., D. Purnama, & D. Hartono. 2017. Identifikasi Spesies Udang Mantis (Stomatopoda) Di Perairan Kota Bengkulu. *Jurnal Enggano* 2:239–248.
- Sukumaran KK, Neelakantan B. 1997. Lengthweight relationship in two marine crabs, *Portunus* (*Portunus*) *sanguinolentus* (Herbs) and *Portunus* (*Portunus*) *pelagicus* (Linnaeus) from the Kamakata coast. Indian Journal or Marine Science. 26:39-42.
- Sumpton WD, Potter MA, Smith GS. 1994. Reproduction and growth of the commercial sand crab (*Portunus pelagicus*) in Moreton Bay Queensland. Asian Fish Sci. 7(1994):103-133.
- Székely, T, F.J Weissing & J. Komdeur. 2014. Adult sex ratio variation: Implications for breeding system evolution. *Journal of Evolutionary Biology*. 27(8):1500–1512.
- Wardiatno, Y., & A. Mashar. 2010. Biological information on the mantis shrimp, *Harpiosquilla raphidea* (Fabricius 1798) (Stomatopoda, Crustacea) in Indonesia with a highlight of its reproductive aspects1. *Journal of Tropical Biology and Conservation* 7:65–73.
- Wortham, N. 2002. Reproductive morphology and biology of male and female mantis shrimp (Stomatopoda: Squillidae). *Journal of Crustacean Biology*. :728–741.

LAMPIRAN

Lampiran 1. Analisis Diskriminan Morfometrik udang mantis *Miyakella nepa* (Latreille, 1828)

No.	Karakter morfometrik	Wilks`lambda	F	df1	df2	Sig.
1.	PTO	7.42	34.071	1	98	0.00
2.	PST	7.97	24.945	1	98	0.00
3.	PAT	7.69	29.421	1	98	0.00
4.	PKP	9.73	2.751	1	98	1.00
5.	LKP	1.000	0.039	1	98	8.44
6.	PTS	8.28	20.303	1	98	0.00
7.	PAS	8.14	22.466	1	98	0.00
8.	LAS	8.61	15.859	1	98	0.00
9.	ASS	8.24	20.995	1	98	0.00
10.	ASD	9.84	1.546	1	98	2.17
11.	AST	7.90	26.115	1	98	0.00
12.	ASE	8.68	14.955	1	98	0.00
13.	ASL	9.02	10.707	1	98	0.01
14.	ASN	9.49	5.279	1	98	0.24
15.	PMI	9.81	1.872	1	98	1.74
16.	PMA	9.94	0.597	1	98	4.42
17.	LMI	9.99	0.126	1	98	7.24
18.	LMA	9.86	1.395	1	98	2.40
19.	PUI	7.79	27.846	1	98	0.00
20.	PUA	8.13	22.495	1	98	0.00
21.	PTL	8.65	15.258	1	98	0.00
22.	LTL	9.88	1.142	1	98	2.88

Lampiran 2. Klasifikasi Koefisien Karakter Penciri Udang Mantis *Miyakella nepa* (Latreille, 1828) di Perairan Pesisir Lantebung, Makassar, Sulawesi Selatan.

No.	Karakter	<u>Jenis Kelamin</u>	
		Jantan	Betina
1.	PTO	23.661	28.096
2.	PKP	-13.100	-20.792
3.	LMI	-29.885	-38.636
4.	LMA	-73.699	-91.028
5.	PUI	4.744	9.391
6.	PTL	6.384	9.517
CONSTAN		-89.378	-118.576

Lampiran 3. Analisis Uji t karakter meristik udang mantis *miyakella nepa* (Latreille, 1828) di Perairan Pesisir Lantebung, Makassar, Sulawesi Selatan.

Kode	Jantan		Betina		F	Sig.	t	Sig.
	N	Mean	N	Mean				
Prokan	50	1.1200	50	9.600	3.093	0.82	1.807	0.74
Prokir	50	1.1400	50	1.1800	1.342	2.49	-3.78	7.06
Dackan	50	6.0000	50	6.0000	-	-	-	-
Dackir	50	5.9800	50	6.0000	4.168	0.44	-1.000	3.20
Telson	50	5.7600	50	5.8800	9.112	0.03	-1.467	1.46

Lampiran 4. Dokumentasi penelitian udang mantis *miyakella nepa* (Latreille, 1828)



Lampiran 5. Alat yang digunakan untuk menangkap udang manyis *miyakella nepa* (Latreille, 1828)



Bubu naga



penurunan bubu naga