

DAFTAR PUSTAKA

- Butler Tjaden, N. E. and Trainor, P. A. (2013) 'The developmental etiology and pathogenesis of Hirschsprung disease', *Translational Research Mosby*, 162(1), pp. 1–15. doi: 10.1016/j.trsl.2013.03.001.
- Cheng, S. *et al.* (2017) 'Pathologically assessed grade of Hirschsprung-associated enterocolitis in resected colon in children with Hirschsprung's disease predicts postoperative bowel function', *Journal of Pediatric Surgery*. Elsevier Inc., 52(11), pp. 1776–1781. doi: 10.1016/j.jpedsurg.2017.03.056.
- Coe, A. *et al.* (2012) 'Reoperation for Hirschsprung disease: Pathology of the resected problematic distal pull-through', *Pediatric and Developmental Pathology*, 15(1), pp. 30–38. doi: 10.2350/11-02-0977-OA.1.
- Corputty, E. D., Lampus, H. F. and Monoarfa, A. (2015) 'Gambaran Pasien Hirschsprung di RSUP Prof. DR. R. D. Kandou Manado Periode Januari 2010 – September 2014', *JURNAL E-CLINIC*, 3(1).
- Darmawan, K. (2010) *Penyakit Hirschsprung*. Jakarta: Sagung Seto.
- Demehri, F. R. *et al.* (2013) 'Hirschsprung-associated enterocolitis: Pathogenesis, treatment and prevention', *Pediatric Surgery International*, pp. 1–9. doi: 10.1007/s00383-013-3353-1.
- Demirbag, S. (2016) 'A deadly complication of Hirschsprung's disease', *Pediat Ther*, 6(3), p. 4172.
- Elhalaby, E. A., Teitelbaum, D. H. and Arnold G. Coran, and K. P. H. (1995) 'Enterocolitis Associated With Hirschsprung's Disease: A Clinical Study Histopathological Correlative', *Journal of Pediatric Surgery*, 30(7), pp.

1023–1027. doi: 10.1017/CBO9781107415324.004.

Frykman, P. K. *et al.* (2018) ‘Critical evaluation of the Hirschsprung-associated enterocolitis (HAEC) score: A multicenter study of 116 children with Hirschsprung disease’, *Journal of Pediatric Surgery*, 53(4), pp. 708–717. doi: 10.1016/j.jpedsurg.2017.07.009.

Frykman, P. K. and Short, S. S. (2013) ‘Hirschsprung-associated enterocolitis: Prevention and therapy’, *Seminars in Pediatric Surgery*, 21(4), pp. 328–335. doi: 10.1053/j.sempedsurg.2012.07.007.

G, S. *et al.* (2018) ‘Case Report Hirschsprung ’ s Associated Enterocolitis (HAEC) Personalized Treatment with Probiotics Based on Gene Sequencing Analysis of the Fecal Microbiome’, *Hindawi Case Reports Pediatr*, 2018, pp. 1–7.

Gilca, G.-E. and Ciongradi, C. I. (2014) ‘Enterocolitis in the evolution of an early diagnosed Hirschsprung disease - case report’, *Archive of Clinical Cases*, 1(2), pp. 71–75. doi: 10.22551/2014.02.0102.10016.

Gosain, A. *et al.* (2017) ‘Guidelines for the diagnosis and management of Hirschsprung-associated enterocolitis’, *Pediatric Surgery International*, 10, pp. 2–5. doi: 10.1007/s00383-017-4065-8.

Grosfeld, J. L. *et al.* (2006) *Pediatric surgery: Sixth edition*, *Pediatric Surgery: Sixth Edition*. doi: 10.1016/B978-0-323-02842-4.X5001-3.

Halleran, D. R. *et al.* (2019) ‘Does Hirschsprung-Associated Enterocolitis Differ in Children With and Without Down Syndrome?’, *Journal of Surgical Research*, 245(614), pp. 546–548. doi: 10.1016/j.jss.2019.06.086.

- Haricharan, R. N. *et al.* (2008) 'Older age at diagnosis of Hirschsprung disease decreases risk of postoperative enterocolitis, but resection of additional ganglionated bowel does not', *Journal of Pediatric Surgery*, 43(6), pp. 1115–1123. doi: 10.1016/j.jpedsurg.2008.02.039.
- Holland, S. K. *et al.* (2010) 'Utilization of peripherin and S-100 immunohistochemistry in the diagnosis of Hirschsprung disease', *Modern Pathology*, 23(9), pp. 1173–1179. doi: 10.1038/modpathol.2010.104.
- Janssen Lok, M. *et al.* (2018) 'Development of Nerve Fibre Diameter in Young Infants With Hirschsprung Disease', *Journal of Pediatric Gastroenterology and Nutrition*, 66(2), pp. 253–256. doi: 10.1097/MPG.0000000000001656.
- Jiang, M. *et al.* (2016) 'Immunostaining of rectal suction biopsies in the diagnosis of Hirschsprung', 8(7).
- Jiao, C. L., Chen, X. Y. and Feng, J. X. (2016) 'Novel insights into the pathogenesis of Hirschsprung's- associated enterocolitis', *Chinese Medical Journal*, 129(12), pp. 1491–1497. doi: 10.4103/0366-6999.183433.
- Kapur, R. P. (2016) 'Submucosal nerve diameter of greater than 40 μm is not a valid diagnostic index of transition zone pull-through', *Journal of Pediatric Surgery*. Elsevier Inc., 51(10), pp. 1585–1591. doi: 10.1016/j.jpedsurg.2016.06.007.
- Kapur, R. P. *et al.* (2019) 'Remodeling of Rectal Innervation After Pullthrough Surgery for Hirschsprung Disease: Relevance to Criteria for the Determination of Retained Transition Zone', *Pediatric and Developmental*

Pathology, 22(4), pp. 292–303. doi: 10.1177/1093526618817658.

Kapur, R. P., Smith, C. and Ambartsumyan, L. (2020) ‘Postoperative Pullthrough Obstruction in Hirschsprung Disease: Etiologies and Diagnosis’, *Pediatric and Developmental Pathology*, 23(1), pp. 40–59. doi: 10.1177/1093526619890735.

Kessmann, Jennifer (2006) ‘Hirschsprung’s disease: Diagnosis and management’, *American Family Physician*.

Kessmann, J (2006) ‘Hirschsprung’s Disease: Diagnosis and Management’.

Knight, M. (2016) ‘What is important when treating people with Hirschsprung ’ s disease ? Working out what is important’, 1, pp. 2–3.

L, S. and A, M. (2014) ‘Diagnosis of Hirschsprung ’ s disease with particular emphasis on histopathology A systematic review of current literature’, *Prz Gastroenterol*, 9(5), pp. 264–269.

Lawal, T. A. *et al.* (2011) ‘Redo pull-through in Hirschsprung’s disease for obstructive symptoms due to residual aganglionosis and transition zone bowel’, *Journal of Pediatric Surgery*. Elsevier Inc., 46(2), pp. 342–347. doi: 10.1016/j.jpedsurg.2010.11.014.

Le-Nguyen, A. *et al.* (2019) ‘Factors influencing the incidence of Hirschsprung associated enterocolitis (HAEC)’, *Journal of Pediatric Surgery*. doi: 10.1016/j.jpedsurg.2019.01.026.

Li, Y. *et al.* (2016) ‘Characterization of intestinal microbiomes of hirschsprung’s disease patients with or without enterocolitis using illumina-miseq high-

- throughput sequencing', PLoS ONE, pp. 1–12. doi: 10.1371/journal.pone.0162079.
- Majdawati, A. (2009) 'Peran Pemeriksaan Barium Enema pada Penderita Megacolon Congenital (Hirschprung Diseases)', Jurnal Mutiara medika, 9(2), pp. 64–72.
- Maletzki, C. et al. (2012) 'S100 Proteins as Diagnostic and Prognostic Markers in Colorectal and Hepatocellular Carcinoma', Hepatitis Monthly. doi: 10.5812/hepatmon.7240.
- Monforte-Muñoz, H. L. et al. (1998) 'Increased submucosal nerve trunk caliber in aganglionosis: A “positive” and objective finding in suction biopsies and segmental resections in Hirschsprung's disease', Archives of Pathology and Laboratory Medicine, 122, pp. 721–725.
- Muise, E. D. and Cowles, R. A. (2016) 'Rectal biopsy for Hirschsprung's disease: a review of techniques, pathology, and complications', World Journal of Pediatrics, 12(2), pp. 135–141. doi: 10.1007/s12519-015-0068-5.
- Murphy, F. (2008) 'Enterocolitis complicating hirschsprung's disease', in Hirschsprung's Disease and Allied Disorders. 3rd edn. New York: Springer, pp. 133–143.
- Murphy, F. and Puri, P. (2005) 'New insights into the pathogenesis of Hirschsprung's associated enterocolitis', Pediatric Surgery International, (21), pp. 773–779. doi: 10.1007/s00383-005-1551-1.
- Narayanan, S. K. et al. (2016) 'Aganglionosis with the absence of hypertrophied nerve fibres predicts disease proximal to rectosigmoid colon', *Pediatric*

- Surgery International*. Springer Berlin Heidelberg, 32(3), pp. 221–226. doi: 10.1007/s00383-015-3835-4.
- Parahita, I. G., Makhmudi, A. and Gunadi (2018) ‘Comparison of Hirschsprung-associated enterocolitis following Soave and Duhamel procedures’, *Journal of Pediatric Surgery*, 53(7), pp. 1351–1354. doi: 10.1016/j.jpedsurg.2017.07.010.
- Pastor, A. C. et al. (2009) ‘Development of a standardized definition for Hirschsprung’s-associated enterocolitis: a Delphi analysis’, *Journal of Pediatric Surgery*, 44, pp. 251–256. doi: 10.1016/j.jpedsurg.2008.10.052.
- Peña, A. and Bischoff, A. (2015) *Surgical treatment of colorectal problems in children, Surgical Treatment of Colorectal Problems in Children*. doi: 10.1007/978-3-319-14989-9.
- Peña, A. and Levitt, M. A. (2011) *Surgical Treatment of Hirschsprung’s Disease*. Springer.
- Polydorides AD. Hirschsprung disease. In: Greenson JK, Lauwers GY, Polydorides AD, Montgomery EA, Srivastava A, Owens SR, editors. *Diagnostic pathology gastrointestinal*. Philadelphia ELSEVIER: second edition; 2016. p. 334–9.
- Rassouli-Kirchmeier, R. et al. (2014) ‘Predictive value of nerve trunk size in the neonate’, *Pediatric Surgery International*, 30(8), pp. 809–813. doi: 10.1007/s00383-014-3541-7.

- Rossi V, Avanzini S, Mosconi M, Mattioli G, Buffa P, Jasonni V, et al. (2014) 'Hirschsprung Associated Enterocolitis', *J Gastroint Dig Syst*, 4(1), pp. 2-5.
- Saad, S. A. *et al.* (2020) 'Histopathological perspective of the pulled-through colon in Hirschsprung disease: Impact on clinical outcome', *Journal of Pediatric Surgery*. Elsevier Inc., (xxxx), pp. 1–5. doi: 10.1016/j.jpedsurg.2020.01.007.
- Schey, W. (1971) 'Problem in Rongent and interpretation', *American Journal Of Roentgenology*, 112, pp. 105–115.
- Sedaghat, F. and Notopoulos, A. (2008) 'S100 protein family and its application in clinical practice', *Hippokratia*, pp. 198–204.
- Sellers, M. *et al.* (2018) 'Hirschsprung-associated enterocolitis: Observational study in a paediatric emergency care unit', *Anales de Pediatría (English Edition)*. Asociación Española de Pediatría, 88(6), pp. 329–334. doi: 10.1016/j.anpede.2017.07.006.
- Serio, R., Zizzo, M. G. and Mastropaolo, M. (2011) 'The enteric nervous system: New developments and emerging concepts', *Malta Medical Journal*, 23(3).
- Shen, D. H. *et al.* (2009) 'Detection of intestinal bifidobacteria and lactobacilli in patients with Hirschsprung's disease associated enterocolitis', *World Journal of Pediatrics*, 5, pp. 201–205. doi: 10.1007/s12519-009-0038-x.
- Sheth, J., Nour, S. and Dickinson, F. (2009) 'CT images of Hirschsprung's associated enterocolitis: A rare finding', *Archives of Disease in Childhood*, 94(10), pp. 10–11. doi: 10.1136/adc.2009.160275.

- Sulaksmono, G. (2016) 'Intisari Temuan Klinis Hirschsprung Associated Enterocolitis (HAEC) Pasca Prosedur SOAVE', Univ Gadjah Mada.
- Surana, R., Quinn, F. M. J. and Puri, P. (1994) 'Evaluation of risk factors in the development of enterocolitis complicating Hirschsprung's disease', *Pediatric Surgery International*, 9(4), pp. 234–236. doi: 10.1007/BF00832245.
- Surya, P. A. I. L. and Dharmajaya, M. (2012) 'Gejala dan Diagnosis Penyakit Hirschsprung', *Bali Medical Jurnal*, 5(1).
- Uesaka, T., Young, H. M., Pachnis, V., & Enomoto, H. (2016). Development of the intrinsic and extrinsic innervation of the gut. *Dev Biol*, 417(2), 158-167. doi:10.1016/j.ydbio.2016.04.016
- Zuikova, V. et al. (2016) 'Immunohistochemical Diagnosis of Hirschsprung's Disease and Allied Disorders', *Acta Chirurgica Latviensis*, 15. doi: 10.1515/chilat-2016-0010.

Lampiran . TABEL UTAMA

NO SAMPEL	RM	JENIS KELAMIN	UMUR (Th)	GRADE HISTOPATOLOGI (Teitelbaum)	Ukuran diameter saraf (μm)
1	808607	L	4	1	135,48
2	835392	P	12	1	49,10
3	803901	L	1	4	92,41
4	Sh105216	L	6 Bln	1	85,3
5	50865	L	5 Bln	0	65,58
6	824559	L	4	4	23,18
7	212209	L	2	2	25,40
8	793798	L	14	5	rusak
9	sh 121255	L	1	5	rusak
10	818280	L	1	1	45,95
11	820584	L	3	0	40,8
12	753852	L	3	4	74,36
13	814396	L	6	3	50,47
14	809297	L	2	2	71,43
15	811478	L	2	3	43,88

16	833161	L	6 Bln	2	21,7
17	822871	P	6	3	74,38
18	833381	L	5	4	66,47
19	837419	P	5 Bln	2	42,26
20	746159	L	3	4	76,14
21	822997	P	1	1	45,36
22	826430	L	1	2	72,59
23	789157	L	2	2	40,15
24	910688	P	3	4	16,4
25	769544	L	4	3	66,17
26	912796	P	3	3	50,46
27	769544	L	4	0	65,60
28	912796	P	3	1	50,97