

DAFTAR PUSTAKA

- ABBAS, A. K., LICHTMAN, A. H. & PILLAI, S. 2015. *Cellular and molecular immunology* 8th ed. Philadelphia: Elsevier Health Sciences.
- AKAO, Y., NAKAGAWA, Y. & NOZAWA, Y. 2008. Anti-cancer effects of xanthones from pericarps of mangosteen. *International Journal of Molecular Sciences*, 9, 355-370.
- ANWAR, A. I., DJAWAD, K. & FITRI, E. W. 2016. Effectiveness of Topical Mangosteen Pericarp Extract Against Angiogenesis in Mice Exposed to Ultra Violet B. *Pakistan Journal of Nutrition*, 15, 745-751.
- AUKKANIMART, R., BOONMARS, T., SRIRAJ, P., SONGSRI, J., LAUMMAUNWAI, P., WARAAASAWAPATI, S., BOONYARAT, C., RATTANASUWAN, P. & BOONJARASPINYO, S. 2015. Anthelmintic, anti-inflammatory and antioxidant effects of Garcinia mangostana extract in hamster opisthorchiasis. *Experimental parasitology*, 154, 5-13.
- BANNO, T., GAZEL, A. & BLUMENBERG, M. 2005. Pathway-specific profiling identifies the NF- κ B-dependent tumor necrosis factor α -regulated genes in epidermal keratinocytes. *Journal of Biological Chemistry*, 280, 18973-18980.
- BARONI, A., BUOMMINO, E., DE GREGORIO, V., RUOCCO, E., RUOCCO, V. & WOLF, R. 2012. Structure and function of the epidermis related to barrier properties. *Clinics in dermatology*, 30, 257-262.
- BUMRUNGPERT, A., KALPRAVIDH, R. W., CHITCHUMROONCHOKCHAI, C., CHUANG, C.-C., WEST, T., KENNEDY, A. & MCINTOSH, M. 2009a. Xanthones from mangosteen prevent lipopolysaccharide-mediated inflammation and insulin resistance in primary cultures of human adipocytes. *The Journal of nutrition*, 139, 1185-1191.
- BUMRUNGPERT, A., KALPRAVIDH, R. W., CHUANG, C.-C., OVERMAN, A., MARTINEZ, K., KENNEDY, A. & MCINTOSH, M. 2010. Xanthones from mangosteen inhibit inflammation in human macrophages and in human adipocytes exposed to macrophage-conditioned media. *The Journal of nutrition*, 140, 842-847.
- BUMRUNGPERT, A., KALPRAVIDH, R. W., SUKSAMRARN, S., CHAIVISUTHANGKURA, A., CHITCHUMROONCHOKCHAI, C. & FAILLA, M. L. 2009b. Bioaccessibility, biotransformation, and transport of α -mangostin from Garcinia mangostana (Mangosteen) using simulated digestion and Caco-2 human intestinal cells. *Molecular nutrition & food research*, 53, S54-S61.
- CHEN, L.-G., YANG, L.-L. & WANG, C.-C. 2008. Anti-inflammatory activity of mangostins from Garcinia mangostana. *Food and Chemical Toxicology*, 46, 688-693.

- CHOY, E. & ROSE-JOHN, S. 2017. Interleukin-6 as a multifunctional regulator: inflammation, immune response, and fibrosis. *Journal of Scleroderma and Related Disorders*, 2, S1-S5.
- CHUN, K.-S., KEUM, Y.-S., HAN, S. S., SONG, Y.-S., KIM, S.-H. & SURH, Y.-J. 2003. Curcumin inhibits phorbol ester-induced expression of cyclooxygenase-2 in mouse skin through suppression of extracellular signal-regulated kinase activity and NF-κB activation. *Carcinogenesis*, 24, 1515-1524.
- FU, Y., ZHOU, H., WANG, M., CEN, J. & WEI, Q. 2014. Immune regulation and anti-inflammatory effects of isogarcinol extracted from *Garcinia mangostana* L. against collagen-induced arthritis. *Journal of agricultural and food chemistry*, 62, 4127-4134.
- FÜRST, R. & ZÜNDORF, I. 2014. Plant-derived anti-inflammatory compounds: hopes and disappointments regarding the translation of preclinical knowledge into clinical progress. *Mediators of inflammation*, 2014.
- GONDOKESUMO, M. E., PARDJANTO, B., SUMITRO, S. B., WIDOWATI, W. & DIMYATI, A. 2018. Microstructural Characterization of the *Garcinia mangostana* Fruit at Different Maturity Level. *Journal of Natural Remedies*, 18, 63-70.
- GUTIERREZ-OROZCO, F., CHITCHUMROONCHOKCHAI, C., LESINSKI, G. B., SUKSAMRARN, S. & FAILLA, M. L. 2013. α-Mangostin: anti-inflammatory activity and metabolism by human cells. *Journal of agricultural and food chemistry*, 61, 3891-3900.
- HUANG, H., CAO, K., MALIK, S., ZHANG, Q., LI, D., CHANG, R., WANG, H., LIN, W., VAN DOREN, J. & ZHANG, K. 2015. Combination of 12-O-tetradecanoylphorbol-13-acetate with diethyldithiocarbamate markedly inhibits pancreatic cancer cell growth in 3D culture and in immunodeficient mice. *International journal of molecular medicine*, 35, 1617-1624.
- HUANG, M. T., LIU, Y., RAMJI, D., LO, C. Y., GHAI, G., DUSHENKOV, S. & HO, C. T. 2006. Inhibitory effects of black tea theaflavin derivatives on 12-O-tetradecanoylphorbol-13-acetate-induced inflammation and arachidonic acid metabolism in mouse ears. *Molecular nutrition & food research*, 50, 115-122.
- HUANG, Y.-L., CHEN, C.-C., CHEN, Y.-J., HUANG, R.-L. & SHIEH, B.-J. 2001. Three xanthones and a benzophenone from *Garcinia mangostana*. *Journal of Natural Products*, 64, 903-906.
- ITOH, T., OHGUCHI, K., IINUMA, M., NOZAWA, Y. & AKAO, Y. 2008. Inhibitory effect of xanthones isolated from the pericarp of *Garcinia mangostana* L. on rat basophilic leukemia RBL-2H3 cell degranulation. *Bioorganic & medicinal chemistry*, 16, 4500-4508.
- JANG, H.-Y., KWON, O.-K., OH, S.-R., LEE, H.-K., AHN, K.-S. & CHIN, Y.-W. 2012. Mangosteen xanthones mitigate ovalbumin-induced airway inflammation in a mouse model of asthma. *Food and chemical toxicology*, 50, 4042-4050.

- KHAN, A. Q., KHAN, R., QAMAR, W., LATEEF, A., REHMAN, M. U., TAHIR, M., ALI, F., HAMIZA, O. O., HASAN, S. K. & SULTANA, S. 2013. Geraniol attenuates 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced oxidative stress and inflammation in mouse skin: possible role of p38 MAP Kinase and NF- κ B. *Experimental and molecular pathology*, 94, 419-429.
- KULKARNI, N. M., MULEY, M. M., JAJI, M. S., VIJAYKANTH, G., RAGHUL, J., REDDY, N. K. D., VISHWAKARMA, S. L., RAJESH, N. B., MOOKKAN, J. & KRISHNAN, U. M. 2015. Topical atorvastatin ameliorates 12-O-tetradecanoylphorbol-13-acetate induced skin inflammation by reducing cutaneous cytokine levels and NF- κ B activation. *Archives of pharmacal research*, 38, 1238-1247.
- KUPPER, T. S. & FUHLBRIGGE, R. C. 2004. Immune surveillance in the skin: mechanisms and clinical consequences. *Nature Reviews Immunology*, 4, 211.
- KUROSE, H., SHIBATA, M.-A., IINUMA, M. & OTSUKI, Y. 2012. Alterations in cell cycle and induction of apoptotic cell death in breast cancer cells treated with α -mangostin extracted from mangosteen pericarp. *BioMed Research International*, 2012.
- LEE, S. H., KIM, D. W., EOM, S. A., JUN, S.-Y., PARK, M., KIM, D.-S., KWON, H. J., KWON, H. Y., HAN, K. H. & PARK, J. 2012. Suppression of 12-O-tetradecanoylphorbol-13-acetate (TPA)-induced skin inflammation in mice by transduced Tat-Annexin protein. *BMB Rep*, 45, 354-359.
- LIU, S.-H., LEE, L.-T., HU, N.-Y., HUANGE, K.-K., SHIH, Y.-C., MUNEKAZU, I., LI, J.-M., CHOU, T.-Y., WANG, W.-H. & CHEN, T.-S. 2012. Effects of alpha-mangostin on the expression of anti-inflammatory genes in U937 cells. *Chinese medicine*, 7, 19.
- MADSEN, M., HANSEN, P. R., NIELSEN, L. B., HARTVIGSEN, K., PEDERSEN, A. E., CHRISTENSEN, J. P., AARUP, A. & PEDERSEN, T. X. 2016. Effect of 12-O-tetradecanoylphorbol-13-acetate-induced psoriasis-like skin lesions on systemic inflammation and atherosclerosis in hypercholesterolaemic apolipoprotein E deficient mice. *BMC dermatology*, 16, 1-10.
- MARZAIMI, I. N. & AIZAT, W. M. 2019. Current Review on Mangosteen Usages in Antiinflammation and Other Related Disorders. *Bioactive Food as Dietary Interventions for Arthritis and Related Inflammatory Diseases*. Elsevier.
- MEDEIROS, R., OTUKI, M. F., AVELLAR, M. C. W. & CALIXTO, J. B. 2007. Mechanisms underlying the inhibitory actions of the pentacyclic triterpene α -amyrin in the mouse skin inflammation induced by phorbol ester 12-O-tetradecanoylphorbol-13-acetate. *European Journal of Pharmacology*, 559, 227-235.
- MEINGASSNER, J., GRASSBERGER, M., FAHRNGRUBER, H., MOORE, H., SCHUURMAN, H. & STÜTZ, A. 1997. A novel anti-inflammatory drug, SDZ ASM 981, for the topical and oral treatment of skin


- diseases: in vivo pharmacology. *British Journal of Dermatology*, 137, 568-576.
- NAKATANI, K., NAKAHATA, N., ARAKAWA, T., YASUDA, H. & OHIZUMI, Y. 2002. Inhibition of cyclooxygenase and prostaglandin E2 synthesis by γ -mangostin, a xanthone derivative in mangosteen, in C6 rat glioma cells. *Biochemical pharmacology*, 63, 73-79.
- NAKATANI, K., YAMAKUNI, T., KONDO, N., ARAKAWA, T., OOSAWA, K., SHIMURA, S., INOUE, H. & OHIZUMI, Y. 2004. γ -Mangostin inhibits inhibitor- κ B kinase activity and decreases lipopolysaccharide-induced cyclooxygenase-2 gene expression in C6 rat glioma cells. *Molecular Pharmacology*, 66, 667-674.
- NESTLE, F. O., DI MEGLIO, P., QIN, J.-Z. & NICKOLOFF, B. J. 2009. Skin immune sentinels in health and disease. *Nature Reviews Immunology*, 9, 679.
- NUGROHO, A. E. 2011. Manggis (*Garcinia mangostana* L): dari kulit buah yang terbuang hingga menjadi kandidat suatu obat. *Majalah Obat Tradisional*, 16, 64-9.
- OBOLSKIY, D., PISCHEL, I., SIRIWATANAMETANON, N. & HEINRICH, M. 2009. *Garcinia mangostana* L.: a phytochemical and pharmacological review. *Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives*, 23, 1047-1065.
- OVALLE-MAGALLANES, B., EUGENIO-PÉREZ, D. & PEDRAZA-CHAVERRI, J. 2017. Medicinal properties of mangosteen (*Garcinia mangostana* L.): a comprehensive update. *Food and Chemical Toxicology*, 109, 102-122.
- PARAMITA, S., KOSALA, K., DZULKIFLI, D., SAPUTRI, D. I. & WIJAYANTI, E. 2017. Anti-inflammatory activities of ethnomedicinal plants from Dayak Abai in North Kalimantan, Indonesia. *Biodiversitas Journal of Biological Diversity*, 18, 1556-1561.
- PASPARAKIS, M., HAASE, I. & NESTLE, F. O. 2014. Mechanisms regulating skin immunity and inflammation. *Nature Reviews Immunology*, 14, 289.
- PEDRAZA-CHAVERRI, J., CÁRDENAS-RODRÍGUEZ, N., OROZCO-IBARRA, M. & PÉREZ-ROJAS, J. M. 2008. Medicinal properties of mangosteen (*Garcinia mangostana*). *Food and chemical toxicology*, 46, 3227-3239.
- QUIVY, V. & VAN LINT, C. 2004. Regulation at multiple levels of NF- κ B-mediated transactivation by protein acetylation. *Biochemical pharmacology*, 68, 1221-1229.
- RAO, T. S., CURRIE, J. L., SHAFFER, A. F. & ISAKSON, P. C. 1993. Comparative evaluation of arachidonic acid (AA)-and tetradecanoylphorbol acetate (TPA)-induced dermal inflammation. *Inflammation*, 17, 723-741.
- RASSAMEEMASMAUNG, S., SIRIKULSATHEAN, A., AMORNCHAT, C., MAUNGMINGSOOK, P., ROJANAPANTHU, P. & GRITSANAPHAN,

- W. 2008. Topical application of *Garcinia mangostana* L. pericarp gel as an adjunct to periodontal treatment. *Complementary therapies in medicine*, 16, 262-267.
- REILLY, D., PARSLEW, R., SHARPE, G., POWELL, S. & GREEN, M. 2000. Inflammatory mediators in normal, sensitive and diseased skin types. *ACTA DERMATOVENEREOLICA-STOCKHOLM*, 80, 171-174.
- SATO, Y. & OHSHIMA, T. 2000. The expression of mRNA of proinflammatory cytokines during skin wound healing in mice: a preliminary study for forensic wound age estimation (II). *International journal of legal medicine*, 113, 140-145.
- SHANKARANARAYAN, D., GOPALAKRISHNAN, C. T. & KAMESWARAN, L. 1979. Pharmacological profile of mangostin and its derivatives. *Archives internationales de pharmacodynamie et de therapie*, 239, 257-269.
- STANLEY, P. L., STEINER, S., HAVENS, M. & TRAMPOSCH, K. M. 1991. Mouse skin inflammation induced by multiple topical applications of 12-O-tetradecanoylphorbol-13-acetate. *Skin Pharmacology and Physiology*, 4, 262-271.
- TACHAPRUTINUN, A., MEINKE, M. C., RICHTER, H., PAN-IN, P., WANICHWECHARUNGRUANG, S., KNORR, F., LADEMANN, J. & PATZELT, A. 2014. Comparison of the skin penetration of *Garcinia mangostana* extract in particulate and non-particulate form. *European Journal of Pharmaceutics and Biopharmaceutics*, 86, 307-313.
- TANAKA, T. & KISHIMOTO, T. 2012. Targeting interleukin-6: all the way to treat autoimmune and inflammatory diseases. *International journal of biological sciences*, 8, 1227.
- TANG, Y.-P., LI, P.-G., KONDO, M., JI, H.-P., KOU, Y. & OU, B. 2009. Effect of a mangosteen dietary supplement on human immune function: a randomized, double-blind, placebo-controlled trial. *Journal of medicinal food*, 12, 755-763.
- TEWTRAKUL, S., WATTANAPIROMSAKUL, C. & MAHABUSARAKAM, W. 2009. Effects of compounds from *Garcinia mangostana* on inflammatory mediators in RAW264. 7 macrophage cells. *Journal of Ethnopharmacology*, 121, 379-382.
- UDANI, J. K., SINGH, B. B., BARRETT, M. L. & SINGH, V. J. 2009. Evaluation of Mangosteen juice blend on biomarkers of inflammation in obese subjects: a pilot, dose finding study. *Nutrition journal*, 8, 48.
- VISHNU PRIYA, V., JAINU, M., MOHAN, S. K., KARTHIK, B., SARASWATHI, P. & CHANDRA SADA, G. 2010. Toxicity study of *Garcinia mangostana* Linn. pericarp extract in rats. *Asian J Exp Biol Sci*, 1, 633-637.
- WALKER, E. B. 2007. HPLC analysis of selected xanthones in mangosteen fruit. *Journal of separation science*, 30, 1229-1234.
- WANG, J. J., SHI, Q. H., ZHANG, W. & SANDERSON, B. J. 2012. Anti-skin cancer properties of phenolic-rich extract from the pericarp of


- mangosteen (*Garcinia mangostana* Linn.). *Food and chemical toxicology*, 50, 3004-3013.
- WANG, X.-P., SCHUNCK, M., KALLEN, K.-J., NEUMANN, C., TRAUTWEIN, C., ROSE-JOHN, S. & PROKSCH, E. 2004. The interleukin-6 cytokine system regulates epidermal permeability barrier homeostasis. *Journal of investigative dermatology*, 123, 124-131.
- WAYKOLE, Y. P., DOIPHODE, S., RAKHEWAR, P. & MHASKE, M. 2009. Anticytokine therapy for periodontal diseases: Where are we now? *Journal of Indian Society of Periodontology*, 13, 64.
- WEI, W.-C., LIN, S.-Y., CHEN, Y.-J., WEN, C.-C., HUANG, C.-Y., PALANISAMY, A., YANG, N.-S. & SHEU, J.-H. 2011. Topical application of marine briarane-type diterpenes effectively inhibits 12-O-tetradecanoylphorbol-13-acetate-induced inflammation and dermatitis in murine skin. *Journal of Biomedical Science*, 18, 94.
- WIDOWATI, W., DARSONO, L., SUHERMAN, J., FAUZIAH, N., MAESAROH, M. & ERAWIJANTARI, P. P. 2016. Anti-inflammatory effect of mangosteen (*Garcinia mangostana* L.) peel extract and its compounds in LPS-induced RAW264. 7 cells. *Natural Product Sciences*, 22, 147-153.
- WUFUER, M., LEE, G., HUR, W., JEON, B., KIM, B. J., CHOI, T. H. & LEE, S. 2016. Skin-on-a-chip model simulating inflammation, edema and drug-based treatment. *Scientific reports*, 6, 37471.
- XIE, Z., SINTARA, M., CHANG, T. & OU, B. 2015. Daily consumption of a mangosteen-based drink improves in vivo antioxidant and anti-inflammatory biomarkers in healthy adults: a randomized, double-blind, placebo-controlled clinical trial. *Food science & nutrition*, 3, 342-348.
- YAMAKUNI, T., AOKI, K., NAKATANI, K., KONDO, N., OKU, H., ISHIGURO, K. & OHIZUMI, Y. 2006. Garcinone B reduces prostaglandin E2 release and NF- κ B-mediated transcription in C6 rat glioma cells. *Neuroscience letters*, 394, 206-210.
- ZHANG, M., ZHOU, J., WANG, L., LI, B., GUO, J., GUAN, X., HAN, Q. & ZHANG, H. 2014. Caffeic acid reduces cutaneous tumor necrosis factor alpha (TNF- α), IL-6 and IL-1 β levels and ameliorates skin edema in acute and chronic model of cutaneous inflammation in mice. *Biological and Pharmaceutical Bulletin*, 37, 347-354.

LAMPIRAN


1. Hasil Studi Preliminary



Preliminary 48 Jam



Preliminary 72 Jam



2. Ekstrak Kulit Manggis




3. Krim Ekstrak Kulit Manggis



4. Pengenceran TPA


a. 12-O-Tetradecanylphorbol-13-Acetate (TPA)





b. Zat TPA 5 mg di larutkan dalam 50 ml aseton sebagai pelarut




c. Dosis yang digunakan pada penelitian (2 µg TPA dalam 2 µl Aseton)



5. Pembuatan Model Binatang



6. Pengumpulan Spesimen





Keterangan foto :

- (a) Proses homogenisasi jaringan dengan sonicator
- (b) Jaringan yang telah selesai dihomogenisasi
- (c) Jaringan yang telah dihomogenisasi disentrifugasi

7. Kit Elisa



8. Proses ELISA





9. Deskripsi Statistik Kadar IL_6

Descriptives

KELOMPOK		Statistic	Std. Error
IL_6 Tanpa Perlakuan	Mean	29.3749	3.09311
	95% Confidence Interval for	Lower Bound	20.7871
	Mean	Upper Bound	37.9628
	5% Trimmed Mean	29.5470	
	Median	30.2885	
	Variance	47.837	
	Std. Deviation	6.91641	
	Minimum	18.97	
	Maximum	36.69	
	Range	17.72	
	Interquartile Range	12.49	
	Skewness	-.815	.913
TPA	Kurtosis	.267	2.000
	Mean	39.7512	1.55884
	95% Confidence Interval for	Lower Bound	35.4231
	Mean	Upper Bound	44.0792
	5% Trimmed Mean	39.8451	
	Median	40.8332	
	Variance	12.150	
	Std. Deviation	3.48568	
Minimum		34.29	

	Maximum	43.52	
	Range	9.23	
	Interquartile Range	5.88	
	Skewness	-1.034	.913
	Kurtosis	1.318	2.000
TPA + BC	Mean	43.7294	5.10672
	95% Confidence Interval for	Lower Bound	29.5508
	Mean	Upper Bound	57.9079
	5% Trimmed Mean		43.2341
	Median		40.0881
	Variance		130.393
	Std. Deviation		11.4189
			7
	Minimum		33.25
	Maximum		63.12
TPA + GM 2.5%	Range		29.87
	Interquartile Range		17.01
	Skewness		.913
	Kurtosis		3.331
	Mean	28.1212	2.70203
	95% Confidence Interval for	Lower Bound	20.6192
	Mean	Upper Bound	35.6233
	5% Trimmed Mean		28.1414
	Median		28.2962
	Variance		36.505
TPA + GM 5%	Std. Deviation		6.04193
	Minimum		19.45
	Maximum		36.43
	Range		16.98
	Interquartile Range		9.44
	Skewness		.913
	Kurtosis		1.764
	Mean	35.6305	2.69755
	95% Confidence Interval for	Lower Bound	28.1409
	Mean	Upper Bound	43.1201
	5% Trimmed Mean		35.7804
	Median		35.7471

	Variance	36.384	
	Std. Deviation	6.03191	
	Minimum	27.19	
	Maximum	41.37	
	Range	14.17	
	Interquartile Range	11.45	
	Skewness	-.493	.913
	Kurtosis	-1.144	2.000
TPA + GM 10%	Mean	32.0605	4.10477
	95% Confidence Interval for	Lower Bound	20.6639
	Mean	Upper Bound	43.4572
	5% Trimmed Mean	32.5058	
	Median	34.2569	
	Variance	84.246	
	Std. Deviation	9.17854	
	Minimum	16.21	
	Maximum	39.89	
	Range	23.68	
	Interquartile Range	13.01	
	Skewness	-1.841	.913
	Kurtosis	3.827	2.000
TPA + GM 20%	Mean	29.2388	5.53239
	95% Confidence Interval for	Lower Bound	13.8785
	Mean	Upper Bound	44.5992
	5% Trimmed Mean	29.2131	
	Median	29.2842	
	Variance	153.037	
	Std. Deviation	12.3708	
		0	
	Minimum	14.97	
	Maximum	43.98	
	Range	29.01	
	Interquartile Range	24.28	
	Skewness	.032	.913
	Kurtosis	-2.289	2.000


10. Uji Normalitas Kadar IL_6

KELOMPOK	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Tanpa Perlakuan	.157	5	.200*	.957	5	.784
TPA	.222	5	.200*	.936	5	.641
TPA + BC	.320	5	.105	.834	5	.148
TPA + GM 2.5%	.243	5	.200*	.944	5	.698
TPA + GM 5%	.226	5	.200*	.913	5	.486
TPA + GM 10%	.375	5	.020	.789	5	.065
TPA + GM 20%	.191	5	.200*	.941	5	.673


*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

11. Gambar Grafik Kadar IL-6 jaringan pada kelompok kontrol, TPA dan TPA+BC



12. Gambar Grafik kadar IL-6 jaringan pada berbagai kelompok dosis GM



13. Uji Distribusi Shapiro Wilk

Tests of Normality

KELOMPOK	Kolmogorov-Smirnov ^a			Shapiro-Wilk			
	Statistic	df	Sig.	Statistic	df	Sig.	
IL_6	Tanpa Perlakuan	.157	5	.200*	.957	5	.784
	TPA	.222	5	.200*	.936	5	.641
	TPA + BC	.320	5	.105	.834	5	.148
	TPA + GM 2.5%	.243	5	.200*	.944	5	.698
	TPA + GM 5%	.226	5	.200*	.913	5	.486
	TPA + GM 10%	.375	5	.020	.789	5	.065
	TPA + GM 20%	.191	5	.200*	.941	5	.673

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

14. Hasil Uji One-Way Anova Kadar IL_6

ANOVA

IL_6

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	549.236	2	274.618	4.327	.038
Within Groups	761.518	12	63.460		
Total	1310.754	14			

ANOVA

IL_6

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	1063.876	6	177.313	2.480	.047
Within Groups	2002.203	28	71.507		
Total	3066.079	34			

15. Uji Post Hoc Kadar IL_6

Multiple Comparisons

Dependent Variable: IL_6

LSD

(I) KELOMPOK	(J) KELOMPOK	Mean	Difference (I-J)	Std. Error	Sig.	
Tanpa	TPA	-10.37624	5.03825	.062	Tidak berbeda Signifikan	
Perlakuan	TPA + BC	-14.35442*	5.03825	.015	Berbeda Signifikan	
TPA	Tanpa Perlakuan	10.37624	5.03825	.062	Tidak berbeda Signifikan	
	TPA + BC	-3.97818	5.03825	.445	Tidak berbeda Signifikan	
TPA + BC	Tanpa Perlakuan	14.35442*	5.03825	.015	Berbeda Signifikan	
	TPA	3.97818	5.03825	.445	Tidak berbeda Signifikan	

*. The mean difference is significant at the 0.05 level.

Multiple Comparisons

Dependent Variable: IL_6

LSD

		Mean			
(I) KELOMPOK	(J) KELOMPOK	Difference (I-J)	Std. Error	Sig.	
Tanpa Perlakuan	TPA	-10.37624	5.34817	.062	Tidak berbeda Signifikan
	TPA + BC	-14.35442*	5.34817	.012	Berbeda Signifikan
	TPA + GM 2.5%	1.25372	5.34817	.816	Tidak berbeda Signifikan
	TPA + GM 5%	-6.25554	5.34817	.252	Tidak berbeda Signifikan
	TPA + GM 10%	-2.68558	5.34817	.619	Tidak berbeda Signifikan
	TPA + GM 20%	.13610	5.34817	.980	Tidak berbeda Signifikan
TPA	Tanpa Perlakuan	10.37624	5.34817	.062	Tidak berbeda Signifikan
	TPA + BC	-3.97818	5.34817	.463	Tidak berbeda Signifikan
	TPA + GM 2.5%	11.62996*	5.34817	.038	Berbeda Signifikan
	TPA + GM 5%	4.12070	5.34817	.447	Tidak berbeda Signifikan
	TPA + GM 10%	7.69066	5.34817	.162	Tidak berbeda Signifikan
	TPA + GM 20%	10.51234	5.34817	.059	Tidak berbeda Signifikan
TPA + BC	Tanpa Perlakuan	14.35442*	5.34817	.012	Berbeda Signifikan
	TPA	3.97818	5.34817	.463	Tidak berbeda Signifikan
	TPA + GM 2.5%	15.60814*	5.34817	.007	Berbeda Signifikan
	TPA + GM 5%	8.09888	5.34817	.141	Tidak berbeda Signifikan
	TPA + GM 10%	11.66884*	5.34817	.038	Berbeda Signifikan
	TPA + GM 20%	14.49052*	5.34817	.011	Berbeda Signifikan
TPA + GM 2.5%	Tanpa Perlakuan	-1.25372	5.34817	.816	Tidak berbeda Signifikan
	TPA	-11.62996*	5.34817	.038	Berbeda Signifikan
	TPA + BC	-15.60814*	5.34817	.007	Berbeda Signifikan
	TPA + GM 5%	-7.50926	5.34817	.171	Tidak berbeda Signifikan
	TPA + GM 10%	-3.93930	5.34817	.468	Tidak berbeda Signifikan
	TPA + GM 20%	-1.11762	5.34817	.836	Tidak berbeda Signifikan
TPA + GM 5%	Tanpa Perlakuan	6.25554	5.34817	.252	Tidak berbeda Signifikan
	TPA	-4.12070	5.34817	.447	Tidak berbeda Signifikan
	TPA + BC	-8.09888	5.34817	.141	Tidak berbeda Signifikan
	TPA + GM 2.5%	7.50926	5.34817	.171	Tidak berbeda Signifikan
	TPA + GM 10%	3.56996	5.34817	.510	Tidak berbeda Signifikan
	TPA + GM 20%	6.39164	5.34817	.242	Tidak berbeda Signifikan
TPA + GM 10%	Tanpa Perlakuan	2.68558	5.34817	.619	Tidak berbeda Signifikan
	TPA	-7.69066	5.34817	.162	Tidak berbeda Signifikan
	TPA + BC	-11.66884*	5.34817	.038	Berbeda Signifikan

	<u>TPA + GM 2.5%</u>	3.93930	5.34817	.468	Tidak berbeda Signifikan
	<u>TPA + GM 5%</u>	-3.56996	5.34817	.510	Tidak berbeda Signifikan
	<u>TPA + GM 20%</u>	2.82168	5.34817	.602	Tidak berbeda Signifikan
TPA + GM 20%	<u>Tanpa Perlakuan</u>	-.13610	5.34817	.980	Tidak berbeda Signifikan
	<u>TPA</u>	-10.51234	5.34817	.059	Tidak berbeda Signifikan
	<u>TPA + BC</u>	-14.49052*	5.34817	.011	Berbeda Signifikan
	<u>TPA + GM 2.5%</u>	1.11762	5.34817	.836	Tidak berbeda Signifikan
	<u>TPA + GM 5%</u>	-6.39164	5.34817	.242	Tidak berbeda Signifikan
	<u>TPA + GM 10%</u>	-2.82168	5.34817	.602	Tidak berbeda Signifikan

*. The mean difference is significant at the 0.05 level.