

DAFTAR PUSTAKA

- Amarya, S., Sigh, K., & Sabharwal, M. (2018). *Ageing Process and Physiological Changes.* in book: Gerontology. Intech Open.
- Ambrose, A. F., Paul, G., & Hausdorff, J. M. (2013). Risk factors for falls among older adults: a review of the literature. *Maturitas*, 75(1), 51–61.
- Andreassen, L. M., Sandberg, S., Kristensen, G. B. B., Sølvik, U. Ø., & Kjome, R. L. S. (2014). Nursing home patients with diabetes: prevalence, drug treatment and glycemic control. *Diabetes Research and Clinical Practice*, 105(1), 102–109.
- Aras, D. (2017). Proses dan Pengukuran Fisioterapi. *Universitas Hasanuddin: Makasar*.
- Aravinda, J. (2019). Risk factors in patients with type 2 diabetes in Bengaluru: A retrospective study. *World Journal of Diabetes*, 10(4), 241.
- Aryana, S., Astika, N., & Kuswardhani, T. (2018). Geriatric Opinion 2018. *Geriatric Opinion 2018, December*, 11.
- Awada, S., Ajrouche, R., Shoker, M., Al-Hajje, A., Rachidi, S., Zein, S., & Bawab, W. (2019). Rheumatoid arthritis in the lebanese adults: impact on health-related quality of life. *Journal of Epidemiology and Global Health*, 9(4), 281.
- Aynalem, S. B., & Zeleke, A. J. (2018). Prevalence of diabetes mellitus and its risk factors among individuals aged 15 years and above in Mizan-Aman town, Southwest Ethiopia, 2016: a cross sectional study. *International Journal of Endocrinology*, 2018.
- Azad, A., Sabet, A., Taghizadeh, G., & Mohammadi-Nezhad, T. (2020). Clinical assessment of Persian translation of Fullerton Advanced Balance Scale in community-dwelling older adults. *Disability and Rehabilitation*, 42(4), 567–573.
- Banerjee, S., & Radak, T. (2019). Association between food insecurity, cardiorenal syndrome and all-cause mortality among low-income adults. *Nutrition and Health*, 25(4), 245–252.
- Bi, J., Ji, C., Wu, Y., Wu, M., Liu, Y., Song, L., Khatiwada, S. U., Yang, S., Li, B., Wang, Y., & Wu, L. (2020). Association between maternal normal range HbA1c values and adverse birth outcomes. *Journal of Clinical Endocrinology and Metabolism*, 105(6), 2185–2191.
<https://doi.org/10.1210/clinem/dgaa127>
- Bilous, R., Donnelly, R., & Idris, I. (2021). *Handbook of diabetes*. John Wiley & Sons.
- Budiwibowo, F., & Setiowati, A. (2015). Unsur indeks massa tubuh dan kekuatan otot tungkai dalam keseimbangan. *Journal of Sport Science and Fitness*, 4(2).
- C. Guyton and John E.Hall, P. . (2006). *Textbook of Medical Physiology*. Twelfth Edition.
- Cheng, S. J., Yang, Y. R., Cheng, F. Y., Chen, I. H., & Wang, R. Y. (2014). The changes of muscle strength and functional activities during aging in male and female populations. *International Journal of Gerontology*, 8(4), 197–202.
<https://doi.org/10.1016/j.ijge.2013.08.014>
- Chhetri, J. K., Zheng, Z., Xu, X., Ma, C., & Chan, P. (2017). The prevalence and incidence of frailty in Pre-diabetic and diabetic community-dwelling older population: results from Beijing longitudinal study of aging II (BLSA-II). *BMC*

- Geriatrics*, 17(1), 1–8.
- Chiwanga, F. S., & Njelelka, M. A. (2015). Diabetic foot: Prevalence, knowledge, and foot self-care practices among diabetic patients in Dar es Salaam, Tanzania - a cross-sectional study. *Journal of Foot and Ankle Research*, 8(1), 1–7. <https://doi.org/10.1186/s13047-015-0080-y>
- Collins, B. C., Laakkonen, E. K., & Lowe, D. A. (2019). Aging of the musculoskeletal system: How the loss of estrogen impacts muscle strength. *Bone*, 123, 137–144.
- da Silveira Langoni, C., de Lima Resende, T., Barcellos, A. B., Cecchelle, B., Knob, M. S., do Nascimento Silva, T., da Rosa, J. N., de Souza Diogo, T., da Silva Filho, I. G., & Schwanke, C. H. A. (2019). Effect of exercise on cognition, conditioning, muscle endurance, and balance in older adults with mild cognitive impairment: a randomized controlled trial. *Journal of Geriatric Physical Therapy*, 42(2), E15–E22.
- Dahlan, M. S. (2016). Besar sampel dalam penelitian kedokteran dan kesehatan. *Jakarta: Epidemiologi Indonesia*, 14.
- Daly, R. M., Dalla Via, J., Duckham, R. L., Fraser, S. F., & Helge, E. W. (2019). Exercise for the prevention of osteoporosis in postmenopausal women: an evidence-based guide to the optimal prescription. *Brazilian Journal of Physical Therapy*, 23(2), 170–180.
- De Oliveira Lima, R. A., Piemonte, G. A., Nogueira, C. R., & Nunes-Nogueira, V. D. S. (2021). Efficacy of exercise on balance, fear of falling, and risk of falls in patients with diabetic peripheral neuropathy: A systematic review and meta-analysis. *Archives of Endocrinology and Metabolism*, 65(2), 198–211. <https://doi.org/10.20945/2359-3997000000337>
- Dharma, U. S., & Boy, E. (2019). Peranan Latihan Aerobik dan Gerakan Salat terhadap Kebugaran Jantung dan Paru Lansia. *Jurnal Magna Medica*, 6(2), 122–129.
- Dipietro, L., Campbell, W. W., Buchner, D. M., Erickson, K. I., Powell, K. E., Bloodgood, B., Hughes, T., Day, K. R., Piercy, K. L., & Vaux-Bjerke, A. (2019). Physical activity, injurious falls, and physical function in aging: an umbrella review. *Medicine and Science in Sports and Exercise*, 51(6), 1303.
- du Plessis, R., Dembskey, N., & Bassett, S. H. (2022). Effects of an isometric exercise training program on muscular strength, ankle mobility, and balance in patients with diabetic peripheral neuropathy in the lower legs in South Africa. *International Journal of Diabetes in Developing Countries*, 3–8. <https://doi.org/10.1007/s13410-022-01068-1>
- Elboim-Gabyzon, M., Agmon, M., Azaiza, F., & Laufer, Y. (2015). Translation and validation of the Arab version of the Late-Life Function and Disability Instrument: A cross sectional study. *BMC Geriatrics*, 15(1), 1–8. <https://doi.org/10.1186/s12877-015-0046-8>
- Eliana, F., SpPD, K., & Yarsi, B. (2015). Penatalaksanaan DM Sesuai Konsensus Perkeni 2015. *PB Perkeni Jakarta*.
- Fauzi, M. F. (2021). *Journal of Health and Therapy*, 1(1), 52–58.
- Formiga, M. F., Fay, R., Hutchinson, S., Locandro, N., Ceballos, A., Lesh, A., Buscheck, J., Meanor, J., Owens, J. G., & Cahalin, L. P. (2020). Effect of aerobic exercise training with and without blood flow restriction on aerobic capacity in healthy young adults: a systematic review with meta-analysis. *International Journal of Sports Physical Therapy*, 15(2), 175.
- Ginter, E., & Simko, V. (2013). Women live longer than men. *Bratislavské*

- Lekarske Listy*, 114(2), 45–49.
- Goto, N. A., Van Loon, I. N., Morpey, M. I., Verhaar, M. C., Willems, H. C., Emmelot-Vonk, M. H., Bots, M. L., Boereboom, F. T. J., & Hamaker, M. E. (2019). Geriatric assessment in elderly patients with end-stage kidney disease. *Nephron*, 141(1), 41–48.
- Hall, J. E., & Hall, M. E. (2020). *Guyton and Hall textbook of medical physiology e-Book*. Elsevier Health Sciences.
- He, W., Goodkind, D., & Kowal, P. R. (2016). *An aging world: 2015*. United States Census Bureau Washington, DC.
- Hedayatpour, N., & Falla, D. (2015). Physiological and neural adaptations to eccentric exercise: mechanisms and considerations for training. *BioMed Research International*, 2015.
- Higgins, M. (2011). *Therapeutic exercise: From theory to practice*. FA Davis.
- Hordern, M. D., Dunstan, D. W., Prins, J. B., Baker, M. K., Singh, M. A. F., & Coombes, J. S. (2012). Exercise prescription for patients with type 2 diabetes and pre-diabetes: a position statement from Exercise and Sport Science Australia. *Journal of Science and Medicine in Sport*, 15(1), 25–31.
- Howe, T. E., Rochester, L., Neil, F., Skelton, D. A., & Ballinger, C. (2011). Exercise for improving balance in older people. *Cochrane Database of Systematic Reviews*, 11.
- Jang, H. C. (2016a). Sarcopenia, frailty, and diabetes in older adults. *Diabetes & Metabolism Journal*, 40(3), 182–189.
- Jang, H. C. (2016b). Sarcopenia, frailty, and diabetes in older adults. *Diabetes and Metabolism Journal*, 40(3), 182–189.
<https://doi.org/10.4093/dmj.2016.40.3.182>
- Joo, Y. S., Jhee, J. H., Kim, H.-W., Han, S. H., Yoo, T.-H., Kang, S.-W., & Park, J. T. (2020). Physical performance and chronic kidney disease development in elderly adults: results from a nationwide cohort study. *Aging (Albany NY)*, 12(17), 17393.
- Kang, S., Hwang, S., Klein, A. B., & Kim, S. H. (2015). Multicomponent exercise for physical fitness of community-dwelling elderly women. *Journal of Physical Therapy Science*, 27(3), 911–915.
- Kholifah, S. N. (2016). Keperawatan Gerontik. *Jakarta Selatan: Kemenkes RI*.
- Kisner, C., & Kolby, L. (2012). Soft Tissue Injury, Repair, and Management. *Kisner C, Kolby L. Therapeutic Exercise: Foundations and Techniques*. 6th Ed. Philadelphia, PA: FA Davis Company, 315–329.
- Klimczuk, A. (2016). Activities of Daily Living. *Encyclopedia of Family Studies*, February, 1–4. <https://doi.org/10.1002/9781119085621.wbef143>
- Kohlman-Trigoboff, D. (2013). Management of lower extremity peripheral arterial disease: Interpreting the latest guidelines for nurse practitioners. *The Journal for Nurse Practitioners*, 9(10), 653–660.
- Krentz, A. J., Viljoen, A., & Sinclair, A. (2013). Insulin resistance: a risk marker for disease and disability in the older person. *Diabetic Medicine*, 30(5), 535–548.
- Lauralee Sherwood. (2016). Human Physiology From Cells to System.Ninth Edition. In วารสารสังคมศาสตร์วิชาการ (Vol. 7, Issue 2).
- Lee, S. B., Oh, J. H., Park, J. H., Choi, S. P., & Wee, J. H. (2018). Differences in youngest-old, middle-old, and oldest-old patients who visit the emergency department. *Clinical and Experimental Emergency Medicine*, 5(4), 249.
- Li, Y., Teng, D. I., Shi, X., Qin, G., Qin, Y., Quan, H., Shi, B., Sun, H., Ba, J., &

- Chen, B. (2020). Prevalence of diabetes recorded in mainland China using 2018 diagnostic criteria from the American Diabetes Association: national cross sectional study. *Bmj*, 369.
- Lima Filho, B. F. de, Gama, A. G. D., Dias, V. da N., Silva, E. M. T. da, Cavalcanti, F. A. da C., & Gazzola, J. M. (2020). The frailty syndrome in older adults with type 2 diabetes mellitus and associated factors. *Revista Brasileira de Geriatria e Gerontologia*, 23(1). <https://doi.org/10.1590/1981-22562020023.200196>
- Liu, C., Chang, W.-P., Araujo de Carvalho, I., Savage, K. E. L., Radford, L. W., & Amuthavalli Thiyagarajan, J. (2017). Effects of physical exercise in older adults with reduced physical capacity: meta-analysis of resistance exercise and multimodal exercise. *International Journal of Rehabilitation Research*, 40(4), 303–314.
- Marlita, L., Saputra, R., & Yamin, M. (2018). Faktor-Faktor yang Mempengaruhi Tingkat Kemandirian Lansia dalam Melakukan Activity Daily Living (ADL) di UPT PSTW Khusnul Khotimah. *Jurnal Keperawatan Abdurrah*, 1(2), 64–68.
- Maryani, H., & Kristiana, L. (2018). Pemodelan angka harapan hidup (AHH) laki-laki dan perempuan di Indonesia tahun 2016. *Buletin Penelitian Sistem Kesehatan*, 21(2), 71–81.
- Masih, R., Prades, H., Kaur, S., Gupta, N. L., Kaur, N., & Singh, D. (2019). The metabolic syndrome: Its prevalence and risk factors among policemen of Patiala, Punjab. *Blood Pressure*, 130(1), 85.
- Mateus, A., Rebelo, J., & Silva, A. G. (2020). Effects of a Multimodal Exercise Program Plus Neural Gliding on Postural Control, Pain, and Flexibility of Institutionalized Older Adults: A Randomized, Parallel, and Double-Blind Study. *Journal of Geriatric Physical Therapy*, 43(1), 3–11.
- Meng, H., Zhang, M., Xiao, B., Chen, X., Yan, J., Zhao, Z., Ma, K., Shen, Y., & Xie, J. (2019). Forensic age estimation based on the pigmentation in the costal cartilage from human mortal remains. *Legal Medicine*, 40, 32–36.
- Millán-Calenti, J. C., Tubío, J., Pita-Fernández, S., González-Abraldes, I., Lorenzo, T., Fernández-Arruty, T., & Maseda, A. (2010). Prevalence of functional disability in activities of daily living (ADL), instrumental activities of daily living (IADL) and associated factors, as predictors of morbidity and mortality. *Archives of Gerontology and Geriatrics*, 50(3), 306–310.
- Moncada, L. V. V., & Mire, L. G. (2017). Preventing falls in older persons. *American Family Physician*, 96(4), 240–247.
- Morton, J. P., Kayani, A. C., McArdle, A., & Drust, B. (2009). The exercise-induced stress response of skeletal muscle, with specific emphasis on humans. *Sports Medicine*, 39(8), 643–662.
- Muszalik, M., Stępień, H., Puto, G., Cybulski, M., & Kurpas, D. (2022). Implications of the Metabolic Control of Diabetes in Patients with Frailty Syndrome. *International Journal of Environmental Research and Public Health*, 19(16), 10327.
- Naderi, A., Shaabani, F., Esmaeili, A., Salman, Z., Borella, E., & Degens, H. (2019). Effects of low and moderate acute resistance exercise on executive function in community-living older adults. *Sport, Exercise, and Performance Psychology*, 8(1), 106.
- Navas-Enamorado, I., Bernier, M., Brea-Calvo, G., & de Cabo, R. (2017). Influence of anaerobic and aerobic exercise on age-related pathways in skeletal muscle. *Ageing Research Reviews*, 37, 39.

- Nisa, Q., & Maratis, J. (2019). Hubungan keseimbangan postural dengan kemampuan berjalan pada pasien stroke hemiparesis. *Jurnal Fisioterapi*, 19(2), 83–89.
- O'Driscoll, J., & Delahunt, E. (2011). Neuromuscular training to enhance sensorimotor and functional deficits in subjects with chronic ankle instability: a systematic review and best evidence synthesis. *Sports Medicine, Arthroscopy, Rehabilitation, Therapy & Technology*, 3(1), 1–20.
- Ortega-Bastidas, P., Aqueveque, P., Gómez, B., Saavedra, F., & Cano-de-la-Cuerda, R. (2019). Use of a single wireless IMU for the segmentation and automatic analysis of activities performed in the 3-m timed up & go test. *Sensors*, 19(7), 1647.
- Ozouguw, J. C., Obimba, K. C., Belonwu, C. D., & Unakalamba, C. B. (2013). The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *J Physiol Pathophysiol*, 4(4), 46–57.
- Page, P., & Ellenbecker, T. S. (2019). *Strength band training*. Human Kinetics Publishers.
- Pan, B., Ge, L., Xun, Y. qin, Chen, Y. jing, Gao, C. yun, Han, X., Zuo, L. qian, Shan, H. qian, Yang, K. hu, Ding, G. wu, & Tian, J. hui. (2018). Exercise training modalities in patients with type 2 diabetes mellitus: A systematic review and network meta-analysis. *International Journal of Behavioral Nutrition and Physical Activity*, 15(1), 1–14. <https://doi.org/10.1186/s12966-018-0703-3>
- Pashmdarfard, M., & Azad, A. (2020). Assessment tools to evaluate Activities of Daily Living (ADL) and Instrumental Activities of Daily Living (IADL) in older adults: A systematic review. *Medical Journal of the Islamic Republic of Iran*, 34, 33.
- Patil, R., Uusi-Rasi, K., Tokola, K., Karinkanta, S., Kannus, P., & Sievänen, H. (2015). Effects of a multimodal exercise program on physical function, falls, and injuries in older women: a 2-year community-based, randomized controlled trial. *Journal of the American Geriatrics Society*, 63(7), 1306–1313.
- Pavasini, R., Guralnik, J., Brown, J. C., di Bari, M., Cesari, M., Landi, F., Vaes, B., Legrand, D., Verghese, J., Wang, C., Stenholm, S., Ferrucci, L., Lai, J. C., Bartes, A. A., Espaulella, J., Ferrer, M., Lim, J. Y., Ensrud, K. E., Cawthon, P., ... Campo, G. (2016). Short Physical Performance Battery and all-cause mortality: Systematic review and meta-analysis. *BMC Medicine*, 14(1), 1–9. <https://doi.org/10.1186/s12916-016-0763-7>
- PERKENI. (2015). Pengelolaan dan pencegahan diabetes melitus tipe 2 di Indonesia. *Pb. Perkeni*.
- Pinzón-Ríos, I. D. (2019). Loss of muscle mass induced by aging. *Revista Ciencias de La Salud*, 17(2), 223–244.
- Prasetyo, J., & Wahyuni, S. (2021). *FAKTOR-FAKTOR RISIKO KEJADIAN DIABETES MELITUS TIPE-2 DI PUSKESMAS PATI 1*. Universitas Ngudi Waluyo.
- Punthakee, Z., Goldenberg, R., & Katz, P. (2018). Definition, classification and diagnosis of diabetes, prediabetes and metabolic syndrome. *Canadian Journal of Diabetes*, 42, S10–S15.
- Pytel, A., Beszlej, J. A., Biercewicz, M., Roszmann, A., Krówczyńska, D., & Kołtuniuk, A. (2022). The Effect of Frailty Syndrome on the Quality of Life of Individuals with Parkinson's Disease: A Pilot Observational and Multicenter

- Study on the Polish Population. *International Journal of Environmental Research and Public Health*, 19(22), 15226.
- Rezai Asl, H., Pishgooli, S. A. H., & Alhani, F. (2017). The effectiveness of "Family-Centered Empowerment Model" on the treatment adherence of patients with type II diabetes and heart disorder admitted to AJA Hospitals, during year 2015. *Military Caring Sciences Journal*, 4(1), 58–69.
- Richardson, J. W., Kelly, K. D., Kumodzi, T. K., Liburd, N. S., & Laws, H. (2019). Type 2 Diabetes Prevalence, Distribution and Risk Factors in St. Kitts and Nevis, West Indies. *International Journal of Diabetes and Clinical Research*, 6(4).
- Riviati, N., Setiati, S., Laksmi, P. W., & Abdullah, M. (2017). Factors related with handgrip strength in elderly patients. *Acta Med Indones*, 49(3), 215–219.
- Rizka, A., Setiati, S., Harimurti, K., Sadikin, M., & Mansur, I. G. (2018). Effect of alfacalcidol on inflammatory markers and T cell subsets in elderly with frailty syndrome: a double blind randomized controlled trial. *Acta Med Indones*, 50(3), 215–221.
- Rodriguez-mañas, L., Laosa, O., Vellas, B., Paolisso, G., Topinkova, E., Oliva-moreno, J., Bourdel-marchasson, I., Izquierdo, M., Hood, K., Zeyfang, A., Gambassi, G., & Petrovic, M. (2019). *Effectiveness of a multimodal intervention in functionally impaired older people with type 2 diabetes mellitus*. April, 721–733. <https://doi.org/10.1002/jcsm.12432>
- Rosado, H., Bravo, J., Raimundo, A., Carvalho, J., Marceleira, J., & Pereira, C. (2021). Effects of two 24-week multimodal exercise programs on reaction time, mobility, and dual-task performance in community-dwelling older adults at risk of falling: a randomized controlled trial. *BMC Public Health*, 21, 1–11. <https://doi.org/10.1186/s12889-021-10448-x>
- Saelan, S., Adi, G. S., Kurniawan, S. T., & Ardian, K. (2020). Efek Senam Lanjut Usia Terhadap Peningkatan Aktifitas Fisik Lanjut Usia Di Dusun Bonorejo Kelurahan Plesungan. *Wiraraja Medika: Jurnal Kesehatan*, 10(1), 17–22.
- Sanz-Cánovas, J., López-Sampalo, A., Cobos-Palacios, L., Ricci, M., Hernández-Negrín, H., Mancebo-Sevilla, J. J., Álvarez-Recio, E., López-Carmona, M. D., Pérez-Belmonte, L. M., Gómez-Huelgas, R., & Bernal-López, M. R. (2022). Management of Type 2 Diabetes Mellitus in Elderly Patients with Frailty and/or Sarcopenia. *International Journal of Environmental Research and Public Health*, 19(14). <https://doi.org/10.3390/ijerph19148677>
- Seto, E., Setiati, S., Laksmi, P. W., & Tamin, T. Z. (2015). Diagnostic test of a scoring system for frailty syndrome in the elderly according to cardiovascular health study, study of osteoporotic fracture and comprehensive geriatric assessment based frailty index compared with frailty index 40 items. *Acta Medica Indonesiana*, 47(3).
- Statistik, B. P. (2018). Statistics Indonesia. Jakarta: *Statistics Indonesia*.
- Suseelal, T., John, K. R., Brown, A., Judie, A., & Amalraj, V. C. (2016). A study to assess the effectiveness of home based aerobic training, muscle strengthening and stretching exercise on self management among individuals with diabetes mellitus (DM) at selected villages in Kancheepuram district, Tamil Nadu. *Int J Pharm Clin Res*, 8, 133–136.
- Syah, I., & Susy Purnawati, S. (2016). Efek Pelatihan Senam Lansia Dan Latihan Jalan Tandem Dalam Meningkatkan Keseimbangan Tubuh Lansia Di Panti Sosial Tresna Kasih Sayang Ibu Batusangkar Sumatra Barat. *Sport and Fitness Journal*, 5(1), 8–16.

- Tandra, H. (2017). *Segala sesuatu yang harus anda ketahui tentang diabetes*. Gramedia Pustaka Utama.
- Thaiyanto, J., Sittichoke, C., Phirom, K., & Sungkarat, S. (2021). Effects of Multicomponent Exercise on Cognitive Performance and Fall Risk in Older Women with Mild Cognitive Impairment. *Journal of Nutrition, Health and Aging*, 25(2), 160–164. <https://doi.org/10.1007/s12603-020-1458-5>
- Thomas, E., Battaglia, G., Patti, A., Brusa, J., Leonardi, V., Palma, A., & Bellafiore, M. (2019). Physical activity programs for balance and fall prevention in elderly: A systematic review. *Medicine*, 98(27).
- Troeger, C., Blacker, B., Khalil, I. A., Rao, P. C., Cao, J., Zimsen, S. R. M., Albertson, S. B., Deshpande, A., Farag, T., & Abebe, Z. (2018). Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *The Lancet Infectious Diseases*, 18(11), 1191–1210.
- Uyainah, A., Bahar, A., Pramantara, D. P., Wahyudi, E. R., Harimurti, K., Legiawati, L., Kuswardhani, R. A. T., & Setiati, S. (2015). Management of Frailty As a New Geriatric Giant : How To Deal With Dilemmatic Health Problems in Elderly Patient. In *Prosiding Temu Ilmiah Geriatri*. https://staff.ui.ac.id/system/files/users/lili.legiawati/publication/management_of_frailty_as_a_new_geriatric_giant_how_to_deal_with_dilemmatic_health_problems_in_eldery.pdf#page=87
- Vafaeenasab, M. R., Kuchakinejad Meybodi, N., Fallah, H. R., Ali Morowatisharifabad, M., Namayandeh, S. M., & Beigomi, A. (2019). The Effect of Lower Limb Resistance Exercise with Elastic Band on Balance, Walking Speed, and Muscle Strength in Elderly Women. *Elderly Health Journal*, 5(1), 58–64. <https://doi.org/10.18502/ehj.v5i1.1201>
- Vedovelli, K., & Giacobbo, B. L. (2017). *Multimodal physical activity increases brain-derived neurotrophic factor levels and improves cognition in institutionalized older women*. <https://doi.org/10.1007/s11357-017-9987-5>
- Wang, H., Abajobir, A. A., Abate, K. H., Abbafati, C., Abbas, K. M., Abd-Allah, F., Abera, S. F., Abraha, H. N., Abu-Raddad, L. J., & Abu-Rmeileh, N. M. E. (2017). Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. *The Lancet*, 390(10100), 1084–1150.
- Wedi, S., Umar, U., & Wellis, W. (2019). Pengaruh Metode Latihan Beban dengan Gerakan Cepat dan Gerakan Lambat terhadap Peningkatan Hipertrofi Otot Paha. *Jurnal Keolahragaan*, 5(2), 30–35.
- Widajanti, N., Ichwani, J., Dharmanta, R. S., Firdausi, H., Haryono, Y., Yulianti, E., Kandinata, S. G., Wulandari, M., Widyasari, R., Adyanita, V. A., Hapsanti, N. I., Wardana, D. M., Kristiana, T., Driyarkara, D., Wahyuda, H., Yunara, S., & Husna, K. (2020). Sarcopenia and Frailty Profile in the Elderly Community of Surabaya: A Descriptive Study. *Acta Medica Indonesiana*, 52(1), 5–13.
- Wolf, R., Locks, R. R., Lopes, P. B., Bento, P. C. B., Rodacki, A. L. F., Carraro, A. N., & Pereira, G. (2020). Multicomponent Exercise Training Improves Gait Ability of Older Women Rather than Strength Training: A Randomized Controlled Trial. *Journal of Aging Research*, 2020. <https://doi.org/10.1155/2020/6345753>

Yoon, S. J., & Kim, K. II. (2019). Frailty and disability in diabetes. *Annals of Geriatric Medicine and Research*, 23(4), 165–169.
<https://doi.org/10.4235/agmr.19.0036>

Lampiran 1. *Informed consent*

| | | |
|---|--|---|
| | <p style="margin: 0;">KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI UNIVERSITAS HASANUDIN FAKULTAS KEDOKTERAN KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDIN RSPTV UNIVERSITAS HASANUDIN RSPKP Dr. MAHMUD SUHARO-KODJO HASANAH Sekretariat : Lantai 2 Gedung Laboratorium Terpadu JALAN KHUSYAIH RAMPUP TAMALAHUA KM. 3 MANADO NIGER Comisi Petani : Dr. Agustina Butut, MM, MSc, SAg, TEP, MPAK, SE, MM, Fak. Hukum Telp : (0431) 510022, Fax : (0431) 510411</p> | |
| FORMULIR PERSETUJUAN SETELAH PENJELASAN | | |
| <p>Saya yang berinisial/tanda di bawah ini Nama _____ Umur _____ Mata Kuliah _____ Batuan _____ Alamat _____</p> | | |
| <p>setelah mendengar/pembaca dan mengerti penjelasan yang diberikan mengenai tujuan, manfaat, dan apa yang akan dilakukan pada penelitian ini, menyatakan sebagai berikut, ketika dalam penelitian ini secara sukarela tanpa paksaan.</p> | | |
| <p>Saya tahu bahwa kajian/penelitian saya ini memiliki akibat tanpa paksaan, sehingga saya bisa memilih tidak atau menghindari dari penelitian ini. Saya bukan bertujuan atau meminta penelitian pada penelitian bisa masuk akal hal yang belum John atau masih ada hal yang ingin saya ketahui tentang penelitian ini.</p> | | |
| <p>Saya juga mengerti bahwa semua risiko yang diketahui sebelumnya dengan penelitian ini, akan ditanggung oleh peneliti. Saya pernyata bahwa, kematian dan kerusakan dalam penelitian atau terjadinya dampak dengan ini, merupakan serupa dengan yang dihasilkan pada penelitian ini tidak diajukan dalam bentuk hasil rispon teknis.</p> | | |
| <p>Dengan membubuhkan tandatangan saya di bawah ini, saya menegaskan ketulusan dan sukarela dalam studi penelitian ini.</p> | | |
| Nama _____ Responden _____ (Wali) _____ Sabtu _____ | Tanda tangan _____ _____ | Tgl Waktu _____ _____ |
| <p>(Catatan Tujuan Sabtu dipertahankan hanya jika Penyelengara tidak dapat memberikan komunikasi telepon sebagaimana menggunakan wali yang sabtu tidak hadir, yaitu walaupun pertemuan berlaku)</p> | | |
| <p>1. Berwaspada di lingkungan 2. Usah lembut 3. Menggunakan sandal 4. Pakai celana panjang 5. Dan hal-hal kondisi yang tidak wajar yang dilakukan seorang peserta</p> | | |
| <p>Pemanggung jawab penelitian : Nama : Rendi Sumarmawati, Darmi, S.H., M.P. Alamat : Jl. PTP Bhakti AC Teladan No.112 Tlp : 082293321219</p> | | <p>Pemanggung jawab Medis : Nama : dr. Muhibbin, M.M. Alamat : RSUD Bumi Banua Gorontalo Tlp : 081342653656</p> |

Lampiran 2. Surat Izin Etik



REKOMENDASI PERSETUJUAN ETIK

Nomor : 185/UN4.6.4.5.31/ PP36/ 2023

Tanggal: 24 Maret 2023


Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

| | | | |
|--|--|---|------------------------------|
| No Protokol | UH23020099 | No Sponsor Protokol | |
| Peneliti Utama | Rezki Syamsuryana Halim, S.Ft, Ftr | Sponsor | |
| Judul Peneliti | Pengaruh Multimodal Exercise Terhadap Risiko Jatuh dan Kemampuan Fungsional pada Lansia yang Mengalami Frailty Syndrome dengan Diabetes Mellitus Tipe 2. | | |
| No Versi Protokol | 2 | Tanggal Versi | 20 Maret 2023 |
| No Versi PSP | 2 | Tanggal Versi | 20 Maret 2023 |
| Tempat Penelitian | Yayasan Batara Hati Mulia Kab.Gowa Prov.Sulawesi-Selatan | | |
| Jenis Review | <input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal | Massa Berlaku 24 Maret 2023 sampai 24 Maret 2024 | Frekuensi review lanjutan |
| Ketua KEP Universitas Hasanuddin | Nama Prof.Dr.dr. Suryani As'ad, M.Sc,Sp.GK (K) | Tanda tangan | |
| Sekretaris KEP Universitas Hasanuddin | Nama dr. Agussalim Bukhari, M.Med,Ph.D,Sp.GK (K) | Tanda tangan | |

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan ditengkapi dalam 7 hari dan lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kenaikan (progress report) setiap 6 bulan untuk penelitian risiko tinggi dan setiap setahun untuk penelitian risiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

Lampiran 3. Surat Telah Meneliti di Yayasan Batara Hati Mulia Gowa

**LAMPIRAN 4. HASIL ANALISIS DATA SPSS**

A. Karakteristik Sampel

1. Grup Intervensi (Multimodal Exercise)

| Statistics | | | | |
|------------|---------|---------------|---------|----|
| | Usia | Jenis Kelamin | Lama DM | |
| N | Valid | 25 | 25 | 25 |
| | Missing | 0 | 0 | 0 |

Frequency Table :

| Usia | | | | | |
|-------|-------------|-----------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 60-68 tahun | 12 | 48.0 | 48.0 | 48.0 |
| | 69-76 tahun | 11 | 44.0 | 44.0 | 92.0 |
| | 77-84 tahun | 2 | 8.0 | 8.0 | 100.0 |
| | Total | 25 | 100.0 | 100.0 | |

| Jenis Kelamin | | | | | |
|---------------|-----------|-----------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | Laki-laki | 11 | 44.0 | 44.0 | 44.0 |
| | Perempuan | 14 | 56.0 | 56.0 | 100.0 |
| | Total | 25 | 100.0 | 100.0 | |

| Lama DM | | | | | |
|---------|-------|-----------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 3-6 | 19 | 76.0 | 76.0 | 76.0 |
| | 7-10 | 6 | 24.0 | 24.0 | 100.0 |
| | Total | 25 | 100.0 | 100.0 | |

| Descriptive Statistics | | | | | |
|------------------------|----|---------|---------|----------|----------------|
| | N | Minimum | Maximum | Mean | Std. Deviation |
| GDP | 25 | 128.00 | 208.00 | 167.1600 | 25.03944 |
| Pre Test TUGT | 25 | 15.00 | 23.00 | 18.4400 | 2.04287 |
| Post Test TUGT | 25 | 10.00 | 14.00 | 11.9600 | 1.33791 |
| Pre Test SPPB | 25 | 3.00 | 9.00 | 5.6000 | 1.77951 |
| Post Test SPPB | 25 | 6.00 | 11.00 | 9.0000 | 1.60728 |

| | | | | | |
|--------------------|----|--|--|--|--|
| Valid N (listwise) | 25 | | | | |
|--------------------|----|--|--|--|--|

2. Grup Kontrol (Senam Lansia)

| Statistics | | | | |
|------------|---------|---------------|---------|----|
| | Usia | Jenis Kelamin | Lama DM | |
| N | Valid | 25 | 25 | 25 |
| | Missing | 0 | 0 | 0 |

Frequency Table :

| Usia | | | | | |
|---------------|-------------|-----------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 60-68 tahun | 10 | 40.0 | 40.0 | 40.0 |
| | 69-76 tahun | 12 | 48.0 | 48.0 | 88.0 |
| | 77-84 tahun | 3 | 12.0 | 12.0 | 100.0 |
| | Total | 25 | 100.0 | 100.0 | |
| Jenis Kelamin | | | | | |
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | Laki-laki | 9 | 36.0 | 36.0 | 36.0 |
| | Perempuan | 16 | 64.0 | 64.0 | 100.0 |
| | Total | 25 | 100.0 | 100.0 | |

| Lama DM | | | | | |
|---------|-------|-----------|---------|---------------|--------------------|
| | | Frequency | Percent | Valid Percent | Cumulative Percent |
| Valid | 3-6 | 22 | 88.0 | 88.0 | 88.0 |
| | 7-10 | 3 | 12.0 | 12.0 | 100.0 |
| | Total | 25 | 100.0 | 100.0 | |

| Descriptive Statistics | | | | | |
|------------------------|----|---------|---------|----------|----------------|
| | N | Minimum | Maximum | Mean | Std. Deviation |
| GDP | 25 | 127.00 | 213.00 | 169.6000 | 29.24466 |
| Pre Test TUGT | 25 | 15.00 | 23.00 | 17.6800 | 2.23084 |
| Post Test TUGT | 25 | 10.00 | 16.00 | 12.8000 | 1.68325 |
| Pre Test SPPB | 25 | 3.00 | 10.00 | 5.8400 | 1.57268 |
| Post Test SPPB | 25 | 4.00 | 11.00 | 8.1600 | 1.62481 |
| Valid N (listwise) | 25 | | | | |

B. UJI NORMALITAS

1. Grup Intervensi (Multimodal Exercise)

| Tests of Normality | | | | | | |
|---------------------------------------|---------------------------------|----|------|--------------|----|------|
| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
| | Statistic | df | Sig. | Statistic | df | Sig. |
| Pre Test TUGT | .152 | 25 | .140 | .963 | 25 | .479 |
| Post Test TUGT | .203 | 25 | .009 | .889 | 25 | .011 |
| Pre Test SPPB | .184 | 25 | .028 | .927 | 25 | .076 |
| Post Test SPPB | .173 | 25 | .052 | .900 | 25 | .019 |
| a. Lilliefors Significance Correction | | | | | | |

2. Grup Kontrol (Senam Lansia)

| Tests of Normality | | | | | | |
|---------------------------------------|---------------------------------|----|------|--------------|----|------|
| | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
| | Statistic | df | Sig. | Statistic | df | Sig. |
| Pre Test TUGT | .163 | 25 | .085 | .921 | 25 | .053 |
| Post Test TUGT | .162 | 25 | .089 | .945 | 25 | .193 |
| Pre Test SPPB | .179 | 25 | .037 | .945 | 25 | .191 |
| Post Test SPPB | .158 | 25 | .110 | .930 | 25 | .087 |
| a. Lilliefors Significance Correction | | | | | | |

C. UJI PENGARUH SEBELUM DAN SESUDAH

1. Grup Intervensi (Multimodal Exercise)

| Descriptive Statistics | | | | | |
|------------------------|----|---------|----------------|---------|---------|
| | N | Mean | Std. Deviation | Minimum | Maximum |
| Pre Test TUGT | 25 | 18.4400 | 2.04287 | 15.00 | 23.00 |
| Post Test TUGT | 25 | 11.9600 | 1.33791 | 10.00 | 14.00 |
| Pre Test SPPB | 25 | 5.6000 | 1.77951 | 3.00 | 9.00 |
| Post Test SPPB | 25 | 9.0000 | 1.60728 | 6.00 | 11.00 |

Wilcoxon Signed Ranks Test

| Ranks | | | | |
|---------------------------|----------------|-----------------|-----------|--------------|
| | | N | Mean Rank | Sum of Ranks |
| Post Test TUGT - Pre Test | Negative Ranks | 25 ^a | 13.00 | 325.00 |

| | | | | |
|-----------------------------------|----------------|-----------------|-------|--------|
| TUGT | Positive Ranks | 0 ^b | .00 | .00 |
| | Ties | 0 ^c | | |
| | Total | 25 | | |
| Post Test SPPB - Pre Test SPPB | Negative Ranks | 3 ^d | 4.83 | 14.50 |
| | Positive Ranks | 21 ^e | 13.60 | 285.50 |
| | Ties | 1 ^f | | |
| | Total | 25 | | |
| a. Post Test TUGT < Pre Test TUGT | | | | |
| b. Post Test TUGT > Pre Test TUGT | | | | |
| c. Post Test TUGT = Pre Test TUGT | | | | |
| d. Post Test SPPB < Pre Test SPPB | | | | |
| e. Post Test SPPB > Pre Test SPPB | | | | |
| f. Post Test SPPB = Pre Test SPPB | | | | |

| Statistics | | | | | |
|--------------------|---------|------------------|-------------------|------------------|-------------------|
| | | Pre Test TUGT | Post Test TUGT | Pre Test SPPB | Post Test SPPB |
| N | Valid | 25 | 25 | 25 | 25 |
| | Missing | 0 | 0 | 0 | 0 |
| Mean | | 18.4400 | 11.9600 | 5.6000 | 9.0000 |
| Std. Error of Mean | | .40857 | .26758 | .35590 | .32146 |
| Median | | 19.0000 | 12.0000 | 6.0000 | 9.0000 |
| Mode | | 19.00 | 11.00 | 7.00 | 11.00 |
| Std. Deviation | | 2.04287 | 1.33791 | 1.77951 | 1.60728 |
| Variance | | 4.173 | 1.790 | 3.167 | 2.583 |
| Range | | 8.00 | 4.00 | 6.00 | 5.00 |
| Minimum | | 15.00 | 10.00 | 3.00 | 6.00 |
| Maximum | | 23.00 | 14.00 | 9.00 | 11.00 |
| Sum | | 461.00 | 299.00 | 140.00 | 225.00 |

| Test Statistics ^a | | |
|-------------------------------|-----------------------------------|-----------------------------------|
| | Post Test TUGT - Pre Test TUGT | Post Test SPPB - Pre Test SPPB |
| Z | -4.387 ^b | -3.881 ^c |
| Asymp. Sig. (2-tailed) | .000 | .000 |
| a. Wilcoxon Signed Ranks Test | | |
| b. Based on positive ranks. | | |
| c. Based on negative ranks. | | |

2. Grup Kontrol (Senam Lansia)

| Paired Samples Statistics | | | | | |
|---------------------------|----------------|---------|----|----------------|-----------------|
| | | Mean | N | Std. Deviation | Std. Error Mean |
| Pair 1 | Pre Test TUGT | 17.6800 | 25 | 2.23084 | .44617 |
| | Post Test TUGT | 12.8000 | 25 | 1.68325 | .33665 |
| Pair 2 | Pre Test SPPB | 5.8400 | 25 | 1.57268 | .31454 |
| | Post Test SPPB | 8.1600 | 25 | 1.62481 | .32496 |

| Paired Samples Correlations | | | | | |
|-----------------------------|--|--------------------------------|---|-------------|---------------|
| | | | N | Correlation | Sig. |
| Pair 1 | | Pre Test TUGT & Post Test TUGT | | 25 | .082 .696 |
| Pair 2 | | Pre Test SPPB & Post Test SPPB | | 25 | -.169 .420 |

| Paired Samples Test | | | | | | | | | | | | |
|---------------------|--------------------------------|--------------------|----------------|-----------------|---|--------------|------|----|--------------------|--|--|--|
| | | Paired Differences | | | | | t | df | Sig. (2-tailed) | | | |
| | | Mean | Std. Deviation | Std. Error Mean | 95% Confidence Interval of the Difference | | | | | | | |
| | | | | | Lower | Upper | | | | | | |
| Pair 1 | Pre Test TUGT - Post Test TUGT | 4.8800 | 2.68204 | .53641 | 3.77291 | 5.987098 | 9.09 | 24 | .000 | | | |
| Pair 2 | Pre Test SPPB - Post Test SPPB | -2.3200 | 2.44472 | .48894 | -3.32913 | 1.310874.745 | - | 24 | .000 | | | |

| Descriptive Statistics | | | | | | | | | |
|------------------------|---|------|----------------|---------|---------|-------------|------------------|------|--|
| | N | Mean | Std. Deviation | Minimum | Maximum | Percentiles | | | |
| | | | | | | 25th | 50th (Median) | 75th | |

| | | | | | | | | |
|-------------------------------|----|-----------|-------|----|----|-----------|-------|-----------|
| | | | | | | |) | |
| pre TUGT Intervensi 60-68 | 12 | 17,4 2 | 1,832 | 15 | 21 | 16,0 0 | 17,00 | 19,0 0 |
| pre TUGT Intervensi 69-76 | 11 | 19,0 0 | 1,549 | 17 | 22 | 18,0 0 | 19,00 | 20,0 0 |
| pre TUGT Intervensi 77-84 | 2 | 21,5 0 | 2,121 | 20 | 23 | 15,0 0 | 21,50 | 21,7 5 |
| pre SPPB Intervensi 60-68 | 12 | 6,58 | 1,240 | 5 | 9 | 5,25 | 7,00 | 7,00 |
| pre SPPB Intervensi 69-76 | 11 | 5,00 | 1,732 | 3 | 8 | 4,00 | 4,00 | 7,00 |
| pre SPPB Intervensi 77-84 | 2 | 3,00 | ,000 | 3 | 3 | 2,25 | 3,00 | 3,25 |
| post TUGT Intervensi 60-68 | 12 | 11,5 0 | 1,168 | 10 | 14 | 11,0 0 | 11,00 | 12,0 0 |
| post TUGT Intervensi 69-76 | 11 | 12,0 9 | 1,300 | 10 | 14 | 11,0 0 | 12,00 | 13,0 0 |
| post TUGT Intervensi 77-84 | 2 | 17,0 0 | ,000 | 17 | 17 | 16,5 0 | 17,00 | 17,2 5 |
| post SPPB Intervensi 60-68 | 12 | 10,0 0 | 1,044 | 8 | 11 | 9,00 | 10,00 | 11,0 0 |
| post SPPB Intervensi 69-76 | 11 | 8,36 | 1,433 | 7 | 11 | 7,00 | 8,00 | 10,0 0 |
| post SPPB Intervensi 77-84 | 2 | 6,50 | ,707 | 6 | 7 | 4,50 | 6,50 | 7,00 |

| Test Statistics ^a | | | | | | |
|------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| | post TUGT Intervensi 60-68 - | post TUGT Intervensi 69-76 - | post TUGT Intervensi 77-84 - | post SPPB Intervensi 60-68 - | post SPPB Intervensi 69-76 - | post SPPB Intervensi 77-84 - |

| | pre TUGT Intervens i 60-68 | pre TUGT Intervens i 69-76 | pre TUGT Intervens i 77-84 | pre SPPB Intervens i 60-68 | pre SPPB Intervens i 69-76 | pre SPPB Intervensi 77-84 |
|-------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|------------------------------------|
| Z | -3,081 ^b | -2,953 ^b | -1,342 ^b | -3,134 ^c | -3,035 ^c | -1,342 ^c |
| Asymp. Sig. (2-tailed) | ,002 | ,003 | ,180 | ,002 | ,002 | ,180 |
| a. Wilcoxon Signed Ranks Test | | | | | | |
| b. Based on positive ranks. | | | | | | |
| c. Based on negative ranks. | | | | | | |

| Descriptive Statistics | | | | | | | | |
|----------------------------|----|-----------|-----------------------|-------------|-------------|-------------|------------------|-----------|
| | N | Mea n | Std. Deviatio n | Mini mum | Maxi mum | Percentiles | | |
| | | | | | | 25th | 50th (Median) | 75th |
| pre TUGT kontrol 60-68 | 10 | 16,2 0 | 1,229 | 15 | 18 | 15,0 0 | 16,00 | 17,2 5 |
| pre TUGT kontrol 69-76 | 12 | 18,3 3 | 2,188 | 15 | 22 | 17,0 0 | 18,00 | 19,7 5 |
| pre TUGT kontrol 77-84 | 3 | 20,6 7 | 2,517 | 14 | 20 | 15,0 0 | 17,00 | 18,0 0 |
| pre SPPB kontrol 60-68 | 10 | 6,80 | 1,398 | 5 | 10 | 6,00 | 6,50 | 7,25 |
| pre SPPB kontrol 69-76 | 12 | 5,42 | 1,379 | 3 | 8 | 4,25 | 5,50 | 6,00 |
| pre SPPB kontrol 77-84 | 3 | 4,33 | 1,155 | 3 | 5 | 3,00 | 5,00 | 5,00 |
| post TUGT kontrol 60-68 | 10 | 11,7 0 | ,949 | 10 | 13 | 11,0 0 | 12,00 | 12,2 5 |

| | | | | | | | | |
|----------------------------|----|-----------|-------|----|----|-----------|-------|-----------|
| post TUGT kontrol 69-76 | 12 | 13,1 7 | 1,642 | 10 | 15 | 11,5 0 | 14,00 | 14,0 0 |
| post TUGT kontrol 77-84 | 3 | 15,0 0 | 1,000 | 14 | 16 | 14,0 0 | 15,00 | 16,0 0 |
| post SPPB kontrol 60-68 | 10 | 9,30 | 1,059 | 8 | 11 | 8,00 | 9,50 | 10,0 0 |
| post SPPB kontrol 69-76 | 12 | 7,50 | 1,243 | 5 | 10 | 7,00 | 7,00 | 8,00 |
| post SPPB kontrol 77-84 | 3 | 7,00 | 2,646 | 4 | 9 | 4,00 | 8,00 | 9,00 |

| Test Statistics ^a | | | | | | |
|-------------------------------|--|---|--|--|--|--|
| | post TUGT kontrol 60-68 - pre TUGT kontrol 60-68 | post TUGT kontrol 69- 76 - pre TUGT kontrol 69-76 | post TUGT kontrol 77-64 - pre TUGT kontrol 77-84 | post SPPB kontrol 60-68 - pre SPPB kontrol 60-68 | post SPPB kontrol 69-76 - pre SPPB kontrol 69-76 | post SPPB kontrol 77-64 - pre SPPB kontrol 77-84 |
| Z | -2,840 ^b | -3,088 ^b | -1,633 ^b | -2,840 ^c | -3,213 ^c | -1,604 ^c |
| Asymp. Sig. (2-tailed) | ,005 | ,002 | ,102 | ,005 | ,001 | ,109 |
| a. Wilcoxon Signed Ranks Test | | | | | | |
| b. Based on positive ranks. | | | | | | |
| c. Based on negative ranks. | | | | | | |

| | N | Mea n | Std. Deviatio n | Mini mum | Maxi mum | Percentiles | | |
|--|---|----------|-----------------------|-------------|-------------|-------------|------------------|------|
| | | | | | | 25th | 50th (Median) | 75th |

| | | | | | | | | |
|--|----|-----------|-------|----|----|-----------|-------|-----------|
| pre jenis kelamin tugt intervensi laki | 11 | 18,8 2 | 1,662 | 16 | 22 | 18,0 0 | 19,00 | 19,0 0 |
| pre jenis kelamin sppb intervensi laki | 11 | 5,82 | 1,779 | 3 | 9 | 4,00 | 6,00 | 7,00 |
| pre jenis kelamin tugt intervensi perempuan | 14 | 18,1 4 | 2,316 | 15 | 23 | 16,7 5 | 17,50 | 20,0 0 |
| pre jenis kelamin sppb intervensi perempuan | 14 | 5,43 | 1,828 | 3 | 8 | 3,75 | 5,50 | 7,00 |
| post jenis kelamin tugt intervensi laki | 11 | 11,7 3 | 1,555 | 10 | 14 | 10,0 0 | 11,00 | 13,0 0 |
| post jenis kelamin sppb intervensi laki | 11 | 11,7 3 | 1,555 | 10 | 14 | 10,0 0 | 11,00 | 13,0 0 |
| post jenis kelamin tugt intervensi perempuan | 14 | 12,1 4 | 1,167 | 11 | 14 | 11,0 0 | 12,00 | 13,2 5 |
| post jenis kelamin sppb intervensi perempuan | 14 | 8,71 | 1,773 | 6 | 11 | 7,00 | 8,50 | 10,2 5 |

| Test Statistics^a | | | | |
|------------------------------------|---|---|---|---|
| | post jenis kelamin tugt intervensi laki - pre jenis kelamin tugt intervensi laki | post jenis kelamin sppb intervensi laki - pre jenis kelamin sppb intervensi laki | post jenis kelamin tugt intervensi perempuan - pre jenis kelamin tugt intervensi perempuan | post jenis kelamin sppb intervensi perempuan - pre jenis kelamin sppb intervensi perempuan |
| Z | -2,949 ^b | -2,965 ^c | -3,307 ^b | -3,384 ^c |

| | | | | |
|-------------------------------|------|------|------|------|
| Asymp. Sig. (2-tailed) | ,003 | ,003 | ,001 | ,001 |
| a. Wilcoxon Signed Ranks Test | | | | |
| b. Based on positive ranks. | | | | |
| c. Based on negative ranks. | | | | |

| | N | Mean | Std. Deviation | Minimu m | Maximu m | Percentiles | | |
|---|----|-------|----------------|----------|----------|-------------|---------------|-------|
| | | | | | | 25th | 50th (Median) | 75th |
| pre jenis kelamin tugt kontrol laki | 9 | 19,11 | 2,088 | 17 | 23 | 17,00 | 19,00 | 20,50 |
| pre jenis kelamin sppb kontrol laki | 9 | 4,89 | ,928 | 3 | 6 | 4,50 | 5,00 | 5,50 |
| pre jenis kelamin tugt kontrol perempuan | 16 | 16,88 | 1,928 | 15 | 22 | 15,00 | 16,50 | 18,00 |
| pre jenis kelamin sppb kontrol perempuan | 16 | 6,38 | 1,628 | 3 | 10 | 6,00 | 6,00 | 7,00 |
| post jenis kelamin tugt kontrol laki | 9 | 14,22 | ,972 | 13 | 16 | 13,50 | 14,00 | 15,00 |
| post jenis kelamin sppb kontrol laki | 9 | 8,22 | 1,394 | 4 | 9 | 7,00 | 8,00 | 8,00 |
| post jenis kelamin tugt kontrol perempuan | 16 | 12,00 | 1,461 | 10 | 15 | 11,00 | 12,00 | 13,00 |
| post jenis kelamin sppb kontrol perempuan | 16 | 8,63 | 1,586 | 5 | 11 | 7,25 | 8,00 | 10,00 |

| Test Statistics ^a | | | | |
|------------------------------|--|--|--|--|
| | post jenis kelamin tugt kontrol laki - pre jenis kelamin tugt kontrol laki | post jenis kelamin sppb kontrol laki - pre jenis kelamin sppb kontrol laki | post jenis kelamin tugt kontrol perempuan - pre jenis kelamin tugt kontrol perempuan | post jenis kelamin sppb kontrol perempuan - pre jenis kelamin sppb kontrol perempuan |
| Z | -2,687 ^b | -2,716 ^c | -3,556 ^b | -3,596 ^c |

| | | | | |
|-------------------------------|------|------|------|------|
| Asymp. Sig. (2-tailed) | ,007 | ,007 | ,000 | ,000 |
| a. Wilcoxon Signed Ranks Test | | | | |
| b. Based on positive ranks. | | | | |
| c. Based on negative ranks. | | | | |

| | N | Mean | Std. Deviation | Minimum | Maximum | Percentiles | | |
|--------------------------------------|----|-------|----------------|---------|---------|-------------|---------------|-------|
| | | | | | | 25th | 50th (Median) | 75th |
| pre lama dm 3-6 intervensi tugt | 19 | 18,26 | 2,156 | 15 | 23 | 17,00 | 18,00 | 19,00 |
| pre lama dm 7-10 intervensi sppb | 6 | 6,33 | 2,251 | 3 | 8 | 3,00 | 6,50 | 7,25 |
| pre lama dm 3-6 intervensi sppb | 19 | 5,68 | 1,668 | 3 | 9 | 4,00 | 6,00 | 7,00 |
| pre lama dm 7-10 intervensi tugt | 6 | 17,00 | 1,673 | 17 | 21 | 17,00 | 17,50 | 20,25 |
| post lama dm 3-6 intervensi tugt | 19 | 11,95 | 1,353 | 10 | 14 | 11,00 | 12,00 | 13,00 |
| post lama dm 7-10 intervensi sppb | 6 | 8,67 | 2,251 | 6 | 11 | 6,75 | 8,50 | 11,00 |
| post lama dm 3-6 intervensi sppb | 19 | 9,11 | 1,410 | 7 | 11 | 8,00 | 9,00 | 10,00 |
| post lama dm 7-10 intervensi tugt | 6 | 12,00 | 1,414 | 10 | 14 | 10,75 | 12,00 | 13,25 |

| Test Statistics ^a | | | | |
|------------------------------|--|--|--|--|
| | post lama dm 3-6 intervensi tugt - pre lama dm 3-6 intervensi tugt | post lama dm 7-10 intervensi sppb - pre lama dm 7-10 intervensi sppb | post lama dm 3-6 intervensi sppb - pre lama dm 3-6 intervensi sppb | post lama dm 7-10 intervensi tugt - pre lama dm 7-10 intervensi tugt |
| Z | -3,839 ^b | -2,271 ^c | -3,912 ^c | -2,214 ^b |
| Asymp. Sig. (2-tailed) | ,000 | ,023 | ,000 | ,027 |

| |
|-------------------------------|
| a. Wilcoxon Signed Ranks Test |
| b. Based on positive ranks. |
| c. Based on negative ranks. |

| | N | Mean | Std. Deviation | Minim um | Maxim um | Percentiles | | |
|-----------------------------------|----|-------|-------------------|-------------|-------------|-------------|------------------|-------|
| | | | | | | 25th | 50th (Median) | 75th |
| pre lama dm 3-6 kontrol tugt | 22 | 17,59 | 1,992 | 15 | 22 | 16,00 | 17,50 | 19,00 |
| pre lama dm 7-10 kontrol sppb | 3 | 6,00 | 2,646 | 3 | 8 | 3,00 | 7,00 | 8,00 |
| pre lama dm 3-6 kontrol sppb | 22 | 5,82 | 1,468 | 3 | 10 | 5,00 | 6,00 | 6,25 |
| pre lama dm 7-10 kontrol tugt | 3 | 17,33 | 4,163 | 15 | 23 | 15,00 | 16,00 | 23,00 |
| post lama dm 3-6 kontrol tugt | 22 | 12,77 | 1,602 | 10 | 15 | 11,00 | 13,00 | 14,00 |
| post lama dm 7-10 kontrol sppb | 3 | 7,67 | 3,215 | 4 | 10 | 4,00 | 9,00 | 10,00 |
| post lama dm 3-6 kontrol sppb | 22 | 8,23 | 1,412 | 5 | 11 | 7,00 | 8,00 | 9,25 |
| post lama dm 7-10 kontrol tugt | 3 | 13,00 | 2,646 | 11 | 16 | 11,00 | 12,00 | 16,00 |

| Test Statistics ^a | | | | |
|-------------------------------|--|--|--|--|
| | post lama dm 3-6 kontrol tugt - pre lama dm 3-6 kontrol tugt | post lama dm 7-10 kontrol sppb - pre lama dm 7- 10 kontrol sppb | post lama dm 3-6 kontrol sppb - pre lama dm 3-6 kontrol sppb | post lama dm 7-10 kontrol tugt - pre lama dm 7- 10 kontrol tugt |
| Z | -4,139 ^b | -1,633 ^c | -4,184 ^c | -1,604 ^b |
| Asymp. Sig. (2- tailed) | ,000 | ,102 | ,000 | ,109 |
| a. Wilcoxon Signed Ranks Test | | | | |

b. Based on positive ranks.

c. Based on negative ranks.

C. UJI PERBANDINGAN

Mann-Whitney Test

| Ranks | | | | | |
|--------------------|---------|--------------------|-----------------|--------------------|-----------------|
| | | Kelompok | N | Mean Rank | Sum of Ranks |
| IntervensiTUGT | | Grup Intervensi | 25 | 31.94 | 798.50 |
| | | Grup Kontrol | 25 | 19.06 | 476.50 |
| | | Total | 50 | | |
| IntervensiSPPB | | Grup Intervensi | 25 | 17.40 | 435.00 |
| | | Grup Kontrol | 25 | 33.60 | 840.00 |
| | | Total | 50 | | |
| Statistics | | | | | |
| | | IntervensiTU GT | KontrolTUG T | IntervensiSP PB | KontrolSPP B |
| N | Valid | 25 | 25 | 25 | 25 |
| | Missing | 0 | 0 | 0 | 0 |
| Mean | | 6.4800 | 4.8800 | -3.4000 | -2.3600 |
| Std. Error of Mean | | .33724 | .29052 | .12910 | .16207 |
| Median | | 6.0000 | 5.0000 | -3.0000 | -2.0000 |
| Mode | | 5.00 | 5.00 | -4.00 | -2.00 |
| Std. Deviation | | 1.68622 | 1.45258 | .64550 | .81035 |
| Variance | | 2.843 | 2.110 | .417 | .657 |
| Range | | 5.00 | 5.00 | 2.00 | 3.00 |
| Minimum | | 4.00 | 3.00 | -4.00 | -4.00 |
| Maximum | | 9.00 | 8.00 | -2.00 | -1.00 |
| Sum | | 162.00 | 122.00 | -85.00 | -59.00 |

| Test Statistics ^a | | |
|------------------------------|----------------|----------------|
| | IntervensiTUGT | IntervensiSPPB |
| Mann-Whitney U | 151.500 | 110.000 |
| Wilcoxon W | 476.500 | 435.000 |
| Z | -3.185 | -4.138 |
| Asymp. Sig. (2-tailed) | .001 | .000 |

a. Grouping Variable: Kelompok

Lampiran 5. Dokumentasi



Lampiran 6. Riwayat Hidup

RIWAYAT HIDUP PENULIS

Identitas Pribadi

Nama : Rezki Syamsuriyana Halmu
Tempat/Tanggal Lahir : Ujung Pandang, 16 Maret 1995
Alamat : BTP BLOK AC No.182 Makassar
No.Telp : 082293823235
Email : ReskySH16@gmail.com
Jurusan : Biomedik Kons. Fisiologi
Fakultas : Kedokteran
Nama Ayah : Syamsu, S.I.Kom.
Nama Ibu : Hudayana Muchtar, S.Pd.



Riwayat Pendidikan

1. 2001 – 2006 : SD Inpres Tello Baru 1/1 Makassar
2. 2006 – 2009 : SMP Negeri 08 Makassar
3. 2009 – 2012 : SMA Negeri 21 Makassar
4. 2012 – 2016 : S1 Fisioterapi Fakultas Keperawatan Universitas Hasanuddin Makassar
5. 2018 – 2019 : Profesi Fisioterapi Fakultas Keperawatan Universitas Hasanuddin Makassar
6. 2020 – Sekarang : Program Magister Ilmu Biomedik Sekolah Pascasarjana Universitas Hasanuddin Makassar