

DAFTAR PUSTAKA

- Ali, T. (2013). *Double Bottom*. <http://konstruksikapal.blogspot.com/2013/04/double-bottomsistem-konstruksi-kapal.html>. Diakses pada 17 Desember 2022.
- American Petroleum Institute Recommended Practice 2A*. (1989).
- Ardianus A, Sujiantanti, S H, S. D. (2017). Analisa Kekuatan Konstruksi Sekat Melintang Kapal Tanker dengan Metode Elemen Hingga. *Teknik ITS*, 6. 186-192.
- Biro Klasifikasi Indonesia. (2019). In *Rules for Hull edisi II* (pp. 1–39).
- BKI. (2022a). *Common Structural Rules for Bulk Carrier and Oil Tanker*.
- BKI. (2022b). *Rules for Hull*.
- Chakrabarti, S. (2005). *Hand Book of Offshore Engineering*. Elsevier.
- DNV GL. (2017a). Hull Girder Strength. In *Rules for Classification: Ships* (p. Pt.3 Ch.5).
- DNV GL. (2017b). Loads. In *Rules for Classification: Ships* (p. Pt.3 Ch.4). Norway.
- Harahap J T, S. M. D. J. and W. S. E. (2016). Analisis Struktur Rangka Cara Kekakuan: Sebagai Alat Bantu Alternatif Dalam Perhitungan Struktur. *Ilmiah Media Engineering*, 6. 529-534.
- Hughes, O. F. & P. (2010). *Ship Structural Analysis and Design*. The Society of Naval Architects and Marine Engineers-SNAME.
- IACS. (2007). *Common Structural Rules for Bulk Carriers and Oil Tanker*.
- Kitarović, S. & A. J. (2014). *DATAS D4.0a, b, d State - Of - The - Art I Hull Girder Progressive Collapse Analysis*. University of Zagreb. Faculty of Mechanical Engineering and Naval Architecture.
- Lie, E. (2016). *BAB V DASAR BERGANDA (DOUBLE BOTTOM)*. <https://docplayer.info/32226482-Bab-v-dasar-berganda-double-bottom.html>. Diakses pada 22 September 2022.
- Muis Alie, M. Z. (2018). *The Ultimate Hull Girder Strength Analysis Considering Section Modulus Under Longitudinal Bending*.
- Muis Alie, M. Z. (2018). *Study on ultimate strength of ship's hull considering cross section and beam finite element*. ISOCEEN.
- Muis Alie, Z. M., Ramadhan, M. I., & Suci, I. M. (2021). *Aplikasi Multiple Point Constrained (MPC) pada Penampang Kapal*. Deepublish.
- Paik, J.K & Thayambali, A. K. (2007). *Ship Shaped Offshore installation design*,

building, and operation.

- Paik J.K, Kim B.J, S. J. K. (2008). Methods for ultimate limit state assessment of ships and ship shaped offshore structures. In *Part III: Hull girders, Ocean Engineering 35*, pp.281-286.
- Pemerintah Indonesia. (2021). Peraturan Menteri Perhubungan Nomor 44 Tahun 2021 tentang *Stabilitas Kapal*.
- Phady, A (2021). *Analisis Keandalan FSO Menjadi FPSO*. (Skripsi, Fakultas Teknik, Universitas Hasanuddin). Makassar.
- Piscopo, P. dan Scamardella, A. (2019). *Sensitivity analysis of hull girder reability in intact condition based behavior of whole ship model under extreme waves using idealized structural unit method*.
- Ramadhan A, Mulyatno I P, Y. H. (2016). Analisa Kekuatan Konstruksi Double Bottom Pada Frame 46 Sampai Frame 50 Akibat Perubahan Dari Single Hull Ke Double Hull Pada Kapal Tanker 13944 LTDW Dengan Metode Elemen Hingga. *Tek. Perkapalan*, 4. 858-867.
- Sofi'i M and Djaja I K. (2018). *Teknik Konstruksi Kapal Bajal*. Direktorat Pembinaan Sekolah Menengah Kejuruan.
- UKOOA. (2002). Oil and Gas for Britain Energy Now and for the Future.
- Utami, B. T. (2016). *Efek Prestrain pada Baja AISI 1020 Terhadap Perambatan Retak Fatik*. Universitas Lampung.
- Yang, K. H. (2017). Prescribing Boundary and Loading Conditions to Corresponding Nodes. In *Basic Finite Element Method as Applied to Injury Biomechanics* (pp. 257–280). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-809831-8.00006-4>
- Zulfikar A S and Zakki A F. (2015). Analisa Kekuatan Konstruksi Ruang Muat Kapal Self Propelled Oil Barge Salra 115 Menggunakan Metode Elemen Hingga Linear dan Nonlinear. *Teknik Perkapalan*, 3. 462-471.

LAMPIRAN

LAMPIRAN

Lampiran 1 Konfigurasi Stiffener Kapal FPSO PT. Santos (Sampang) PTY. LTD

<i>Bulkhead Stiffener</i>			<i>Side Longitudinal</i>		
1	20 x 10	<i>I bar</i>	1	20 x 10	<i>I bar</i>
2	200x8+90x14	<i>angle bar</i>	2	20 x 10	<i>I bar</i>
3	200x11+90x16	<i>angle bar</i>	3	-	-
4	200x11+90x16	<i>angle bar</i>	4	20 x 10	<i>I bar</i>
<i>Bulkhead Stiffener</i>			<i>Side Longitudinal</i>		
5	200x12+90x16	<i>angle bar</i>	5	20 x 10	<i>I bar</i>
6	200x12+90x16	<i>angle bar</i>	6	20 x 10	<i>I bar</i>
7	200x12+90x16	<i>angle bar</i>	7	200x8+90x14	<i>angle bar</i>
8	300x10+90x16	<i>angle bar</i>	8	200x8+90x14	<i>angle bar</i>
9	300x10+90x16	<i>angle bar</i>	9	200x8+90x14	<i>angle bar</i>
10	300x10+90x16	<i>angle bar</i>	10	200x8+90x14	<i>angle bar</i>
11	300x10+90x16	<i>angle bar</i>	11	200x8+90x14	<i>angle bar</i>
12	300x10+90x16	<i>angle bar</i>	12	200x9+90x15	<i>angle bar</i>
13	300x10+90x16	<i>angle bar</i>	13	200x9+90x15	<i>angle bar</i>
14	300x10+90x16	<i>angle bar</i>	14	200x9+90x15	<i>angle bar</i>
15	300x10+90x16	<i>angle bar</i>	15	200x9+90x15	<i>angle bar</i>
16	300x10+90x16	<i>angle bar</i>	16	200x9+90x15	<i>angle bar</i>
17	300x10+90x16	<i>angle bar</i>	17	200x10+90x15	<i>angle bar</i>
18	300x10+90x16	<i>angle bar</i>	18	200x11+90x16	<i>angle bar</i>
19	300x10+90x16	<i>angle bar</i>	19	200x12+90x16	<i>angle bar</i>
20	-	-	20	-	-
21	300x10+90x16	<i>angle bar</i>	21	300x10+90x16	<i>angle bar</i>
22	300x10+90x16	<i>angle bar</i>	22	300x11+90x16	<i>angle bar</i>