

DAFTAR PUSTAKA

- [1] R. Atchudan *et al.*, “Concurrent synthesis of nitrogen-doped carbon dots for cell imaging and ZnO@nitrogen-doped carbon sheets for photocatalytic degradation of methylene blue,” *J Photochem Photobiol A Chem*, vol. 350, pp. 75–85, Jan. 2018, doi: 10.1016/j.jphotochem.2017.09.038.
- [2] A. Sekar and R. Yadav, “Green fabrication of zinc oxide supported carbon dots for visible light-responsive photocatalytic decolourization of Malachite Green dye: Optimization and kinetic studies,” *Optik (Stuttg)*, vol. 242, Sep. 2021, doi: 10.1016/j.ijleo.2021.167311.
- [3] H. Li, Z. Su, S. Hu, and Y. Yan, “Free-standing and flexible Cu/Cu₂O/CuO heterojunction net: A novel material as cost-effective and easily recycled visible-light photocatalyst,” *Appl Catal B*, vol. 207, pp. 134–142, 2017, doi: 10.1016/j.apcatb.2017.02.013.
- [4] K. A. Lewis, J. Tzilivakis, D. J. Warner, and A. Green, “An international database for pesticide risk assessments and management,” *Human and Ecological Risk Assessment*, vol. 22, no. 4, pp. 1050–1064, May 2016, doi: 10.1080/10807039.2015.1133242.
- [5] M. F. A. Jallow, D. G. Awadh, M. S. Albaho, V. Y. Devi, and B. M. Thomas, “Pesticide risk behaviors and factors influencing pesticide use among farmers in Kuwait,” *Science of the Total Environment*, vol. 574, pp. 490–498, Jan. 2017, doi: 10.1016/j.scitotenv.2016.09.085.
- [6] A. N. Fahri *et al.*, “Bifunctional Purposes of Composite TiO₂/CuO/Carbon Dots (CDs): Faster Photodegradation Pesticide Wastewater and High Performance Electromagnetic Wave Absorber,” *Materialia (Oxf)*, vol. 26, Dec. 2022, doi: 10.1016/j.mtla.2022.101588.
- [7] K. Cheng *et al.*, “Biomass derived carbon dots mediated exciton dissociation in rose flower-like carbon nitride for boosting photocatalytic performance,” *Ind Crops Prod*, vol. 192, Feb. 2023, doi: 10.1016/j.indcrop.2022.116086.

- [8] A. R. Kuldeep, R. D. Waghmare, and K. M. Garadkar, "Green synthesis of TiO₂/CDs nanohybrid composite as an active photocatalyst for the photodegradation of methyl orange," *Journal of Materials Science: Materials in Electronics*, vol. 33, no. 10, pp. 7933–7944, Apr. 2022, doi: 10.1007/s10854-022-07942-2.
- [9] Y. L. Ying, S. Y. Pung, M. T. Ong, and Y. F. Pung, "Photocatalytic activity of ZnO nanodisks in degradation of Rhodamine B and Bromocresol Green under UV light exposure," in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Oct. 2018. doi: 10.1088/1742-6596/1082/1/012085.
- [10] Y. Wang and A. Hu, "Carbon quantum dots: Synthesis, properties and applications," *J Mater Chem C Mater*, vol. 2, no. 34, pp. 6921–6939, Sep. 2014, doi: 10.1039/c4tc00988f.
- [11] X. Zheng *et al.*, "Novel fluorescent nitrogen-doped carbon dots derived from: Panax notoginseng for bioimaging and high selectivity detection of Cr⁶⁺," *Analyst*, vol. 146, no. 3, pp. 911–919, Feb. 2021, doi: 10.1039/d0an01599g.
- [12] H. Wu, B. Tang, and P. Wu, "Preparation and characterization of anti-fouling B-cyclodextrin/polyester thin film nanofiltration composite membrane," *J Memb Sci*, vol. 428, pp. 301–308, Feb. 2013, doi: 10.1016/j.memsci.2012.09.063.
- [13] Z. Sun *et al.*, "Hypoglycemic bioactivity of novel eco-friendly carbon dots derived from traditional Chinese medicine," *J Biomed Nanotechnol*, vol. 14, no. 12, pp. 2146–2155, Dec. 2018, doi: 10.1166/jbn.2018.2653.
- [14] F. Wen, P. Li, Y. Zhang, H. Zhong, H. Yan, and W. Su, "Preparation, characterization of green tea carbon quantum dots/curcumin antioxidant and antibacterial nanocomposites," *J Mol Struct*, vol. 1273, Feb. 2023, doi: 10.1016/j.molstruc.2022.134247.

- [15] H. Yu *et al.*, “Smart Utilization of Carbon Dots in Semiconductor Photocatalysis,” *Advanced Materials*, vol. 28, no. 43. Wiley-VCH Verlag, pp. 9454–9477, Nov. 16, 2016. doi: 10.1002/adma.201602581.
- [16] K. M. Omer, N. N. Mohammad, and S. O. Baban, “Up-Conversion Fluorescence of Phosphorous and Nitrogen Co-Doped Carbon Quantum Dots (CDs) Coupled with Weak LED Light Source for Full-Spectrum Driven Photocatalytic Degradation via ZnO-CDs Nanocomposites,” *Catal Letters*, vol. 148, no. 9, pp. 2746–2755, Sep. 2018, doi: 10.1007/s10562-018-2459-4.
- [17] R. Wang, K. Q. Lu, Z. R. Tang, and Y. J. Xu, “Recent progress in carbon quantum dots: synthesis, properties and applications in photocatalysis,” *Journal of Materials Chemistry A*, vol. 5, no. 8. Royal Society of Chemistry, pp. 3717–3734, 2017. doi: 10.1039/c6ta08660h.
- [18] H. Li *et al.*, “Water-soluble fluorescent carbon quantum dots and photocatalyst design,” *Angewandte Chemie - International Edition*, vol. 49, no. 26, pp. 4430–4434, Jun. 2010, doi: 10.1002/anie.200906154.
- [19] C. Kang, Y. Huang, H. Yang, X. F. Yan, and Z. P. Chen, “A review of carbon dots produced from biomass wastes,” *Nanomaterials*, vol. 10, no. 11. MDPI AG, pp. 1–24, Nov. 01, 2020. doi: 10.3390/nano10112316.
- [20] I. O. Adebayo, O. O. Olukowi, Z. Zhiyuan, and Y. Zhang, “Comparisons of coagulation efficiency of conventional aluminium sulfate and enhanced composite aluminium sulfate/polydimethyldiallylammonium chloride coagulants coupled with rapid sand filtration,” *Journal of Water Process Engineering*, vol. 44, Dec. 2021, doi: 10.1016/j.jwpe.2021.102322.
- [21] S. Korpe and P. Venkateswara Rao, “A comparative analysis of degradation efficiencies using alum and orange peel waste for the treatment of tannery wastewater,” *Sustainable Energy Technologies and Assessments*, vol. 54, Dec. 2022, doi: 10.1016/j.seta.2022.102860.

- [22] X. Chen, Z. Wu, D. Liu, and Z. Gao, "Preparation of ZnO Photocatalyst for the Efficient and Rapid Photocatalytic Degradation of Azo Dyes," *Nanoscale Res Lett*, vol. 12, no. 1, Dec. 2017, doi: 10.1186/s11671-017-1904-4.
- [23] Y. Diao, Z. Yan, M. Guo, and X. Wang, "Magnetic multi-metal co-doped magnesium ferrite nanoparticles: An efficient visible light-assisted heterogeneous Fenton-like catalyst synthesized from saprolite laterite ore," *J Hazard Mater*, vol. 344, pp. 829–838, Feb. 2018, doi: 10.1016/j.jhazmat.2017.11.029.
- [24] M. K. Ensaldo-Rentería *et al.*, "Photoelectrocatalytic oxidation of acid green 50 dye in aqueous solution using Ti/TiO₂-NT electrode," *J Environ Chem Eng*, vol. 6, no. 1, pp. 1182–1188, Feb. 2018, doi: 10.1016/j.jece.2018.01.034.
- [25] M. Pirhashemi, A. Habibi-Yangjeh, and S. Rahim Pouran, "Review on the criteria anticipated for the fabrication of highly efficient ZnO-based visible-light-driven photocatalysts," *Journal of Industrial and Engineering Chemistry*, vol. 62. Korean Society of Industrial Engineering Chemistry, pp. 1–25, Jun. 25, 2018. doi: 10.1016/j.jiec.2018.01.012.
- [26] P. S. Basavarajappa, S. B. Patil, N. Ganganagappa, K. R. Reddy, A. V. Raghu, and C. V. Reddy, "Recent progress in metal-doped TiO₂, non-metal doped/codoped TiO₂ and TiO₂ nanostructured hybrids for enhanced photocatalysis," *Int J Hydrogen Energy*, vol. 45, no. 13, pp. 7764–7778, Mar. 2020, doi: 10.1016/j.ijhydene.2019.07.241.
- [27] X. Wang, Y. Feng, P. Dong, and J. Huang, "A Mini Review on Carbon Quantum Dots: Preparation, Properties, and Electrocatalytic Application," *Frontiers in Chemistry*, vol. 7. Frontiers Media S.A., Oct. 04, 2019. doi: 10.3389/fchem.2019.00671.
- [28] V. Nguyen, N. Zhao, L. Yan, P. Zhong, V. C. Nguyen, and P. H. Le, "Double-pulse femtosecond laser ablation for synthesis of ultrasmall carbon

- nanodots,” *Mater Res Express*, vol. 7, no. 1, 2019, doi: 10.1088/2053-1591/ab6124.
- [29] H. Xu, L. Yan, V. Nguyen, Y. Yu, and Y. Xu, “One-step synthesis of nitrogen-doped carbon nanodots for ratiometric pH sensing by femtosecond laser ablation method,” *Appl Surf Sci*, vol. 414, pp. 238–243, Aug. 2017, doi: 10.1016/j.apsusc.2017.04.092.
- [30] R. Wang, K. Q. Lu, Z. R. Tang, and Y. J. Xu, “Recent progress in carbon quantum dots: synthesis, properties and applications in photocatalysis,” *Journal of Materials Chemistry A*, vol. 5, no. 8. Royal Society of Chemistry, pp. 3717–3734, 2017. doi: 10.1039/c6ta08660h.
- [31] S. Dey, A. Govindaraj, K. Biswas, and C. N. R. Rao, “Luminescence properties of boron and nitrogen doped graphene quantum dots prepared from arc-discharge-generated doped graphene samples,” *Chem Phys Lett*, vol. 595–596, pp. 203–208, Mar. 2014, doi: 10.1016/j.cplett.2014.02.012.
- [32] J. Joseph and A. A. Anappara, “White-Light-Emitting Carbon Dots Prepared by the Electrochemical Exfoliation of Graphite,” *ChemPhysChem*, vol. 18, no. 3, pp. 292–298, Feb. 2017, doi: 10.1002/cphc.201601020.
- [33] M. Liu, Y. Xu, F. Niu, J. J. Gooding, and J. Liu, “Carbon quantum dots directly generated from electrochemical oxidation of graphite electrodes in alkaline alcohols and the applications for specific ferric ion detection and cell imaging,” *Analyst*, vol. 141, no. 9, pp. 2657–2664, May 2016, doi: 10.1039/c5an02231b.
- [34] A. Prasannan and T. Imae, “One-pot synthesis of fluorescent carbon dots from orange waste peels,” in *Industrial and Engineering Chemistry Research*, Nov. 2013, pp. 15673–15678. doi: 10.1021/ie402421s.
- [35] B. Xue, Y. Yang, Y. Sun, J. Fan, X. Li, and Z. Zhang, “Photoluminescent lignin hybridized carbon quantum dots composites for bioimaging

- applications,” *Int J Biol Macromol*, vol. 122, pp. 954–961, Feb. 2019, doi: 10.1016/j.ijbiomac.2018.11.018.
- [36] F. Yarur, J. R. Macairan, and R. Naccache, “Ratiometric detection of heavy metal ions using fluorescent carbon dots,” *Environ Sci Nano*, vol. 6, no. 4, pp. 1121–1130, 2019, doi: 10.1039/c8en01418c.
- [37] H. Liu *et al.*, “Synthesis of Luminescent Carbon Dots with Ultrahigh Quantum Yield and Inherent Folate Receptor-Positive Cancer Cell Targetability,” *Sci Rep*, vol. 8, no. 1, Dec. 2018, doi: 10.1038/s41598-018-19373-3.
- [38] K. Abinaya, S. K. Rajkishore, A. Lakshmanan, R. Anandham, P. Dhananchezhian, and M. Praghadeesh, “Synthesis and characterization of carbon dots from coconut shell by optimizing the hydrothermal carbonization process,” *Journal of Applied and Natural Science*, vol. 13, no. 4, pp. 1151–1157, 2021, doi: 10.31018/jans.v13i4.2916.
- [39] L. Cheng, Q. Xiang, Y. Liao, and H. Zhang, “CdS-Based photocatalysts,” *Energy and Environmental Science*, vol. 11, no. 6. Royal Society of Chemistry, pp. 1362–1391, Jun. 01, 2018. doi: 10.1039/c7ee03640j.
- [40] B. Ulum *et al.*, “Composite Carbon-lignin/ Zinc Oxide Nanocrystalline Ball-like Hexagonal Mediated from *Jatropha curcas* L Leaf as Photocatalyst for Industrial Dye Degradation,” *J Inorg Organomet Polym Mater*, vol. 30, no. 12, pp. 4905–4916, Dec. 2020, doi: 10.1007/s10904-020-01631-5.
- [41] N. M. I. Alhaji, D. Nathiya, K. Kaviyarasu, M. Meshram, and A. Ayeshamariam, “A comparative study of structural and photocatalytic mechanism of AgGaO₂ nanocomposites for equilibrium and kinetics evaluation of adsorption parameters,” *Surfaces and Interfaces*, vol. 17, Dec. 2019, doi: 10.1016/j.surfin.2019.100375.
- [42] P. Zhao, B. Jin, Q. Zhang, and R. Peng, “Facile synthesis of quantum dots/TiO₂ photocatalyst with superior photocatalytic activity: the effect of

- carbon nitride quantum dots and N-doped carbon dots,” *Research on Chemical Intermediates*, vol. 47, no. 12, pp. 5229–5247, Dec. 2021, doi: 10.1007/s11164-021-04595-4.
- [43] M. Cheraghizade, F. Jamali-Sheini, R. Yousefi, F. Niknia, M. R. Mahmoudian, and M. Sookhakian, “The effect of tin sulfide quantum dots size on photocatalytic and photovoltaic performance,” *Mater Chem Phys*, vol. 195, pp. 187–194, Jul. 2017, doi: 10.1016/j.matchemphys.2017.04.008.
- [44] S. SANGITA, N. NAYAK, and C. R. PANDA, “Extraction of aluminium as aluminium sulphate from thermal power plant fly ashes,” *Transactions of Nonferrous Metals Society of China (English Edition)*, vol. 27, no. 9, pp. 2082–2089, Sep. 2017, doi: 10.1016/S1003-6326(17)60231-0.
- [45] A. Ardiansyah, R. Rahmat, M. Azlan, H. Heryanto, and D. Tahir, “Nanocrystal composites cement/BaCO₃/Fe₂O₃ for improved X-ray shielding characteristics: Stability structural properties,” *J Mater Res*, vol. 37, no. 23, pp. 4114–4123, Dec. 2022, doi: 10.1557/s43578-022-00775-z.
- [46] B. Manikandan, K. R. Murali, and R. John, “IRANIAN JOURNAL OF CATALYSIS Optical, Morphological and Microstructural Investigation of TiO₂ nanoparticles for Photocatalytic application.”
- [47] S. Abu Bakar and C. Ribeiro, “An insight toward the photocatalytic activity of S doped 1-D TiO₂ nanorods prepared via novel route: As promising platform for environmental leap,” *J Mol Catal A Chem*, vol. 412, pp. 78–92, Feb. 2016, doi: 10.1016/j.molcata.2015.12.002.
- [48] N. O. Ronzhin *et al.*, “The effect of copper and iron adsorption on the catalytic performance of alumina nanofiber / nanodiamond composite in sensing applications,” *Journal of Physics and Chemistry of Solids*, vol. 167, Aug. 2022, doi: 10.1016/j.jpcs.2022.110785.

- [49] M. Dhua, S. Maiti, and K. K. Sen, "Modified karaya gum colloidal particles for the management of systemic hypertension," *Int J Biol Macromol*, vol. 164, pp. 1889–1897, Dec. 2020, doi: 10.1016/j.ijbiomac.2020.08.014.
- [50] S. Reinartz, P. S. White, M. Brookhart, and J. L. Templeton, "Acid-assisted reductive elimination as a route to platinum(II) products from platinum(IV) tris(pyrazolyl)borate reagents," *Organometallics*, vol. 19, no. 19, pp. 3854–3866, Sep. 2000, doi: 10.1021/om000440z.
- [51] T. L. Weiss *et al.*, "Raman spectroscopy analysis of botryococcene hydrocarbons from the green microalga *Botryococcus braunii*," *Journal of Biological Chemistry*, vol. 285, no. 42, pp. 32458–32466, Oct. 2010, doi: 10.1074/jbc.M110.157230.
- [52] M. Albahri *et al.*, "X-ray micro-computed tomography analysis of accumulated corrosion products in deep-water shipwrecks," *Materials and Corrosion*, vol. 70, no. 11, pp. 1977–1998, Nov. 2019, doi: 10.1002/maco.201910842.
- [53] T. Chen, M. Niu, X. Wang, W. Wei, J. Liu, and Y. Xie, "Synthesis and characterization of poly-aluminum silicate sulphate (PASS) for ultra-low density fiberboard (ULDF)," *RSC Adv*, vol. 5, no. 113, pp. 93187–93193, 2015, doi: 10.1039/c5ra13996a.
- [54] J. Yu, C. H. Lee, C. W. Kan, and S. Jin, "Fabrication of structural-coloured carbon fabrics by thermal assisted gravity sedimentation method," *Nanomaterials*, vol. 10, no. 6, pp. 1–16, Jun. 2020, doi: 10.3390/nano10061133.
- [55] A. V. Sergeeva, E. S. Zhitova, and V. N. Bocharov, "Infrared and Raman spectroscopy of tschermigite, $(\text{NH}_4)\text{Al}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$," *Vib Spectrosc*, vol. 105, Nov. 2019, doi: 10.1016/j.vibspec.2019.102983.
- [56] A. Maddu, R. Meliafatmah, and E. Rustami, "Enhancing photocatalytic degradation of methylene blue using zno/carbon dots nanocomposite derived

- from coffee grounds,” *Pol J Environ Stud*, vol. 30, no. 1, pp. 273–282, 2021, doi: 10.15244/pjoes/120156.
- [57] V. Mehta, N. Soleimanioun, D. V. Roy, and S. K. Tripathi, “Degradation of methyl orange using potash alum doped TiO₂nanocomposite,” in *AIP Conference Proceedings*, American Institute of Physics Inc., Aug. 2021. doi: 10.1063/5.0055172.
- [58] Y. L. Ying, S. Y. Pung, M. T. Ong, and Y. F. Pung, “Photocatalytic activity of ZnO nanodisks in degradation of Rhodamine B and Bromocresol Green under UV light exposure,” in *Journal of Physics: Conference Series*, Institute of Physics Publishing, Oct. 2018. doi: 10.1088/1742-6596/1082/1/012085.
- [59] R. Xie, L. Zhang, H. Xu, Y. Zhong, X. Sui, and Z. Mao, “Construction of up-converting fluorescent carbon quantum dots/Bi₂₀TiO₃₂ composites with enhanced photocatalytic properties under visible light,” *Chemical Engineering Journal*, vol. 310, pp. 79–90, Feb. 2017, doi: 10.1016/j.cej.2016.10.089.
- [60] M. Rani, J. Yadav, Keshu, and U. Shanker, “Green synthesis of sunlight responsive zinc oxide coupled cadmium sulfide nanostructures for efficient photodegradation of pesticides,” *J Colloid Interface Sci*, vol. 601, pp. 689–703, Nov. 2021, doi: 10.1016/j.jcis.2021.05.152.
- [61] H. Qi, H. Liu, L. Zhang, and J. Wu, “Photodegradation of Methyl Orange Over CdS–TiO₂/L-zeolite Composite Photocatalyst,” *J Inorg Organomet Polym Mater*, vol. 29, no. 2, pp. 564–571, Mar. 2019, doi: 10.1007/s10904-018-1031-4.
- [62] V. Wongso, N. S. Sambudi, S. Sufian, and Isnaeni, “The effect of hydrothermal conditions on photoluminescence properties of rice husk-derived silica-carbon quantum dots for methylene blue degradation,” *Biomass Convers Biorefin*, vol. 11, no. 6, pp. 2641–2654, Dec. 2021, doi: 10.1007/s13399-020-00662-9.

- [63] S. Sharma, A. Umar, S. K. Mehta, A. O. Ibhaddon, and S. K. Kansal, "Solar light driven photocatalytic degradation of levofloxacin using TiO₂/carbon-dot nanocomposites," *New Journal of Chemistry*, vol. 42, no. 9, pp. 7445–7456, 2018, doi: 10.1039/c7nj05118b.
- [64] A. Mozdbar, A. Nouralishahi, S. Fatemi, and F. S. Talatori, "The impact of Carbon Quantum Dots (CQDs) on the photocatalytic activity of TiO₂ under UV and visible light," *Journal of Water Process Engineering*, vol. 51, Feb. 2023, doi: 10.1016/j.jwpe.2022.103465.
- [65] J. Evanovich and L. King, *Hardcore twenty-four : a Stephanie Plum novel*.
- [66] S. Ahmadian-Fard-Fini, M. Salavati-Niasari, and H. Safardoust-Hojaghan, "Hydrothermal green synthesis and photocatalytic activity of magnetic CoFe₂O₄–carbon quantum dots nanocomposite by turmeric precursor," *Journal of Materials Science: Materials in Electronics*, vol. 28, no. 21, pp. 16205–16214, Nov. 2017, doi: 10.1007/s10854-017-7522-1.
- [67] R. Atchudan, T. N. J. I. Edison, S. Perumal, R. Vinodh, and Y. R. Lee, "In-situ green synthesis of nitrogen-doped carbon dots for bioimaging and TiO₂ nanoparticles@nitrogen-doped carbon composite for photocatalytic degradation of organic pollutants," *J Alloys Compd*, vol. 766, pp. 12–24, Oct. 2018, doi: 10.1016/j.jallcom.2018.06.272.
- [68] S. Kalaiarasan, P. Uthirakumar, D. Shim, and I. H. Lee, "The degradation profile of high molecular weight textile reactive dyes: A daylight induced photocatalytic activity of ZnO/carbon quantum dot photocatalyst," *Environ Nanotechnol Monit Manag*, vol. 15, May 2021, doi: 10.1016/j.enmm.2020.100423.
- [69] A. Bhati, S. R. Anand, G. Gunture, A. K. Garg, P. Khare, and S. K. Sonkar, "Sunlight-Induced Photocatalytic Degradation of Pollutant Dye by Highly Fluorescent Red-Emitting Mg-N-Embedded Carbon Dots," *ACS Sustain Chem Eng*, vol. 6, no. 7, pp. 9246–9256, Jul. 2018, doi: 10.1021/acssuschemeng.8b01559.

LAMPIRAN

Lampiran 1. Alat, Bahan, dan Hasil



Sentrifugator



Gelas Kimia



Kertas Saring



Furnace



Neraca Digital



*teflon lined-steel
autoclave*



Magnetic Stirrer



Laser UV



Oven



Mortar



Mesh



Sonikator

Gambar 1. Alat Penelitian



Aluminium Sulfat



Carbon Quantum Dots



HCl



Pestisida



Aquabidest



Aquadest

Gambar 2. Bahan Penelitian

Lampiran 2. Dokumentasi Penelitian



Sonikasi Residu Teh



Proses Hidrotermal Residu
Teh



Filterisasi



Pengujian CQDs dari Residu Teh



Pencampuran Alum dan CQDs



Pengeringan



Penghalusan



$\text{Al}_2(\text{SO}_4)_3/\text{CQDs}$



Uji Fotokatalis

Gambar 3. Proses Sintesis $\text{Al}_2(\text{SO}_4)_3/\text{CQDs}$

Lampiran 3. Tabel Ukuran Kristal

Sampel	Sudut Difraksi 2theta	FWHM	Ukuran Kristal
$\text{Al}_2(\text{SO}_4)_3$	20.0933	0.3249	24.83065478
	22.66	0.3334	24.3001172
	24.4436	0.3193	25.4556557
	26.8366	0.4333	18.84770309
	29.886	0.428	19.20984053
	34.3425	0.375	22.17166143
	36.242	0.3207	26.06277381
$\text{Al}_2(\text{SO}_4)_3/\text{CQDs}$ I	19.52	0.279	28.89045225
	22.3267	0.7281	11.12069028
	24.175	0.83	9.787817504
	26.3318	0.4864	16.77264599

	29.3866	0.4733	17.35123176
	33.832	0.28	29.6536629
	35.7314	0.3153	26.47080239
Al ₂ (SO ₄) ₃ /CQDs II	20.0005	1.1699	6.894884234
	22.4516	0.8433	9.603606526
	24.285	1.03	7.888895789
	26.426	0.652	12.5150105
	29.6375	1.005	8.176194423
	35.88	0.6	13.91623522
	36.52	0.65	12.8692267
Al ₂ (SO ₄) ₃ /CQDs III	20.095	1.27	6.352362948
	22.5125	0.855	9.473189314
	24.3433	0.9667	8.406385922
	26.36	0.84	9.712720139
	29.6266	1.3067	6.288259473
	33.95	0.54	15.38079838
	36.055	1.13	7.392815352
Al ₂ (SO ₄) ₃ /CQDs IV	20.0135	1.2236	6.592421118
	22.455	0.85	9.527963622
	24.2725	1.025	7.927192204
	26.4	0.66	12.36265514
	29.605	1.09	7.538035975
	35.83	0.66	12.64933719
	36.46	0.68	12.29934357


Lampiran 4. Tabel data absorbansi dan perhitungan %degradation

Abs dari UV	Pesticide (C0)	Sample Id	Time		
			C1 (Ct1 = 10 minutes)	C2 (Ct = 30 minutes)	C3(Ct3 = 60 minutes)
	1.0044	1. Al2(SO4)3/CQDs I	0.588	0.353	0.194
	1.0044	2. Al2(SO4)3/CQDs II	0.284	0.172	0.165
	1.0044	3. Al2(SO4)3/CQDs III	0.285	0.221	0.204
	1.0044	4. Al2(SO4)3/CQDs IV	0.589	0.353	0.204
% Degradation	Sample Id	%Degradation			
		C1 (Ct1 = 10 minutes)	C2 (Ct = 30 minutes)	C3(Ct3 = 60 minutes)	
		1. Al2(SO4)3/CQDs I	41.45758662	64.85463959	80.68498606
		2. Al2(SO4)3/CQDs II	71.72441258	82.87534847	83.57228196
		3. Al2(SO4)3/CQDs III	71.62485066	77.99681402	79.68936679
4. Al2(SO4)3/CQDs IV	41.35802469	64.85463959	79.68936679		


Lampiran 5. Tabel perhitungan (C0/Ct)

Laju Kinetik	Sample Id	t (minutes)	(C0/Ct)
	Al2(SO4)3/CQDs I	10	0.5854241
		30	0.3514536
		60	0.1931501
	Al2(SO4)3/CQDs II	10	0.2827559
		30	0.1712465
		60	0.1642772
	Al2(SO4)3/CQDs III	10	0.2837515
		30	0.2200319
		60	0.2031063
Al2(SO4)3/CQDs IV	10	0.5864198	
	30	0.3514536	
	60	0.2031063	


Lampiran 6. Analisis Data




Gambar 4. Data FTIR




Gambar 5. Data TEM



Gambar 4. Data SEM



Gambar 7. Data XRD



Gambar 8. Data UV-Vis