

1. Perlu dilakukan uji stabilitas sediaan, uji iritasi pada mukosa dari sediaan *microsponge* gel vagina dari ITZ
2. Perlu dilakukan uji aktivitas antifungi dalam formulasi *microsponge* ITZ pada sediaan gel vagina.
3. Perlu dilakukan penentuan profil kinetika secara *in-vivo* pada hewan coba yang sesuai dari sediaan *microsponge* gel vagina dari ITZ

## DAFTAR PUSTAKA

- Abdullahi Nasir, I., Uchenna, E., Onyia, J., Ifunanya, A.L., 2015. Prevalence of vulvovaginal candidiasis among nonpregnant women attending a tertiary health care facility in Abuja, Nigeria. *Res. Rep. Trop. Med.* 37.
- Andrade, A.O., Parente, M.E., Ares, G., 2014. Screening of mucoadhesive vaginal gel formulations. *Brazilian J. Pharm. Sci.* 50, 931–942.
- Arfiputri, D.S., Hidayati, A.N., Handayani, S., Ervianti, E., 2018. Risk factors of vulvovaginal candidiasis in dermatovenereology outpatients clinic of soetomo general hospital, Surabaya, Indonesia. *African J. Infect. Dis.* 12, 90–94.
- Asati, S., Jain, S., Choubey, A., 2019. Bioadhesive or Mucoadhesive Drug Delivery System: A Potential Alternative to Conventional Therapy. *J. Drug Deliv. Ther.* 9, 858–867.
- Aslani, A., Ghannadi, A., Najafi, H., 2013. Design, formulation and evaluation of a mucoadhesive gel from Quercus brantii L. and coriandrum sativum L. as periodontal drug delivery. *Adv. Biomed. Res.* 2, 21.
- Berginc, K., Nata, Š., Basnet, P., Kristl, A., 2012. Development and Evaluation of an In Vitro Vaginal Model for Assessment of Drug's Biopharmaceutical Properties : Curcumin. *Am. Assoc. Pharm. Sci.* 13, 1045–1053.
- Berretta, A.A., Castro, P.A. De, Cavalheiro, A.H., Fortes, V.S., Bom, V.P., Nascimento, A.P., Marquele-oliveira, F., Pedrazzi, V., Naira, L., Ramalho, Z., Goldman, G.H., 2013. Evaluation of Mucoadhesive Gels with Propolis (EPP-AF) in Preclinical Treatment of Candidiasis Vulvovaginal Infection. *Hindawi Publ. Corp. Evidence-Based Complement. Altern. Med.* 2013, 1–18.
- Bitew, A., Abebaw, Y., 2018. Vulvovaginal candidiasis: Species distribution of *Candida* and their antifungal susceptibility pattern. *BMC Womens. Health* 18, 1–10.
- Blanco-Fuente, H., Esteban-Fernández, B., Blanco-Méndez, J., Otero-Espinar, F.J., 2002. Use of  $\beta$ -cyclodextrins to prevent modifications of the properties of carbopol hydrogels due to carbopol-drug interactions. *Chem. Pharm. Bull.* 50, 40–46.

- BPOM RI, 2017. Itraconazol. Badan Pengawas. Obat dan Makanan.
- Cassone, A., 2015. Vulvovaginal Candida albicans infections: Pathogenesis, immunity and vaccine prospects. *BJOG An Int. J. Obstet. Gynaecol.* 122, 785–794.
- Chaliha, C., Khullar, V., 2006. Management of vaginal prolapse. *Women's Heal.* 2, 279–287.
- Chatterjee, B., Amalina, N., Sengupta, P., Mandal, U.K., 2017. Mucoadhesive polymers and their mode of action: A recent update. *J. Appl. Pharm. Sci.* 7, 195–203.
- Chen, Y., Bruning, E., Rubino, J., Eder, S.E., 2017. Role of female intimate hygiene in vulvovaginal health: Global hygiene practices and product usage. *Women's Heal.* 13, 58–67.
- Chudasama, A., Shah, B., Patel, V., Nivsarkar, M., Vasu, K., Shishoo, C., 2015. Development of self emulsifying drug delivery system of itraconazole for oral delivery: formulation and pharmacokinetic consideration. *J. Pharm. Investig.* 45, 271–283.
- Da Silva, J.B., Khutoryanskiy, V. V., Bruschi, M.L., Cook, M.T., 2017. A mucosa-mimetic material for the mucoadhesion testing of thermogelling semi-solids. *Int. J. Pharm.* 528, 586–594.
- De Araújo Pereira, R.R., Bruschi, M.L., 2012. Vaginal mucoadhesive drug delivery systems. *Drug Dev. Ind. Pharm.* 38, 643–652.
- Dineshmohan, S., Gupta, V.R.M., 2017. Formulation of fluconazole as topical antifungal gels by microsponge based delivery systems. *Indones. J. Pharm.* 28, 158–167.
- Faria, M.J., Machado, R., Ribeiro, A., Gonçalves, H., Real Oliveira, M.E.C.D., Viseu, T., Neves, J. Das, Lúcio, M., 2019. Rational development of liposomal hydrogels: A strategy for topical vaginal antiretroviral drug delivery in the context of HIV prevention. *Pharmaceutics* 11, 1–27.
- Fiume, M.M., Heldreth, B., Bergfeld, W.F., Belsito, D. V., Hill, R.A., Klaassen, C.D., Liebler, D., Marks, J.G., Shank, R.C., Slaga, T.J., Snyder, P.W., Andersen, F.A., 2013. Safety Assessment of Triethanolamine and Triethanolamine-Containing Ingredients as Used in Cosmetics. *Int. J. Toxicol.* 32, 59S-83S.

- Francois, M., Snoeckx, E., Putteman, P., Wouters, F., De Proost, E., Delaet, U., Peeters, J., Brewster, M.E., 2003. A mucoadhesive, cyclodextrin-based vaginal cream formulation of itraconazole. *AAPS J.* 5, 1–5.
- Gaikwad, V.L., D.Yadav, V., Dhavale, R.P., Choudhari, P.B., Jadhav, S.D., 2012. Effect of Carbopol 934 and 940 on Fluconazole Release from Topical Gel Formulation: A Factorial Approach. *J. Curr. Pharma Res.* 2, 487–493.
- Gibson, M., 2016. Pharmaceutical Preformulation and Formulation. McGraw-hill, New York.
- Gowda, D. V., Khan, M.S., Mohammed, N., Shivakumar, H.G., 2010. Preparation and evaluation of microporous drug delivery system. *Int. J. Pharma Bio Sci.* 1, 294–301.
- Graziottin, A., Gambini, D., 2015. Anatomy and physiology of genital organs - women, 1st ed, Handbook of Clinical Neurology. Elsevier B.V.
- Johal, H.S., Garg, T., Rath, G., Goyal, A.K., 2016. Advanced topical drug delivery system for the management of vaginal candidiasis. *Drug Deliv.* 23, 550–563.
- Kapupara, P.P., Dholakia, S.P., Patel, V.P., Suhagia, B.N., 2011. Journal of Chemical and Pharmaceutical Research preparations. *J. Chem. Pharm. Res.* 3, 287–294.
- Karthikeyan, K., Durgadevi, R., Saravanan, K., Shivasankar, K., Usha, S., Saravanan, M., 2012. Formulation of bioadhesive carbomer gel incorporating drug-loaded gelatin microspheres for periodontal therapy. *Trop. J. Pharm. Res.* 11, 335–343.
- Kasar, P.M., Kale, K., Phadtare, D.G., 2018. Formulation and Evaluation of Topical Antifungal Gel Containing Itraconazole. *Int. J. Curr. Pharm. Res.* 10, 71.
- Kim, J.Y., Rhee, Y.S., Park, C.W., Ha, J.M., Park, E.S., 2014. Preparation and evaluation of dual-mode floating gastroretentive tablets containing itraconazole. *Drug Deliv.* 21, 519–529.
- Kumar, M., 2018. Review On Vaginal Drug Delivery System. *Indo Am. J. Pharm. Res.* 8.

- Lestner, J., Hope, W.W., 2013. Itraconazole: An update on pharmacology and clinical use for treatment of invasive and allergic fungal infections. *Expert Opin. Drug Metab. Toxicol.* 9, 911–926.
- Liu, L., Bello, A., Dresser, M.J., Heald, D., Komjathy, S.F., O'Mara, E., Rogge, M., Stoch, S.A., Robertson, S.M., 2016. Best practices for the use of itraconazole as a replacement for ketoconazole in drug-drug interaction studies. *J. Clin. Pharmacol.* 56, 143–151.
- Loyd V. Allen, 2009. *Handbook of Pharmaceutical Excipient*. Sixth Edition, Sixth. ed. Pharmaceutical Press and American Pharmacists Association, London.
- Machado, G.C., Maher, C.G., Ferreira, P.H., Pinheiro, M.B., Lin, C.W.C., Day, R.O., McLachlan, A.J., Ferreira, M.L., 2015. Efficacy and safety of paracetamol for spinal pain and osteoarthritis: Systematic review and meta-analysis of randomised placebo controlled trials. *BMJ* 350, 1–13.
- Mandal, A., Majumdar, A., Malviya, N., 2018. Formulation and evaluation of chitosan microspheres for the topical delivery of itraconazole 12.
- Manna, S., Lakshmi, U.S., Racharla, M., Sinha, P., Kanthal, L.K., Kumar, S.P.N., 2016. Bioadhesive HPMC gel containing gelatin nanoparticles for intravaginal delivery of tenofovir. *J. Appl. Pharm. Sci.* 6, 22–29.
- Mirza, M.A., Panda, A.K., Asif, S., Verma, D., Talegaonkar, S., Manzoor, N., Khan, A., Ahmed, F.J., Dudeja, M., Iqbal, Z., 2016. A vaginal drug delivery model. *Drug Deliv.* 23, 3123–3134.
- Notario-Pérez, F., Martín-Illana, A., Cazorla-Luna, R., Ruiz-Caro, R., Tamayo, A., Rubio, J., Veiga, M.D., 2020. Mucoadhesive vaginal discs based on cyclodextrin and surfactants for the controlled release of antiretroviral drugs to prevent the sexual transmission of HIV. *Pharmaceutics* 12.
- Osmani, R.A.M., Aloorkar, N.H., Ingale, D.J., Kulkarni, P.K., Hani, U., Bhosale, R.R., Jayachandra Dev, D., 2015. Microsponges based novel drug delivery system for augmented arthritis therapy. *Saudi Pharm. J.* 23, 562–572.
- Pandit, A.P., Patel, S.A., Bhanushali, V.P., Kulkarni, V.S., Kakad, V.D., 2017. Nebivolol-Loaded Microsponge Gel for Healing of Diabetic Wound. *AAPS PharmSciTech* 18, 846–854.

- Patel, N., Padia, N., Vadgama, N., Raval, M., Sheth, N., 2016. Formulation and evaluation of microsponge gel for topical delivery of fluconazole for fungal therapy. *J. Pharm. Investig.* 46, 221–238.
- Pramanik, J., Ray, S., Kundu, S., Basak, T., Mondal, S., Panigrahi, S., Bala, N.N., Mahata, P.P., 2018. Modern Approaches of Mucoadhesive Drug Delivery. *World J. Pharm. Res.* 7, 381–403.
- Rahmawati, D.A., Setiawan, I., 2019. The Formulation and Physical Stability Test of Gel Fruit Strawberry Extract (*Fragaria x ananassa* Duch.). *J. Nutraceuticals Herb. Med.* 2, 38–46.
- Raymond C Rowe, P.J.S. and M.E.Q., 2015. *Handbook of Pharmaceutical Excipients*, 6th ed. Pharmaceutical Pres.
- Rençber, S., Karavana, S.Y., Şenyiğit, Z.A., Eraç, B., Limoncu, M.H., Baloğlu, E., 2017. Mucoadhesive *in situ* gel formulation for vaginal delivery of clotrimazole: formulation, preparation, and *in vitro/in vivo* evaluation. *Pharm. Dev. Technol.* 22, 551–561.
- Rowe, R.C., Sheskey, P.J., Quinn, M.E., 2009. *Excipients*.
- Roy, A., Choudhury, A., Bahadur, S., Saha, S., 2017. Preparation and Evaluation of Plant Bioactive Vaginal Formulation. *Indo Am. J. Pharm. Sci.* 3, 1673–1681.
- Salah, S., Awad, G.E.A., Makhlof, A.I.A., 2018. Improved vaginal retention and enhanced antifungal activity of miconazole microsponges gel: Formulation development and *in vivo* therapeutic efficacy in rats. *Eur. J. Pharm. Sci.* 114, 255–266.
- Sangeetha, S.S., Karki, R., 2015. Formulation and evaluation of liposomes in carbopol gels for mixed vaginal infections. *Der Pharm. Lett.* 7, 291–299.
- Sanz, R., Clares, B., Mallandrich, M., Suñer-Carbó, J., Montes, M.J., Calpena, A.C., 2018a. Development of a mucoadhesive delivery system for control release of doxepin with application in vaginal pain relief associated with gynecological surgery. *Int. J. Pharm.* 535, 393–401.
- Sanz, R., Clares, B., Mallandrich, M., Suñer-Carbó, J., Montes, M.J., Calpena, A.C., 2018b. Development of a mucoadhesive delivery system for control release of doxepin with application in vaginal pain relief associated with

- gynecological surgery. *Int. J. Pharm.* 535, 393–401.
- Sayuti, N.A., 2015. Formulasi dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Daun Ketepeng Cina (*Cassia alata* L.). *J. Kefarmasian Indones.* 5, 74–82.
- Semwal, R.B.R., 2018. Mucoadhesive assessment – An encyclopedic review Mucoadhesive assessment – An encyclopedic review. *Curr. Med. Drug Res.* 2.
- Shankar, N.B., Kumar, R.P., Kumar, N.U., Brata, B.B., 2010. Development and characterization of bioadhesive gel of microencapsulated metronidazole for vaginal use. *Iran. J. Pharm. Res.* 9, 209–219.
- Sharma, S., Sharma, A., Kaur, C., 2020. MICROSPONGES: AS A TOPICAL DRUG DELIVERY SYSTEM. *Dep. Pharm. Pharm. Res. Div.* 11, 524–534.
- Singh, C., Jain, K., Kumar, C., Agarwal, K., 2009. Design and in vitro evaluation of mucoadhesive microcapsules of pioglitazone . *J. Young Pharm.* 1, 195.
- Srikrishna, S., Cardozo, L., 2013. The vagina as a route for drug delivery: A review. *Int. Urogynecol. J. Pelvic Floor Dysfunct.* 24, 537–543.
- Tomas, M.S.J., Macias, M.E.N., 2007. Effect of a medium simulating vaginal fluid on the growth and expression of beneficial characteristics of potentially probiotic lactobacilli. *Commun. Curr. Res. Educ. Top. Trends Appl. Microbiol.*
- Valenta, C., Kast, C.E., Harich, I., Bernkop-Schnürch, A., 2001. Development and in vitro evaluation of a mucoadhesive vaginal delivery system for progesterone. *J. Control. Release* 77, 323–332.
- van Schalkwyk, J., Yudin, M.H., Allen, V., Bouchard, C., Boucher, M., Boucoiran, I., Caddy, S., Castillo, E., Kennedy, V.L., Money, D.M., Murphy, K., Ogilvie, G., Paquet, C., 2015. Vulvovaginitis: Screening for and Management of Trichomoniasis, Vulvovaginal Candidiasis, and Bacterial Vaginosis. *J. Obstet. Gynaecol. Canada* 37, 266–274.
- Vernekar, A., Gude, R., Ghadi, N., Parab, S., Shirodker, A., 2019. Formulation and characterization of controlled release flurbiprofen microsponges loaded in gels. *Indian J. Pharm. Educ. Res.* 53, s50–s57.
- Wahid, A.A., 2016. Journal of Drug Delivery Research Microsponge : a Novel


Topical Review Article Microsponge : a System Novel Topical Drug.



Yadav, V., Jadhav, P., Dombe, S., Bodhe, A., Salunkhe, P., 2017. Formulation and evaluation of microsponge gel for topical delivery of antifungal drug. *Int. J. Appl. Pharm.* 9, 30–37.


Zhu, Z., Zhai, Y., Zhang, N., Leng, D., Ding, P., 2013. The development of polycarbophil as a bioadhesive material in pharmacy. *Asian J. Pharm. Sci.* 8, 218–227.

## LAMPIRAN I

### SKEMA KERJA



**Lampiran 2. Panjang Gelombang Maksimum dan Kurva Baku****Lampiran 2.1. Panjang Gelombang Maksimum****Gambar 19. Panjang gelombang maksimum****Lampiran 2.2. Kurva Baku****Gambar 20. Kurva Baku Cairan vagina**



Gambar 21. Kurva baku metanol

### Lampiran 3. Perhitungan

#### a. Uji Permeasi Vagina

1 mL formula tiap pengujian mengandung 10 mg itrakonazol

Persamaan:  $y=0,0378x-0,0058$

Dimana:  $y$ =serapan;  $x$ = konsentrasi

- Pada F1 Replikasi 1 jam 0,5 diperoleh serapan =0,131

Sehingga, untuk mendapatkan konsentrasi:

$$0,131 = 0,0378 x - 0,0058$$

$$x = \frac{0,131 + 0,0058}{0,0378}$$

$$x = 3,61 \mu\text{g/mL}$$

Konsentrasi dalam 1,5 mL =  $3,61 \times 1,5 = 5,41 \mu\text{g/mL}$

$$\text{Konsentrasi dalam } 28 \text{ mL} = \frac{3,61904762 \times 28 \text{ mL}}{1000} = 0,10 \text{ mg}$$

$$\text{Faktor koreksi} = \frac{\text{Konsentrasi jam sebelumnya}}{1000} + \text{Faktor koreksi jam sebelumnya}$$

$$= \frac{0 \mu\text{g}}{1000} + 0 \\ = 0$$

$$\begin{aligned} \text{Jumlah terpermeasi} &= \text{Konsentrasi dalam } 28 \text{ mL} + \text{Faktor koreksi} \\ &= 0,10 \text{ mg} + 0 \\ &= 0,10 \text{ mg} \end{aligned}$$

Kecepatan laju permease sediaan (fluks,  $J$ ,  $\mu\text{g/cm}^2/\text{jam}^{-1}$ ) dihitung dengan rumus:

$$J = \frac{M}{S \times t}$$

Dimana :

$$J = \text{Fluks } (\mu\text{g/cm}^2/\text{jam}^{-1})$$

S = Luas area difusi ( $\text{cm}^2$ )

M = Jumlah zat yang terpermeasi ( $\mu\text{g}$ )

t = Waktu (jam)

Maka,

$$J = \frac{0,0001 \mu\text{g}}{4,9 \text{ cm}^2 \times 0,5 \text{ jam}} = 0,00004082 \mu\text{g}/\text{cm}^2/\text{jam}^{-1}$$

- Pada F1 Replikasi 1 jam 0,75 diperoleh serapan =0,239

Sehingga, untuk mendapatkan konsentrasi:

$$0,239 = 0,0378 \times 0,0058$$

$$x = \frac{0,239+0,0058}{0,0378}$$

$$x = 6,46 \mu\text{g/mL}$$

Konsentrasi dalam 1,5 mL =  $6,46 \times 1,5 = 9,69 \mu\text{g}$

$$\text{Konsentrasi dalam } 28 \text{ mL} = \frac{6,46 \times 28 \text{ mL}}{1000} = 0,18 \text{ mg}$$

Faktor koreksi bernilai 0,01, diperoleh dari,

$$\text{Faktor koreksi} = \frac{\text{Konsentrasi jam sebelumnya}}{1000}$$

+ Faktor koreksi jam sebelumnya pada replikasi yang sama.

$$\begin{aligned} &= \frac{5,41 \mu\text{g}}{1000} + 0 \\ &= 0,01 \text{ mg} \end{aligned}$$

Jumlah terpermeasi = Konsentrasi dalam 28 mL + Faktor koreksi

$$\begin{aligned} &= 0,18 \text{ mg} + 0,01 \\ &= 0,19 \text{ mg} \end{aligned}$$

Kecepatan laju permeasi sediaan (fluks,  $J$ ,  $\mu\text{g}/\text{cm}^2/\text{jam}^{-1}$ ) :

$$J = \frac{0,00019 \text{ } \mu\text{g}}{4,9 \text{ cm}^2 \times 0,75 \text{ jam}} = 0,0000517 \text{ } \mu\text{g}/\text{cm}^2/\text{jam}^{-1}$$

### b. Uji Retensi Vagina

Persamaan:  $y = 0,0424x - 0,0065$

Dimana:  $y$  = serapan;  $x$  = konsentrasi

Pada F3 Replikasi 1, diperoleh serapan = 1,218

Sehingga, untuk mendapatkan konsentrasi:

$$1,218 = 0,0424x - 0,0065$$

$$x = \frac{1,218 + 0,0065}{0,0424}$$

$$x = 28,88 \text{ } \mu\text{g/mL}$$

$$\text{Jumlah ITZ yang terdepositi} = \frac{28,88}{1000} \times 50 \text{ mL} \times 30 \text{ mL} = 1,44 \text{ mg}$$

#### Lampiran 4. Tabel Hasil Evaluasi

##### Lampiran 4.1 Hasil Uji pH

Replikasi	F1	F2	F3	F4
1	6,98	7,03	7,12	7,31
2	6,79	6,89	6,94	7,11
3	7,03	7,14	7,05	7,07
Rata-rata±SD	6,93 ± 0,13	7,02 ± 0,13	7,04 ± 0,09	7,16 ± 0,13

##### Lampiran 4.2 Hasil Uji Viskositas

Replikasi	F1	F2	F3	F4
1	26200	31400	35600	47600
2	24200	32700	38000	43700
3	25300	32100	38400	48800
Rata-rata ± SD	25233,33 ± 1001,67	32066,67 ± 650,64	37333,33 ± 1514,38	46700 ± 2666,46

##### Lampiran 4.3 Hasil Uji Waktu Mukoadhesif

Replikasi	Waktu (jam)			
	F1	F2	F3	F4
1	2,5	3,9	6,3	6,7
2	2,1	4,2	6,2	6,3
3	2,3	4,1	6,4	6,4
Rata-rata ± SD	2,3 ± 0,20	4,07 ± 0,15	6,30 ± 0,10	6,47 ± 0,21

### Lampiran 4.4 Hasil Uji Permeasi

#### (a) Formula Kontrol

Jam	Replikasi	Serapan	Konsentrasi ( $\mu\text{g}/\text{ml}$ )	1.5 ml ( $\mu\text{g}$ )	28 ml (mg)	Faktor koreksi	Jumlah Terpemeasi (mg)	Rata-rata $\pm$ SD
0,25	1	0,149	3,78	5,67	0,11	0,00	0,11	$0,25 \pm 0,12$
	2	0,139	10,68	16,03	0,30	0,00	0,30	
	3	0,154	11,90	17,86	0,33	0,00	0,33	
0,5	1	0,272	21,27	31,90	0,60	0,01	0,60	$0,66 \pm 0,05$
	2	0,313	24,53	36,79	0,69	0,02	0,70	
	3	0,303	23,71	35,57	0,66	0,02	0,68	
0,75	1	0,369	29,00	43,51	0,81	0,04	0,85	$0,95 \pm 0,11$
	2	0,457	35,93	53,89	1,01	0,05	1,06	
	3	0,400	31,45	47,17	0,88	0,05	0,93	
1	1	0,508	40,00	60,00	1,12	0,08	1,20	$1,25 \pm 0,05$
	2	0,523	41,22	61,83	1,15	0,11	1,26	
	3	0,544	42,85	64,27	1,20	0,10	1,30	
2	1	0,605	47,73	71,60	1,34	0,14	1,48	$1,51 \pm 0,03$
	2	0,621	48,95	73,43	1,37	0,17	1,54	
	3	0,610	48,14	72,21	1,35	0,16	1,51	
3	1	0,826	65,22	97,83	1,83	0,21	2,04	$2,05 \pm 0,04$
	2	0,838	66,16	99,24	1,85	0,24	2,09	
	3	0,808	63,80	95,71	1,79	0,24	2,02	
4	1	0,944	74,65	111,97	2,09	0,31	2,40	$2,42 \pm 0,03$
	2	0,956	75,59	113,39	2,12	0,34	2,46	

	3	0,933	73,70	110,56	2,06	0,33	2,40	
	1	0,968	76,53	114,80	2,14	0,42	2,57	
5	2	1,004	79,36	119,04	2,22	0,45	2,68	$2,63 \pm 0,06$
	3	0,998	78,89	118,34	2,21	0,44	2,65	
	1	1,016	80,30	120,46	2,25	0,54	2,79	
6	2	1,004	79,36	119,04	2,22	0,57	2,80	$2,76 \pm 0,08$
	3	0,944	74,65	111,97	2,09	0,56	2,65	

## (b) Formula 1 (F1)

Jam	Replikasi	Serapan	Konsentrasi ( $\mu\text{g/ml}$ )	1.5 ml ( $\mu\text{g}$ )	28 ml (mg)	Faktor koreksi	Jumlah Terpemeasi (mg)	Rata-Rata $\pm$ SD
0,25	1	0,000	0,00	0,00	0,00	0,00	0,00	0
	2	0,000	0,00	0,00	0,00	0,00	0,00	
	3	0,000	0,00	0,00	0,00	0,00	0,00	
0,5	1	0,131	3,61	5,41	0,10	0,00	0,10	$0,10 \pm 0,01$
	2	0,122	3,37	5,05	0,09	0,00	0,09	
	3	0,135	3,72	5,59	0,10	0,00	0,10	
0,75	1	0,239	6,46	9,69	0,18	0,01	0,19	$0,20 \pm 0,01$
	2	0,275	7,42	11,12	0,21	0,01	0,21	
	3	0,266	7,18	10,77	0,20	0,01	0,21	
1	1	0,324	8,72	13,09	0,24	0,02	0,26	$0,29 \pm 0,03$
	2	0,401	10,75	16,12	0,30	0,02	0,32	
	3	0,351	9,44	14,16	0,26	0,02	0,28	
2	1	0,446	11,94	17,91	0,33	0,03	0,36	$0,38 \pm 0,01$
	2	0,459	12,30	18,44	0,34	0,03	0,38	

	3	0,477	12,77	19,16	0,36	0,03	0,39	
	1	0,531	14,20	21,30	0,40	0,05	0,44	
3	2	0,545	14,56	21,84	0,41	0,05	0,46	$0,45 \pm 0,01$
	3	0,536	14,32	21,48	0,40	0,05	0,45	
	1	0,626	16,70	25,05	0,47	0,07	0,54	
4	2	0,635	16,94	25,41	0,47	0,07	0,55	$0,54 \pm 0,01$
	3	0,612	16,34	24,52	0,46	0,07	0,53	
	1	0,716	19,08	28,62	0,53	0,09	0,63	
5	2	0,725	19,32	28,98	0,54	0,10	0,64	$0,63 \pm 0,01$
	3	0,707	18,84	28,27	0,53	0,10	0,62	
	1	0,734	19,56	29,34	0,55	0,12	0,67	
6	2	0,761	20,27	30,41	0,57	0,13	0,69	$0,68 \pm 0,01$
	3	0,756	20,15	30,23	0,56	0,12	0,69	

## (c) Formula 2 (F2)

Jam	Replikasi	Serapan	Konsentrasi ( $\mu\text{g/ml}$ )	1.5 ml ( $\mu\text{g}$ )	28 ml (mg)	Faktor koreksi	Jumlah Terpemeasi (mg)	Rata-Rata $\pm$ SD
0,25	1	0,000	0,00	0,00	0,00	0,00	0,00	0
	2	0,000	0,00	0,00	0,00	0,00	0,00	
	3	0,000	0,00	0,00	0,00	0,00	0,00	
0,5	1	0,000	0,00	0,00	0,00	0,00	0,00	0
	2	0,000	0,00	0,00	0,00	0,00	0,00	
0,75	3	0,000	0,00	0,00	0,00	0,00	0,00	$0,10 \pm 0,01$
	1	0,133	3,67	5,51	0,10	0,00	0,10	

	2	0,124	3,43	5,15	0,10	0,00	0,10	
	3	0,138	3,80	5,69	0,11	0,00	0,11	
	1	0,243	6,59	9,88	0,18	0,01	0,19	
1	2	0,280	7,56	11,34	0,21	0,01	0,22	$0,21 \pm 0,01$
	3	0,271	7,32	10,98	0,20	0,01	0,21	
	1	0,330	8,90	13,34	0,25	0,02	0,26	
2	2	0,409	10,96	16,44	0,31	0,02	0,32	$0,29 \pm 0,03$
	3	0,358	9,62	14,44	0,27	0,02	0,29	
	1	0,386	10,36	15,55	0,29	0,03	0,32	
3	2	0,398	10,67	16,01	0,30	0,03	0,33	$0,33 \pm 0,01$
	3	0,413	11,09	16,63	0,31	0,03	0,34	
	1	0,460	12,32	18,49	0,35	0,04	0,39	
4	2	0,472	12,63	18,95	0,35	0,05	0,40	$0,40 \pm 0,01$
	3	0,464	12,43	18,64	0,35	0,05	0,40	
	1	0,542	14,49	21,74	0,41	0,06	0,47	
5	2	0,550	14,70	22,05	0,41	0,07	0,48	$0,47 \pm 0,01$
	3	0,530	14,18	21,27	0,40	0,07	0,46	
	1	0,620	16,55	24,83	0,46	0,08	0,55	
6	2	0,628	16,76	25,14	0,47	0,09	0,56	$0,55 \pm 0,01$
	3	0,612	16,35	24,52	0,46	0,09	0,55	

## (d) Formula 3 (F3)

Jam	Replikasi	Serapan	Konsentrasi ( $\mu\text{g/ml}$ )	1.5 ml ( $\mu\text{g}$ )	28 ml (mg)	Faktor koreksi	Jumlah Terpemeasi (mg)	Rata-Rata $\pm$ SD
0,25	1	0,000	0,00	0,00	0,00	0,00	0,00	0
	2	0,000	0,00	0,00	0,00	0,00	0,00	
	3	0,000	0,00	0,00	0,00	0,00	0,00	
0,5	1	0,000	0,00	0,00	0,00	0,00	0,00	0
	2	0,000	0,00	0,00	0,00	0,00	0,00	
	3	0,000	0,00	0,00	0,00	0,00	0,00	
0,75	1	0,000	0,00	0,00	0,00	0,00	0,00	0
	2	0,000	0,00	0,00	0,00	0,00	0,00	
	3	0,000	0,00	0,00	0,00	0,00	0,00	
1	1	0,000	0,00	0,00	0,00	0,00	0,00	0
	2	0,000	0,00	0,00	0,00	0,00	0,00	
	3	0,000	0,00	0,00	0,00	0,00	0,00	
2	1	0,159	4,35	6,53	0,12	0,00	0,12	$0,13 \pm 0,01$
	2	0,196	5,34	8,01	0,15	0,00	0,15	
	3	0,172	4,70	7,05	0,13	0,00	0,13	
3	1	0,185	5,05	7,58	0,14	0,01	0,15	$0,15 \pm 0,01$
	2	0,191	5,20	7,81	0,15	0,01	0,15	
	3	0,198	5,40	8,10	0,15	0,01	0,16	
4	1	0,216	5,88	8,82	0,16	0,01	0,18	$0,18 \pm 0,00$
	2	0,222	6,02	9,04	0,17	0,02	0,18	
	3	0,218	5,93	8,89	0,17	0,02	0,18	

	1	0,238	6,46	9,69	0,18	0,02	0,20	
5	2	0,274	7,41	11,12	0,21	0,02	0,23	0,22 ± 0,01
	3	0,265	7,17	10,76	0,20	0,02	0,22	
	1	0,324	8,72	13,08	0,24	0,03	0,28	
6	2	0,400	10,74	16,12	0,30	0,04	0,34	0,30 ± 0,03
	3	0,351	9,44	14,15	0,26	0,03	0,30	

## (e) Formula 4 (F4)

Jam	Replikasi	Serapan	Konsentrasi (µg/ml)	1.5 ml (µg)	28 ml (mg)	Faktor koreksi	Jumlah Terpemeasi (mg)	Rata-rata±SD
0,25	1	0,000	0,00	0,00	0,00	0,00	0,00	
	2	0,000	0,00	0,00	0,00	0,00	0,00	0
	3	0,000	0,00	0,00	0,00	0,00	0,00	
0,5	1	0,000	0,00	0,00	0,00	0,00	0,00	
	2	0,000	0,00	0,00	0,00	0,00	0,00	0
	3	0,000	0,00	0,00	0,00	0,00	0,00	
0,75	1	0,000	0,00	0,00	0,00	0,00	0,00	
	2	0,000	0,00	0,00	0,00	0,00	0,00	0
	3	0,000	0,00	0,00	0,00	0,00	0,00	
1	1	0,000	0,00	0,00	0,00	0,00	0,00	
	2	0,000	0,00	0,00	0,00	0,00	0,00	0
	3	0,000	0,00	0,00	0,00	0,00	0,00	
2	1	0,000	0,00	0,00	0,00	0,00	0,00	0

	2	0,000	0,00	0,00	0,00	0,00	
	3	0,000	0,00	0,00	0,00	0,00	
	1	0,000	0,00	0,00	0,00	0,00	
3	2	0,000	0,00	0,00	0,00	0,00	0
	3	0,000	0,00	0,00	0,00	0,00	
	1	0,119	3,30	4,95	0,09	0,00	0,09
4	2	0,147	4,04	6,07	0,11	0,00	0,11
	3	0,129	3,56	5,34	0,10	0,00	0,10
	1	0,139	3,83	5,74	0,11	0,00	0,11
5	2	0,143	3,94	5,91	0,11	0,01	0,12
	3	0,149	4,09	6,13	0,11	0,01	0,12
	1	0,158	4,33	6,50	0,12	0,01	0,13
6	2	0,162	4,44	6,66	0,12	0,01	0,14
	3	0,159	4,37	6,55	0,12	0,01	0,13

### Lampiran 4.5 Hasil Uji Retensi

Formula	Replikasi	Serapan	Konsentrasi ( $\mu\text{g/ml}$ )	Jumlah ITZ terdeposisi setelah 6 jam (mg)	Rata-rat $\pm$ SD
KONTROL	1	0,050	1,32	0,07	
	2	0,042	1,14	0,05	0,06 $\pm$ 0,00
	3	0,048	1,28	0,06	
F1	1	0,297	7,16	0,35	
	2	0,327	7,87	0,40	0,38 $\pm$ 0,02
	3	0,314	7,54	0,37	
F2	1	0,471	11,26	0,56	
	2	0,431	10,30	0,40	0,54 $\pm$ 0,03
	3	0,464	11,08	0,56	
F3	1	1,218	28,88	1,44	
	2	1,248	29,60	1,48	1,45 $\pm$ 0,03
	3	1,197	28,38	1,42	
F4	1	0,041	1,10	0,06	
	2	0,047	1,25	0,06	0,06 $\pm$ 0,00
	3	0,039	1,07	0,06	

## Lampiran 5. Data Hasil Analisis Statistika

(a) pH

**Oneway**

### ANOVA

pH

	Sum of Squares	Df	Mean Square	F	Sig.
Between Groups	.081	3	.027	1.911	.206
Within Groups	.113	8	.014		
Total	.194	11			

(b) Viskositas

**Oneway**

### ANOVA

Viskositas

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	737646666.66 7	3	245882222.22 2	90.815	.000
Within Groups	21660000.000	8	2707500.000		
Total	759306666.66 7	11			

**Post Hoc Tests**

### Multiple Comparisons

Dependent Variable: Viskositas

Tukey HSD

(I) Formula	(J) Formula	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Formula 1	Formula 2	-6833.33333*	1343.50288	.004	-11135.7025	-2530.9642
	Formula 3	-12100.00000*	1343.50288	.000	-16402.3692	-7797.6308
	Formula 4	-21466.66667*	1343.50288	.000	-25769.0358	-17164.2975
Formula 2	Formula 1	6833.33333*	1343.50288	.004	2530.9642	11135.7025

	Formula 3	-5266.66667*	1343.50288	.019	-9569.0358	-964.2975
	Formula 4	-14633.33333*	1343.50288	.000	-18935.7025	-10330.9642
Formula 3	Formula 1	12100.00000*	1343.50288	.000	7797.6308	16402.3692
	Formula 2	5266.66667*	1343.50288	.019	964.2975	9569.0358
	Formula 4	-9366.66667*	1343.50288	.001	-13669.0358	-5064.2975
Formula 4	Formula 1	21466.66667*	1343.50288	.000	17164.2975	25769.0358
	Formula 2	14633.33333*	1343.50288	.000	10330.9642	18935.7025
	Formula 3	9366.66667*	1343.50288	.001	5064.2975	13669.0358

(c) Waktu Mukoadhesif

### Kruskal-Wallis Test

#### Ranks

Formula	N	Mean Rank
Waktu Mukoadhesif	Formula 1	3
	Formula 2	3
	Formula 3	3
	Formula 4	3
	Total	12

#### Test Statistics<sup>a,b</sup>

	Waktu Mukoadhesif
Chi-Square	9.735
Df	3
Asymp. Sig.	.021

### Post Hoc Tests

#### Multiple Comparisons

Dependent Variable: WaktuMukoadhesif

Tukey HSD

(I) Formula	(J) Formula		Std. Error	Sig.	95% Confidence Interval

		Mean Difference (I-J)			Lower Bound	Upper Bound
Formula 1	Formula 2	-1.7667*	.1394	.000	-2.213	-1.320
	Formula 3	-4.0000*	.1394	.000	-4.447	-3.553
	Formula 4	-4.1667*	.1394	.000	-4.613	-3.720
Formula 2	Formula 1	1.7667*	.1394	.000	1.320	2.213
	Formula 3	-2.2333*	.1394	.000	-2.680	-1.787
	Formula 4	-2.4000*	.1394	.000	-2.847	-1.953
Formula 3	Formula 1	4.0000*	.1394	.000	3.553	4.447
	Formula 2	2.2333*	.1394	.000	1.787	2.680
	Formula 4	-.1667	.1394	.646	-.613	.280
Formula 4	Formula 1	4.1667*	.1394	.000	3.720	4.613
	Formula 2	2.4000*	.1394	.000	1.953	2.847
	Formula 3	.1667	.1394	.646	-.280	.613

\*. The mean difference is significant at the 0.05 level.

#### (d) Permeasi

#### Kruskal-Wallis Test

Ranks

	Formula	N	Mean Rank
Permeasi	Kontrol	3	14.00
	Formula 1	3	11.00
	Formula 2	3	8.00
	Formula 3	3	5.00
	Formula 4	3	2.00
	Total	15	

Test Statistics<sup>a,b</sup>

	Permeasi
Chi-Square	13.573
Df	4

Asymp. Sig.	.009
-------------	------

a. Kruskal Wallis Test

b. Grouping Variable:

Formula

## Post Hoc Tests

### Multiple Comparisons

Dependent Variable: Permeasi

Tukey HSD

(I) Formula	(J) Formula	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Kontrol	Formula 1	2.06333*	.03300	.000	1.9547	2.1719
	Formula 2	2.19333*	.03300	.000	2.0847	2.3019
	Formula 3	2.44000*	.03300	.000	2.3314	2.5486
	Formula 4	2.61333*	.03300	.000	2.5047	2.7219
Formula 1	Kontrol	-2.06333*	.03300	.000	-2.1719	-1.9547
	Formula 2	.13000*	.03300	.018	.0214	.2386
	Formula 3	.37667*	.03300	.000	.2681	.4853
	Formula 4	.55000*	.03300	.000	.4414	.6586
Formula 2	Kontrol	-2.19333*	.03300	.000	-2.3019	-2.0847
	Formula 1	-.13000*	.03300	.018	-.2386	-.0214
	Formula 3	.24667*	.03300	.000	.1381	.3553
	Formula 4	.42000*	.03300	.000	.3114	.5286
Formula 3	Kontrol	-2.44000*	.03300	.000	-2.5486	-2.3314
	Formula 1	-.37667*	.03300	.000	-.4853	-.2681
	Formula 2	-.24667*	.03300	.000	-.3553	-.1381
	Formula 4	.17333*	.03300	.003	.0647	.2819
Formula 4	Kontrol	-2.61333*	.03300	.000	-2.7219	-2.5047
	Formula 1	-.55000*	.03300	.000	-.6586	-.4414
	Formula 2	-.42000*	.03300	.000	-.5286	-.3114
	Formula 3	-.17333*	.03300	.003	-.2819	-.0647

(e)

\*. The mean difference is significant at the 0.05 level.

## (f) Retensi

**Ranks**

Formula	N	Mean Rank
Retensi	3	4.33
Kontrol	3	8.00
Formula 1	3	11.00
Formula 2	3	14.00
Formula 3	3	2.67
Formula 4	3	
Total	15	

**Test Statistics<sup>a,b</sup>**

	Retensi
Chi-Square	13.270
df	4
Asymp. Sig.	.010

a. Kruskal Wallis Test

b. Grouping Variable:

Formula

**Post Hoc Tests****Multiple Comparisons**


Dependent Variable: Retensi

Tukey HSD


(I) Formula	(J) Formula	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
Kontrol	Formula 1	-.31333*	.01491	.000	-.3624	-.2643
	Formula 2	-.48000*	.01491	.000	-.5291	-.4309
	Formula 3	-1.38333*	.01491	.000	-1.4324	-1.3343
	Formula 4	.00667	.01491	.990	-.0424	.0557
Formula 1	Kontrol	.31333*	.01491	.000	.2643	.3624

	Formula 2	-.16667*	.01491	.000	-.2157	-.1176
	Formula 3	-1.07000*	.01491	.000	-1.1191	-1.0209
	Formula 4	.32000*	.01491	.000	.2709	.3691
Formula 2	Kontrol	.48000*	.01491	.000	.4309	.5291
	Formula 1	.16667*	.01491	.000	.1176	.2157
	Formula 3	-.90333*	.01491	.000	-.9524	-.8543
	Formula 4	.48667*	.01491	.000	.4376	.5357
Formula 3	Kontrol	1.38333*	.01491	.000	1.3343	1.4324
	Formula 1	1.07000*	.01491	.000	1.0209	1.1191
	Formula 2	.90333*	.01491	.000	.8543	.9524
	Formula 4	1.39000*	.01491	.000	1.3409	1.4391
Formula 4	Kontrol	-.00667	.01491	.990	-.0557	.0424
	Formula 1	-.32000*	.01491	.000	-.3691	-.2709
	Formula 2	-.48667*	.01491	.000	-.5357	-.4376
	Formula 3	-1.39000*	.01491	.000	-1.4391	-1.3409


\*. The mean difference is significant at the 0.05 level.

**Lampiran 6. Gambar Penelitian**

Gambar 22. (a) Sediaan basis gel tanpa *microsponge* ITZ (b) Penampakan morfologi *microsponge* ITZ



Gambar 23. Tahapan uji mukoadhesif gel (a) penjepitan pada *paddle*, (b) pemasangan *paddle* pada alat disolusi, (c) proses uji mukoadhesif dengan *rotating cylinder method*



Gambar 24. (a) evaluasi pH, (b) evaluasi viskositas, (c) aparatus sel difusi Franz