

## DAFTAR PUSTAKA

- ACI Committee 224. 2001. Control of Cracking in Concrete Structures (224R-01), Farmington Hills, Mich: American Concrete Institute.
- ASTM C270 – 10. 2010. Standard Specification for Mortar for Unit Masonry. ASTM International, 100 Barr Harbour Drive, PO Box c700, West Conshohocken, PA 19428 – 2959, United States.
- ASTM C39/C39 M-01. 2001. Standard Test Method for Compressive Strength of Cylindrical Concrete Specimen. USA: American Society for Testing and Materials.
- ASTM C618-93. 1991. “Standard Test Method for Fly Ash and Row or calcined Natural Pozzolan for Use as a mineral Admixture in *Portland*
- Aji, R. M. B., & Ali, M. (1998). Analisis Desain Struktur Komposit Baja-Beton dengan Metode Load and Resistance Factor Design 1986.
- Ameryan, A., Ghalehnovi, M., & Rashki, M. (2020). Investigation of shear strength correlations and reliability assessments of sandwich structures by kriging method. *Composite Structures*, 253, 112782.
- Andoyo, R., Dianti Lestari, V., Mardawati, E., & Nurhadi, B. (2018). Fractal dimension analysis of texture formation of whey protein-based foods. *International Journal of Food Science*, 2018.
- ASTM E8/E8M-09. (2010). Standard Test Methods for Tension Testing of Metallic Materials. American Standard of Testing Materials, C, 1–27. <https://doi.org/10.1520/E0008>
- Badan Standardisasi Nasional. 2002. SNI 03-6414-2002 Pengertian dan Manfaat Fly Ash. Jakarta : Badan Standarisasi Nasional.
- Badan Standardisasi Nasional. 2002. SNI 03-6825-2002Metode pengujian kekuatan tekan mortar semen *portland* untuk pekerjaan sipil. Jakarta : Badan Standarisasi Nasional.
- Badan Standardisasi Nasional. 2014. SNI 03-6882-2014 Spesifikasi Mortar Untuk Pekerjaan Pasangan. Jakarta : Badan Standarisasi Nasional.

- Badan Standardisasi Nasional. 2017. SNI 2052:2017 Baja Tulangan Beton. Jakarta : Badan Standarisasi Nasional.
- Davidovits, J. (1994). Properties of *Geopolymer* cements. First International Conference on Alkaline Cements and Concretes, 1, 131–149.
- Dharma, W. R. S. (2012). Karakteristik Susut Fly Ash Based *Geopolymer* Mortar (Shrinkage Characteristics of Fly Ash Based *Geopolymer* Mortar).
- Dipohusodo, I. (1994). Struktur Beton Bertulang: Berdasarkan SK SNI T-15-1991-03 Departemen Pekerjaan Umum RI. Gramedia Pustaka Utama.
- Duxson, P., Fernández-Jiménez, A., Provis, J. L., Lukey, G. C., Palomo, A., & van Deventer, J. S. J. (2007). *Geopolymer* technology: the current state of the art. *Journal of Materials Science*, 42(9), 2917–2933.
- Fam, A., & Sharaf, T. (2010). Flexural performance of sandwich panels comprising polyurethane core and GFRP skins and ribs of various configurations. *Composite Structures*, 92(12), 2927–2935.
- Farhan, N. A., Sheikh, M. N., & Hadi, M. N. S. (2019). Investigation of engineering properties of normal and high strength fly ash based *Geopolymer* and alkali-activated slag concrete compared to ordinary Portland cement concrete. *Construction and Building Materials*, 196, 26–42.
- Fernández-Jiménez, A., & Palomo, A. (2009). Chemical durability of *Geopolymers*. In *Geopolymers* (pp. 167–193). Elsevier.
- Fletcher, R. A., MacKenzie, K. J. D., Nicholson, C. L., & Shimada, S. (2005). The composition range of aluminosilicate *Geopolymers*. *Journal of the European Ceramic Society*, 25(9), 1471–1477.
- Gao, T., Jiang, M., Liu, X., You, G., Wang, W., Sun, Z., Ma, A., & Chen, J. (2019). Patterned polyvinyl alcohol hydrogel dressings with stem cells seeded for wound healing. *Polymers*, 11(1), 171.
- Gilbert, P., Collier, P. J., & Brown, M. R. (1990). Influence of growth rate on susceptibility to antimicrobial agents: biofilms, cell cycle, dormancy, and stringent response. *Antimicrobial Agents and Chemotherapy*, 34(10), 1865–1868.

- Hardjito, D., Wallah, S. E., Sumajouw, D. M. J., & Rangan, B. V. (2005). Fly ash-based *Geopolymer* concrete. *Australian Journal of Structural Engineering*, 6(1), 77–86.
- Iwase, T., Jung, C. G., Bae, H., Zhang, M., & Soliven, B. (2005). Glial cell line-derived neurotrophic factor-induced signaling in Schwann cells. *Journal of Neurochemistry*, 94(6), 1488–1499.
- Komnitsas, K., & Zaharaki, D. (2007). *Geopolymerisation: A review and prospects for the minerals industry*. *Minerals Engineering*, 20(14), 1261–1277.
- McCormac, J. C. (2004). *Desain beton bertulang jilid 1*.
- Modin, O., Fuad, N., & Rauch, S. (2017). Microbial electrochemical recovery of zinc. *Electrochimica Acta*, 248, 58–63.
- Nawy, E. G. (2010). A New Formula to Calculate Crack Spacing for Concrete Plates. Paper by E. Rizk and H. Marzouk: Discussion by Edward G. Nawy/AUTHORS' CLOSURE. *ACI Structural Journal*, 107(6), 735.
- Olivia, M., & Nikraz, H. (2011). Durability of fly ash *Geopolymer* concrete in a seawater environment. *Proceedings of the CONCRETE 2011 Conference*.
- PENGUAT, S. M. S. B. S. (2019). Sintesis Mikro Selulosa Bakteri Sebagai Penguat (Reinforcement) Pada Komposit Bioplastik Dengan Matriks PVA (PolyVinyl Alcohol). *Jurnal Kimia Dan Kemasan*, 41(2), 110–118.
- Permata, E. F. I., & Wardhono, A. (2019). PENGARUH KEPEKATAN LARUTAN AKTIVATOR TERHADAP KUAT TEKAN *GEOPOLYMER* MORTAR BERBAHAN DASAR ABU TERBANG DAN NaOH 12 MOLAR PADA KONDISI SS/SH 2.0 DAN 4.0. *Rekayasa Teknik Sipil*, 1(1).
- Purbotunggal, S., & Muhammad Ujjianto, S. T. (2016). Kuat geser dinding panel dengan perkuatan wiremesh. *Universitas Muhammadiyah Surakarta*.
- Putri, A. P., Satyarno, I., & Saputra, A. (2020). Panel Dinding *Geopolymer* Dengan Perkuatan Wiremesh. *INERSIA: LNformasi Dan Ekspose Hasil Riset Teknik Sipil Dan Arsitektur*, 16(1), 13–23.
- Satrio, B. D., Pratama, G. P., Tadjono, S., & Wibowo, H. (2016). *Kajian Perkuatan Struktur Gedung Yang Disesuaikan Dengan SNI Gempa 03-1726-2012 Kota*

Semarang Studi Kasus Gedung Kuliah Utama Fakultas Teknik Universitas Diponegoro. *Jurnal Karya Teknik Sipil*, 5(1), 37–48.

Satya, Y. S. D., Saputra, E. D. Y., & Olivia, M. (2016). Performance of blended fly ash (FA) and palm oil fuel ash (POFA) *Geopolymer* mortar in acidic peat environment. *Materials Science Forum*, 841, 83–89.

Setiawati, M., Martini, S., & Nurulita, R. (2022). Variasi Molaritas Naoh Dan Alkali Aktivator Beton *Geopolymer*. *Jurnal Deformasi*, 7(1), 56–64.

Shalumon, K. T., Anulekha, K. H., Girish, C. M., Prasanth, R., Nair, S. V., & Jayakumar, R. (2010). Single step electrospinning of chitosan/poly (caprolactone) nanofibers using formic acid/acetone solvent mixture. *Carbohydrate Polymers*, 80(2), 413–419.

SNI 2052. (2014). Baja tulangan beton. Badan Standardisasi Nasional Indonesia.

Sreenivas, H. T., Krishnamurthy, N., & Suprith, S. V. (2021). Investigating the Crashworthiness of Kenaf/Kevlar Hybrid Composite Frontal Car Fascia for Low-Velocity Impact Using LS-DYNA. *Journal of The Institution of Engineers (India): Series D*, 102(2), 413–427.

Sudarsana, I. K., Sugupta, D. P. G., & Kochiana, I. K. G. (2010). Efektivitas Jacketing Method Menggunakan Self Compacting Concrete (SCC) Untuk Perkuatan Balok T Beton Bertulang. *Konferensi Nasional Teknik Sipil*, 4.

Sultan, M. A., & Djamaluddin, R. (2020). Daktilitas dan Kapasitas Lentur Balok Beton Bertulang Dengan Perkuatan GFRP-S. *Prosiding Konferensi Nasional Teknik Sipil*, 12.

Sutanto, E., & Hartono, B. (2005). Penelitian beton *Geopolymer* dengan fly ash untuk beton struktural. Petra Christian University.

Tjokrodinuljo, K. (1996). *Teknologi beton*. Nafiri, Yogyakarta.

TRISULA, A. C. (2018). PERKUATAN GESER BALOK BETON BERTULANG MENGGUNAKAN BAJA STRIP. UAJY.

WC, V., & Kusuma, G. H. (1995). *Dasar-dasar Perencanaan Beton Bertulang SK SNI T-15-1991-03*. Jakarta: Erlangga.

- Xu, H., & Van Deventer, J. S. J. (2003). Effect of source materials on *Geopolymerization*. *Industrial & Engineering Chemistry Research*, 42(8), 1698–1706.
- Yi, X., Sun, F., Han, Z., Han, F., He, J., Ou, M., Gu, J., & Xu, X. (2018). Graphene oxide encapsulated polyvinyl alcohol/sodium alginate hydrogel microspheres for Cu (II) and U (VI) removal. *Ecotoxicology and Environmental Safety*, 158, 309–318.
- Zuhuri, A. A., & Kopa, R. (2021). ANALISIS PENGARUH PERKUATAN WIRE MESH TERHADAP KEKUATAN PILAR DI TAMBANG BAWAH TANAH DENGAN PENGUJIAN SKALA LABORATORIUM. *Bina Tambang*, 6(5), 159–168.