

DAFTAR PUSTAKA

- Abrahams P, Bateman M, Beale T, Clotley V, Cock M, Colmenarez Y, Corniani N, Day R, Early R, Godwin J, Gomez J, Moreno P G, Murphy S T, Oppong-Mensah B, Phiri N, Pratt C, Richards G, Silvestri S, Witt A. 2017. *Fall Armyworm: Impacts and Implications for Africa*. Commonwealth Agricultural Bureaux International, Wallingford.
- Adi, Herwan Cahyono, dan Retno Widowati. 2022. "Preferensi Ngengat Penggerek Tebu Terhadap Jenis Perangkap Feromon." *Indonesian Sugar Research Journal* 2(1): 40–46.
- Ardeh, M.J. *et al.* 2014. Effect of Pheromone Trap and Colors on Capture of Leopard Moth, *Zencera pyrina* (Lepidoptera : Cossidae). *Journal of Crop Protection*, Vol 3 : 631-636.
- Azwana. 2021. Preferensi Spodoptera Frugiperda J.E Smith pada Berbagai Tanaman. *Agrotekma: Jurnal Agroteknologi dan Ilmu Pertanian*. 5 (2): 112-121.
- Banun, Syariful 2021. 'Review: Manfaat Feromon Seks Pada Ordo Lepidoptera Untuk Pengendalian Hama Lepidoptera'. *BIOSCIENTIAE*. Vol. 18.
- Badan Pusat Statistik. 2021. *Analisis Produktivitas Jagung dan Kedelai di Indonesia, 2021*. Katalog Bps : 5203029.
- Badan Pusat Statistik. 2022. *Statistik Daerah Kabupaten Takalar 2022*. Katalog Bps : 1101002.7305.
- Balai Besar Peramalan Organisme Pengganggu Tumbuhan 2019. *Pengenalan dan Pengelolaan Hama Invasif Ulat Grayak Spodoptera Frugiperda*.
- Du Plessis, H., Schlemmer, M. L., & Van den Berg, J. (2020). The effect of temperature on the development of Spodoptera frugiperda (Lepidoptera: Noctuidae). *Insects*, 11(4). <https://doi.org/10.3390/insects11040228>.
- Goergen G, Kumar PL, Sankung SB, Togola A, Tamò M (2016) *First Report of Outbreaks of the Fall Armyworm Spodoptera frugiperda* (J.E. Smith) (Lepidoptera, Noctuidae), a New Alien Invasive Pest in West and Central Africa. *PLoS ONE* 11(10): e0165632. <https://doi.org/10.1371/journal.pone.0165632>.
- Haenniger, S, Goergen G, Akinbuluma MD, Kunert M, Heckel DG & Unbehend M. 2020. *Sexual communication of Spodoptera frugiperda from West Africa: Adaptation of an invasive species and implications for pest management*. Scientific Report. Article number 10 (289). <https://doi.org/10.1038/s41598-020-59708-7>.
- Hakim, L., Surya, E., Muis, A., Teknologi, J., Universitas, P., & Mekkah, S. (2017). *Pengendalian Alternatif Hama Serangga Sayuran dengan Menggunakan Warna sebagai Perangkap Mekanis*. In *Serambi Saintia: Vol. V* (Issue 1).
- Hasibuan, Syafrizal. 2020. *Sinergi Hasil Penelitian Dalam Menghasilkan Inovasi Di Era Revolusi 4.0" Kisaran*.

- Izza, U., Yushardi, Y., & Sudarti, S. (2021). Pengaruh Spektrum Warna pada Pernagkap Lampu terhadap Ketertarikan Serangga di Area Sawah Sukorejo. *Jurnal Pendidikan Fisika*, 10. <http://journal.uin-alauddin.ac.id/indeks.php/PendidikanFisika>
- Liput D.E. Besty A. N, Pinaria, Rante C. S, Noni N, Wanta. (2022). *Pest Population of Spodoptera frugiperda J. E Smith (Lepidoptera:Noctuidae) on Corn Plantation in Lolak District, Bo;aang Mongondow Regency. Jurnal Agroteknologi Terapan* Vol 3(1).
- Malo A.G.E.A, Toledano J.C & Quero C. 2014. *Semiochemical and natural product-based approaches to control , Spodoptera spp. (Lepidoptera: Noctuidae). Journal of Pest Science* 87:231-247.
- Mamahit, JME. , Pakasi S, Rompas J, & Paat J. F. (2020). *Potensi Pengendalian Ulat Grayak Spodoptera frugiperda J.E. SMITH Pada Tanaman Jagung Menggunakan Feromon Sex. Jurnal Agroteknologi Terapan*, 349–355.
- Mitchell, E.R., W.W. Copeland, A.N. Sparks and A.A. Sekul. 1974, Fall Armyworm : Distrupction of Pheromone Communication with Scientific Acetates. *Environ. Entomol.* 3: 778-80.
- Muliany, H. 2020. *Outlook Jagung*. Pusat Data dan Sistem Informasi Pertanian. Sekretariat Jenderal Kementerian Pertanian. Jakarta.
- Murtiningsih, dan, Balai Penelitian Tanaman Sayuran, R., Tangkuban Parahu No, J., & Barat, B. (2013). *The Calling Behavior of Female and Male Responssse Evaluation of Sex Pheromone Glands Extract on Chili Peppers*). In *J. Hort* (Vol. 23, Issue 1).
- Nonci N, Kalqutny S, Mirsam H, Amran M, Azrai M, Aqil M. Pengenalan *Fall Army Worm (Spodoptera frugiperda J.E. Smith) Hama Baru Pada Tanaman Jagung di Indonesia*. Maros : Balai Penelitian Tanaman Serealia.
- Pereira LGB, Stein K, de Paula AF, Moreira JA, Cruz I, de Lourdes M, Figueiredo C, Perri JJ, & Correa AG. 2006. *Isolation, Identification, Synthesis, and Field Evaluation of the Sex Pheromone of the Brazilian Population of Spodoptera frugiperda*. *J Chem Ecol* (2006) 32: 1085–109.
- Pinto-Zevallos, Delia M., Priscila Strapasson, and Paulo H.G. Zarbin. 2016. *'Herbivore-Induced Volatile Organic Compounds Emitted by Maize: Electrophysiological Responsses in Spodoptera Frugiperda Females'*. *Phytochemistry Letters* 16: 70–74.
- Prasanna B, Huesing J, Eddy R, Peschke V. 2018. *Fall Armyworm in Africa: A Guide for Integrated Pest Management*. CAB International, Wallingford. pp. 1–109.
- Sekul A A, Sparks A N. 1967. *Sex pheromone of the fall armyworm moth: isolation, identification, and synthesis. Journal of Economic Entomology*, 60, 1270–1272.
- Selvina H. 2022. *Preferensi Spodoptera frugiperda J.E Smith Terhadap Berbagai Kombinasi Jenis Tanaman (Klasifikasi Spodoptera frugiperda)*. Skripsi. Tidak Diterbitkan. Fakultas Pertanian. Universitas Medan Area : Medan.

- Sharanabasappa D, Kalleshwaraswamy C M, Maruthi M S, Pavithra H B. 2018. *Biology of invasive fall army worm Spodoptera frugiperda* (J.E. Smith) (Lepidoptera: Noctuidae) on maize. *Indian Journal of Entomology*, 80, 540–543.
- Trisyono, Y. A., Suputa, S., Aryuwandari, V. E. F., Hartaman, M., & Jumari, J. (2019). *Occurrence of Heavy Infestation by the Fall Armyworm Spodoptera frugiperda, a New Alien Invasive Pest, in Corn Lampung Indonesia. Jurnal Perlindungan Tanaman Indonesia*, 23(1), 156. <https://doi.org/10.22146/jpti.46455>.
- Tumlinson J H, Mitchell E R, Teal P E, Heath R R, Mengelkoch L J. 1986. *Sex pheromone of fall armyworm, Spodoptera frugiperda* (J.E. Smith): *Identification of components critical to attraction in the field. Journal of Chemical Ecology*, 12, 1909–1926.
- Villegas-Mendoza, J.M. and Rosas-García, N.M. (2013) ‘Visual and gustatory Responses of spodoptera frugiperda (Lepidoptera: Noctuidae) larvae to artificial food dyes’, *Florida Entomologist*, 96(3), pp. 1102–1106. Available at: <https://doi.org/10.1653/024.096.0350>.
- Wakamura, S., M. Takai, S. Kozai, H. Inoue, I. Yamashita, S. Kuwahara & M. Kawamura 1989. *Control of the beet armyworm, Spodoptera exigua* Hbn (Lepidoptera: Noctuidae), using synthetic sex pheromone. I. *Effect of communication disruption in Welsh onion field. Appl. Entomol. Zool.* 24 (4): 387- 397.
- Wall, C. 1989. *Monitoring and spray time.* pp: 39-66 in A.R. Jutsum & R.F.S. Gordon (eds), *Insect Pheromone in Plant Protection.* John Wiley & Sons, Chichester & New York.
- Westbrook J K. 2008. *Noctuid migration in Texas within the nocturnal aeroecological boundary layer. Integrative and Comparative Biology*, 48, 99–106.
- Widyastuti, U. Y. 2009. *Ketertarikan Spodoptera litura F. terhadap papan perangkap berwarna di area tanaman melon (Cucumis melo L.) di Desa Bayuran Bantul.* Skripsi. Universitas Atma Jaya Yogyakarta, Yogyakarta.
- Wild S. 2017. *African countries mobilize to battle invasive caterpillar.* *Nature*, 543, 13–14.
- XieMH, ZhongYZ, ChenHL, LinLL, ZhangGL, XuLN, Wang Z Y, Zhang J P, Zhang F, Su W H. 2020. *Potential overwintering ability of fall armyworm Spodoptera frugiperda* (J.E. Smith) in Anhui Province. *Plant Protection*, 46, 236–241. (in Chinese).



Gambar Lampiran 1. Pembuatan perangkap delta



Gambar Lampiran 2. (a) Pemberian lem pada plastik. (b) Pemasangan senyawa. (c) Pemasangan plastik yang telah diberi lem ke dalam perangkap



Gambar Lampiran 3. Pengamatan *S. frugiperda* pada perangkap



Gambar Lampiran 4. (a) *Spodoptera frugiperda* Betina, (b) *Spodoptera frugiperda* Jantan