

## DAFTAR PUSTAKA

- Anggororatri, R. 2008. Analisis Daya Saing dan Strategi Pemasaran Susu Kambing Cv. Lakta Tridia, Ciwidey, Jawa Barat. Program Studi Manajemen Agribisnis. Fakultas Pertanian. Institut Pertanian Bogor. Bogor.
- Anonim. 2015. Jumlah Populasi Ternak Kabupaten Jeneponto Tahun 2013. Badan Pusat Statistik Sulawesi Selatan. Makassar.
- Batubara, A., M. Doloksaribu, dan B. Tiesnamurti. 2006. Potensi Keragaman Sumberdaya Genetik Kambing Lokal Indonesia. Lokakarya Nasional Pengelolaan dan Perlindungan Sumberdaya Genetik di Indonesia: Manfaat Ekonomi untuk Mewujudkan Ketahanan Nasional. Puslitbang Peternakan. 206-214.
- Badan Pusat Statistik Kabupaten Jeneponto. 2019. Kabupaten Jeneponto dalam Angka 2019. Jeneponto. Badan Pusat Statistik.
- Badan Pusat Statistik Kabupaten Maros. 2019. Kabupaten Maros dalam Angka 2019. Maros. Badan Pusat Statistik.
- Devendra, C. dan M. Burns. 1994. Produksi Kambing di Daerah Tropis. Terjemahan IDK Harya Putra. ITB. Bandung.
- Hoda A. 2008. Studi Karakterisasi, Produktivitas dan Dinamika Populasi Kambing Kacang. Disertasi. Bogor: Institut Pertanian Bogor.
- Johari, S, Sutopo, Santi A. 2009. Frekuensi Fenotipik Sifat-sifat Kualitatif Ayam Kedu Dewasa. Makalah Seminar Nasional Kebangkitan Peternakan, Semarang.
- KEPMENTAN RI. No.580/Kpts/SR/120/4/2014. Penetapan Rumpun Kambing Marica.
- Mahmilia, F. dan S. Elieser. 2008. Korelasi Lama Bunting dengan Bobot Lahir, Litter Size dan Daya Hidup Kambing Boerka-1. Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner 2008. Pulitbangnak, Balitbangtan, Deptan, 391-394.
- Martawidjaja, M., B. Setiadi, D. Yulistiani, D. Piyanto dan Kuswandi. 2002. Pengaruh Pemberian Konsentrat Protein Tinggi dan Rendah terhadap Penampilan Kambing Jantan Kacang dan Persilangan Boer. Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner, Bogor. 194-197.
- Naitung R. 2013. Studi Biologis Kambing Marica sebagai Plasma Nutfah Endemic di Sulawesi Selatan. Disertasi Doktor. Universitas Hasanuddin.
- R. 2008. Genetika Ternak. Ed Ke-4. Pt. Penebar Swadaya, Depok.



- Nuryadi. 2014. Penetapan Rumpun Kambing Marica sebagai Plasma Nutfah Kambing Lokal Asli Sulawesi Selatan. Buletin Peternakan Disnak Keswan Sul- Sel ISSN 1858-0777.
- Pamungkas, F.A., A. Batubara, M. Doloksaribu, dan E. Sihite. 2009. Petunjuk Teknis Potensi Plasma Nutfah Kambing Lokal di Indonesia. Pusat Penelitian dan Pengembangan Peternakan, Badan Penelitian dan Pengembangan Pertanian, Departemen Pertanian. Bogor.
- PERMENTAN. No.57/Permentan/OT/140/10/2006. Pedoman Pembibitan Kambing dan Domba yang Baik (*Good Breeding Practice*).
- Priyatno, D. 2013. Mandiri Belajar Analisis Data dengan SPSS. Mediakom.
- Radacsi, A. 2008. Horn and Coat Colour Varieties Of The Hungarian Grey Cattle. Dissertation. University Of Debrecen, Debrecen.
- Sarwono, B. 1991. Beternak Kambing Unggul Edisi 1. Penebar Swadaya. Jakarta.
- Sodiq, A. 2009. Doe Productivity ff Kacang and Peranakan Ettawa Goats and Factors Affecting Them in Indonesia. Journal of Agriculture and Rural Development in The 68 Tropics and Subtropics. Kassel University.
- Subagyo Y., Prayitno, dan Sari, A.P. 2017. Karakteristik Eksternal Kambing Perah Peranakan Ettawa (PE) di Kecamatan Kaligesing Kabupaten Purworejo. Prosiding Seminar Teknologi dan Agribisnis Peternakan V. Fakultas Peternakan Universitas Jenderal Soedirman. Purwokerto.
- Wahyuni, V., Nafiu, L.O., dan Pagala, M. A. 2016. Karakteristik Fenotip Sifat Kualitatif dan Kuantitatif Kambing Kacang di Kabupaten Muna Barat. Fakultas Peternakan UHo. Jitro 3 (1).
- Warwick, E.J., J.M. Astuti dan W. Harjosubroto. 1995. *Pemuliaan ternak*. Cetakan kelima. Gadjah Mada University Press, Yogyakarta. 63 halaman.



## LAMPIRAN

### ANALISIS CHI SQUARE MARICA-KACANG (MAROS)

#### Bentuk Garis Muka

#### Warnings

No measures of association are computed for the crosstabulation of Bentuk Garis Muka \* Bangsa Kambing. At least one variable in each 2-way table upon which measures of association are computed is a constant.

#### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Garis Muka * Bangsa Kambing	63	100.0%	0	.0%	63	100.0%

#### Bentuk Garis Muka \* Bangsa Kambing Crosstabulation

Count

		Bangsa Kambing		Total
		Marica	Kacang	
Bentuk Garis Muka	Datar	27	36	63
Total		27	36	63

#### Chi-Square Tests

	Value
Pearson Chi-Square	. <sup>a</sup>
N of Valid Cases	63

a. No statistics are computed because Bentuk Garis Muka is a



## Bentuk Telinga

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Telinga * Bangsa Kambing	63	100.0%	0	.0%	63	100.0%

**Bentuk Telinga \* Bangsa Kambing Crosstabulation**

Count

		Bangsa Kambing		Total
		Marica	Kacang	
Bentuk Telinga	Tegak	13	6	19
	Kesamping	13	25	38
	Jatuh	1	5	6
Total		27	36	63

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.911 <sup>a</sup>	2	.019
Likelihood Ratio	8.117	2	.017
Linear-by-Linear Association	7.441	1	.006
N of Valid Cases	63		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 2.57.



### Ada Tidaknya Janggut

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Ada Tidaknya Janggut * Bangsa Kambing	63	100.0%	0	.0%	63	100.0%

### Ada Tidaknya Janggut \* Bangsa Kambing Crosstabulation

Count

		Bangsa Kambing		Total
		Marica	Kacang	
Ada Tidaknya Janggut	Ada	11	14	25
	Tidak Ada	16	22	38
Total		27	36	63

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.022 <sup>a</sup>	1	.882	1.000	.543
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.022	1	.882		
Fisher's Exact Test					
Linear-by-Linear Association	.022	1	.883		
N of Valid Cases	63				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.71.

b. Computed only for a 2x2 table



## Ada Tidaknya Bulu Rewos

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bulu Rewos * Bangsa Kambing	63	100.0%	0	.0%	63	100.0%

**Bulu Rewos \* Bangsa Kambing Crosstabulation**

Count

		Bangsa Kambing		Total
		Marica	Kacang	
Bulu Rewos	Ada	0	2	2
	Tidak Ada	27	34	61
Total		27	36	63

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.549 <sup>a</sup>	1	.213	.502	.323
Continuity Correction <sup>b</sup>	.269	1	.604		
Likelihood Ratio	2.288	1	.130		
Fisher's Exact Test					
Linear-by-Linear Association	1.525	1	.217		
N of Valid Cases	63				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .86.

b. Computed only for a 2x2 table



## Ada Tidaknya Wattles

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Wattles * Bangsa Kambing	63	100.0%	0	.0%	63	100.0%

**Wattles \* Bangsa Kambing Crosstabulation**

Count

		Bangsa Kambing		Total
		Marica	Kacang	
Wattles	Ada Satu	0	1	1
	Ada Dua	1	3	4
	Tidak Ada	26	32	58
Total		27	36	63

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.363 <sup>a</sup>	2	.506
Likelihood Ratio	1.764	2	.414
Linear-by-Linear Association	1.336	1	.248
N of Valid Cases	63		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is .43.



## Bentuk Badan

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Badan * Bangsa Kambing	63	100.0%	0	.0%	63	100.0%

**Bentuk Badan \* Bangsa Kambing Crosstabulation**

Count

		Bangsa Kambing		Total
		Marica	Kacang	
Bentuk Badan	Punggung Tinggi	19	30	49
	Pundak Tinggi	5	3	8
	Sama Tinggi	3	3	6
Total		27	36	63

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	1.719 <sup>a</sup>	2	.423
Likelihood Ratio	1.706	2	.426
Linear-by-Linear Association	.924	1	.336
N of Valid Cases	63		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 2.57.





## Bentuk Tanduk

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Tanduk * Bangsa Kambing	63	100.0%	0	.0%	63	100.0%

### Bentuk Tanduk \* Bangsa Kambing Crosstabulation

Count

		Bangsa Kambing		Total
		Marica	Kacang	
Bentuk Tanduk	Pendek	10	6	16
	Panjang Keatas	3	5	8
	Panjang Kesamping	9	14	23
	Panjang Kebelakang	5	11	16
Total		27	36	63

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.625 <sup>a</sup>	3	.305
Likelihood Ratio	3.628	3	.305
Linear-by-Linear Association	3.033	1	.082
N of Valid Cases	63		

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 3.43.



**Pola Warna/Peta Bulu**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Warna * Bangsa Kambing	63	100.0%	0	.0%	63	100.0%

**Pola Warna \* Bangsa Kambing Crosstabulation**

Count

		Bangsa Kambing		Total
		Marica	Kacang	
Pola Warna	Hitam	2	8	10
	Putih	0	1	1
	Coklat Muda	1	4	5
	Hitam, Putih	8	8	16
	Hitam, Coklat Tua	4	6	10
	Hitam, Coklat Muda	2	1	3
	Putih, Coklat Tua	2	1	3
	Putih, Coklat Muda	2	3	5
	Hitam, Putih, Coklat Tua	2	4	6
	Hitam, Putih, Coklat Muda	2	0	2
	Hitam, Putih, Coklat Muda, Abu-abu	1	0	1
	Hitam, Abu-Abu	1	0	1
Total		27	36	63

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	11.278 <sup>a</sup>	11	.420
Likelihood Ratio	13.387	11	.269
Linear-by-Linear Association	4.899	1	.027
Cases	63		

(83.3%) have expected count less than 5. The minimum count is .43.



## ANALISIS CHI SQUARE MARICA-KACANG (JENEPONTO)

### Bentuk Garis Muka

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Garis Muka * Jenis Kambing	55	100.0%	0	.0%	55	100.0%

**Bentuk Garis Muka \* Jenis Kambing Crosstabulation**

Count

		Jenis Kambing		Total
		Marica	Kacang	
Bentuk Garis Muka	Datar	25	28	53
	Cembung	0	2	2
Total		25	30	55

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.730 <sup>a</sup>	1	.188		
Continuity Correction <sup>b</sup>	.350	1	.554		
Likelihood Ratio	2.487	1	.115		
Fisher's Exact Test				.495	.293
Linear-by-Linear Association	1.698	1	.193		
N of Valid Cases	55				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .91.

b. Computed only for a 2x2 table



## Bentuk Telinga

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Telinga * Jenis Kambing	55	100.0%	0	.0%	55	100.0%

**Bentuk Telinga \* Jenis Kambing Crosstabulation**

Count

		Jenis Kambing		Total
		Marica	Kacang	
Bentuk Telinga	Tegak	12	1	13
	Kesamping	12	17	29
	Jatuh	1	12	13
Total		25	30	55

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	19.181 <sup>a</sup>	2	.000
Likelihood Ratio	22.353	2	.000
Linear-by-Linear Association	18.429	1	.000
N of Valid Cases	55		

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.91.



## Ada Tidaknya Janggut

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Ada Tidaknya Janggut * Jenis Kambing	55	100.0%	0	.0%	55	100.0%

**Ada Tidaknya Janggut \* Jenis Kambing Crosstabulation**

Count

		Jenis Kambing		Total
		Marica	Kacang	
Ada Tidaknya Janggut	Ada	16	7	23
	Tidak Ada	9	23	32
Total		25	30	55

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	9.269 <sup>a</sup>	1	.002	.003	.003
Continuity Correction <sup>b</sup>	7.673	1	.006		
Likelihood Ratio	9.500	1	.002		
Fisher's Exact Test					
Linear-by-Linear Association	9.100	1	.003		
N of Valid Cases	55				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 10.45.

b. Computed only for a 2x2 table



## Ada Tidaknya Bulu Rewos

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bulu Rewos * Jenis Kambing	55	100.0%	0	.0%	55	100.0%

**Bulu Rewos \* Jenis Kambing Crosstabulation**

Count

		Jenis Kambing		Total
		Marica	Kacang	
Bulu Rewos	Ada	1	2	3
	Tidak Ada	24	28	52
Total		25	30	55

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.188 <sup>a</sup>	1	.665	1.000	.569
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.193	1	.661		
Fisher's Exact Test					
Linear-by-Linear Association	.185	1	.667		
N of Valid Cases	55				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.36.

b. Computed only for a 2x2 table



## Ada Tidaknya Wattles

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Wattles * Jenis Kambing	55	100.0%	0	.0%	55	100.0%

### Wattles \* Jenis Kambing Crosstabulation

Count

		Jenis Kambing		Total
		Marica	Kacang	
Wattles	Ada Dua	1	0	1
	Tidak Ada	24	30	54
Total		25	30	55

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.222 <sup>a</sup>	1	.269		
Continuity Correction <sup>b</sup>	.008	1	.927		
Likelihood Ratio	1.599	1	.206		
Fisher's Exact Test				.455	.455
Linear-by-Linear Association	1.200	1	.273		
N of Valid Cases	55				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .45.

b. Computed only for a 2x2 table



## Bentuk Badan

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Badan * Jenis Kambing	55	100.0%	0	.0%	55	100.0%

**Bentuk Badan \* Jenis Kambing Crosstabulation**

Count

		Jenis Kambing		Total
		Marica	Kacang	
Bentuk Badan	Punggung Tinggi	22	19	41
	Pundak Tinggi	2	7	9
	Sama Tinggi	1	4	5
Total		25	30	55

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	4.379 <sup>a</sup>	2	.112
Likelihood Ratio	4.634	2	.099
Linear-by-Linear Association	3.794	1	.051
N of Valid Cases	55		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 2.27.





## Bentuk Tanduk

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Tanduk * Jenis Kambing	55	100.0%	0	.0%	55	100.0%

### Bentuk Tanduk \* Jenis Kambing Crosstabulation

Count

		Jenis Kambing		Total
		Marica	Kacang	
Bentuk Tanduk	Pendek	5	12	17
	Panjang Kesamping	12	11	23
	Panjang Kebelakang	8	6	14
	Panjang Kedepan	0	1	1
Total		25	30	55

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.788 <sup>a</sup>	3	.285
Likelihood Ratio	4.231	3	.238
Linear-by-Linear Association	1.889	1	.169
N of Valid Cases	55		

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is .45.



**Pola Warna/Peta Bulu**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Warna * Jenis Kambing	55	100.0%	0	.0%	55	100.0%

**Pola Warna \* Jenis Kambing Crosstabulation**

Count

		Jenis Kambing		Total
		Marica	Kacang	
Pola Warna	Hitam	3	0	3
	Putih	0	3	3
	Coklat Tua	4	1	5
	Coklat Muda	1	0	1
	Hitam, Putih	6	4	10
	Hitam, Coklat Tua	4	4	8
	Putih, Coklat Tua	2	12	14
	Putih, Coklat Muda	2	2	4
	Hitam, Putih, Coklat Tua	2	2	4
	Hitam, Putih, Coklat Muda	1	1	2
	Hitam, Putih, Coklat Muda, Abu-abu	0	1	1
	Total	25	30	55

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	17.029 <sup>a</sup>	10	.074
Likelihood Ratio	20.890	10	.022
Linear-by-Linear Association	3.858	1	.050
N of Valid Cases	55		

<sup>a</sup>. 19 cells (86.4%) have expected count less than 5. The minimum expected count is .45.



## ANALISIS CHI SQUARE KAMBING MARICA (MAROS-JENEPONTO)

### Bentuk Garis Muka

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Garis Muka * Lokasi Marica	52	100.0%	0	.0%	52	100.0%

**Bentuk Garis Muka \* Lokasi Marica Crosstabulation**

Count

		Lokasi Marica		Total
		Maros	Jenepono	
Bentuk Garis Muka	Datar	27	25	52
Total		27	25	52

**Chi-Square Tests**

	Value
Pearson Chi-Square	. <sup>a</sup>
N of Valid Cases	52

a. No statistics are computed because Bentuk Garis Muka is a constant.



## Bentuk Telinga

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Telinga * Lokasi Marica	52	100.0%	0	.0%	52	100.0%

**Bentuk Telinga \* Lokasi Marica Crosstabulation**

Count

		Lokasi Marica		Total
		Maros	Jeneponto	
Bentuk Telinga	Tegak	13	12	25
	Kesamping	13	12	25
	Jatuh	1	1	2
Total		27	25	52

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	.003 <sup>a</sup>	2	.998
Likelihood Ratio	.003	2	.998
Linear-by-Linear Association	.001	1	.978
N of Valid Cases	52		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is .96.



## Ada Tidaknya Janggut

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Ada Tidaknya Janggut * Lokasi Marica	52	100.0%	0	.0%	52	100.0%

**Ada Tidaknya Janggut \* Lokasi Marica Crosstabulation**

Count

		Lokasi Marica		Total
		Maros	Jeneponto	
Ada Tidaknya Janggut	Ada	11	16	27
	Tidak Ada	16	9	25
Total		27	25	52

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.813 <sup>a</sup>	1	.093		
Continuity Correction <sup>b</sup>	1.959	1	.162		
Likelihood Ratio	2.841	1	.092		
Fisher's Exact Test				.107	.081
Linear-by-Linear Association	2.759	1	.097		
N of Valid Cases	52				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 12.02.

b. Computed only for a 2x2 table



## Bulu Rewos

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bulu Rewos * Lokasi Marica	52	100.0%	0	.0%	52	100.0%

### Bulu Rewos \* Lokasi Marica Crosstabulation

Count

		Lokasi Marica		Total
		Maros	Jenepono	
Bulu Rewos	Ada	0	1	1
	Tidak Ada	27	24	51
Total		27	25	52

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.101 <sup>a</sup>	1	.294		
Continuity Correction <sup>b</sup>	.002	1	.969		
Likelihood Ratio	1.486	1	.223		
Fisher's Exact Test				.481	.481
Linear-by-Linear Association	1.080	1	.299		
N of Valid Cases	52				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .48.

b. Computed only for a 2x2 table



## Ada Tidaknya Wattles

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Wattles * Lokasi Marica	52	100.0%	0	.0%	52	100.0%

### Wattles \* Lokasi Marica Crosstabulation

Count

		Lokasi Marica		Total
		Maros	Jenepono	
Wattles	Ada Dua	1	1	2
	Tidak Ada	26	24	50
Total		27	25	52

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.003 <sup>a</sup>	1	.956	1.000	.735
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.003	1	.956		
Fisher's Exact Test					
Linear-by-Linear Association	.003	1	.956		
N of Valid Cases	52				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .96.

b. Computed only for a 2x2 table



## Bentuk Badan

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Badan * Lokasi Marica	52	100.0%	0	.0%	52	100.0%

**Bentuk Badan \* Lokasi Marica Crosstabulation**

Count

		Lokasi Marica		Total
		Maros	Jenepono	
Bentuk Badan	Punggung Tinggi	19	22	41
	Pundak Tinggi	5	2	7
	SamaTinggi	3	1	4
Total		27	25	52

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	2.432 <sup>a</sup>	2	.296
Likelihood Ratio	2.518	2	.284
Linear-by-Linear Association	2.170	1	.141
N of Valid Cases	52		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 1.92.





## Bentuk Tanduk

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Tanduk * Lokasi Marica	52	100.0%	0	.0%	52	100.0%

**Bentuk Tanduk \* Lokasi Marica Crosstabulation**

Count

		Lokasi Marica		Total
		Maros	Jeneponto	
Bentuk Tanduk	Pendek	10	5	15
	Panjang Keatas	3	0	3
	Panjang Kesamping	9	12	21
	Panjang Kebelakang	5	8	13
Total		27	25	52

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	5.719 <sup>a</sup>	3	.126
Likelihood Ratio	6.910	3	.075
Linear-by-Linear Association	3.336	1	.068
N of Valid Cases	52		

a. 2 cells (25.0%) have expected count less than 5. The minimum expected count is 1.44.



**Pola Warna/Peta Bulu**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Warna * Lokasi Marica	52	100.0%	0	.0%	52	100.0%

**Pola Warna \* Lokasi Marica Crosstabulation**

Count

		Lokasi Marica		Total
		Maros	Jenepono	
Pola Warna	Hitam	2	3	5
	Coklat Tua	0	4	4
	Coklat Muda	1	1	2
	Hitam, Putih	8	6	14
	Hitam, Coklat Tua	4	4	8
	Hitam, Coklat Muda	2	0	2
	Putih, Coklat Tua	2	2	4
	Putih, Coklat Muda	2	2	4
	Hitam, Putih, Coklat Tua	2	2	4
	Hitam, Putih, Coklat Muda	2	1	3
	Hitam, Putih, Coklat Muda, Abu-abu	1	0	1
	Hitam, Abu-abu	1	0	1
Total		27	25	52

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	8.755 <sup>a</sup>	11	.644
Likelihood Ratio	11.841	11	.376
Linear-by-Linear Association	2.560	1	.110
N of Valid Cases	52		

a. 22 cells (91.7%) have expected count less than 5. The minimum expected count is .48.



## ANALISIS CHI SQUARE KAMBING KACANG (MAROS-JENEPONTO)

### Bentuk Garis Muka

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Garis Muka * Lokasi Kacang	66	100.0%	0	.0%	66	100.0%

**Bentuk Garis Muka \* Lokasi Kacang Crosstabulation**

Count

		Lokasi Kacang		Total
		Maros	Jenepono	
Bentuk Garis Muka	Datar	36	28	64
	Cembung	0	2	2
Total		36	30	66

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.475 <sup>a</sup>	1	.116		
Continuity Correction <sup>b</sup>	.726	1	.394		
Likelihood Ratio	3.229	1	.072		
Fisher's Exact Test				.203	.203
Linear-by-Linear Association	2.438	1	.118		
N of Valid Cases	66				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is .91.

b. Computed only for a 2x2 table



## Bentuk Telinga

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Telinga * Lokasi Kacang	66	100.0%	0	.0%	66	100.0%

**Bentuk Telinga \* Lokasi Kacang Crosstabulation**

Count

		Lokasi Kacang		Total
		Maros	Jeneponto	
Bentuk Telinga	Tegak	6	1	7
	Kesamping	25	17	42
	Jatuh	5	12	17
Total		36	30	66

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	7.494 <sup>a</sup>	2	.024
Likelihood Ratio	7.919	2	.019
Linear-by-Linear Association	7.360	1	.007
N of Valid Cases	66		

a. 2 cells (33.3%) have expected count less than 5. The minimum expected count is 3.18.



## Ada Tidaknya Janggut

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Ada Tidaknya Janggut * Lokasi Kacang	66	100.0%	0	.0%	66	100.0%

**Ada Tidaknya Janggut \* Lokasi Kacang Crosstabulation**

Count

		Lokasi Kacang		Total
		Maros	Jeneponto	
Ada Tidaknya Janggut	Ada	14	7	21
	Tidak ada	22	23	45
Total		36	30	66

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.825 <sup>a</sup>	1	.177		
Continuity Correction <sup>b</sup>	1.179	1	.278		
Likelihood Ratio	1.855	1	.173		
Fisher's Exact Test				.197	.139
Linear-by-Linear Association	1.798	1	.180		
N of Valid Cases	66				

a. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.55.

b. Computed only for a 2x2 table



## Ada Tidaknya Bulu Rewos

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bulu Rewos * Lokasi Kacang	66	100.0%	0	.0%	66	100.0%

**Bulu Rewos \* Lokasi Kacang Crosstabulation**

Count

		Lokasi Kacang		Total
		Maros	Jeneponto	
Bulu Rewos	Ada	2	2	4
	Tidak Ada	34	28	62
Total		36	30	66

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.035 <sup>a</sup>	1	.851		
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	.035	1	.851		
Fisher's Exact Test				1.000	.621
Linear-by-Linear Association	.035	1	.852		
N of Valid Cases	66				

a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1.82.

b. Computed only for a 2x2 table



## Ada Tidaknya Wattles

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Wattles * Lokasi Kacang	66	100.0%	0	.0%	66	100.0%

**Wattles \* Lokasi Kacang Crosstabulation**

Count

		Lokasi Kacang		Total
		Maros	Jenepono	
Wattles	Ada Satu	1	0	1
	Ada Dua	3	0	3
	Tidak Ada	32	30	62
Total		36	30	66

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.548 <sup>a</sup>	2	.170
Likelihood Ratio	5.063	2	.080
Linear-by-Linear Association	3.099	1	.078
N of Valid Cases	66		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is .45.



## Bentuk Badan

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Badan * Lokasi Kacang	66	100.0%	0	.0%	66	100.0%

**Bentuk Badan \* Lokasi Kacang Crosstabulation**

Count

		Lokasi Kacang		Total
		Maros	Jenepono	
Bentuk Badan	Punggung Tinggi	30	19	49
	Pundak Tinggi	3	7	10
	Sama Tinggi	3	4	7
Total		36	30	66

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	3.697 <sup>a</sup>	2	.157
Likelihood Ratio	3.733	2	.155
Linear-by-Linear Association	2.271	1	.132
N of Valid Cases	66		

a. 3 cells (50.0%) have expected count less than 5. The minimum expected count is 3.18.





## Bentuk Tanduk

### Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Bentuk Tanduk * Lokasi Kacang	66	100.0%	0	.0%	66	100.0%

### Bentuk Tanduk \* Lokasi Kacang Crosstabulation

Count

		Lokasi Kacang		Total
		Maros	Jeneponto	
Bentuk Tanduk	Pendek	6	12	18
	Panjang Keatas	5	0	5
	Panjang Kesamping	14	11	25
	Panjang Kebelakang	11	6	17
	Panjang Kedepan	0	1	1
Total		36	30	66

### Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	9.363 <sup>a</sup>	4	.053
Likelihood Ratio	11.664	4	.020
Linear-by-Linear Association	1.577	1	.209
N of Valid Cases	66		

a. 4 cells (40.0%) have expected count less than 5. The minimum expected count is .45.



**Pola Warna atau Peta Bulu**

**Case Processing Summary**

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Pola Warna * Lokasi Kacang	66	100.0%	0	.0%	66	100.0%

**Pola Warna \* Lokasi Kacang Crosstabulation**

Count

		Lokasi Kacang		Total
		Maros	Jenepono	
Pola Warna	Hitam	8	0	8
	Putih	1	3	4
	Coklat Tua	0	1	1
	Coklat Muda	4	0	4
	Hitam, Putih	8	4	12
	Hitam, Coklat Tua	6	4	10
	Hitam, Coklat Muda	1	0	1
	Putih, Coklat Tua	1	12	13
	Putih, Coklat Muda	3	2	5
	Hitam, Putih, Coklat Tua	4	2	6
	Hitam, Putih, Coklat Muda	0	1	1
	Hitam, Putih, Coklat Muda, Abu-abu	0	1	1
	Total	36	30	66

**Chi-Square Tests**

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	28.599 <sup>a</sup>	11	.003
Likelihood Ratio	36.295	11	.000
Linear-by-Linear Association	6.826	1	.009
N of Valid Cases	66		

(79.2%) have expected count less than 5. The minimum count is .45.



### Bentuk Tanduk



		
Pendek	Panjang Keatas	Panjang Kesamping
		
Panjang Kebelakang	Panjang Kedepan	

### Bentuk Telinga

		
Keatas/Tegak	Kebawah/Jatuh	Kesamping



### Bentuk Garis Muka

	
Datar	Cembung

### Bentuk Badan

		
Punggung Tinggi	Pundak Tinggi	Sama Tinggi





**Ada Tidaknya Janggut, Bulu Rewos, dan Wattles**

		
<p>Ada Janggut</p>	<p>Tidak Ada Janggut</p>	
		
<p>Ada Bulu Rewos</p>	<p>Tidak Ada Bulu Rewos</p>	
		
<p>Satu Wattles</p>	<p>Dua Wattles</p>	<p>Tidak Ada Wattles</p>



## Dokumentasi Selama Pengambilan Data



## BIODATA PENELITI



Muh. Agung Firdhawansyah An lahir di Watampone tanggal 9 Oktober tahun 1997. Merupakan anak kedua dari lima bersaudara dari pasangan Drs. Nur Alam M.M dan Dra. ST. Rohani. Ayah dan Ibu berprofesi sebagai pegawai negeri sipil. Penulis memulai pendidikan di Taman Kanak-Kanak TK Adiyaksa Watampone dan melanjutkan pendidikan sekolah dasar di SDN 13 Biru. Penulis kemudian melanjutkan pendidikan ke jenjang berikutnya di MTsN Watampone. Lulus pada tahun 2012 dan melanjutkan pendidikan di SMAN Negeri 2 Watampone Lulus pada tahun 2015. Pengalaman yang pernah diikuti selama masa SMA adalah lomba Futsal antar SMA tingkat kabupaten. Penulis kemudian diterima menjadi mahasiswa di Fakultas Peternakan Universitas Hasanuddin pada tahun 2015 melalui jalur SBMPTN. Selama masa studi di Fakultas Peternakan Universitas Hasanuddin, penulis tergabung dalam Himpunan Mahasiswa Produksi Ternak (HIMAPROTEK), Forum Studi Ilmiah (FOSIL), LDF Mushalla An-Nahl, dan juga pernah menjadi Ketua Umum pada Unit Kegiatan Mahasiswa Komunitas Olahraga Mahasiswa Peternakan Unhas (UKM KOMPAS). Selama menjadi Mahasiswa di Fakultas Peternakan Universitas Hasanuddin, Penulis pernah memperoleh juara 1 Futsal HIMIKA Fakultas Keperawatan UNHAS, Juara 4 Futsal MISEKTA CUP Vol.2, Finalis LKTI Pena Fosil dan mendapat pendanaan

Program Kreativitas Mahasiswa (PKM) 5 Bidang Kemenristekdikti.

