

DAFTAR PUSTAKA

- Apriani, E. (2022) *EFEKTIVITAS PENGGUNAAN NON NUTRITIVE SUCKING TERHADAP PENURUNAN NYERI BAYI PREMATUR YANG*.
- Campbell-Yeo, M., Eriksson, M. and Benoit, B. (2022) 'Assessment and Management of Pain in Preterm Infants: A Practice Update', *Children*. MDPI. Available at: <https://doi.org/10.3390/children9020244>.
- Cignacco, E. *et al.* (2010) 'Facilitated tucking as a non-pharmacological intervention for neonatal pain relief: is it clinically feasible?', *Acta Paediatrica*, 99(12), pp. 1763–1765. Available at: <https://doi.org/10.1111/J.1651-2227.2010.01941.X>.
- Courtois, E. *et al.* (2016) 'The burden of venipuncture pain in neonatal intensive care units: EIPPAIN 2, a prospective observational study', *International Journal of Nursing Studies*, 57, pp. 48–59. Available at: <https://doi.org/10.1016/j.ijnurstu.2016.01.014>.
- Davari, S. *et al.* (2018) 'The effect of the facilitated tucking position on pain intensity during heel stick blood sampling in premature infants: a surprising result', *Journal of Maternal-Fetal and Neonatal Medicine*, 32(20), pp. 3427–3430. Available at: <https://doi.org/10.1080/14767058.2018.1465550>.
- Dubay, K.S. and Zach, T.L. (2022) 'Newborn Screening', *StatPearls* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK558983/> (Accessed: 9 October 2022).
- Fitri, S.Y.R., Lusmilasari, L. and Juffrie, M. (2019) 'The Indonesian version of the Premature Infant Pain Profile–Revised: Translation and adaptation of a neonatal pain assessment', *International Journal of Nursing Sciences*, 6(4), p. 439. Available at: <https://doi.org/10.1016/J.IJNSS.2019.06.010>.
- Gomella T *et al.* (2013) '5: Gestational Age and Birthweight Classification', in *Neonatology: Management, Procedures, On-Call Problems, Diseases, and Drugs*, 7e. McGraw Hill: Access Pediatrics.
- Hall, R.W. and Anand, K.J.S. (2014) 'Pain Management in Newborns', *Clinics in perinatology*, 41(4), p. 895. Available at: <https://doi.org/10.1016/J.CLP.2014.08.010>.
- Herman (2020) 'THE RELATIONSHIP OF FAMILY ROLES AND ATTITUDES IN CHILD CARE WITH CASES OF CAPUT SUCCEDENEUM IN RSUD LABUANG BAJI, MAKASSAR CITY IN 2018', *Jurnal Inovasi Penelitian*, 1(2).
- Hertel, V.L., Colósimo, L.A.M. and da Silva, P.R. (2019) 'Perceptions of nursing professionals front the pain of newborns in a neonatal intensive therapy unit', *Acta Scientiarum. Health Sciences*, 41(1), p. e40288. Available at: <https://doi.org/10.4025/actascihealthsci.v41i1.40288>.
- Hooper, E.B. (2015) 'Is Non-Nutritive Sucking An Effective Method Of Providing Analgesia To Newborns Undergoing Painful Procedures?', *PCOM Physician Assistant Studies Student Scholarship*, p. 1. Available at: http://digitalcommons.pcom.edu/pa_systematic_reviews/282 (Accessed: 6 October 2022).

Hopkins, P. *et al.* (2020) 'Non-pain Symptom Management', *Perinatal Palliative Care*, pp. 179–217. Available at: https://doi.org/10.1007/978-3-030-34751-2_9.

Ineu Rustani Astuti, - (2020) 'PENGARUH PEMBERIAN ASI TERHADAP TINGKAT NYERI PADA BAYI YANG DILAKUKAN TINDAKAN PENGAMBILAN DARAH VENA DI RSKIA KOTA BANDUNG'. Available at: <https://perpustakaan.unisa-bandung.ac.id> (Accessed: 28 September 2022).

Intan Rahayuningsih, S. *et al.* (2021) 'Efektivitas Terapi Non-Farmakologis Terhadap Nyeri Tindakan Invasif Pada Neonatus Di Rumah Sakit Umum Daerah dr. Zainoel Abidin', *Journal of Medical Science Jurnal Ilmu Medis Rumah Sakit Umum dr. Zainoel Abidin*, 2(1), pp. 47–56.

Joshy, J. and MP, O. (2022) 'Effectiveness of Facilitated tucking on pain and Physiological parameters during heel lancing among neonates', *International Journal of Nursing Education and Research*, 10(3), pp. 249–254. Available at: <https://ijneronline.com/AbstractView.aspx?PID=2022-10-3-14> (Accessed: 12 January 2023).

KEMENKES RI (2020) *PROFIL KESEHATAN INDONESIA 2019*.

Kendroud, S. *et al.* (2021) 'Physiology, Nociceptive Pathways', *StatPearls* [Preprint]. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470255/> (Accessed: 9 October 2022).

Krishnan, L. (2013) 'Pain Relief in Neonates', *Journal of Neonatal Surgery*, 2(2), p. 19. Available at: <https://doi.org/10.47338/jns.v2.31>.

Kucukoglu, S., Kurt, S. and Aytakin, A. (2015) 'The effect of the facilitated tucking position in reducing vaccination-induced pain in newborns', *Italian Journal of Pediatrics*, 41(1). Available at: <https://doi.org/10.1186/S13052-015-0168-9>.

Lopez, O. *et al.* (2015) 'The effect of facilitated tucking on procedural pain control among premature babies', *Journal of Clinical Nursing*, 24(1–2), pp. 183–191. Available at: <https://doi.org/10.1111/jocn.12657>.

Mörelus, E., He, H.G. and Shorey, S. (2016) 'Salivary cortisol reactivity in preterm infants in neonatal intensive care: An integrative Review', *International Journal of Environmental Research and Public Health*. MDPI. Available at: <https://doi.org/10.3390/ijerph13030337>.

da Motta, G. de C.P. and da Cunha, M.L.C. (2015) 'Prevention and non-pharmacological management of pain in newborns', *Revista brasileira de enfermagem*, 68(1). Available at: <https://doi.org/10.1590/0034-7167.2015680118P>.

Ninik Dwi Agustina (2019) *PERBEDAAN NON NUTRITIVE SUCKING DAN FACILITATED TUCKING TERHADAP NYERI NEONATUS KURANG BULAN DENGAN PROSEDUR PENGAMBILAN DARAH VENA PERIFER DI RUANG NEONATOLOGI RSUD DR.SAIFUL ANWAR MALANG*.

Oktaviani, E., Rustina, Y. and Efendi, D. (2018) 'FACILITATED TUCKING EFFECTIVE TO PAIN RELIEF ON THE PRETERM INFANTS IN PERINATAL UNIT IN JAKARTA', *Jurnal Keperawatan Indonesia*, 21(1), pp. 2354–9203. Available at: <https://doi.org/10.7454/jki.v21i1.539>.

- Perry, M. *et al.* (2018) 'Neonatal Pain: Perceptions and Current Practice', *Critical care nursing clinics of North America*, 30(4), p. 549. Available at: <https://doi.org/10.1016/J.CNC.2018.07.013>.
- Raja, S.N. *et al.* (2020) 'The Revised IASP definition of pain: concepts, challenges, and compromises HHS Public Access', *Pain*, 161(9), pp. 1976–1982. Available at: <https://doi.org/10.1097/j.pain.0000000000001939>.
- Reyhani, T. *et al.* (2014) 'The effect of facilitated tucking (FT) during venipuncture on duration of crying in preterm infants', *International Journal of Pediatrics*, 2(12), pp. 4–7. Available at: <https://www.sid.ir/en/Journal/ViewPaper.aspx?ID=429458> (Accessed: 12 January 2023).
- Rubin Selvarani G (2016) *EFFECTIVENESS OF FACILITATED TUCKING ON LEVEL OF PAIN AMONG PRETERM INFANTS UNDERGOING PAINFUL PROCEDURE AT SELECTED HOSPITALS, CHENNAI, 2015*.
- Salmani, N. *et al.* (2018) 'Effect of Facilitated Tucking with the Nurse and a Simulated Hand on Physiological Pain Index During Vein Puncture on Premature Infants', *J Babol Univ Med Sci*, 20(9), pp. 14–19. Available at: https://jbums.org/browse.php?a_id=7562&sid=1&slc_lang=en (Accessed: 12 January 2023).
- Samudre, S.M. and Kale, A.B. (2020) 'A STUDY TO ASSESS THE EFFECTIVENESS OF FACILITATED TUCKING ON PAIN DURING VENIPUNCTURE AMONG NEONATES ADMITTED IN SELECTED NEONATAL INTENSIVE CARE UNITS OF SANGLI MIRAJ KUPWAD CORPORATION AREA', *Journal of Critical Reviews*, 7(15). Available at: <http://www.jcreview.com/admin/Uploads/Files/61e7d618c872a2.85719876.pdf> (Accessed: 12 January 2023).
- Sankpal, S. v *et al.* (2016) 'Effectiveness of Facilitated Tucking in Reducing the Pain Response during Vein puncture among Preterm Neonate Admitted in NICU and Postnatal Ward at Tertiary Care Hospital', *International Journal of Science and Research*, 7, pp. 2319–7064. Available at: <https://doi.org/10.21275/ART20183411>.
- Sarkaria, E. and Gruszfeld, D. (2022) 'Assessing Neonatal Pain with NIPS and COMFORT-B: Evaluation of NICU's Staff Competences'. Available at: <https://doi.org/10.1155/2022/8545372>.
- Singh, M.P. and Sukhmanpreetkaur, M. (2020) 'EFFECTIVENESS OF FACILITATED TUCKING ON PAIN DURING HEEL PRICK PROCEDURE AMONG NEONATES', 1(2). Available at: www.ujir.com.
- Sugandi, R.A.I. (2019) *Gambaran faktor – faktor yang mempengaruhi BBLR (Berat Badan Lahir rendah) di wilayah kerja puskesmas Wagir Kabupaten Malang*. Available at: <http://www.repository.poltekkes-soepraen.ac.id> (Accessed: 6 October 2022).
- Sundaram, B. *et al.* (2013) 'Facilitated tucking on pain in pre-term newborns during neonatal intensive care: a single blinded randomized controlled cross-over pilot trial', *Journal of Pediatric Rehabilitation Medicine* [Preprint]. Available at: <https://content.iospress.com/articles/journal-of-pediatric-rehabilitation-medicine/prm00233> (Accessed: 12 January 2023).

Valizadeh, L. *et al.* (2018) 'Effects of Facilitated Tucking On Duration and Frequency of Crying During Rest among Hospitalized Premature Infants: A Randomized Clinical Trial', *Int J Pediatr*, 6(52). Available at: <https://doi.org/10.22038/ijp.2017.25071.2126>.

WHO (2022) *Newborn health*. Available at: <https://www.who.int/westernpacific/health-topics/newborn-health> (Accessed: 6 October 2022).

Williams, M.D. and Lascelles, B.D.X. (2020) 'Early Neonatal Pain—A Review of Clinical and Experimental Implications on Painful Conditions Later in Life', *Frontiers in Pediatrics*. Frontiers Media S.A. Available at: <https://doi.org/10.3389/fped.2020.00030>.

Winda Ayu Rahmasari, W. *et al.* (2021) 'ASUHAN KEBIDANAN NEONATAL PADA BAYI NY.S DI PRAKTIK MANDIRI BIDAN L KOTA BOGOR'.

Witt, N. *et al.* (2016) 'A Guide to Pain Assessment and Management in the Neonate', *Current Emergency and Hospital Medicine Reports*, 4(1), p. 1. Available at: <https://doi.org/10.1007/S40138-016-0089-Y>.