

## DAFTAR PUSTAKA

- Anshar dan Sudaryanto. (2011). Biomekanik Osteokinematika dan Arthokinematika. Kementerian Kesehatan RI Politeknik Kesehatan Makassar
- Badan POM RI. (2015). Antituberkulosis. Badan Pengawas Obat dan Makanan. Retrieved from: <https://pionas.pom.go.id/ioni/bab-5-infeksi/52-tuberkulosis-dan-leprosi/521-antituberkulosis>
- Basalamah B, Nabila BK, Imran Y, Belakang L. (2020). Spondilitis tuberkulosis : perbaikan yang signifikan setelah intervensi dini. 3(3):137–43.
- Desai S. S. (1994). Early diagnosis of spinal tuberculosis by MRI. *The Journal of bone and joint surgery. British volume*, 76(6), 863–869.
- Dharmalingam M. (2004). Tuberculosis of the spine-the Sabah experience. Epidemiology, treatment and results. *Tuberculosis (Edinburgh, Scotland)*, 84(1-2), 24–28. <https://doi.org/10.1016/j.tube.2003.08.008>
- Evelyn C, Pearce. (2020). Anatomi dan Fisiologi untuk Paramedis, Jakarta: PT Gramedia.
- Faried, A., Hidayat, I., Yudoyono, F., & Dahlan. (2015). Spondylitis Tuberculosis in Neurosurgery Department Bandung Indonesia. *JSM Neurosurg Spine* 3(3): 1059.
- Garg, R.K. Somvanshi,D.S. Spinal Tuberculosis: A Review. *J Spinal Cord Med.* Sep 2011; 34(5): 440–454
- Gouliamos, A. D., Kehagias, D. T., Lahanis, S., Athanassopoulou, A. A., Mouloupoulou, E. S., Kalovidouris, A. A., Trakadas, S. J., & Vlahos, L. J. (2001).

- MR imaging of tuberculous vertebral osteomyelitis: pictorial review. *European radiology*, 11(4), 575–579. <https://doi.org/10.1007/s003300000631>
- Harisinghani, M. G., McLoud, T. C., Shepard, J. A., Ko, J. P., Shroff, M. M., & Mueller, P. R. (2000). Tuberculosis from head to toe. *Radiographics : a review publication of the Radiological Society of North America, Inc*, 20(2), 449–532. <https://doi.org/10.1148/radiographics.20.2.g00mc12449>
- Hellmann DB., Imboden JB. (2020). Spinal Tuberculosis (Pott Disease). Access Med. 96(45):29137084.
- Holdiness MR. (1983). Mycobacterial Diseases. *Arch Intern Med*. 143(12):2333.
- Mahalakshamamma V, Raju EA, Jhansi K. Erythrocyte Sedimentation Rate Values In Pulmonary Tuberculosis Versus Normal Healthy Peoples In Khammam Region Of Telangana, India. *International Journal Of Integrative Medical Sciences*. 2016; 3:207-10.
- Paramarta I, Purniti P, Subanada IB, Astawa P. (2016). Spondilitis Tuberkulosis. *Sari Pediatr*. 10:177.
- Paramarta IGE, Purniti PS, Subanada IB, Astawa P. (2016). Spondilitis Tuberkulosis. *Sari Pediatr*. 10(3):177.
- Perez-Velez CM, Marais BJ. (2012). Tuberculosis in Children. *N Engl J Med*. 367(4):348–61.
- Rajasekaran, S., & Khandelwal, G. (2013). Drug therapy in spinal tuberculosis. *European spine journal : official publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the*

- Cervical Spine Research Society*, 22 Suppl 4(Suppl 4), 587–593.  
<https://doi.org/10.1007/s00586-012-2337-5>
- Rahayussalim. (2018). Spondilitis Tuberkulosis : Diagnosis, Penatalaksanaan, Dan Rehabilitasi. 54-56 p.
- Rahyussalim S. (2018). Spondilitis Tuberkulosis : Diagnosis, Penatalaksanaan, dan Rehabilitasi. Edisi 1. Depok, Jawa Barat: Departemen Orthopaedi dan Traumatologi FKUI-RSCM.
- Rasouli MR, Mirkoohi M, Vaccaro AR, Yarandi KK, Rahimi-Movaghar V. (2012). Spinal tuberculosis: Diagnosis and management. *Asian Spine J.* 6(4):294–308.
- Reljic R, Sibley L, Huang JM, Pepponi I, Hoppe A, Hong HA, et al. (2013). Mucosal vaccination against tuberculosis using inert bioparticles. *Infect Immun.* 81(11): 4071–80.
- Rivas-Garcia A, Sarria-Estrada S, Torrents-Odin C, Casas-Gomila L, Franquet E. (2012). Imaging findings of Pott's disease. *Eur Spine J.* 22(SUPPL.4).
- Rukmana A, Hd I, Am L, Kurniawati T. (2011). New Evidence of Spondylitis Tuberculosis : Pyogenic Microorganism Contamination or Mixed Infection (Bukti Baru Spondilitis Tuberkulosis : Kontaminasi Bakteri Piogenik atau Infeksi Campur). 39(2):118–27.
- Shetty, A. P., Viswanathan, V. K., Kanna, R. M., & Shanmuganathan, R. (2017). Tubercular spondylodiscitis in elderly is a more severe disease: a report of 66 consecutive patients. *European spine journal : official publication of the European Spine Society, the European Spinal Deformity Society, and the European Section of the Cervical Spine Research Society*, 26(12), 3178–3186.

<https://doi.org/10.1007/s00586-017-5157-9>

Snell. R. S. (2003). Anatomi Klinik untuk Mahasiswa Kedokteran; Edisi 6, diterjemahkan oleh dr. Liliana Sugiharto, Penerbit Buku Kedokteran : EGC, Jakarta, hal. 428, 441-442, 448-450.

Suyasa I. (2018). Diagnosis dan Tata Laksana Penyakit Degenerasi Lumbal. Cetakan pe. Denpasar: Udayana University Press. 286 p.

Thomas, Joseph. (2016). Pott's disease. *Can Nurse*. 43(1):63–5.

Tim IT FK Unair. (2021). TB Pada Tulang Belakang. Universitas Airlangga. Retrieved from: <https://spesialis1.ibs.fk.unair.ac.id/tb-pada-tulang-belakang.html>

Viswanathan, V. K., & Subramanian, S. (2022). Pott Disease. In *StatPearls*. StatPearls Publishing.

Vorster, M., Sathekge, M. M., & Bomanji, J. (2014). Advances in imaging of tuberculosis: the role of <sup>18</sup>F-FDG PET and PET/CT. *Current opinion in pulmonary medicine*, 20(3), 287–293.

<https://doi.org/10.1097/MCP.0000000000000043>

Basalamah, B., Nabila, B. K., Imran, Y., & Rahmansyah, M. (2020). Spondilitis tuberkulosis: perbaikan yang signifikan setelah intervensi dini. *Jurnal Biomedika Dan Kesehatan*, 3(3), 137–143.

Li, T., Liu, T., Jiang, Z., Cui, X., & Sun, J. (2016). Diagnosing pyogenic, brucella and tuberculous spondylitis using histopathology and MRI: a retrospective study. *Experimental and Therapeutic Medicine*, 12(4), 2069–2077.

- Mijaya, I. Y., Sahetapy, C. M., & Kusmana, D. A. (2020). Profil Pasien Spondilitis Tuberkulosis (Pott's Disease) di Rumah Sakit Pusat Angkatan Darat Gatot Soebroto. *Majalah Kedokteran UKI*, 36(2), 49–54.
- Paramarta, I. G. E., Purniti, P. S., Subanada, I. B., & Astawa, P. (2016). Spondilitis Tuberkulosis. *Sari Pediatri*, 10(3), 177–183.
- Sukamto, A. R., Airlangga, P. A., & Yuliawati, T. H. (2019). Karakteristik Pasien Tuberkulosis Tulang Belakang Di Rsud Dr. Soetomo Surabaya. *Majalah Biomorfologi*, 29(1), 1-6.
- Wibowo, B. F., Manjas, M., Sahputra, R. E., & Erkadius, E. (2018). Hubungan pemeriksaan LED dan CRP pada penegakkan diagnosis Spondilitis Tb di RSUP dr. M. Djamil Padang tahun 2014-2016. *Majalah Kedokteran Andalas*, 41(2), 69–77.

## LAMPIRAN

### Lampiran 1. Biodata Diri Peneliti

Nama : Melani Ertty Barung  
Jenis Kelamin : Perempuan  
Program Studi : Pendidikan Dokter Umum  
Tempat, Tanggal Lahir : Abepura, 05 Maret 2000  
Alamat Email : melaniebarung@gmail.com  
Agama : Kristen Protestan  
Alamat : Rusunawa 2 Universitas Hasanuddin Blok D  
No. Telepon : 082137860774



### Riwayat Pendidikan

Jenjang	Nama Institusi	Jurusan	Periode
SD	SD Negeri Wamena	-	2006 – 2012
SMP	SMP Negeri 2 Wamena	-	2012 – 2015
SMA	SMA Santa Maria Yogyakarta	IPA	2015 – 2018
S1	Universitas Hasanuddin	Pendidikan Dokter	2019 – Sekarang

### Riwayat Organisasi

No.	Nama Organisasi	Jabatan	Periode
1.	PMK FK-FKG UNHAS	Anggota	2019 - Sekarang
2.	AMSA UNHAS	Staff Membership and Development	2020 - 2021
3.	PLICA VOCALIS FK UNHAS	Anggota	2020 - Sekarang
4.	LPM SINOVIA FK UNHAS	Koordinator Hubungan Luar	2021 - 2022
5.	BEM KEMA FK UNHAS 2021 - 2022	Anggota Kementerian Administrasi & Pengembangan	2021 - 2022
6	BEM KEMA FK UNHAS 2022 - 2023	Menteri Kementerian Keuangan	2022 - 2023

## Lampiran 2. Output Data Penelitian

Jenis Kelamin					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-Laki	9	50.0	50.0	50.0
	Perempuan	9	50.0	50.0	100.0
	Total	18	100.0	100.0	

Usia					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	10–16 Tahun	3	16.7	16.7	16.7
	17–25 Tahun	5	27.8	27.8	44.4
	26–35 Tahun	3	16.7	16.7	61.1
	36–45 Tahun	2	11.1	11.1	72.2
	46–55 Tahun	4	22.2	22.2	94.4
	> 56 Tahun	1	5.6	5.6	100.0
	Total	18	100.0	100.0	

Destruksi					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak ada	9	50.0	50.0	50.0
	Ada	9	50.0	50.0	100.0
	Total	18	100.0	100.0	

Keterlibatan Diskus					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	tidak baik	3	16.7	16.7	16.7
	baik	15	83.3	83.3	100.0
	Total	18	100.0	100.0	

<b>Listhesis</b>					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Tidak nampak	11	61.1	61.1	61.1
	Nampak	7	38.9	38.9	100.0
	Total	18	100.0	100.0	

<b>LED</b>					
		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	< 30 mm/jam	3	16.7	16.7	16.7
	≥ 30 mm/jam	15	83.3	83.3	100.0
	Total	18	100.0	100.0	

Crosstab						
			LED		Total	
			< 30 mm/jam	≥ 30 mm/jam		
Destruksi	Tidak ada	Count	3	6	9	
		Expected Count	1.5	7.5	9.0	
		% within LD 2	100.0%	40.0%	50.0%	
		% of Total	16.7%	33.3%	50.0%	
	Ada	Count	0	9	9	
		Expected Count	1.5	7.5	9.0	
		% within LD 2	0.0%	60.0%	50.0%	
		% of Total	0.0%	50.0%	50.0%	
Total		Count	3	15	18	
		Expected Count	3.0	15.0	18.0	
		% within LD 2	100.0%	100.0%	100.0%	
		% of Total	16.7%	83.3%	100.0%	

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	3.600 <sup>a</sup>	1	.058		
Continuity Correction <sup>b</sup>	1.600	1	.206		
Likelihood Ratio	4.763	1	.029		
Fisher's Exact Test				.206	.103
Linear-by-Linear Association	3.400	1	.065		
N of Valid Cases	18				
a. 2 cells (50,0%) have expected count less than 5. The minimum expected count is 1,50.					
b. Computed only for a 2x2 table					

			Crosstab			
			LED		Total	
			< 30 mm/jam	≥ 30 mm/jam		
Keterlibatan Diskus	tidak baik	Count	0	3	3	
		Expected Count	.5	2.5	3.0	
		% within LD 2	0.0%	20.0%	16.7%	
		% of Total	0.0%	16.7%	16.7%	
	baik	Count	3	12	15	
		Expected Count	2.5	12.5	15.0	
		% within LD 2	100.0%	80.0%	83.3%	
		% of Total	16.7%	66.7%	83.3%	
Total		Count	3	15	18	
		Expected Count	3.0	15.0	18.0	
		% within LD 2	100.0%	100.0%	100.0%	
		% of Total	16.7%	83.3%	100.0%	

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.720 <sup>a</sup>	1	.396		
Continuity Correction <sup>b</sup>	.000	1	1.000		
Likelihood Ratio	1.208	1	.272		
Fisher's Exact Test				1.000	.558
Linear-by-Linear Association	.680	1	.410		
N of Valid Cases	18				

a. 3 cells (75.0%) have expected count less than 5. The minimum expected count is ,50.

b. Computed only for a 2x2 table

Crosstab						
			LED		Total	
			< 30 mm/jam	≥ 30 mm/jam		
Listhesis	Tidak nampak	Count	3	8	11	
		Expected Count	1.8	9.2	11.0	
		% within LD 2	100.0%	53.3%	61.1%	
		% of Total	16.7%	44.4%	61.1%	
	Nampak	Count	0	7	7	
		Expected Count	1.2	5.8	7.0	
		% within LD 2	0.0%	46.7%	38.9%	
		% of Total	0.0%	38.9%	38.9%	
Total		Count	3	15	18	
		Expected Count	3.0	15.0	18.0	
		% within LD 2	100.0%	100.0%	100.0%	
		% of Total	16.7%	83.3%	100.0%	

Chi-Square Tests					
	Value	df	Asymptotic Significance (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.291 <sup>a</sup>	1	.130		
Continuity Correction <sup>b</sup>	.748	1	.387		
Likelihood Ratio	3.329	1	.068		
Fisher's Exact Test				.245	.202
Linear-by-Linear Association	2.164	1	.141		
N of Valid Cases	18				
a. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 1,17.					
b. Computed only for a 2x2 table					