

## DAFTAR PUSTAKA

1. Agak, G.W. et al., 2014. Propionibacterium acnes induces an IL-17 response in acne vulgaris that is regulated by vitamin A and vitamin D. *Journal of Investigative Dermatology*, 134(2), pp.366–373.
2. Alves, R. & Grimalt, R., 2018. A Review of Platelet-Rich Plasma: History, Biology, Mechanism of Action, and Classification. *Skin Appendage Disorders*, 4(1), pp.18–24.
3. Amable, P.R. et al., 2013. Platelet-rich plasma preparation for regenerative medicine: Optimization and quantification of cytokines and growth factors. *Stem Cell Research and Therapy*, 4(3), pp.1–13.
4. Anitua, E. et al., 2007. Platelet-released growth factors enhance the secretion of hyaluronic acid and induce hepatocyte growth factor production by synovial fibroblasts from arthritic patients. *Rheumatology*, 46(12), pp.1769–1772.
5. Anon, Plewig and Kligman's Acne and Rosacea - Gerd Plewig, Bodo Melnik, WenChieh Chen - Google Books.
6. Aydemir, E.H., 2014. Acne vulgaris. *Turk Pediatri Arsivi*, 49(1), pp.13–16.
7. Bakry, O. et al., 2014. Role of hormones and blood lipids in the pathogenesis of acne vulgaris in non-obese, non-hirsute females. *Indian Dermatology Online Journal*, 5(5), p.9.
8. Bergler-Czop, B., 2014. The aetiopathogenesis of acne vulgaris - What's new? *International Journal of Cosmetic Science*, 36(3), pp.187–194.
9. Chan, R.K. et al., 2005. Expired liquid preserved platelet releasates retain proliferative activity. *Journal of Surgical Research*, 126(1), pp.55–58.
10. Chandrashekha, B.S. et al., 2015. Tretinoin nanogel 0.025% versus conventional gel 0.025% in patients with acne vulgaris: A randomized, active controlled, multicentre, parallel group, phase iv clinical trial. *Journal of Clinical and Diagnostic Research*, 9(1), pp.WC04-WC09.
11. Damsker, J.M., Hansen, A.M. & Caspi, R.R., 2010. Th1 and Th17 cells: Adversaries and collaborators. *Annals of the New York Academy of Sciences*, 1183, pp.211–221.
12. Das, S. & Reynolds, R. V., 2014. Recent Advances in Acne Pathogenesis: Implications for Therapy. *American Journal of Clinical Dermatology*, 15(6), pp.479–488.
13. Draelos, Z.D. et al., 2019. Pilot study: Autologous platelet-rich plasma used in a topical cream for facial rejuvenation. *Journal of Cosmetic Dermatology*, 18(5), pp.1348–1352.
14. Du, R. & Lei, T., 2020. Effects of autologous platelet-rich plasma injections on facial skin rejuvenation. *Experimental and Therapeutic Medicine*, pp.3024–3030.
15. Eichenfield, L.F. et al., 2019. Novel tretinoin 0.05% lotion for the once-daily treatment of moderate-to-severe acne vulgaris in a preadolescent population. *Pediatric Dermatology*, 36(2), pp.193–199.

16. El-Taieb, M.A. et al., 2019. Fractional Erbium-YAG Laser and Platelet-Rich Plasma as Single or Combined Treatment for Atrophic Acne Scars: A Randomized Clinical Trial. *Dermatology and Therapy*, 9(4), pp.707–717.
17. Elsaie, M.L., 2016. Hormonal treatment of acne vulgaris: An update. *Clinical, Cosmetic and Investigational Dermatology*, 9, pp.241–248.
18. Elsaie, M.L. & Choudhary, S., 2010. Photodynamic therapy in the management of acne: An update. *Journal of Cosmetic Dermatology*, 9(3), pp.211–217.
19. Engler, D., Pharmacology, B. & Pharmacy, M.C., 2015. Acne. *S Afr Pharm J*, 14(6), pp.27–35.
20. Eppley, B.L., Pietrzak, W.S. & Blanton, M., 2006. Platelet-rich plasma: A review of biology and applications in plastic surgery. *Plastic and Reconstructive Surgery*, 118(6), pp.147–159.
21. Fox, L. et al., 2016. Treatment modalities for acne. *Molecules*, 21(8), pp.1–20.
22. Franco, D. et al., 2012. Protocol for obtaining platelet-rich plasma (PRP), platelet-poor plasma (PPP), and thrombin for autologous use. *Aesthetic Plastic Surgery*, 36(5), pp.1254–1259.
23. Geerling, G., MacLennan, S. & Hartwig, D., 2004. Autologous serum eye drops for ocular surface disorders. *British Journal of Ophthalmology*, 88(11), pp.1467–1474.
24. Harrington, L.E. et al., 2005. Interleukin 17-producing CD4+ effector T cells develop via a lineage distinct from the T helper type 1 and 2 lineages. *Nature Immunology*, 6(11), pp.1123–1132.
25. Hayashi, N. et al., 2018. Clindamycin phosphate 1.2%/benzoyl peroxide 3% fixed-dose combination gel versus topical combination therapy of adapalene 0.1% gel and clindamycin phosphate 1.2% gel in the treatment of acne vulgaris in Japanese patients: A multicenter, randomized, invest. *Journal of Dermatology*, 45(8), pp.951–962.
26. Iwata, M., Eshima, Y. & Kagechika, H., 2003. Retinoic acids exert direct effects on T cells to suppress Th1 development and enhance Th2 development via retinoic acid receptors. *International Immunology*, 15(8), pp.1017–1025.
27. Jih, M. & Kimyai-Asadi, A., 2007. Laser Treatment of Acne Vulgaris. *Seminars in Plastic Surgery*, 21(3), pp.167–174.
28. Kelh ala, H.L. et al., 2014. IL-17/Th17 pathway is activated in acne lesions. *PLoS ONE*, 9(8).
29. Kolli, S.S. et al., 2019. Topical Retinoids in Acne Vulgaris: A Systematic Review. *American Journal of Clinical Dermatology*, 20(3), pp.345–365.
30. Kolls, J.K. & Lind en, A., 2004. Interleukin-17 family members and inflammation. *Immunity*, 21(4), pp.467–476.
31. Kurokawa, I. et al., 2009. New developments in our understanding of acne pathogenesis and treatment. *Experimental Dermatology*, 18(10), pp.821–832.
32. Langer, C. & Mahajan, V., 2014. Platelet-rich plasma in dermatology. *JK*

- Science*, 16(4), pp.147–150.
33. Langrish, C.L. et al., 2005. IL-23 drives a pathogenic T cell population that induces autoimmune inflammation. *Journal of Experimental Medicine*, 201(2), pp.233–240.
  34. Lehmann, H.P. et al., 2002. Acne therapy: A methodologic review. *Journal of the American Academy of Dermatology*, 47(2), pp.231–240.
  35. Liang, S.C. et al., 2006. Interleukin (IL)-22 and IL-17 are coexpressed by Th17 cells and cooperatively enhance expression of antimicrobial peptides. *Journal of Experimental Medicine*, 203(10), pp.2271–2279.
  36. Luck, J., Smith, O.J. & Mosahebi, A., 2017. A systematic review of autologous platelet-rich plasma and fat graft preparation methods. *Plastic and Reconstructive Surgery - Global Open*, 5(12), pp.1–14.
  37. Lynn, D. et al., 2016. The epidemiology of acne vulgaris in late adolescence. *Adolescent Health, Medicine and Therapeutics*, p.13.
  38. Mannello, F. et al., 2008. Differences in both matrix metalloproteinase 9 concentration and zymographic profile between plasma and serum with clot activators are due to the presence of amorphous silica or silicate salts in blood collection devices. *Analytical Biochemistry*, 374(1), pp.56–63.
  39. Marx, R.E., 2004. Platelet-Rich Plasma: Evidence to Support Its Use. *Journal of Oral and Maxillofacial Surgery*, 62(4), pp.489–496.
  40. Mehta, S. & Watson, J.T., 2008. Platelet rich concentrate: Basic science and current clinical applications. *Journal of Orthopaedic Trauma*, 22(6), pp.433–438.
  41. Meredith, F.M. & Ormerod, A.D., 2013. The Management of Acne Vulgaris in Pregnancy. *American Journal of Clinical Dermatology*, 14(5), pp.351–358.
  42. Mucida, D. et al., 2007. Reciprocal TH17 and regulatory T cell differentiation mediated by retinoic acid. *Science*, 317(5835), pp.256–260.
  43. Muhlis, Y., 2017. Effect of Doxycycline in Autologous Serum to Improvement Clinical Manifestation of Acne Vulgaris. *American Journal of Clinical and Experimental Medicine*, 5(2), p.30.
  44. Mukherjee, S. et al., 2006. Retinoids in the treatment of skin aging: an overview of clinical efficacy and safety. *Clinical interventions in aging*, 1(4), pp.327–348.
  45. Nurieva, R. et al., 2007. Essential autocrine regulation by IL-21 in the generation of inflammatory T cells. *Nature*, 448(7152), pp.480–483.
  46. Oon, H.H. et al., 2019. Acne management guidelines by the Dermatological society of Singapore. *Journal of Clinical and Aesthetic Dermatology*, 12(7), pp.34–50.
  47. Pan, Q. et al., 2017. Autologous serum eye drops for dry eye. *Cochrane Database of Systematic Reviews*, 2017(2).
  48. Park, H. et al., 2005. A distinct lineage of CD4 T cells regulates tissue inflammation by producing interleukin 17. *Nature Immunology*, 6(11), pp.1133–1141.
  49. Pugashetti, R. & Shinkai, K., 2013. Treatment of acne vulgaris in pregnant

- patients. *Dermatologic Therapy*, 26(4), pp.302–311.
50. Sardana, K. & Verma, G., 2017. Propionibacterium acnes and the Th1/Th17 Axis, implications in acne pathogenesis and treatment. *Indian Journal of Dermatology*, 62(4), pp.392–394.
  51. Schmidt, N. & Gans, E.H., 2011. Clindamycin 1.2% tretinoin 0.025% gel versus clindamycin gel treatment in acne patients: A focus on fitzpatrick skin types. *Journal of Clinical and Aesthetic Dermatology*, 4(6), pp.31–40.
  52. Shaw, J.C., 2002. American Journal of Clinical Dermatology 3: 571-578, No. 8, 2002. , 3(8), pp.571–578.
  53. Shi, J. et al., 2017. Adipose-Derived Stem Cells Cocultured with Chondrocytes Promote the Proliferation of Chondrocytes. *Stem Cells International*, 2017.
  54. Sigmundsdottir, H. et al., 2007. DCs metabolize sunlight-induced vitamin D3 to “program” T cell attraction to the epidermal chemokine CCL27. *Nature Immunology*, 8(3), pp.285–293.
  55. Simonart, T., 2012. Newer approaches to the treatment of acne vulgaris. *American Journal of Clinical Dermatology*, 13(6), pp.357–364.
  56. Sohn, K.C. et al., 2009. Pitx2, a  $\beta$ -catenin-regulated transcription factor, regulates the differentiation of outer root sheath cells cultured in vitro. *Journal of Dermatological Science*, 54(1), pp.6–11.
  57. Tan, A.U., Schlosser, B.J. & Paller, A.S., 2018. A review of diagnosis and treatment of acne in adult female patients. *International Journal of Women's Dermatology*, 4(2), pp.56–71. Available at: <https://doi.org/10.1016/j.ijwd.2017.10.006>.
  58. Tan, H.H., 2004. Topical antibacterial treatments for acne vulgaris: Comparative review and guide to selection. *American Journal of Clinical Dermatology*, 5(2), pp.79–84.
  59. Tanumihardjo, S.A., 2016. Biomarkers of Nutrition for Development (BOND)-Iron review. *Journal of Nutrition*, 148, p.1001S–1067S.
  60. Thappa, D.M., Adityan, B. & Kumari, R., 2009. Scoring systems in acne vulgaris. *Indian Journal of Dermatology, Venereology and Leprology*, 75(3), pp.323–326.
  61. Thatte, S., Dube, A.B. & Sharma, S., 2019. Efficacy of autologous serum in fixing conjunctival autografts of various sizes in different types and grades of pterygium. *Journal of Ophthalmic and Vision Research*, 14(2), pp.136–143.
  62. Thielitz, Krautheim, G., 2006. Update in retinoid therapy of acne. *Dermatologic Therapy*, 19(5), pp.272–279.
  63. Tsubota, K. et al., 1999. Treatment of persistent corneal epithelial defect by autologous serum application. *Ophthalmology*, 106(10), pp.1984–1989.
  64. Veraldi, S. et al., 2013. Short contact therapy of acne with tretinoin. *Journal of Dermatological Treatment*, 24(5), pp.374–376.
  65. Wasitaatmaja, S. et al., 2016. *Pedoman Tata Laksana Akne di Indonesia Resume Hasil Indonesian Acne Expert Meeting 2015. 2nd ed.*
  66. Webster, G.F., 1998. Acne and rosacea. *Medical Clinics of North America*,

- 82(5), pp.1145–1154.
67. Younis, S. & Javed, Q., 2015. The interleukin-6 and interleukin-1A gene promoter polymorphism is associated with the pathogenesis of acne vulgaris. *Archives of Dermatological Research*, 307(4), pp.365–370.
68. Zaenglein, A.L. et al., 2016. Guidelines of care for the management of acne vulgaris. *Journal of the American Academy of Dermatology*, 74(5), p.945–973.e33.
69. Zheng, Y. et al., 2007. Interleukin-22, a TH17 cytokine, mediates IL-23-induced dermal inflammation and acanthosis. *Nature*, 445(7128), pp.648–651.
70. Zhou, L. et al., 2007. IL-6 programs TH-17 cell differentiation by promoting sequential engagement of the IL-21 and IL-23 pathways. *Nature Immunology*, 8(9), pp.967–974.