

## **DAFTAR PUSTAKA**

- Agbozo, F. et al. (2020) 'Maternal Dietary Intakes, Red Blood Cell Indices and Risk for Anemia in the First, Second and Third Trimesters of Pregnancy and at Predelivery', *Nutrients*, 12(3), p. 777. doi: 10.3390/nu12030777.
- Ahearne, C. E. (2016) 'Short and long term prognosis in perinatal asphyxia: An update', *World Journal of Clinical Pediatrics*, 5(1), p. 67. doi: 10.5409/wjcp.v5.i1.67.
- Aktepe, Necmettin, Mehmet Firat Baran, and A. B. " (no date) 'Effects of Chronic Exposure to Lead on Some Organs.", *International Target Medicine Journal* 1.1 (2022): 18–22. Web.
- Al-Ramahi, R., Jaradat, N. and Adawi, D. (2013) 'Use of herbal medicines during pregnancy in a group of Palestinian women', *Journal of Ethnopharmacology*, 150(1), pp. 79-84. doi: 10.1016/j.jep.2013.07.041.
- Alper, B. S., Kimber, R. and Reddy, A. K. (2000) 'Using ferritin levels to determine iron-deficiency anemia in pregnancy.', *The Journal of family practice*, 49(9), pp. 829-32. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/11032208>.
- Amri, I. et al. (2020) 'Number pregnancy and low birth weight (LBW) babies in Anutapura Hospital in Palu City in 2016', *Enfermería Clínica*, 30, pp. 219-222. doi: 10.1016/j.enfcli.2019.10.072.
- Anlaakuu, P. and Anto, F. (2017) 'Anaemia in pregnancy and associated factors: a cross sectional study of antenatal attendants at the Sunyani Municipal Hospital, Ghana', *BMC research notes*. doi: 10.1186/s13104-017-2742-2.
- Aslinia, F., Mazza, J. J. and Yale, S. H. (2006) 'Megaloblastic anemia and other causes of macrocytosis', *Clinical Medicine and Research*. doi: 10.3121/cmr.4.3.236.
- Axelsson, D. and Blomberg, M. (2017) 'Maternal obesity, obstetric interventions and post-partum anaemia increase the risk of post-partum sepsis: a population-based cohort study based on Swedish medical health registers', *Infectious Diseases*, 49(10), pp. 765-771. doi: 10.1080/23744235.2017.1341055.
- Barros, F. C. et al. (2010) 'Global report on preterm birth and stillbirth (3 of 7): evidence for effectiveness of interventions', *BMC Pregnancy and Childbirth*, 10(S1), p. S3. doi: 10.1186/1471-2393-10-S1-S3.
- Battin, M. and Sadler, L. (2009) 'Neonatal intensive care utilization and neonatal outcome of infants born to women aged 40 years and over in New

Zealand', *Acta Paediatrica*, 99(2), pp. 219-224. doi: 10.1111/j.1651-2227.2009.01581.x.

Bayisa, B., Tatiparthi, R. and Mulisa, E. (2014) 'Use of Herbal Medicine Among Pregnant Women on Antenatal Care at Nekemte Hospital, Western Ethiopia', *Jundishapur Journal of Natural Pharmaceutical Products*, 9(4). doi: 10.17795/jjnpp-17368.

Bayraktar, U. D. (2010) 'Treatment of iron deficiency anemia associated with gastrointestinal tract diseases', *World Journal of Gastroenterology*, 16(22), p. 2720. doi: 10.3748/wjg.v16.i22.2720.

Bizuayew, H. et al. (2021) 'Post Cesarean section surgical site infection and associated factors in East Gojjam zone primary hospitals, Amhara region, North West Ethiopia, 2020', *PLOS ONE*. Edited by F. T. Spradley, 16(12), p. e0261951. doi: 10.1371/journal.pone.0261951.

Bothwell, T. H. (2000) 'Iron requirements in pregnancy and strategies to meet them', *The American Journal of Clinical Nutrition*, 72(1), pp. 257S-264S. doi: 10.1093/ajcn/72.1.257S.

Butwick, A. J. et al. (2017) 'Patterns and predictors of severe postpartum anemia after <scp>C</scp> cesarean section', *Transfusion*, 57(1), pp. 36-44. doi: 10.1111/trf.13815.

Campbell, O. M. and Graham, W. J. (2006) 'Strategies for reducing maternal mortality: getting on with what works', *The Lancet*, 368(9543), pp. 1284-1299. doi: 10.1016/S0140-6736(06)69381-1.

'Care in Normal Birth: A Practical Guide' (1997) *Birth*, 24(2), pp. 121-123. doi: 10.1111/j.1523-536X.1997.00121.pp.x.

Carolan, M. (2013) 'Maternal age ≥45 years and maternal and perinatal outcomes: A review of the evidence', *Midwifery*, 29(5), pp. 479-489. doi: 10.1016/j.midw.2012.04.001.

Casanova, B. F., Sammel, M. D. and Macones, G. A. (2005) 'Development of a clinical prediction rule for iron deficiency anemia in pregnancy', *American Journal of Obstetrics and Gynecology*, 193(2), pp. 460-466. doi: 10.1016/j.ajog.2004.12.008.

Chandrasekaran, N. et al. (2018) 'Is anemia an independent risk factor for postpartum depression in women who have a cesarean section? - A prospective observational study', *BMC Pregnancy and Childbirth*, 18(1), p. 400. doi: 10.1186/s12884-018-2032-6.

Chaparro, C. M. and Suchdev, P. S. (2019) 'Anemia epidemiology, pathophysiology, and etiology in low- and middle-income countries', *Annals of the New York Academy of Sciences*, p. nyas.14092. doi:

10.1111/nyas.14092.

Chatterjee, S., Kotelchuck, M. and Sambamoorthi, U. (2008) 'Prevalence of Chronic Illness in Pregnancy, Access to Care, and Health Care Costs', *Women's Health Issues*, 18(6), pp. S107-S116. doi: 10.1016/j.whi.2008.06.003.

Chen, X.-K. et al. (2007) 'Teenage pregnancy and adverse birth outcomes: a large population based retrospective cohort study', *International Journal of Epidemiology*, 36(2), pp. 368-373. doi: 10.1093/ije/dyl284.

Chuang, C.-H. et al. (2009) 'Chinese herbal medicine use in Taiwan during pregnancy and the postpartum period: A population-based cohort study', *International Journal of Nursing Studies*, 46(6), pp. 787-795. doi: 10.1016/j.ijnurstu.2008.12.015.

Conde-Agudelo, A. et al. (2012) 'Effects of Birth Spacing on Maternal, Perinatal, Infant, and Child Health: A Systematic Review of Causal Mechanisms', *Studies in Family Planning*, 43(2), pp. 93-114. doi: 10.1111/j.1728-4465.2012.00308.x.

Cypryk, K. et al. (2018) 'Parity does not affect diabetes complications in women with type 1 diabetes', *Annals of Agricultural and Environmental Medicine*, 25(1), pp. 114-119. doi: 10.5604/12321966.1230738.

Dagli, U. and Kalkan, I. H. (2020) 'Treatment of reflux disease during pregnancy and lactation', *The Turkish Journal of Gastroenterology*, 28(Supp1), pp. S53-S56. doi: 10.5152/tjg.2017.14.

Daru, J. et al. (2018) 'Risk of maternal mortality in women with severe anaemia during pregnancy and post partum: a multilevel analysis', *The Lancet Global Health*, 6(5), pp. e548-e554. doi: 10.1016/S2214-109X(18)30078-0.

Departemen Gizi dan Kesehatan masyarakat FKMUI, 2012.

Desoye, G. and Carter, A. M. (2022) 'Fetoplacental oxygen homeostasis in pregnancies with maternal diabetes mellitus and obesity', *Nature Reviews Endocrinology*, 18(10), pp. 593-607. doi: 10.1038/s41574-022-00717-z.

Dev, S. and Babitt, J. L. (2017) 'Overview of iron metabolism in health and disease', *Hemodialysis International*, 21, pp. S6-S20. doi: 10.1111/hdi.12542.

Deye, N., Vincent, F., Michel, P., Ehrmann, S., Da Silva, D., Piagnerelli, M., ... Laterre, P.-F. (2016). Changes in cardiac arrest patients' temperature management after the 2013 'TTM' trial: Results from an international survey. *Annals of Intensive Care*, 6(1). <http://doi.org/10.1186/s13613-015-0104-6> et al. (2016) 'Academic-pharma

partnerships in global health: Lessons from Zambia and South Africa', *Annals of Global Health*.

Dietl, A. et al. (2015) 'Pregnancy and Obstetrical Outcomes in Women Over 40 Years of Age', *Geburtshilfe und Frauenheilkunde*, 75(08), pp. 827-832. doi: 10.1055/s-0035-1546109.

Donker, A. E., van der Staaij, H. and Swinkels, D. W. (2021) 'The critical roles of iron during the journey from fetus to adolescent: Developmental aspects of iron homeostasis', *Blood Reviews*, 50, p. 100866. doi: 10.1016/j.blre.2021.100866.

Ells, L. J. et al. (2018) 'Interventions for treating children and adolescents with overweight and obesity: an overview of Cochrane reviews', *International Journal of Obesity*, 42(11), pp. 1823-1833. doi: 10.1038/s41366-018-0230-y.

Ferguson, A. et al. (1996) 'Use of whole gut perfusion to investigate gastrointestinal blood loss in patients with iron deficiency anaemia.', *Gut*, 38(1), pp. 120-124. doi: 10.1136/gut.38.1.120.

Ferguson, M. T. and Dennis, A. T. (2019) 'Defining peri-operative anaemia in pregnant women - challenging the status quo', *Anaesthesia*, 74(2), pp. 237-245. doi: 10.1111/anae.14468.

Fernández-Bañares, F., Monzón, H. and Forné, M. (2009) 'A short review of malabsorption and anemia', *World Journal of Gastroenterology*, 15(37), p. 4644. doi: 10.3748/wjg.15.4644.

Gedefaw, G. et al. (2020) 'Prevalence, indications, and outcomes of caesarean section deliveries in Ethiopia: a systematic review and meta-analysis', *Patient Safety in Surgery*, 14(1), p. 11. doi: 10.1186/s13037-020-00236-8.

Gibbs, C. M. et al. (2012) 'The Impact of Early Age at First Childbirth on Maternal and Infant Health', *Paediatric and Perinatal Epidemiology*, 26, pp. 259-284. doi: 10.1111/j.1365-3016.2012.01290.x.

Goddard, A. F. et al. (2011) 'Guidelines for the management of iron deficiency anaemia', *Gut*, 60(10), pp. 1309-1316. doi: 10.1136/gut.2010.228874.

Hammond, D. (2006) 'Effectiveness of cigarette warning labels in informing smokers about the risks of smoking: findings from the International Tobacco Control (ITC) Four Country Survey', *Tobacco Control*, 15(suppl\_3), pp. iii19-iii25. doi: 10.1136/tc.2005.012294.

Harrison, M. et al. (2018) 'Impact of Maternal Infant Weight Perception on Infant Feeding and Dietary Intake', *Maternal and Child Health Journal*,

- 22(8), pp. 1135-1145. doi: 10.1007/s10995-018-2498-x.
- Herrera, B. and Gálvez, A. (2004) 'Episiotomía selectiva: un cambio en la práctica basado en evidencias', *Progresos de Obstetricia y Ginecología*, 47(9), pp. 414-422. doi: 10.1016/S0304-5013(04)76029-X.
- Hwang, J. H. et al. (2016) 'Use of complementary and alternative medicine in pregnancy: a cross-sectional survey on Iraqi women', *BMC Complementary and Alternative Medicine*, 16(1), p. 191. doi: 10.1186/s12906-016-1167-0.
- Hyder, S. Z. et al. (2004) 'Anaemia and iron deficiency during pregnancy in rural Bangladesh', *Public Health Nutrition*, 7(8), pp. 1065-1070. doi: 10.1079/PHN2004645.
- Igbinosa, I., Berube, C. and Lyell, D. J. (2022) 'Iron deficiency anemia in pregnancy', *Current Opinion in Obstetrics & Gynecology*, Publish Ah. doi: 10.1097/GCO.0000000000000772.
- Illamola, S. M. et al. (2020) 'Use of Herbal Medicine by Pregnant Women: What Physicians Need to Know', *Frontiers in Pharmacology*, 10. doi: 10.3389/fphar.2019.01483.
- Jacobs, S et al. (2003) 'Cooling for newborns with hypoxic ischaemic encephalopathy', in Jacobs, Susan (ed.) *The Cochrane Database of Systematic Reviews (Protocol)*. Chichester, UK: John Wiley & Sons, Ltd. doi: 10.1002/14651858.CD003311.
- Jahedbozorgan, T., Yaghmaei, M. and Naserieh, M. (2020) 'Comparison of serum ferritin levels in pregnant women with preterm and term deliveries', *Immunopathologia Persa*, 6(2), pp. e25-e25. doi: 10.34172/ipp.2020.25.
- Jeong, Y. et al. (2021) 'Effect of maternal age on maternal and perinatal outcomes including cesarean delivery following induction of labor in uncomplicated elderly primigravidae', *Medicine*, 100(34), p. e27063. doi: 10.1097/MD.00000000000027063.
- John, L. J. and Shantakumari, N. (2015) 'Herbal Medicines Use During Pregnancy: A Review from the Middle East', *Oman Medical Journal*, 30(4), pp. 229-236. doi: 10.5001/omj.2015.48.
- de Jonge, H. C. et al. (2014) 'Determinants and consequences of short birth interval in rural Bangladesh: a cross-sectional study', *BMC Pregnancy and Childbirth*, 14(1), p. 427. doi: 10.1186/s12884-014-0427-6.
- K.T., N., Prasad, K. and Singh, B. M. K. (2022) 'Analysis of red blood cells from peripheral blood smear images for anemia detection: a methodological review', *Medical & Biological Engineering & Computing*, 60(9), pp. 2445-2462. doi: 10.1007/s11517-022-02614-z.

Kadooka, M. et al. (2014) 'Effect of neonatal hemoglobin concentration on long-term outcome of infants affected by fetomaternal hemorrhage', *Early Human Development*, 90(9), pp. 431-434. doi: 10.1016/j.earlhumdev.2014.05.010.

Kennedy, D. A. et al. (2013) 'Herbal medicine use in pregnancy: results of a multinational study', *BMC Complementary and Alternative Medicine*, 13(1), p. 355. doi: 10.1186/1472-6882-13-355.

Kenny, L. C. et al. (2013) 'Advanced Maternal Age and Adverse Pregnancy Outcome: Evidence from a Large Contemporary Cohort', *PLoS ONE*. Edited by Q. Shi, 8(2), p. e56583. doi: 10.1371/journal.pone.0056583.

Kersten, I. et al. (2014) 'Chronic diseases in pregnant women: prevalence and birth outcomes based on the SNiP-study', *BMC Pregnancy and Childbirth*, 14(1), p. 75. doi: 10.1186/1471-2393-14-75.

Khan, K. S. et al. (2006) 'WHO analysis of causes of maternal death: a systematic review', *The Lancet*, 367(9516), pp. 1066-1074. doi: 10.1016/S0140-6736(06)68397-9.

Lake, E. A. and Olana Fite, R. (2019) 'Low Birth Weight and Its Associated Factors among Newborns Delivered at Wolaita Sodo University Teaching and Referral Hospital, Southern Ethiopia, 2018', *International Journal of Pediatrics*, 2019, pp. 1-7. doi: 10.1155/2019/4628301.

Laopaiboon, M. et al. (2014) 'Advanced maternal age and pregnancy outcomes: a multicountry assessment', *BJOG: An International Journal of Obstetrics & Gynaecology*, 121, pp. 49-56. doi: 10.1111/1471-0528.12659.

Lawn, J. E. et al. (2010) 'Global report on preterm birth and stillbirth (1 of 7): definitions, description of the burden and opportunities to improve data', *BMC Pregnancy and Childbirth*, 10(S1), p. S1. doi: 10.1186/1471-2393-10-S1-S1.

Lawn, J. E. et al. (2011) 'Stillbirths: Where? When? Why? How to make the data count?', *The Lancet*, 377(9775), pp. 1448-1463. doi: 10.1016/S0140-6736(10)62187-3.

Lawn, J. E. et al. (2016) 'Stillbirths: rates, risk factors, and acceleration towards 2030', *The Lancet*, 387(10018), pp. 587-603. doi: 10.1016/S0140-6736(15)00837-5.

Lee, A. I. and Okam, M. M. (2011) 'Anemia in Pregnancy', *Hematology/Oncology Clinics of North America*, 25(2), pp. 241-259. doi: 10.1016/j.hoc.2011.02.001.

Lima, K. S. V. et al. (2021) 'Father's participation in prenatal care and childbirth: contributions of nurses' interventions.', *Investigacion y Educacion*

- en enfermeria*, 39(2). doi: 10.17533/udea.iee.v39n2e13.
- Lonero, A. P. et al. (2011) 'Ultrasonographic assessment of cervix size and its correlation with female characteristics, pregnancy, BMI, and other anthropometric features', *Archives of Gynecology and Obstetrics*, 283(3), pp. 545-550. doi: 10.1007/s00404-010-1377-5.
- Lonero, A. P. et al. (2019) 'Maternal age and the risk of adverse pregnancy outcomes: a retrospective cohort study', *BMC Pregnancy and Childbirth*, 19(1), p. 261. doi: 10.1186/s12884-019-2400-x.
- Lubis, Z., Jumirah, J. and Fitria, M. (2017) 'Chronic Energy Malnutrition and Anemia in Pregnant Women in Medan', in *Proceedings of the 1st Public Health International Conference (PHICO 2016)*. Paris, France: Atlantis Press. doi: 10.2991/phico-16.2017.15.
- Mahamoud, N. K. et al. (2020) 'Prevalence of Anemia and Its Associated Socio-Demographic Factors Among Pregnant Women Attending an Antenatal Care Clinic at Kisugu Health Center IV, Makindye Division, Kampala, Uganda', *Journal of Blood Medicine*, Volume 11, pp. 13-18. doi: 10.2147/JBM.S231262.
- Malabarey, O. T. et al. (2012) 'Pregnancies in Young Adolescent Mothers: A Population-Based Study on 37 Million Births', *Journal of Pediatric and Adolescent Gynecology*, 25(2), pp. 98-102. doi: 10.1016/j.jpag.2011.09.004.
- Mardalena, I., Sutejo, S. and Suryani, E. (2022) 'Effectiveness Of Nutrition Booklet To Improve Participation In The Management Of Anemia In Cesarean Mothers', *IJNP (Indonesian Journal of Nursing Practices)*, 6(1), pp. 28-37. doi: 10.18196/ijnp.v6i1.13353.
- Muniroh, M., Siddiq, A. and Partinah, R. (2020) 'DYNAMIC OF SERUM FERRITIN LEVEL IN FIRST TRIMESTER PREGNANCY', *The Avicenna Medical Journal*, 1(1), pp. 1-4. doi: 10.15408/avicenna.v1i1.15639.
- Nakano, Y. (2020) 'Adult-Onset Diseases in Low Birth Weight Infants: Association with Adipose Tissue Maldevelopment', *Journal of Atherosclerosis and Thrombosis*, 27(5), pp. 397-405. doi: 10.5551/jat.RV17039.
- Noshiro, K. et al. (2022) 'Hemoglobin Concentration during Early Pregnancy as an Accurate Predictor of Anemia during Late Pregnancy', *Nutrients*, 14(4), p. 839. doi: 10.3390/nu14040839.
- Omotayo, M. O. et al. (2021) 'Prenatal anemia and postpartum hemorrhage risk: A systematic review and meta-analysis', *Journal of Obstetrics and Gynaecology Research*, 47(8), pp. 2565-2576. doi: 10.1111/jog.14834.

Onyeneho, N. G. and Igweonu, O. U. (2016) 'Anaemia is typical of pregnancies: capturing community perception and management of anaemia in pregnancy in Anambra State, Nigeria', *Journal of Health, Population and Nutrition*, 35(1), p. 29. doi: 10.1186/s41043-016-0066-9.

Quartarone, G. (2013) 'Gastroesophageal reflux in pregnancy: a systematic review on the benefit of raft forming agents.', *Minerva ginecologica*, 65(5), pp. 541-9. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/24096290>.

Qublan, H. et al. (2002) 'Cesarean section rate: The effect of age and parity', *Journal of Obstetrics and Gynaecology Research*, 28(1), pp. 22-25. doi: 10.1046/j.1341-8076.2002.00008.x.

Rahman, M. M. et al. (2016) 'Maternal anemia and risk of adverse birth and health outcomes in low- and middle-income countries: systematic review and meta-analysis', *The American Journal of Clinical Nutrition*, 103(2), pp. 495-504. doi: 10.3945/ajcn.115.107896.

Rainaldi, M. A. and Perlman, J. M. (2016) 'Pathophysiology of Birth Asphyxia', *Clinics in Perinatology*, 43(3), pp. 409-422. doi: 10.1016/j.clp.2016.04.002.

Raza, N. et al. (2011) 'Assessment of iron deficiency in pregnant women by determining iron status.', *Journal of Ayub Medical College, Abbottabad : JAMC*, 23(2), pp. 36-40. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/24800338>.

Romero-Arias, A. I. et al. (2011) 'Incidencia y factores relacionados con la pérdida hemática intraparto excesiva', *Enfermería Clínica*, 21(5), pp. 256-263. doi: 10.1016/j.enfcli.2011.07.010.

Rutstein, S. O. (2005) 'Effects of preceding birth intervals on neonatal, infant and under-five years mortality and nutritional status in developing countries: evidence from the demographic and health surveys', *International Journal of Gynecology & Obstetrics*, 89, pp. S7-S24. doi: 10.1016/j.ijgo.2004.11.012.

Sarecka-Hujar, B. and Szulc-Musioł, B. (2022) 'Herbal Medicines—Are They Effective and Safe during Pregnancy?', *Pharmaceutics*, 14(1), p. 171. doi: 10.3390/pharmaceutics14010171.

Shan, D. et al. (2018) 'Pregnancy Outcomes in Women of Advanced Maternal Age: a Retrospective Cohort Study from China', *Scientific Reports*, 8(1), p. 12239. doi: 10.1038/s41598-018-29889-3.

Sibuea, R. and Raja, S. N. L. (2022) 'Correlation of anemia in pregnancy and low birth weight in public health centers', *Science Midwifery*, 10(4), pp. 2985-2991. doi: 10.35335/midwifery.v10i4.748.

- Sivahikyako, S. A. et al. (2021) 'Prevalence and factors associated with severe anaemia post-caesarean section at a tertiary Hospital in Southwestern Uganda', *BMC Pregnancy and Childbirth*, 21(1), p. 674. doi: 10.1186/s12884-021-04157-x.
- Skajaa, G. Ø. et al. (2018) 'Parity Increases Insulin Requirements in Pregnant Women With Type 1 Diabetes', *The Journal of Clinical Endocrinology & Metabolism*, 103(6), pp. 2302-2308. doi: 10.1210/jc.2018-00094.
- Stein, J. et al. (2016) 'Anemia and iron deficiency in gastrointestinal and liver conditions', *World Journal of Gastroenterology*. doi: 10.3748/wjg.v22.i35.7908.
- Stein, J. and Dignass, A. U. (2015) 'Anaemia in the Elderly IBD Patient', *Current Treatment Options in Gastroenterology*, 13(3), pp. 308-318. doi: 10.1007/s11938-015-0062-y.
- Stephen, G. et al. (2018) 'Anaemia in Pregnancy: Prevalence, Risk Factors, and Adverse Perinatal Outcomes in Northern Tanzania', *Anemia*. doi: 10.1155/2018/1846280.
- Sun, D. et al. (2017) 'Anemia in Pregnancy: A Pragmatic Approach', *Obstetrical & Gynecological Survey*, 72(12), pp. 730-737. doi: 10.1097/OGX.0000000000000510.
- Tesema, G. A., Worku, M. G. and Teshale, A. B. (2021) 'Duration of birth interval and its predictors among reproductive-age women in Ethiopia: Gompertz gamma shared frailty modeling', *PLOS ONE*. Edited by F. T. Spradley, 16(2), p. e0247091. doi: 10.1371/journal.pone.0247091.
- Tokhi, M. et al. (2018) 'Involving men to improve maternal and newborn health: A systematic review of the effectiveness of interventions.', *PLoS one*, 13(1), p. e0191620. doi: 10.1371/journal.pone.0191620.
- Triharini, M. et al. (2019) 'The Effect of Health Promotion Intervention on Anemia Prevention Behavior and Haemoglobin Level in Pregnant Women: Based on Health Promotion Model and Self- Determination Theory', 14(1).
- Vergeldt, T. F. M. et al. (2015) 'Risk factors for pelvic organ prolapse and its recurrence: a systematic review', *International Urogynecology Journal*, 26(11), pp. 1559-1573. doi: 10.1007/s00192-015-2695-8.
- Wang, Q. et al. (2016) 'Parity and osteoporotic fracture risk in postmenopausal women: a dose-response meta-analysis of prospective studies', *Osteoporosis International*, 27(1), pp. 319-330. doi: 10.1007/s00198-015-3351-3.
- Wang, Y. et al. (2011) 'The impact of advanced maternal age and parity on

obstetric and perinatal outcomes in singleton gestations', *Archives of Gynecology and Obstetrics*, 284(1), pp. 31-37. doi: 10.1007/s00404-010-1587-x.

Webert, K. et al. (2006) 'The risk of bleeding in thrombocytopenic patients with acute myeloid leukemia.', *Haematologica*, 91(11), pp. 1530-7. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/17043016>.

Zhu, A., Kaneshiro, M. and Kaunitz, J. D. (2010) 'Evaluation and Treatment of Iron Deficiency Anemia: A Gastroenterological Perspective', *Digestive Diseases and Sciences*, 55(3), pp. 548-559. doi: 10.1007/s10620-009-1108-6.

**MASTER TABEL**  
**ANALISIS INSIDEN, FAKTOR RISIKO, PENYEBAB, DAN HASIL LUARAN MATERNAL SERTA PERINATAL**  
**PADA IBU HAMIL TRIMESTER III DENGAN ANEMIA MIKROSITIK**  
**DI KOTA MAKASSAR TAHUN 2021**

No	Nama Ibu	Insiden							Jenis Anemia	K	Puskesmas
		TIBC	K	Fe serum	K	ADT		K			
1	Ida Acce	477.4	3	25.3	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe dengan gambaran penurunan fungsi hati		1	Sedang	2	PKM.Makkasau
2	Nurhayati	565.0	3	15.8	1	Anemia mikrositik hipokrom suspek kausa defisiensi besi		2	Sedang	2	PKM.Pampang
3	Shafa	645.1	3	22.5	1	Anemia mikrositik hipokrom suspek kausa defisiensi besi		2	Sedang	2	PKM.Makkasau
4	St. Fausiah	659.1	3	18.2	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe DD/ penyakit kronik		3	Sedang	2	PKM.Antang
5	St.Rahma	578.9	3	16.8	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe DD/ penyakit kronik		3	Sedang	2	PKM.Makkasau
6	Ayu Andira	556.8	3	28.1	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe DD/ penyakit kronik disertai leukosit dengan tanda-tanda infeksi		4	Ringan	1	PKM.Tamalate
7	Herlia	520.1	3	36.3	1	Leukosit dengan tanda-tanda infeksi		4	Ringan	1	PKM.Dahlia
8	Shesil	503.1	3	48.8	1	Anemia mikrositik hipokrom suspek kausa infeksi		5	Ringan	1	PKM.Tamalate
9	Risnawati	568.1	3	19.3	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe DD/ penyakit kronik		3	Ringan	1	PKM.Tamalate
10	Asriyati	492.0	3	18.1	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe leukosit dengan tanda-tanda infeksi		4	Sedang	2	PKM.Antang
11	Marina D	572.6	3	12.7	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe leukosit dengan tanda-tanda infeksi		4	Sedang	2	PKM.Antang
12	Kartini	541.1	3	72.7	2	Anemia mikrositik hipokrom suspek kausa penyakit kronik DD/Defisiensi Fe disertai leukosit dengan tanda-tanda infeksi		4	Ringan	1	PKM.Dahlia
13	Eka Angareany	568.0	3	37.2	1	Anemia mikrositik hipokrom suspek kausa penyakit kronik DD/Defisiensi Fe disertai leukosit dengan tanda-tanda infeksi		4	Sedang	2	PKM.Dahlia

14	Adhelia	677.0	3	9.0	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Sedang	2	PKM.Tamalate
15	Ajeng	559.0	3	24.2	1	Leukosit dengan tanda -tanda infeksi	4	Ringan	1	PKM.Tamalate
16	Ita Kartika	385.1	2	24.4	1	Leukosit dengan tanda-tanda infeksi	4	Ringan	1	PKM.Tamalate
17	Risdawati	490.6	3	17.9	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Sedang	2	RSKIA.Pertiwi
18	Dian Putri	549.4	3	17.4	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSKIA.Pertiwi
19	Nur Annisa tuljannah	475.2	3	2.6	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Berat	3	RSKIA.Pertiwi
20	Astuti	531.9	3	7.0	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Sedang	2	PKM.Tamalate
21	Yohana	481.9	3	20.7	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Ringan	1	PKM.Tamalate
22	Andi Mulyani	478.0	3	17.5	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Fatimah
23	Ravina	519.3	3	11.9	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Sedang	2	RSIA. St.Khadijah
24	Wulan	442.5	3	5.8	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Sedang	2	RSKIA.Pertiwi
25	Marayza Vinda	592.2	3	77.9	2	Leukosit dengan tanda infeksi	4	Ringan	1	RSIA. Fatimah
26	Irmayanti	502.8	3	52.7	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe DD/ Penyakit kronik	3	Ringan	1	PKM.Tamalate
27	Rikawati	627.3	3	31.1`	1	Anemia mikrositik hipokrom suspek kausa penyakit kronis disertai leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA.Fatimah
28	Ainul Fitrah Azis	500.4	3	45.3	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
29	Lena	552.0	3	36.1	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
30	Nurul Adriani	678.7	3	20.0	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe	2	Sedang	2	PKM. Makkasau
31	Nurmaliyah	526.2	3	44.0	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe	2	Ringan	1	RSIA.St.Khadijah
32	Cantika Putri Aulia	504.4	3	47.6	1	Anemia mikrositik hipokrom suspek kausa infeksi	4	Ringan	1	RSIA.St.Khadijah
33	Indah R	521.4	3	11.9	1	Anemia normositik normokrom suspek kausa infeksi	4	Ringan	1	RSIA.St.Khadijah

34	Armila	652.1	3	74.8	2	Anemia normositik normokrom suspek kausa infeksi	4	Sedang	2	RSIA.St.Khadijah
35	Nurul Musfirah	589.7	3	32.2	1	Anemia normositik normokrom disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
36	Ummu Kalsum	462.9	3	10.4	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSKIA.Pertiwi
37	Nur Izza	565.4	3	35.8	1	Anemia normositik normokrom suspek kausa infeksi	4	Ringan	1	RSIA.St.Khadijah
38	Mardiana	532.5	3	19.2	1	Leukosit dengan tanda-tanda infeksi	4	Sedang	2	RSIA.St.Khadijah
39	Nursafitri	687.7	3	36.0	1	Leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSKIA.Pertiwi
40	Mutmainnah	618.6	3	25.4	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSKIA.Pertiwi
41	Ihwana	453.8	3	17.6	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
42	A.St.Hardiyanti	576.5	3	47.9	1	Leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
43	Nabila	465.1	3	71.7	2	Leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
44	Silvia	482.5	3	25.4	1	Leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
45	Sukmawati	395.5	3	29.9	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
46	Sandika Dewi	511.3	3	32.6	1	Anemia normositik normokrom disertai leukosit dengan tanda-tanda infeksi	4	Sedang	2	RSIA.St.Khadijah
47	Nurul Fastri Auliyah	410.7	3	64.2	2	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
48	Fitriani	565.5	3	33.2	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA.St.Khadijah
49	Fatimah Sahra	475.0	3	24.2	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Sedang	2	RSIA. Masyita
50	Megawati	404.0	3	26.7	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
51	Asma	380.6	2	28.0	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
52	Rosdiani	475.0	3	38.6	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe	1	Ringan	1	RSIA.St.Khadijah
53	Wahidah	475.1	3	15.8	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	1	Ringan	1	RSIA. Masyita

54	Sherly Amir	422.5	3	39.1	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
55	Fenni Puspayani	393.8	3	27.7	1	Leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
56	Nurul Wahyu	354.5	2	50.4	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
57	Nur Ramadhani	562.6	3	28.5	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
58	Elvira	186.8	1	71.7	2	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
59	Nurhayanti	372.0	2	17.9	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe	4	Ringan	1	RSIA. Masyita
60	Kamariah	0.0	1	22.4	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe, transient trombositopenia	4	Berat	3	RSIA.St.Khadijah
61	Narda	355.5	2	27.4	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukosit dengan tanda-tanda infeksi	4	Sedang	2	RSIA.St.Khadijah
62	Yohana	235.6	1	12.6	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi, transient trombositopenia	4	Berat	3	RSIA. Masyita
63	Herlina	249.6	1	22.9	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Sedang	2	RSIA. Masyita
64	Kurniati	522.3	3	42.1	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Masyita
65	A. Irawati	509.6	3	15.3	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe	4	Sedang	2	RSIA. Masyita
66	Fitriani T.	453.8	3	9.4	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe	4	Sedang	2	RSIA.St.Khadijah
67	Selpina Kona	424.0	3	64.1	2	Anemia mikrositik hipokrom suspek kausa penyakit kronik dengan gangguan fungsi hati disertai leukositosis dengan tanda-tanda infeksi	3	Ringan	1	RSIA. Masyita
68	Desi Setiawan	562.6	3	28.5	1	Anemia mikrositik hipokrom suspek kausa defisiensi Fe	4	Ringan	1	RSIA. Masyita
69	Mariang	585.6	3	22.1	1	Anemia mikrositik hipokrom suspek kausa penyakit kronik dengan gangguan fungsi hati disertai leukosit dengan tanda-tanda infeksi	3	Ringan	1	RSIA. Masyita
70	Asnita	555.6	3	28.3	1	Anemia mikrositik hipokrom suspek kausa penyakit kronik DD/defisiensi Fe disertai leukositosis dengan tanda-tanda infeksi	4	Ringan	1	RSIA. Fatimah

71	Haerunnisa						Tidak Anemia	RSKIA.Pertiwi
72	Siiti Musdalifah						Tidak Anemia	PKM Antang
73	Sumiati						Tidak Anemia	PKM Dahlia
74	Diantri						Tidak Anemia	PKM Dahlia
75	Rahmawati						Tidak Anemia	RSIA.St.Khadijah
76	Panca Triwahyuni						Tidak Anemia	PKM Antang
77	Santi						Tidak Anemia	PKM Makassau
78	Sandra Nuriati						Tidak Anemia	PKM Dahlia
79	Bunga Rampe						Tidak Anemia	PKM Dahlia
80	Sri Wahyuni						Tidak Anemia	PKM Rappokalling
81	Mirawati						Tidak Anemia	PKM Antang
82	Irmawati						Tidak Anemia	PKM Antang
83	Tri Nurul K						Tidak Anemia	PKM Tamalate
84	Ririn						Tidak Anemia	PKM Tamalate
85	Febriyani						Tidak Anemia	PKM Tamalate
86	Ramlah						Tidak Anemia	PKM Tamalate
87	A Arfita						Tidak Anemia	PKM Makassau
88	Reka						Tidak Anemia	PKM Tamalate
89	Andrianti						Tidak Anemia	PKM Pampang
90	Ingrid						Tidak Anemia	PKM Dahlia
91	Brinda						Tidak Anemia	PKM Tamalate
92	Sunarti						Tidak Anemia	PKM Rappokalling
93	Wiwin A Rukmana						Tidak Anemia	RSIA.St.Khadijah
94	Irma Fitriani						Tidak Anemia	RSIA.St.Khadijah
95	Andi Khaerani						Tidak Anemia	RSIA.St.Khadijah
96	Jumiati						Tidak Anemia	RSKIA.Pertiwi
97	Nur Jannah						Tidak Anemia	RSIA. Fatimah
98	Ayu Puspita Sari						Tidak Anemia	PKM Tamalate
99	Adinda						Tidak Anemia	PKM Dahlia
100	Aulia Salsabilah						Tidak Anemia	PKM Makassau
101	Rahmayanti						Tidak Anemia	PKM Dahlia
102	Aisyah F						Tidak Anemia	PKM Dahlia
103	Tri Handayani						Tidak Anemia	PKM Makassau

104	Herni						Tidak Anemia	PKM Dahlia
105	Indah Mustika						Tidak Anemia	PKM Makassau
106	Yulianti						Tidak Anemia	PKM Dahlia
107	Belawati						Tidak Anemia	PKM Dahlia
108	Indrawati						Tidak Anemia	PKM Pampang
109	Ismulianti						Tidak Anemia	PKM Antang
110	Fitriani						Tidak Anemia	PKM Pampang
111	Ramlah R						Tidak Anemia	PKM Pampang
112	Siswanti						Tidak Anemia	PKM Pampang

Total Sampel yang telah dilakukan pemeriksaan Darah Lengkap sebanyak 162 ibu hamil

Total Sampel yang dilanjutkan pada pemeriksaan Fe Serum, TIBC, Feritin, dan ADT sebanyak 120 ibu hamil

Sebanyak 42 sampel yang di diagnosa anemia pada pemeriksaan awal di Puskesmas dan Rumah Sakit namun pada pemeriksaan Darah Lengkap Hb dikategorikan normal atau diatas 11 gr/dl

**Kepala Laboratorium Patologi Klinik  
RSUP Wahidin Sudiro Husodo**

**Dr. dr. Asvin Nurulita, M.Kes, Sp.PK (K)**

Nip. 197808222008032001