

DAFTAR PUSTAKA

- Abdulrahman A, Mallah SI, Alawadhi A, Perna S, Janahi EM, AlQahtani MM. Association between RT-PCR Ct values and COVID-19 new daily cases: a multicenter cross-sectional study. *Infez Med*. 2021 Sep 10;29(3):416-426. doi: 10.53854/liim-2903-13. PMID: 35146347; PMCID: PMC8805503.
- Adel Al-Gheethi et al., 2020. Disinfection Methods and Survival of SARS-CoV-2 in the Environment and Contaminated Materials: A Bibliometric Analysis. *Sustainability*.
- Adji, 2007. Perbandingan Efektifitas Sterilisasi Alkohol 70%, Infra Merah, Otoklaf dan Ozon Terhadap Pertumbuhan Bakteri *Bactillus Subtilis*. *J. Sain Vet*, Volume 25, pp. 17-24.
- Akib, e. a., 2008. Pedoman pencegahan dan pengendalian infeksi di rumah sakit dan fasilitas pelayanan kesehatan lainnya.. 2nd ed. Jakarta: Departemen Kesehatan RI.
- Albertus, 2020. Sanitasi Masker N95 untuk Penggunaan Berulang pada Darurat COVID-19. [Online] Available at: <https://www.alomedika.com/sanitasi-masker-n95-untuk-penggunaan-berulang-pada-darurat-covid-19> [Accessed 11 11 2020].
- Alsuliman, 2020. COVID-19 paraclinical diagnostic tools: Updates and future trends. *Current Research in Translational Medicine*, Volume 68, pp. 83-91.
- Amini, 2017. Buku Ajar Mikrobiologi Kebidanan. Jakarta: Fakultas Kedokteran dan Kesehatan Universitas Muhammadiyah Jakarta.
- Andani, e. a., 2014. The Effect of Ultraviolet (UV) C Lamp Exposure on Organ Weights and Histopathology Appearance Liver in Male Mice (*Mus musculus L.*). pp. 146-154.
- Anggraini, 2020. Menggunakan N95 secara rasional. Jakarta, Indonesia Young Ambassador of American Society of Microbiology.
- Arguelles, 2020. Estimating UV-C Sterilization Dosage for COVID-19 Pandemic Mitigation Efforts.

- Azis, e. a., 2020. Rekomendasi Penanganan Infeksi Virus Corona (Covid-19) pada Maternal (Hamil, Bersalin, dan Nifas). 2nd ed. s.l.:Pokja Infeksi Saluran Reproduksi, Perkumpulan Obstetri dan Ginekologi Indonesia.
- Basri, e. a., 2020. Polemik Covid-19 dan Perubahan Sosial. 1st ed. Pare-Pare: IAIN Parepare Nusantara Press.
- Bergmann, S., 2020. COVID-19: Coronavirus replication, pathogenesis, and therapeutic strategies. *Cleveland Clinic Journal of Medicine*, 87(6), pp. 321-327.
- Bimantara, 2020. Peran Vitamin C dalam Pengobatan COVID-19. *Majority*, Volume 9, pp. 1-4.
- Card, 2020. UV Sterilization of Personal Protective Equipment with Idle Laboratory Biosafety Cabinets During the COVID-19 Pandemic..
- CDC, 2021. Interim Guidelines for Collecting and Handling of Clinical Specimens for COVID-19 Testing. [Online] Available at: <https://www.cdc.gov/coronavirus/2019-ncov/lab/guidelines-clinical-specimens.html> [Accessed March 2021].
- Darmadi, 2008. Sterilisasi dan Aplikasinya di Rumah Sakit. In: A. Novianti, ed. *Infeksi Nosokomial, Problematika dan Pengendaliannya*. Jakarta: Salemba Medika, pp. 79-86.
- Erlina, 2020. *Pneumonia Covid-19, Diagnosis & Penatalaksanaan di Indonesia*. Jakarta: Perhimpunan Dokter Paru Indonesia.
- Estri, e. a., 2019. *Pengendalian dan Pencegahan Infeksi*. Yogyakarta: Universitas Aisyiyah Yogyakarta.
- Ginanjari, e. a., 2020. *Pedoman Standar Perlindungan Dokter di Era Covid-19*. Jakarta: Pengurus Besar Ikatan Dokter Indonesia.
- Grade 11 Biology Study Guide, 2020. Viruses. [Online] Available at: <https://3ubiostudyguide.weebly.com/viruses.html> [Accessed 11 11 2020].
- Hamzavi, L. N., 2020. Ultraviolet germicidal irradiation: Possible method for respirator disinfection to facilitate reuse during the COVID-19 pandemic. *Research Letters J Am Acad Dermatol*, pp. 1511-1512.

- Haruyuki, A., 2017. Peran Masker/Respirator dalam Pencegahan Dampak Kesehatan Paru Akibat Polusi Udara. *Jurnal Respirasi*, Volume 3, pp. 18-25.
- Heßling M, Hönes K, Vatter P, Lingenfelder C. Ultraviolet irradiation doses for coronavirus inactivation - review and analysis of coronavirus photoinactivation studies. *GMS Hyg Infect Control*. 2020 May 14;15:Doc08. doi: 10.3205/dgkh000343. PMID: 32547908; PMCID: PMC7273323.
- Heilingloh, 2020. Susceptibility of SARS-CoV-2 to UV irradiation. *American Journal of Infection Control*, 48(10), pp. 1273-1275.
- Hendriyanto, 2010. Pengaruh Intensitas Sinar Ultraviolet dan Pengadukan Terhadap Reduksi Jumlah Bakteri E.Coli. *Jurnal Ilmiah Teknik Lingkungan*, 2(1), pp. 18-23.
- Hidayat, 2017. Pengaruh Penambahan Berbagai Jenis Susu Terhadap Kadar Asam Laktat Pada Pembuatan Susu Prebiotik Ubi Jalar (*Ipomoeta Batatas L*) oleh Bacteri *Lactobacilus Bulgaricus* Menggunakan Autoklaf. Semarang: Universitas Diponegoro.
- HSA, 2010. *A Guide to Respiratory Protective Equipment*. Dublin: Health and Safety Authority, TheMetropolitan Building.
- Johnson, A. T., 2016. Respirator masks protect health but impact performance: a review. *Journal of Biological Engineering*, Volume 104, pp. 1-12.
- JHU, 2021. COVID-19 Data Repository by the Center for Systems Science and Engineering (CSSE) at Johns Hopkins University, Baltimore, Maryland: Johns Hopkins University.
- Kamil, e. a., 2020. *Bersama Melawan Covid-10*. Pare-Pare: IAIN Pare-Pare Nusantara Press.
- Kemenkes RI, 2020. Keputusan Kementerian Kesehatan Republik Indonesia Nomor HK.01.07/Menkes/413/2020 tentang Pedoman Pencegahan dan Pengendalian Coronavirus Disease 2019 (Covid-19). Jakarta: Kementerian Kesehatan Republik Indonesia.
- KEMENKES RI, 2020. Keputusan Menteri Kesehatan Republik Indonesia. HK. 01.07/MENKES/413/2020.

- Kumar A, Kasloff SB, Leung A, Cutts T, Strong JE, Hills K, Gu FX, Chen P, Vazquez-Grande G, Rush B, Lothar S, Malo K, Zarychanski R, Krishnan J. Decontamination of N95 masks for re-use employing 7 widely available sterilization methods. *PLoS One*. 2020 Dec 16;15(12):e0243965. doi: 10.1371/journal.pone.0243965. PMID: 33326504; PMCID: PMC7744046.
- Lomrah, 2017. Pengaruh Cahaya Ultraviolet C (UV-C) dan Kelembaban Udara (RH) terhadap Jumlah Bakteri Escherchia Coli pada Sepatu Kulit. Malang: Universitas Negeri Maulana Malik Ibrahim.
- Lowe, 2020. N95 Filtering Facepiece Respirator Ultraviolet Germicidal Irradiation (UVGI) Process for Decontamination and Reuse. Nebraska: Nebraska Medicine.
- Lowe, K. D., 2020. UHS Process for Disinfection of N-95 Masks using UV Light Disinfection. s.l.:s.n.
- Lumen Learning, n.d. Biology for Majors II - Steps of Virus Infection. [Online] Available at: <https://courses.lumenlearning.com/wm-biology2/chapter/steps-of-virus-infections/> [Accessed 11 11 2020].
- Mayasari, 2020. Diktat Mikrobiologi. In: Virus. Medan: Fakultas Sains dan Teknologi, Universitas Islam Sumatra Utara, pp. 29-39.
- Meiriana, e. a., 2018. Perbedaan Angka Kuman Ruang Operasi Sebelum dan Sesudah Sterilisasi Ultraviolet RSUD Ratu Zalecha. *Jurnal Kesehatan Lingkungan*, 15(1), pp. 585-590.
- Mondal, 2020. How to decontaminate N-95 mask. s.l.:s.n.
- Munthe, e. a., 2020. Penyuluhan dan Sosialisasi Masker di Desa Sifahandro Kecamatan Sawo Sebagai Bentuk Kepedulian Terhadap Masyarakat Ditengah Mewabahnya Virus Covid-19. *Jurnal Abdimas Mutiara*, 1(2), pp. 115-123.
- O'Hearn, 2020. Decontaminating N95 and SN95 masks with ultraviolet germicidal irradiation does not impair mask efficacy and safety. *Journal of Hospital Infection*, Volume 106, pp. 163-175.
- Ozog, 2020. The effect of ultraviolet C radiation against different N95 respirators inoculated with SARS-CoV-2. *International Journal of Infectious Diseases*, Volume 100, pp. 224-229.

- Padoli, 2016. Penerapan Mikrobiologi dan Parasitologi dalam Keperawatan. In: Modul Mikrobiologi dan Parasitologi Keperawatan. s.l.:Kementrian Kesehatan Republik Indonesia, pp. 141-178.
- PERHATI-KL, 2020. Adaptasi Kebiasaan Baru Dalam Pelayanan T.H.T.K.L. di Era Pandemi Covid-19. 2 ed. s.l.:PERHATI-KL INDONESIA.
- PERMENKES RI, 2017. Peraturan Menteri Kesehatan Republik Indonesia Nomor 27 Tahun 2017 Tentang Pedoman Pencegahan dan Pengendalian Infeksi di Fasilitas Pelayanan Kesehatan.
- PHE, 2020. Understanding cycle threshold (Ct) in SARS-CoV-2 RT-PCR. London: Public Health England.
- Phillips MC, Quintero D, Wald-Dickler N, Holtom P, Butler-Wu SM. SARS-CoV-2 cycle threshold (Ct) values predict future COVID-19 cases. *J Clin Virol.* 2022 Jun;150-151:105153. doi: 10.1016/j.jcv.2022.105153. Epub 2022 Apr 8. PMID: 35472751; PMCID: PMC8990441.
- Purplesun, 2020. 2020 COVID-19 Coronavirus Ultraviolet Susceptibility. Researchgate.
- Pusparini, 2020. Tes serologi dan polimerase chain reaction untuk deteksi SARS-CoV-2. *Jurnal Biomedika dan Kesehatan*, 3(2), pp. 46-48.
- Rabaan AA, Tirupathi R, Sule AA, Aldali J, Mutair AA, Alhumaid S, Muzahed, Gupta N, Koritala T, Adhikari R, Bilal M, Dhawan M, Tiwari R, Mitra S, Emran TB, Dhama K. Viral Dynamics and Real-Time RT-PCR Ct Values Correlation with Disease Severity in COVID-19. *Diagnostics (Basel)*. 2021 Jun 15;11(6):1091. doi: 10.3390/diagnostics11061091. PMID: 34203738; PMCID: PMC8232180.
- Reed, 2010. The History of Ultraviolet Germicidal Irradiation for Air Disinfection. January–February 2010, pp. 15-27.
- Ryani, 2014. Pengaruh Lama Penyinaran Sinar Lampu Ultraviolet-C Terhadap Pertumbuhan Bakteri *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Klebsiella pneumoniae* dan *Acinetobacter baumannii*. Skripsi Universitas Sumatera Utara.
- SIRS RSWS, 2021. Laporan Pengiriman Obat Ke Unit Lain, Makassar: RS Wahidin Sudirohusodo.

- Sulatri, 2017. Efektifitas sinar ultraviolet terhadap cemaran bakteri patogen pada makanan cair sonde untuk pasien immune-compromised. *Jurnal Gizi Indonesia*, Volume 5, pp. 112-118.
- Suprobawati, 2018. Dasar-dasar Virologi. In: *Bahan Ajar Teknologi Lamoratorium Medik - Virologi*. Jakarta: Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan, Kemenkes RI, pp. 1 - 45.
- University of Maryland, 2017. Voluntary N95 Respirator Use.
- UVDI, 2020. Effectiveness of UVC Light to Mitigate Coronavirus (COVID-19). March.
- VCU Health, 2020. N95 mask collection, UV decontamination and distribution processes implemented during COVID-19 pandemic. Virginia: Virginia Commonwealth University.
- Waluyo, T. C., 2016. Efektifitas Sterilisasi Menggunakan Ultraviolet (UV) Pada Ruang Perawatan Di Rumah Sakit Umum Daerah Banyumas. pp. 189-193.
- Wan Y, , 2020. Receptor recognition by novel coronavirus from Wuhan: An analysis based on decade decade-long. *Journal of Virology*. American Society for Microbiology, 94(7), pp. 1-24.
- Wang Z, 2020. *Handbook of 2019-nCoV Pneumonia Control and Prevention..* China: Hubei Science and Technologi Press.
- Weaver DT, McElvany BD, Gopalakrishnan V, Card KJ, Crozier D, Dhawan A, Dinh MN, Dolson E, Farrokhan N, Hitomi M, Ho E, Jagdish T, King ES, Cadnum JL, Donskey CJ, Krishnan N, Kuzmin G, Li J, Maltas J, Mo J, Pelesko J, Scarborough JA, Sedor G, Tian E, An GC, Diehl SA, Scott JG. UV decontamination of personal protective equipment with idle laboratory biosafety cabinets during the COVID-19 pandemic. *PLoS One*. 2021 Jul 26;16(7):e0241734. doi: 10.1371/journal.pone.0241734. PMID: 34310599; PMCID: PMC8312969.
- WHO, 2020. Anjuran mengenai penggunaan masker dalam konteks COVID-19. s.l.:World Health Organization.

WHO, 2020. Penggunaan rasional alat perlindungan diri untuk penyakit coronavirus (COVID-19) dan pertimbangan jika ketersediaan sangat terbatas. s.l.:World Health Organization.

WHO, 2020. Transmisi SARS-CoV-2: implikasi terhadap kewaspadaan pencegahan infeksi. 9 Juli, pp. 1-10.

LAMPIRAN HASIL OLAHAN DATA

Descriptive Statistics

	Mean	Std. Deviation	N
CT_Value	19.7550	3.08459	30
t1_UV	32.9100	3.64112	30
t5_UV	31.6550	2.18742	30
t10_UV	32.4117	1.53552	30
t15_UV	32.1033	2.60890	30

Descriptives

		Statistic	Std. Error
CT_Value	Mean	19.7550	1.25928
	95% Confidence Interval for Mean	Lower Bound	16.5179
		Upper Bound	22.9921
	5% Trimmed Mean	19.8100	
	Median	20.5950	
	Variance	9.515	
	Std. Deviation	3.08459	
	Minimum	15.81	
	Maximum	22.71	
	Range	6.90	
	Interquartile Range	6.48	
	Skewness	-.526	.845
	Kurtosis	-2.048	1.741
t1_UV	Mean	32.9100	1.48648
	95% Confidence Interval for Mean	Lower Bound	29.0889
		Upper Bound	36.7311
	5% Trimmed Mean	32.8778	
	Median	32.9000	
	Variance	13.258	
	Std. Deviation	3.64112	
	Minimum	28.81	
	Maximum	37.59	
	Range	8.78	

	Interquartile Range		6.83	
	Skewness		.107	.845
	Kurtosis		-2.314	1.741
t5_UV	Mean		31.6550	.89301
	95% Confidence Interval for	Lower Bound	29.3594	
	Mean	Upper Bound	33.9506	
	5% Trimmed Mean		31.7300	
	Median		31.7450	
	Variance		4.785	
	Std. Deviation		2.18742	
	Minimum		27.81	
	Maximum		34.15	
	Range		6.34	
	Interquartile Range		3.10	
	Skewness		-1.069	.845
	Kurtosis		1.817	1.741
t10_UV	Mean		32.4117	.62687
	95% Confidence Interval for	Lower Bound	30.8002	
	Mean	Upper Bound	34.0231	
	5% Trimmed Mean		32.4019	
	Median		32.3250	
	Variance		2.358	
	Std. Deviation		1.53552	
	Minimum		30.49	
	Maximum		34.51	
	Range		4.02	
	Interquartile Range		2.52	
	Skewness		.141	.845
	Kurtosis		-1.652	1.741
t15_UV	Mean		32.1033	1.06508
	95% Confidence Interval for	Lower Bound	29.3655	
	Mean	Upper Bound	34.8412	
	5% Trimmed Mean		32.0998	
	Median		31.6800	
	Variance		6.806	
	Std. Deviation		2.60890	
	Minimum		28.59	

Maximum	35.68	
Range	7.09	
Interquartile Range	4.66	
Skewness	.169	.845
Kurtosis	-.937	1.741

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
CT_Value	.211	30	.200 [*]	.853	30	.167
t1_UV	.213	30	.200 [*]	.904	30	.397
t5_UV	.256	30	.200 [*]	.922	30	.517
t10_UV	.241	30	.200 [*]	.930	30	.582
t15_UV	.158	30	.200 [*]	.972	30	.908

*. This is a lower bound of the true significance.

a. Lilliefors Significance Correction

Multivariate Tests^a

Effect		Value	F	Hypothesis df	Error df	Sig.
factor1	Pillai's Trace	.998	284.590 ^b	4.000	26.000	.004
	Wilks' Lambda	.002	284.590 ^b	4.000	26.000	.004
	Hotelling's Trace	569.181	284.590 ^b	4.000	26.000	.004
	Roy's Largest Root	569.181	284.590 ^b	4.000	26.000	.004

a. Design: Intercept

Within Subjects Design: factor1

b. Exact statistic

Pairwise Comparisons

Measure: MEASURE_1

(I) factor1	(J) factor1	Mean Difference (I-J)	Std. Error	Sig. ^b	95% Confidence Interval for Difference ^b	
					Lower Bound	Upper Bound
1	2	-13.155*	1.898	.010	-22.213	-4.097
	3	-11.900*	1.761	.011	-20.307	-3.493
	4	-12.657*	1.362	.002	-19.160	-6.154
	5	-12.348*	1.389	.003	-18.977	-5.719
2	1	13.155*	1.898	.010	4.097	22.213
	3	1.255	1.037	1.000	-3.697	6.207
	4	.498	.981	1.000	-4.185	5.182
	5	.807	1.169	1.000	-4.775	6.389
3	1	11.900*	1.761	.011	3.493	20.307
	2	-1.255	1.037	1.000	-6.207	3.697
	4	-.757	.440	1.000	-2.858	1.344
	5	-.448	.729	1.000	-3.928	3.032
4	1	12.657*	1.362	.002	6.154	19.160
	2	-.498	.981	1.000	-5.182	4.185
	3	.757	.440	1.000	-1.344	2.858
	5	.308	.670	1.000	-2.891	3.507
5	1	12.348*	1.389	.003	5.719	18.977
	2	-.807	1.169	1.000	-6.389	4.775
	3	.448	.729	1.000	-3.032	3.928
	4	-.308	.670	1.000	-3.507	2.891

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Adjustment for multiple comparisons: Bonferroni.