

DAFTAR PUSTAKA

- Abdel-Sayed, P. *et al.* (2019) ‘Cell therapies for skin regeneration: an overview of 40 years of experience in burn units.’, *Swiss medical weekly*, 149(19–20), p. w20079. doi: 10.4414/smw.2019.20079.
- Abraham, J. A. and Klagsbrun, M. (1988) ‘Modulation of Wound Repair by Members of the Fibroblast Growth Factor Family’, in *The Molecular and Cellular Biology of Wound Repair*. Boston, MA: Springer US, pp. 195–248. doi: 10.1007/978-1-4899-0185-9_6.
- Aleckovic, M. and Simon, C. (2008) ‘Is teratoma formation in stem cell research a characterization tool or a window to developmental biology?’, *Reproductive biomedicine online*, 17(2), pp. 270–280. doi: 10.1016/s1472-6483(10)60206-4.
- ANZBA (2016) *Emergency Management of Severe Burns (EMSB)*. 18th edn. Albany Creek: THE EDUCATION COMMITTEE OF AUSTRALIA AND NEW ZEALAND BURN ASSOCIATION LTD.
- Aryenti *et al.* (2012) ‘PMN Leukocytes and Fibroblasts Numbers on Wound Burn Healing on the Skin of White Rat after Administration of Ambonese Plantain Banana’, *MAKARA of Science Series*, 16(1). doi: 10.7454/mss.v16i1.1275.
- Asmawati, A. *et al.* (2020) ‘The increase of fibroblast cells number in rat (*rattus norvegicus*) gingival wound after the application of moringa (*moringa oleifera lam*) fruit oil’, *Journal of Dentomaxillofacial Science*, 5(3), p. 173. doi: 10.15562/jdmfs.v5i3.1121.
- Baglioni, S. *et al.* (2009) ‘Characterization of human adult stem-cell populations isolated from visceral and subcutaneous adipose tissue.’, *FASEB journal : official publication of the Federation of American Societies for Experimental Biology*, 23(10), pp. 3494–3505. doi: 10.1096/fj.08-126946.
- Bakacak, M. *et al.* (2016) ‘Protective Effect of Platelet Rich Plasma on Experimental Ischemia/Reperfusion Injury in Rat Ovary.’, *Gynecologic and obstetric investigation*, 81(3), pp. 225–231. doi: 10.1159/000440617.
- Barret-Nerin, J. (2004) *Principles and Practice of Burn Surgery*. CRC Press. doi:

10.1201/b21634.

- Baum, J. and Duffy, H. S. (2011) ‘Fibroblasts and myofibroblasts: what are we talking about?’, *Journal of cardiovascular pharmacology*, 57(4), pp. 376–9. doi: 10.1097/FJC.0b013e3182116e39.
- Benson, A., Dickson, W. A. and Boyce, D. E. (2006) ‘ABC of wound healing: Burns’, *BMJ*, 333(Suppl S3), p. 609324. doi: 10.1136/sbmj.0609324.
- Bordoni, B. and Zanier, E. (2015) ‘Understanding Fibroblasts in Order to Comprehend the Osteopathic Treatment of the Fascia’, *Evidence-Based Complementary and Alternative Medicine*, 2015, pp. 1–7. doi: 10.1155/2015/860934.
- Borrione, P. et al. (2010) ‘Platelet-rich plasma in muscle healing.’, *American journal of physical medicine & rehabilitation*, 89(10), pp. 854–861. doi: 10.1097/PHM.0b013e3181f1c1c7.
- Bourin, P. et al. (2013) ‘Stromal cells from the adipose tissue-derived stromal vascular fraction and culture expanded adipose tissue-derived stromal/stem cells: a joint statement of the International Federation for Adipose Therapeutics and Science (IFATS) and the International Society for Cytotherapy’, *Cytotherapy*, 15(6), pp. 641–648. doi: 10.1016/j.jcyt.2013.02.006.
- Braund, R., Hook, S. and Medlicott, N. J. (2007) ‘The role of topical growth factors in chronic wounds.’, *Current drug delivery*, 4(3), pp. 195–204. doi: 10.2174/156720107781023857.
- Caley, M. P., Martins, V. L. C. and O’Toole, E. A. (2015) ‘Metalloproteinases and Wound Healing’, *Advances in Wound Care*, 4(4), pp. 225–234. doi: 10.1089/wound.2014.0581.
- Cañedo-Dorantes, L. and Cañedo-Ayala, M. (2019) ‘Skin Acute Wound Healing: A Comprehensive Review’, *International Journal of Inflammation*. Edited by B. L. Slomiany, 2019, p. 3706315. doi: 10.1155/2019/3706315.
- Cerqueira, M. T., Pirraco, R. P. and Marques, A. P. (2016) ‘Stem Cells in Skin Wound Healing: Are We There Yet?’, *Advances in Wound Care*, 5(4), pp. 164–175. doi: 10.1089/wound.2014.0607.
- Cervelli, V. et al. (2010) ‘Tissue regeneration in loss of substance on the lower

- limbs through use of platelet-rich plasma, stem cells from adipose tissue, and hyaluronic acid.’, *Advances in skin & wound care*, 23(6), pp. 262–272. doi: 10.1097/01.ASW.0000363551.82058.36.
- Chieregato, K. et al. (2011) ‘Epidermal growth factor, basic fibroblast growth factor and platelet-derived growth factor-bb can substitute for fetal bovine serum and compete with human platelet-rich plasma in the ex vivo expansion of mesenchymal stromal cells derived from adipose tissue’, *Cytotherapy*, 13(8), pp. 933–943. doi: 10.3109/14653249.2011.583232.
- Choi, J., Minn, K. W. and Chang, H. (2012) ‘The efficacy and safety of platelet-rich plasma and adipose-derived stem cells: an update’, *Archives of plastic surgery*. 2012/11/14, 39(6), pp. 585–592. doi: 10.5999/aps.2012.39.6.585.
- Comella, K., Silbert, R. and Parlo, M. (2017) ‘Effects of the intradiscal implantation of stromal vascular fraction plus platelet rich plasma in patients with degenerative disc disease’, *Journal of translational medicine*, 15(1), p. 12. doi: 10.1186/s12967-016-1109-0.
- Dailey, L. et al. (2005) ‘Mechanisms underlying differential responses to FGF signaling.’, *Cytokine & growth factor reviews*, 16(2), pp. 233–247. doi: 10.1016/j.cytogfr.2005.01.007.
- Darinskas, A. et al. (2017) ‘Stromal vascular fraction cells for the treatment of critical limb ischemia: a pilot study.’, *Journal of translational medicine*, 15(1), p. 143. doi: 10.1186/s12967-017-1243-3.
- El-Sharkawy, H. et al. (2007) ‘Platelet-rich plasma: growth factors and pro- and anti-inflammatory properties.’, *Journal of periodontology*, 78(4), pp. 661–669. doi: 10.1902/jop.2007.060302.
- Eppley, B. L., Pietrzak, W. S. and Blanton, M. (2006) ‘Platelet-rich plasma: a review of biology and applications in plastic surgery.’, *Plastic and reconstructive surgery*, 118(6), pp. 147e-159e. doi: 10.1097/01.prs.0000239606.92676.cf.
- Fabi, S. and Sundaram, H. (2014) ‘The Potential of Topical and Injectable Growth Factors and Cytokines for Skin Rejuvenation’, *Facial Plastic Surgery*, 30(02), pp. 157–171. doi: 10.1055/s-0034-1372423.

- Ferraro, G. A., Mizuno, H. and Pallua, N. (2016) ‘Adipose Stem Cells: From Bench to Bedside’, *Stem Cells International*, 2016, p. 6484038. doi: 10.1155/2016/6484038.
- Foldager, C. B. *et al.* (2015) ‘A Stereological Method for the Quantitative Evaluation of Cartilage Repair Tissue’, *CARTILAGE*, 6(2), pp. 123–132. doi: 10.1177/1947603514560655.
- Foubert, P. *et al.* (2016) ‘Adipose-derived regenerative cell therapy for burn wound healing: A comparison of two delivery methods’, *Advances in Wound Care*, 5(7), pp. 288–298. doi: 10.1089/wound.2015.0672.
- Fu, Y.-S. *et al.* (2006) ‘Conversion of human umbilical cord mesenchymal stem cells in Wharton’s jelly to dopaminergic neurons in vitro: potential therapeutic application for Parkinsonism.’, *Stem cells (Dayton, Ohio)*, 24(1), pp. 115–124. doi: 10.1634/stemcells.2005-0053.
- Gentile, P. *et al.* (2017) ‘Concise Review: The Use of Adipose-Derived Stromal Vascular Fraction Cells and Platelet Rich Plasma in Regenerative Plastic Surgery.’, *Stem cells (Dayton, Ohio)*, 35(1), pp. 117–134. doi: 10.1002/stem.2498.
- Gentleman, E. *et al.* (2004) ‘Short Collagen Fibers Provide Control of Contraction and Permeability in Fibroblast-Seeded Collagen Gels’, *Tissue Engineering*, 10(3–4), pp. 421–427. doi: 10.1089/107632704323061780.
- Georgiev, G. P., Vidinov, N. K. and Kinov, P. S. (2010) ‘Histological and ultrastructural evaluation of the early healing of the lateral collateral ligament epiligament tissue in a rat knee model’, *BMC Musculoskeletal Disorders*, 11(1), p. 117. doi: 10.1186/1471-2474-11-117.
- Ghadially, R., Halkier-Sorensen, L. and Elias, P. M. (1992) ‘Effects of petrolatum on stratum corneum structure and function’, *Journal of the American Academy of Dermatology*, 26(3), pp. 387–396. doi: [https://doi.org/10.1016/0190-9622\(92\)70060-S](https://doi.org/10.1016/0190-9622(92)70060-S).
- Ghieh, F. *et al.* (2015) ‘The Use of Stem Cells in Burn Wound Healing: A Review’, *BioMed Research International*. Edited by C. Kasper, 2015, p. 684084. doi: 10.1155/2015/684084.

- Gillenwater, J. and Garner, W. L. (2020) ‘Thermal, Chemical, and Electrical Injuries’, in Kevin C. Chung (ed.) *Grabb and Smith’s plastic surgery*. Eighth. Philadelphia: Wolters Kluwer Health.
- Gimble, J. and Guilak, F. (2003) ‘Adipose-derived adult stem cells: isolation, characterization, and differentiation potential.’, *Cyotherapy*, 5(5), pp. 362–369. doi: 10.1080/14653240310003026.
- Gimble, J. M., Katz, A. J. and Bunnell, B. A. (2007) ‘Adipose-derived stem cells for regenerative medicine.’, *Circulation research*, 100(9), pp. 1249–1260. doi: 10.1161/01.RES.0000265074.83288.09.
- Han, J. et al. (2010) ‘Adipose tissue is an extramedullary reservoir for functional hematopoietic stem and progenitor cells.’, *Blood*, 115(5), pp. 957–964. doi: 10.1182/blood-2009-05-219923.
- Harrison, D. A. (2012) ‘The Jak/STAT pathway.’, *Cold Spring Harbor perspectives in biology*, 4(3). doi: 10.1101/cshperspect.a011205.
- Hausman, G. J. and Richardson, R. L. (2004) ‘Adipose tissue angiogenesis.’, *Journal of animal science*, 82(3), pp. 925–934. doi: 10.2527/2004.823925x.
- Hayes, M. et al. (2012) ‘Clinical review: Stem cell therapies for acute lung injury/acute respiratory distress syndrome - hope or hype?’, *Critical care (London, England)*, 16(2), p. 205. doi: 10.1186/cc10570.
- Herndon, D. N. et al. (1997) ‘Growth Hormone Therapy in Human Burn Injury’, in Ziegler, T. R., Pierce, G. F., and Herndon, D. N. (eds) *Growth Factors and Wound Healing*. New York, NY: Springer New York, pp. 231–244.
- Hettiaratchy, S. and Papini, R. (2004) ‘Initial management of a major burn: II--assessment and resuscitation’, *BMJ (Clinical research ed.)*, 329(7457), pp. 101–103. doi: 10.1136/bmj.329.7457.101.
- Hirase, T. et al. (2018) ‘Topical application of platelet-rich plasma for diabetic foot ulcers: A systematic review’, *World Journal of Diabetes*, 9(10), pp. 172–179. doi: 10.4239/wjd.v9.i10.172.
- Hombach-Klonisch, S. et al. (2008) ‘Adult stem cells and their trans-differentiation potential--perspectives and therapeutic applications’, *Journal of molecular medicine (Berlin, Germany)*. 2008/07/16, 86(12), pp. 1301–1314. doi:

- 10.1007/s00109-008-0383-6.
- Horwitz, E. M. *et al.* (2005) ‘Clarification of the nomenclature for MSC: The International Society for Cellular Therapy position statement.’, *Cyotherapy*, 7(5), pp. 393–395. doi: 10.1080/14653240500319234.
- Hosni Ahmed, H. *et al.* (2017) ‘Can mesenchymal stem cells pretreated with platelet-rich plasma modulate tissue remodeling in a rat with burned skin?’, *Biochemistry and Cell Biology*, 95(5), pp. 537–548. doi: 10.1139/bcb-2016-0224.
- Hu, Z. *et al.* (2009) ‘Platelet-rich plasma induces mRNA expression of VEGF and PDGF in rat bone marrow stromal cell differentiation.’, *Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics*, 107(1), pp. 43–48. doi: 10.1016/j.tripleo.2008.06.023.
- Josh, F. *et al.* (2012) ‘Accelerated and Safe Proliferation of Human Adipose-derived Stem Cells in Medium Supplemented with Human Serum’, *Journal of Nippon Medical School*, 79(6), pp. 444–452. doi: 10.1272/jnms.79.444.
- Josh, F. *et al.* (2021) ‘The Combination of Stromal Vascular Fraction Cells and Platelet-Rich Plasma Reduces Malondialdehyde and Nitric Oxide Levels in Deep Dermal Burn Injury’, *Journal of Inflammation Research*, Volume 14, pp. 3049–3061. doi: 10.2147/JIR.S318055.
- Kakudo, N. *et al.* (2008) ‘Proliferation-promoting effect of platelet-rich plasma on human adipose-derived stem cells and human dermal fibroblasts’, *Plastic and Reconstructive Surgery*, 122(5), pp. 1352–1360. doi: 10.1097/PRS.0b013e3181882046.
- Karagergou, E. *et al.* (2018) ‘Adipose-derived stromal vascular fraction aids epithelialisation and angiogenesis in an animal model’, *Journal of Wound Care*, 27, pp. 637–644. doi: 10.12968/jowc.2018.27.10.637.
- Karina *et al.* (2019) ‘Combination of the stromal vascular fraction and platelet-rich plasma accelerates the wound healing process: pre-clinical study in a Sprague-Dawley rat model’, *Stem Cell Investigation*, 6, pp. 18–18. doi: 10.21037/sci.2019.06.08.
- Kendall, R. T. and Feghali-Bostwick, C. A. (2014) ‘Fibroblasts in fibrosis: novel

- roles and mediators', *Frontiers in Pharmacology*, 5. doi: 10.3389/fphar.2014.00123.
- Kevy, S., Jacobson, M. and Benoit, P. (2001) 'The biology of platelet concentrate as prepared by the Harvest Technologies Smart-PReP System', in *Proceedings of the 3rd Annual Meeting of Techvest Conference on Tissue Repair, Replacement, and Regeneration*.
- Kim, D.-Y. *et al.* (2014) 'Effects of platelet-rich plasma, adipose-derived stem cells, and stromal vascular fraction on the survival of human transplanted adipose tissue', *Journal of Korean medical science*. 2014/11/21, 29 Suppl 3(Suppl 3), pp. S193–S200. doi: 10.3346/jkms.2014.29.S3.S193.
- Kirschstein, R. (2001) 'Stem cells: scientific progress and future directions', *National Institutes of Health*, pp. 1–222.
- Kolkova, K. *et al.* (2000) 'Neural cell adhesion molecule-stimulated neurite outgrowth depends on activation of protein kinase C and the Ras-mitogen-activated protein kinase pathway', *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 20(6), pp. 2238–2246. doi: 10.1523/JNEUROSCI.20-06-02238.2000.
- Krafts, K. P. (2010) 'Tissue repair', *Organogenesis*, 6(4), pp. 225–233. doi: 10.4161/org.6.4.12555.
- Kuru, L. *et al.* (1998) 'Flow Cytometry Analysis of Gingival and Periodontal Ligament Cells', *Journal of Dental Research*, 77(4), pp. 555–564. doi: 10.1177/00220345980770040801.
- Lai, F. *et al.* (2018) 'Platelet-rich plasma enhances the proliferation of human adipose stem cells through multiple signaling pathways', *Stem Cell Research and Therapy*, 9(1), pp. 1–10. doi: 10.1186/s13287-018-0851-z.
- Laidding, S. R. *et al.* (2020) 'Combination of platelet-rich plasma and stromal vascular fraction on the level of transforming growth factor- β in rat subjects experiencing deep dermal burn injury', *Annals of Medicine and Surgery*, 60, pp. 737–742. doi: 10.1016/j.amsu.2020.11.088.
- Laidding, S. R. *et al.* (2021) 'Combination of platelet rich plasma and stromal vascular fraction on the level of vascular endothelial growth factor in rat

- subjects experiencing deep dermal burn injury', *Annals of Medicine and Surgery*, 64, p. 102254. doi: 10.1016/j.amsu.2021.102254.
- Lapière, C. M. and Nusgens, B. V. (1989) 'Fibroblasts, Collagen, Elastin, Proteoglycans and Glycoproteins', in, pp. 69–88. doi: 10.1007/978-3-642-73797-8_5.
- Lawrence, W. T. (1998) 'Physiology of the acute wound.', *Clinics in plastic surgery*, 25(3), pp. 321–340.
- Li, H. *et al.* (2009) 'Experimental research of the promotion effect of autogeneic PRP on osteogenic differentiation of human adipose-derived stem cells in vitro', *Zhongguo xiufu chongjian waike za zhi = Zhongguo xiufu chongjian waike zazhi = Chinese journal of reparative and reconstructive surgery*, 23(6), pp. 732–736.
- Lo, B. and Parham, L. (2009) 'Ethical issues in stem cell research', *Endocrine reviews*. 2009/04/14, 30(3), pp. 204–213. doi: 10.1210/er.2008-0031.
- MacLeod, A. S. and Mansbridge, J. N. (2016) 'The Innate Immune System in Acute and Chronic Wounds', *Advances in wound care*, 5(2), pp. 65–78. doi: 10.1089/wound.2014.0608.
- Mansoub, N. H. *et al.* (2018) 'The role of PRP and adipose tissue-derived keratinocytes on burn wound healing in diabetic rats', *BioImpacts*, 8(1), pp. 5–12. doi: 10.15171/bi.2018.02.
- Marck, R., Middelkoop, M. and Breederveld, R. (2018) 'Considerations on the use of platelet rich plasma, specifically for burn treatment: Journal of burn care & research May-Jun 2014;35(3):219-227', in *On PLATELETS and burns*, pp. 20–34.
- McGee, G. S. *et al.* (1988) 'Recombinant basic fibroblast growth factor accelerates wound healing.', *The Journal of surgical research*, 45(1), pp. 145–153. doi: 10.1016/0022-4804(88)90034-0.
- Moenadjat, Y. *et al.* (2013) 'The application of human umbilical cord blood mononuclear cells in the management of deep partial thickness burn', *Medical Journal of Indonesia*, 22(2 SE-Clinical Research). doi: 10.13181/mji.v22i2.534.

- Mohammed, M. O. *et al.* (2019) ‘Role of Bovine Fetal Platelet-rich Plasma (PRP) on Skin Wound Healing in Mice’, *International Journal of Pharmacology*, 16(1), pp. 18–26. doi: 10.3923/ijp.2020.18.26.
- Motamed, S. *et al.* (2017) ‘Cell-based skin substitutes accelerate regeneration of extensive burn wounds in rats’, *American Journal of Surgery*, 214(4), pp. 762–769. doi: 10.1016/j.amjsurg.2017.04.010.
- Nauta, A. *et al.* (2013) ‘Adipose-derived stromal cells overexpressing vascular endothelial growth factor accelerate mouse excisional wound healing.’, *Molecular therapy : the journal of the American Society of Gene Therapy*, 21(2), pp. 445–455. doi: 10.1038/mt.2012.234.
- Nazzal, M. *et al.* (2019) ‘Wound Healing’, in F. Charles Brunicardi *et al.* (eds) *Schwartz’s Principles of Surgery*. Eleventh. New York: McGraw-Hill, pp. 271–304.
- Nikolidakis, D. and Jansen, J. A. (2008) ‘The biology of platelet-rich plasma and its application in oral surgery: literature review.’, *Tissue engineering. Part B, Reviews*, 14(3), pp. 249–258. doi: 10.1089/ten.teb.2008.0062.
- Oryan, A., Alemzadeh, E. and Moshiri, A. (2017) ‘Burn wound healing: present concepts, treatment strategies and future directions’, *Journal of Wound Care*, 26(1), pp. 5–19. doi: 10.12968/jowc.2017.26.1.5.
- P., B. (2013) ‘Wound healing and the role of fibroblasts’, *Journal of Wound Care*, 22(8), pp. 407–412. doi: 10.12968/jowc.2013.22.8.407.
- Park, J. W., Hwang, S. R. and Yoon, I.-S. (2017) ‘Advanced Growth Factor Delivery Systems in Wound Management and Skin Regeneration’, *Molecules (Basel, Switzerland)*, 22(8), p. 1259. doi: 10.3390/molecules22081259.
- Patel, D. P. *et al.* (2015) ‘High-grade renal injuries are often isolated in sports-related trauma’, *Injury*. 2015/03/01, 46(7), pp. 1245–1249. doi: 10.1016/j.injury.2015.02.008.
- Petry, T. *et al.* (2017) ‘Review of data on the dermal penetration of mineral oils and waxes used in cosmetic applications’, *Toxicology Letters*, 280, pp. 70–78. doi: <https://doi.org/10.1016/j.toxlet.2017.07.899>.
- Van Pham, P. *et al.* (2013) ‘Activated platelet-rich plasma improves adipose-

- derived stem cell transplantation efficiency in injured articular cartilage.', *Stem cell research & therapy*, 4(4), p. 91. doi: 10.1186/scrt277.
- Plichta, J. K. and Radek, K. A. (2012) 'Sugar-Coating Wound Repair: A Review of FGF-10 and Dermatan Sulfate in Wound Healing and Their Potential Application in Burn Wounds', *Journal of Burn Care & Research*, 33(3), pp. 299–310. doi: 10.1097/BCR.0b013e318240540a.
- Powers, C. J., McLeskey, S. W. and Wellstein, A. (2000) 'Fibroblast growth factors, their receptors and signaling.', *Endocrine-related cancer*, 7(3), pp. 165–197. doi: 10.1677/erc.0.0070165.
- Raposio, E. *et al.* (2016) 'Adipose-derived Stem Cells Added to Platelet-rich Plasma for Chronic Skin Ulcer Therapy.', *Wounds : a compendium of clinical research and practice*, 28(4), pp. 126–131.
- Ravikanth, M. *et al.* (2011) 'Heterogeneity of fibroblasts', *Journal of Oral and Maxillofacial Pathology*, 15(2), p. 247. doi: 10.4103/0973-029X.84516.
- Rigotti, G., Marchi, A. and Sbarbati, A. (2009) 'Adipose-derived mesenchymal stem cells: past, present, and future.', *Aesthetic plastic surgery*. United States, pp. 271–273. doi: 10.1007/s00266-009-9339-7.
- Rohovsky, S. and D'Amore, P. A. (1997) 'Growth Factors and Angiogenesis in Wound Healing', in Ziegler, T. R., Pierce, G. F., and Herndon, D. N. (eds) *Growth Factors and Wound Healing*. New York, NY: Springer New York, pp. 8–26. doi: 10.1007/978-1-4612-1876-0_2.
- Rosenstrauch, D. *et al.* (2005) 'Stem celltherapy for ischemic heart failure', *Texas Heart Institute journal*, 32(3), pp. 339–347. Available at: <https://pubmed.ncbi.nlm.nih.gov/16392214>.
- Rumalla, V. K. and Borah, G. L. (2001) 'Cytokines, growth factors, and plastic surgery.', *Plastic and reconstructive surgery*, 108(3), pp. 719–733. doi: 10.1097/00006534-200109010-00019.
- Said, A. *et al.* (2019) 'Sauromatum guttatum extract promotes wound healing and tissue regeneration in a burn mouse model via up-regulation of growth factors', *Pharmaceutical Biology*, 57(1), pp. 736–743. doi: 10.1080/13880209.2019.1676266.

- V Sandhu, S. *et al.* (2012) ‘Collagen in Health and Disease’, *Journal of Orofacial Research*. Edited by N. S. Yadav, 2, pp. 153–159. doi: 10.5005/jp-journals-10026-1032.
- Schaffer, C. J. and Nanney, L. B. (1996) ‘Cell biology of wound healing.’, *International review of cytology*, 169, pp. 151–181. doi: 10.1016/s0074-7696(08)61986-5.
- Schöler, H. R. (2016) ‘The Potential of Stem Cells: An Inventory’, in Schipanski, D., Knoepffle, N., and S L Sorgner (eds) *Humanbiotechnology as Social Challenge An Interdisciplinary Introduction to Bioethics*. First. London: Taylor & Francis, pp. 1–28.
- Sethi, A. *et al.* (2016) ‘Moisturizers: The Slippery Road’, *Indian journal of dermatology*, 61(3), pp. 279–287. doi: 10.4103/0019-5154.182427.
- Shpichka, A. *et al.* (2019) ‘Skin tissue regeneration for burn injury’, *Stem Cell Research and Therapy*. Stem Cell Research & Therapy, pp. 1–16. doi: 10.1186/s13287-019-1203-3.
- Singh, V. K. *et al.* (2016) ‘Describing the Stem Cell Potency: The Various Methods of Functional Assessment and In silico Diagnostics’, *Frontiers in Cell and Developmental Biology*, 4, p. 134. doi: 10.3389/fcell.2016.00134.
- Smith, O. J., Jell, G. and Mosahebi, A. (2019) ‘The use of fat grafting and platelet-rich plasma for wound healing: A review of the current evidence’, *International Wound Journal*, 16(1), pp. 275–285. doi: 10.1111/iwj.13029.
- Tajima, S. *et al.* (2014) ‘Direct and Indirect Effects of a Combination of Adipose-Derived Stem Cells and Platelet-Rich Plasma on Bone Regeneration’, *Tissue engineering. Part A*, 21. doi: 10.1089/ten.TEA.2014.0336.
- Tantuway, V. *et al.* (2016) ‘Autologous grafting of non manipulated freshly isolated - adipose tissue derived stromal vascular fraction in single surgical sitting for treatment of knee osteoarthritis’, *International Journal of Research in Orthopaedics*, 3, p. 107. doi: 10.18203/issn.2455-4510.IntJResOrthop20164834.
- Tohidnezhad, M. *et al.* (2011) ‘Platelet-released growth factors can accelerate tenocyte proliferation and activate the anti-oxidant response element’,

- Histochemistry and Cell Biology*, 135(5), pp. 453–460. doi: 10.1007/s00418-011-0808-0.
- Toussaint, J. and Singer, A. J. (2014) ‘The evaluation and management of thermal injuries: 2014 update’, *Clinical and experimental emergency medicine*, 1(1), pp. 8–18. doi: 10.15441/ceem.14.029.
- Tracy, L. E., Minasian, R. A. and Caterson, E. J. (2016) ‘Extracellular Matrix and Dermal Fibroblast Function in the Healing Wound’, *Advances in Wound Care*, 5(3), pp. 119–136. doi: 10.1089/wound.2014.0561.
- Tschumperlin, D. J. (2013) ‘Fibroblasts and the Ground They Walk On’, *Physiology*, 28(6), pp. 380–390. doi: 10.1152/physiol.00024.2013.
- Tsien, L. (2006) ‘Stem Cell Basics’, *Postgraduate Obstetrics & Gynecology*, 26(24), pp. 1–6. doi: 10.1097/00256406-200612310-00001.
- Vaghardoost, R. et al. (2018) ‘The Healing Effect of Sesame Oil, Camphor and Honey on Second Degree Burn Wounds in Rat.’, *World journal of plastic surgery*, 7(1), pp. 67–71.
- Wang, Y. et al. (2018) *Burn injury: Challenges and advances in burn wound healing, infection, pain and scarring, Advanced Drug Delivery Reviews*. Elsevier B.V. doi: 10.1016/j.addr.2017.09.018.
- Werner, S. (1998) ‘Keratinocyte growth factor: a unique player in epithelial repair processes.’, *Cytokine & growth factor reviews*, 9(2), pp. 153–165. doi: 10.1016/s1359-6101(98)00010-0.
- Werner, S. and Grose, R. (2003) ‘Regulation of wound healing by growth factors and cytokines.’, *Physiological reviews*, 83(3), pp. 835–870. doi: 10.1152/physrev.2003.83.3.835.
- Widowati, W. and Widyanto, R. M. (2013) ‘Sel Punca sebagai Transformasi Alternatif Terapi’, *Zenit*, 2(1), pp. 1–5.
- Wiegand, C. et al. (2019) ‘Effect of non-adhering dressings on promotion of fibroblast proliferation and wound healing in vitro’, *Scientific Reports*, 9(1), p. 4320. doi: 10.1038/s41598-019-40921-y.
- Williams, I. R. (1998) ‘Fibroblasts’, in *Encyclopedia of Immunology*. Elsevier, pp. 905–909. doi: 10.1006/rwei.1999.0237.

- Witte, M. B. and Barbul, A. (1997) ‘General principles of wound healing.’, *The Surgical clinics of North America*, 77(3), pp. 509–528. doi: 10.1016/s0039-6109(05)70566-1.
- Wobus, A. M. and Boheler, K. R. (2005) ‘Embryonic Stem Cells: Prospects for Developmental Biology and Cell Therapy’, *Physiological Reviews*, 85(2), pp. 635–678. doi: 10.1152/physrev.00054.2003.
- Yun, Y.-R. *et al.* (2010) ‘Fibroblast growth factors: biology, function, and application for tissue regeneration’, *Journal of tissue engineering*, 2010, p. 218142. doi: 10.4061/2010/218142.
- Zakrzewski, W. *et al.* (2019) ‘Stem cells: past, present, and future’, *Stem Cell Research & Therapy*, 10(1), p. 68. doi: 10.1186/s13287-019-1165-5.
- Zhang, J. *et al.* (2015) ‘Immunosuppressive effects of mesenchymal stem cell transplantation in rat burn models.’, *International journal of clinical and experimental pathology*, 8(5), pp. 5129–36.
- Zhang, Y. *et al.* (2011) ‘Effect of platelet-rich plasma on the proliferation and adipogenic differentiation of human adipose-derived stem cells in vitro’, *Nan fang yi ke da xue xue bao = Journal of Southern Medical University*, 31(3), pp. 525–528.
- Zuk, P. A. *et al.* (2002) ‘Human adipose tissue is a source of multipotent stem cells’, *Molecular biology of the cell*, 13(12), pp. 4279–4295. doi: 10.1091/mbc.e02-02-0105.

**REKOMENDASI PERSETUJUAN ETIK**

Nomor : 230/UN4.6.4.5.31 / PP36 / 2022

Tanggal: 19 Mei 2022

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH22040188	No Sponsor Protokol	
Peneliti Utama	dr. Bayu Satria	Sponsor	
Judul Peneliti	EFEK PENAMBAHAN PLATELET-RICH PLASMA (PRP) DAN STROMAL VASCULAR FRACTION (SVFs) TERHADAP PENINGKATAN JUMLAH SEL FIBROBLAST PADA PENYEMBUHAN LUCA BAKAR DEEP DERMAL TIKUS		
No Versi Protokol	1	Tanggal Versi	25 April 2022
No Versi PSP			
Tempat Penelitian	Laboratorium Hewan FKUH dan RS Universitas Hasanuddin Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 19 Mei 2022 sampai 19 Mei 2023	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	 UNIVERSITAS HASANUDDIN KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET, DAN TEKNOLOGI FAKULTAS KEDOKTERAN KOMITE ETIK PENELITIAN KESIHATAN	
Sekretaris KEP Universitas Hasanuddin	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)		

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan



SURAT KETERANGAN ABSTRAK


Yang bertanda tangan di bawah ini menerangkan bahwa :

Nama : dr. BAYU SATRIA
No. Pokok : C 045171006
Program Studi : Ilmu Bedah
Judul Tesis/Disertasi : Efek penambahan Platelet-Rich Plasma (PRP)
dan Stromal Vascular Fraction (SVF) terhadap
jumlah sel fibroblast pada penyembuhan luka latar
deep dermal titik

Menyatakan bahwa naskah abstrak yang disusun oleh mahasiswa tersebut di atas telah diedit dan diterjemahkan di UPT Layanan Bahasa Unhas.

Makassar, 14 September 2022

Mengetahui,
Kepala Layanan Bahasa,



Dra. Herawaty, M.Hum., M.A., Ph.D.
NIP. 19630103 198803 2 003