

DAFTAR PUSTAKA

- Abdelaziz, I., Alkondi, R., Alhailiy, A.B., Mahmoud, M.Z. (2021). Detection of midline shift from CT scans to predict outcome in patients with head injuries. *int J Biomed*
- Alimohammadi, E., Bagheri, SR., Mardanpour, P., Moradi, F., Arjmandnia, F., Esmaeli, N. Baseline neutrophil-lymphocyte ratio can be associated with hematoma expansion in patients with intracerebral hemorrhage: a retrospective observational study. *BMC Neuroscience*: 2022: 1-6
- An, SJ., Kim, TJ., Yoon, BW. (2017). Epidemiology, risk factors, and clinical features of intracerebral hemorrhage: An Update. *Journal of Stroke*, 19(1), 3-10
- Apriyanto., Bahar, E., Ramadhon, PD., Marisdina, S., Junaidi, A. (2018). Neutrophil lymphocyte ratio in diagnosis of stroke type in Mohammad Hoesin Hospital Palembang, 754-765
- Bernhardt, J., Hayward, K.S., Kwakkel, G., Ward, N.S., Wolf, S.L., Broschmann, K., Krakauer, J.W., et al. (2017). Agreed definitions and a shared vision for new standards in stroke recovery research: the stroke recovery and rehabilitation roundtable taskforce. *Int J Stroke*, 12(5)
- Boehme, A.K., Esenwa, C., Elkind. M.S.V. (2017). Stroke risk factors, genetics and prevention. *Circ Res*, 120(3), 472-495
- Bui, T., Das, J.M. (2022). Neuroanatomy, cerebral hemisphere. Available from URL: <https://www.ncbi.nlm.nih.gov/books/NBK549789/> [accessed on Oct 28th, 2022]
- Cai, L., Zeng, H., Tan, X., Wu, X., Qian, C. and Chen, G., 2021. The role of the blood neutrophil-to-lymphocyte ratio in aneurysmal subarachnoid hemorrhage. *Frontiers in Neurology*, 12, p.671098.
- Chang, JC. (2020). Stroke classification: critical role of unusually large von Willebrand Factor Multimeters and Tissue Factor on Clinical Phenotypes Based on Novel “ Two-Path Unifying Theory” of Hemostasis. *Clinical and Applied Thrombosis/Hemostasis*, 16(123), 1-23
- Chen, R., Ovbiagele., Feng, W. (2016). Diabetes and stroke: Epidemiology, Pathophysiology, pharmaceuticals and outcomes. *Am J Med Sci*, 351(4), 380-386
- Chen Y, Chen S, Chang J, Wei J, Feng M, Wang R. Perihematomal Edema After Intracerebral Hemorrhage: An Update on Pathogenesis, Risk Factors, and Therapeutic Advances. *Front Immunol*. 2021 Oct 19;12:740632. doi: 10.3389/fimmu.2021.740632. PMID: 34737745; PMCID: PMC8560684.
- Chen W, Belle A, Cockrell C, Ward KR, Najarian K. Automated midline shift and intracranial pressure estimation based on brain CT images. *J Vis Exp*. 2013

- Apr 13;(74):3871. doi: 10.3791/3871. PMID: 23604268; PMCID: PMC3658204.
- Coupland, AP., Thapar, A., Qureshi, MI., Jenkins, H., Davies, AH. (2017). The definition of stroke. *Journal of the Royal Society of Medicine*, 110(9), 9-12
- de Oliveira Manoel, A.L., Goffi, A., Zampieri, F.G. et al. The critical care management of spontaneous intracranial hemorrhage: a contemporary review. *Crit Care* 20, 272 (2016). <https://doi.org/10.1186/s13054-016-1432-0>
- Drake, R., Vogl, A., & Mitchell, A. (2018). *Gray Basic Anatomy*. Elsevier.
- Dowlatabadi, D., Yogendrakumar, V., Aviv, R. I., Rodriguez-Luna, D., Molina, C. A., Silva, Y., ... & Demchuk, A. M. (2016). Small intracerebral hemorrhages have a low spot sign prevalence and are less likely to expand. *International Journal of Stroke*, 11(2), 191-197.
- Du, Y., Wang, A., Zhang, J., Zhang, X., Li, N., Liu, X. (2022). Association between the neutrophil-to-lymphocyte ratio and adverse clinical prognosis in patients with spontaneous intracerebral hemorrhage. *Neuropsychiatric Disease and Treatment*, 18, 98993
- Emos, M.C., Suheb, M.Z., Agarwal, S. (2022). Neuroanatomy, internal capsule. StatPearls. Available from URL: <https://www.ncbi.nlm.nih.gov/books/NBK542181/> [accessed on Oct 28th, 2022]
- Feigin, VL., Stark, BA., Johnson, CO., Roth, GA., Bisignano, C., Abady, CG., dkk. (2021). Global, regional and national burden of stroke and factors, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. *Lancet Neurol*, 20, 795-820
- Forget, P., Khalifa, C., Defour, P., Latinne, D., Pel, C.V., Kock, M.D. (2017). What is the normal value of the neutrophil-to-lymphocyte ratio? *BMC Res Notes*.
- Hansen, J.T., Netter, F.H. (2019). *Netter's clinical anatomy*. 4th ed. Philadelphia: Elsevier.
- Helt, JJ., Iv, M., Wintermark, M. (2017). Imaging of Intracranial Hemorrhage. *Journal of Stroke*, 19(1), 11-27
- Jain A, Malhotra A, Payabvash S. Imaging of Spontaneous Intracerebral Hemorrhage. *Neuroimaging Clin N Am*. 2021 May;31(2):193-203. doi: 10.1016/j.nic.2021.02.003. PMID: 33902874; PMCID: PMC8820948.
- Javed, K., Reddy, V., Lui, F. (2022). Neuroanatomy, cerebral cortex. Available from URL: <https://www.ncbi.nlm.nih.gov/books/NBK537247/> [accessed on Oct 28th, 2022]
- Jawabri, K.H., Sharma, S. (2022). Physiology, cerebral cortex functions. Available from URL: <https://www.ncbi.nlm.nih.gov/books/NBK538496/> [accessed on Oct 28th, 2022]

- Kiswoyo, A.S., Wibowo, G.N., Ferriastuti, W. (2017). Perhitungan volumetric perdarahan dengan metode volume automatic (software volume evaluation) dan metode manual (Broderick) pada MSCT kepala. JI MeD, 3(2)
- Kosif, R. (2016). The thalamus : a review of its functional anatomy. Med Res Arch;4(8)
- Lattanzi, S., Cagnetti, C., Provinciali, L., & Silvestrini, M. (2017). Neutrophil-to-lymphocyte ratio improves outcome prediction of acute intracerebral hemorrhage. Journal of the Neurological Sciences, 387, 98-102
- Lattanzi, S., Cagnetti, C., Provinciali, L., & Silvestrini, M. (2018). Neutrophil-to-lymphocyte ratio and neurological deterioration following acute cerebral hemorrhage. Oncotarget, 8(34), 57489.
- Li JW, Xu YY, Chen YJ, Fan WW, Xu XH, Cai JS, Tong LS, Gao F. Early elevated neutrophil-to-lymphocyte ratio associated with remote diffusion-weighted imaging lesions in acute intracerebral hemorrhage. CNS Neurosci Ther. 2020 Apr;26(4):430-437. doi: 10.1111/cns.13249. Epub 2019 Oct 25. PMID: 31651093; PMCID: PMC7080428.
- Liao CC, Chen YF, Xiao F. Brain Midline Shift Measurement and Its Automation: A Review of Techniques and Algorithms. Int J Biomed Imaging. 2018 Apr 12;2018:4303161. doi: 10.1155/2018/4303161. PMID: 29849536; PMCID: PMC5925103.
- Liesz, A., Rüger, H., Purrucker, J., Zorn, M., Dalpke, A., Möhlenbruch, M., ... & Veltkamp, R. (2013). Stress mediators and immune dysfunction in patients with acute cerebrovascular diseases. PLoS One, 8(9), e74839.
- Liu, S., Liu, X., Chen, S., Xiao, Y., Zhuang, W., Degree, B. (2019). Neutrophil-lymphocyte ratio predicts the outcome of intracerebral hemorrhage. Medicine, 98, 1-7
- Liu, R., Li, S., Tan, C.L. (2014). From hemorrhage to midline shift: a new method of tracing the deformed midline in traumatic brain injury CT images.
- Lofissa, S.P., Ong, P.A., Atik,N. (2018). Demographic and risk factors of intracerebral hemorrhage stroke patients in Dr.Hasan Sadikin General Hospital Bandung in 2007-2016. AMJ,5(1),32-7
- Karakteristik A, Semen C, Pasien P, Di V, Sakit R, Laut A, et al. (2017). Hang Tuah Medical Journal, 15(1), 135–41.
- Kuriakose, D., Xiao, Z. (2020). Review: Pathophysiology and treatment of stroke: present status and future perspectives. Int J Mol Sci, 21, 1-24
- Macellari, F., Paciaroni, M., Agnelli, G., Caso, V. (2014). Neuroimaging in intracerebral hemorrhage. Stroke.

- Maldonado KA, Alsayouri, K. (2021). Physiology, brain. Available from URL: <https://www.ncbi.nlm.nih.gov/books/NBK551718/> [accessed on Oct 28th, 2022]
- McGurgan, IJ., Ziai, WC., Werring, DJ., Salman, RA., Parry-Jones, AR. (2020). Acute intracerebral haemorrhage: diagnosis and management. 21, 128-136
- Melisa., Al-Fauzi, A., Sensusiat, AD. (2020). Epidemiology of intra-cerebral hemorrhage in Young adult patients. JUXTA, 1-66
- Mishra, R., Deora, H., Florez, W.A., Moscote, L.R., Garcia, E., Rahman, M., Shrivastava, A. (2022). Clinical and radiological characteristics for recurrence of chronic subdural hematoma: a systematic review and meta-analysis. Neurol Int.
- Ozeren, E., Gunes, M. Do early neutrophil to eosinophil ratio and the levels of neutrophil and white blood cells predict intra-hospital mortality in patients with spontaneous intracerebral hemorrhages. J Surg Med, 2020, 4(9), 812-916
- Panchal, HN., Shah, MS., Shah, DS. (2015). Intracerebral Hemorrhage Score and Volume as an Independent Predictor of Mortality in Primary Intracerebral Hemorrhage Patients. Indian J Surg, 77, 302–4.
- Patel, A., Schreuder, F., Klijn, C.J., Prokop, M., Ginneken, B., Marquering, H.A., et al. (2019). Intracerebral haemorrhage segmentation in non-contrast CT. Nature.
- Putra, M.P., Sani, A.F., Lestari, P., Ardhi, M.S. (2020). Bleeding volume, blood pressure, and consciousness level in association with the mortality rate among patients with intracerebral hemorrhage at Dr.Soetomo General hospital,Surabaya. AMJ,7(2), 51-4
- Quinones-Ossa, GA., Durango-Espinosa, Y., Padilla-Zambrano, H., Moscote-Salazar, LR., Keni, R., Deora, H., dll. (2020). The puzzle of spontaneous versus traumatic intracranial hemorrhages. Egyptian Journal of Neurosurgery, 35(13), 1-9
- Radu, RA., Terecoasa, EO., Tiu, C., Ghita, C., Nicula, AI, Marinescu, AN. (2021). Neutrophil-to-Lymphocyte Ratio as an Independent Predictor of In-Hospital Mortality in Patients with Acute Intracerebral Hemorrhage. Medicine, 1-10
- Rajashekhar, D., Liang, J.W. (2022). Intracerebral hemorrhage. StatPearls. Available from URL: <https://www.ncbi.nlm.nih.gov/books/NBK553103/>
- Rocha, E., Rouanet, C., Reges, D., Gagliardi, V. (2020). Intracerebral hemorrhage: update and future directions. Arq Neuropsiquiatr,78(10),651-9
- Roszak, B.L., Skrzypek, M., Tatar, A., Bal, A.L., Gasior, M. (2022). Subarachnoid haemorrhage-incidence of hospitalization, management and case fatality rate-in the Silesian Province, Poland, in the years 2009-2019. J Clin Med


- Sacco, RL., Kasner, SE., Broderick, JP., dkk. (2013) An Updated Definition of Stroke for the 21st Century: A Statement for Healthcare Professionals from the American Heart Association/American Stroke Association. *Stroke*, 44, 2064-89
- Salihovic, D., Smajlovic, D., Ibrahimagic, OC. (2013). Clinical study: Does the volume and localization of intracerebral hematoma affect short-term prognosis of patients with intracerebral hemorrhage?. *Hindawi*, 1-3
- Schlunk, F., Greenberg, SM. (2015). The pathophysiology of intracerebral hemorrhage formation and expansion. *Transl Stroke Res*, 6, 257-263
- Schlunk, F., Kuthe, J., Harmer, P., Audebert, H., Hanning, U., Bohner, G. (2022). Volumetric accuracy of different imaging modalities in acute intracerebral hemorrhage. *BMC Medical Imaging*, 1-7
- Shao, Z., Tu, S., Shao, A. (2019). Pathophysiological mechanisms and potential therapeutic targets in intracerebral hemorrhage. *Front Pharmacol*, 10(1079), 1-8
- Sharath, M., Siddegowda, R.B., Lonimath, A., Cheluvaiah, J.D. (2022). An elevated neutrophil-to-lymphocyte ratio predicts in hospital mortality in stroke patients: a prospective cohort study. *Cureus*. 14(11)
- Shaik Amir NS, Kang LZ, Mukari SA, Sahathevan R, Chellappan K. CT brain image advancement for ICH diagnosis. *Healthc Technol Lett*. 2019 Dec 10;7(1):1-6. doi: 10.1049/htl.2018.5003. PMID: 32190334; PMCID: PMC7067058.
- Shi, M., Li, XF., Zhang, TB., Tang, QW., Peng, M., Zhao, WY. (2022). Prognostic Role of the Neutrophil-to-Lymphocyte Ratio in Intracerebral Hemorrhage: A Systematic Review and Meta-Analysis. *Front Neurosci*, 1-10
- Sihombing, MR., Kurniawan, LB., Muhadi, D. (2019). Diagnostic value of neutrophil lymphocyte ratio to differentiate ischemic and hemorrhagic stroke. *Indonesia Journal of Clinical Pathology and Medical Laboratory*, 25(2), 180-183
- Siwicka-Gieroba, D., Malodobry, K., Biernawska, J., Robba, C., Bohatyrewicz, R., Rola, R. and Dabrowski, W., 2019. The neutrophil/lymphocyte count ratio predicts mortality in severe traumatic brain injury patients. *Journal of clinical medicine*, 8(9), p.1453.
- Song, Z., Guo, D., Tang, Z., Liu, H., Li, X., Luo, S., ... & Zhou, Z. (2021). Noncontrast computed tomography-based radiomics analysis in discriminating early hematoma expansion after spontaneous intracerebral hemorrhage. *Korean journal of radiology*, 22(3), 415.
- Sporns PB, Psychogios MN, Boulouis G, Charidimou A, Li Q, Fainardi E, Dowlatshahi D, Goldstein JN, Morotti A. Neuroimaging of Acute Intracerebral Hemorrhage. *J Clin Med*. 2021 Mar 5;10(5):1086. doi: 10.3390/jcm10051086. PMID: 33807843; PMCID: PMC7962049.

- Sun, H., Sun, H. (2018). A novel measure method of cerebral hematoma volume. *Interdisciplinary Neurosurgery*, 42-46
- Sun, Y., You, S., Zhong, C., Huang, Z., Hu, L., Zhang, X., ... & Liu, C. F. (2017). Neutrophil to lymphocyte ratio and the hematoma volume and stroke severity in acute intracerebral hemorrhage patients. *The American journal of emergency medicine*, 35(3), 429-433
- Sundblom, J., Sandberg, E., Ronne, E. (2022). Trauma mechanisms and surgical outcomes in the elderly patient with chronic subdural hematoma. *Canadian Geriatr J*,25(1)
- Tobieson, L. (2019). Surgically Treated Intracerebral Haemorrhage Pathophysiology and Clinical Aspects. Linkoping University, 1-107
- Torico, T.J., Munakomi, S. (2022). Neuroanatomy, thalamus. StatPearls. Available from URL: <https://www.ncbi.nlm.nih.gov/books/NBK542184/> [accessed on Oct 28th, 2022]
- Tortora, G., & Derrickson, B. (2017). Principles of anatomy and physiology (15th ed.). John Wiley&Sons,Inc.
- Triamvisit, S., Chongruksut, W., Watcharasaksilp, W., Rattanasathien, R. (2018). Predicting risk factors of working aged hemorrhagic stroke patients in tertiary teaching hospital in Chiang Mai. *Asian/Pacific Island Nurs J*, 3(1):1-7
- Urday S, Beslow LA, Goldstein DW, Vashkevich A, Ayres AM, Battey TW, Selim MH, Kimberly WT, Rosand J, Sheth KN. Measurement of perihematomal edema in intracerebral hemorrhage. *Stroke*. 2015 Apr;46(4):1116-9. doi: 10.1161/STROKEAHA.114.007565. Epub 2015 Feb 26. PMID: 25721012; PMCID: PMC5340416.
- Wan, Y., Guo, H., Bi, R., Chen, S., Shen, J., Li,M. (2022). Clinical and prognostic characteristics of recurrent intracerebral hemorrhage: a contrast to first-ever ICH. *Front Aging NeuroSci*.
- Wang, F., Wang, L., Jiang, T. T., Xia, J. J., Xu, F., Shen, L. J., ... & Wu, X. (2018). Neutrophil-to-lymphocyte ratio is an independent predictor of 30-day mortality of intracerebral hemorrhage patients: a validation cohort study. *Neurotoxicity Research*, 34(3), 347-352.
- Wang, F., Xu, F., Quan, Y., Wang, L., Xia, J. J., Jiang, T. T., ... & Wu, X. (2019). Early increase of neutrophil - to - lymphocyte ratio predicts 30 - day mortality in patients with spontaneous intracerebral hemorrhage. *CNS neuroscience & therapeutics*, 25(1), 30-35.
- Wang, Z., Gong, Q., Guo, C., Luo, Y., Chen, L. Neutrophil-to-lymphocyte ratio predicts hematoma growth in intracerebral hemorrhage. *Journal of International Medical Research*: 2019: 1-6
- Wasay, M., Yousuf , A., Lal, D., Awan, S. (2011). Predictors of the intracerebral hemorrhage volume in hypertensive patients. *Cerebrovasc Dis Extra*, 1-5

- Widyasari, V., Rahman, F., Ningrum, V. (2023). The incidence and prevalence of stroke by cause in Indonesia based on global burden of disease study 2019. AHSR.
- World Health Organization. (2017). Stroke, cerebrovascular accident. (Cited on 2017 June, 1st available at www.who.int/topics/cerebrovascular-accident)
- Wu, X., Li, Y., Yang, X. (2022). Platelet phagocytosis by leukocytes in patients with cerebral hemorrhage and thrombocytopenia caused by gram-negative bacterial infection. *J Inter Med Res*, 50(2):1-7
- Young, C.R., Reddy, V., Sonne, J. (2022). Neuroanatomy, basal ganglia. Available from URL: <https://www.ncbi.nlm.nih.gov/books/NBK537141/> [accessed on Oct 28th, 2022]
- Zhang, Y., Yang, Y., Long, S. and Li, G., 2020. Assessment of peripheral blood cell inflammatory markers in patients with chronic subdural hematoma. *Clinical Neurology and Neurosurgery*, 191, p.105738.
- Zhang F, Qian J, Tao C, Wang Y, Lin S, You C, Yang M. Neutrophil to lymphocyte ratio predicts island sign in patients with intracranial hemorrhage. *Medicine (Baltimore)*. 2018 Nov;97(44):e13057. doi: 10.1097/MD.00000000000013057. PMID: 30383680; PMCID: PMC6221617.
- Zhuang, D., Sheng, J., (2014). Neutrophil to lymphocyte ratio predicts early growth of traumatic intracerebral haemorrhage. *Annals of Clinical and Translational Neurology*, 8(8), 1601-1609
- Zhuang D, Sheng J, Peng G, Li T, Cai S, Din F, Li L, Huang M, Tian F, Li K, Wang S, Chen W. Neutrophil to lymphocyte ratio predicts early growth of traumatic intracerebral haemorrhage. *Ann Clin Transl Neurol*. 2021 Aug;8(8):1601-1609. doi: 10.1002/acn3.51409. Epub 2021 Jun 24. PMID: 34165245; PMCID: PMC8351393.
- Zille, M., Farr, TD., Keep, RF., Romer, C., Xi, G., Boltze, J. (2022). Novel targets, treatments and advanced models for intracerebral hemorrhage. *eBioMedicine*, 1-13

Lampiran 1. Data Output SPSS

Graph



Crosstabs

JenisKelamin * ICH Crosstabulation

| | | | ICH | | Total | |
|--------------|-----------|--------------|--------|---------|--------|--|
| | | | ICH | non ICH | | |
| JenisKelamin | Laki-laki | Count | 23 | 15 | 38 | |
| | | % within ICH | 67.6% | 51.7% | 60.3% | |
| | Perempuan | Count | 11 | 14 | 25 | |
| | | % within ICH | 32.4% | 48.3% | 39.7% | |
| Total | | Count | 34 | 29 | 63 | |
| | | % within ICH | 100.0% | 100.0% | 100.0% | |

Usia * ICH Crosstabulation

| | | ICH | | Total |
|-------|-------------|--------------|---------|--------|
| | | ICH | non ICH | |
| Usia | 40-45 tahun | Count | 5 | 9 |
| | | % within ICH | 14.7% | 14.3% |
| | 46-50 tahun | Count | 8 | 13 |
| | | % within ICH | 23.5% | 20.6% |
| | 51-55 tahun | Count | 9 | 17 |
| | | % within ICH | 26.5% | 27.0% |
| | 56-60 tahun | Count | 2 | 5 |
| | | % within ICH | 5.9% | 7.9% |
| | >60 tahun | Count | 10 | 19 |
| | | % within ICH | 29.4% | 30.2% |
| Total | | Count | 34 | 63 |
| | | % within ICH | 100.0% | 100.0% |

Kategoriperdarah * ICH Crosstabulation

| | | ICH | | Total |
|------------------|----------|--------------|--------|--------|
| | | ICH | ICH | |
| Kategoriperdarah | < 30 ml | Count | 30 | 30 |
| | | % within ICH | 88.2% | 88.2% |
| | 30-60 ml | Count | 2 | 2 |
| | | % within ICH | 5.9% | 5.9% |
| | 60-90 ml | Count | 2 | 2 |
| | | % within ICH | 5.9% | 5.9% |
| Total | | Count | 34 | 34 |
| | | % within ICH | 100.0% | 100.0% |

ICH

Case Processing Summary

| ICH | NLR | Cases | | | | | |
|-----|---------|-------|---------|---------|---------|-------|---------|
| | | Valid | | Missing | | Total | |
| | | N | Percent | N | Percent | N | Percent |
| ICH | ICH | 34 | 100.0% | 0 | 0.0% | 34 | 100.0% |
| | non ICH | 29 | 100.0% | 0 | 0.0% | 29 | 100.0% |

Descriptives

| ICH | Statistic | Std. Error |
|-----|-----------|------------|
|-----|-----------|------------|

| | | | | |
|---------|---|---|---------|--------|
| NLR | ICH | Mean | 9.4174 | .62704 |
| | | 95% Confidence Interval for Lower Bound | 8.1416 | |
| | | Mean | 10.6931 | |
| | | Upper Bound | | |
| | | 5% Trimmed Mean | 9.2020 | |
| | | Median | 8.0000 | |
| | | Variance | 13.368 | |
| | | Std. Deviation | 3.65626 | |
| | | Minimum | 5.30 | |
| | | Maximum | 18.40 | |
| | | Range | 13.10 | |
| | | Interquartile Range | 5.15 | |
| | | Skewness | .920 | .403 |
| | | Kurtosis | -.313 | .788 |
| non ICH | Mean | | 5.0552 | .43102 |
| | 95% Confidence Interval for Lower Bound | | 4.1723 | |
| | Mean | | 5.9381 | |
| | Upper Bound | | | |
| | 5% Trimmed Mean | | 5.0874 | |
| | Median | | 5.1000 | |
| | Variance | | 5.388 | |
| | Std. Deviation | | 2.32111 | |
| | Minimum | | 1.20 | |
| | Maximum | | 8.30 | |
| | Range | | 7.10 | |
| | Interquartile Range | | 4.25 | |
| | Skewness | | -.237 | .434 |
| | Kurtosis | | -1.240 | .845 |

Tests of Normality

| ICH | Kolmogorov-Smirnov ^a | | | Shapiro-Wilk | | |
|---------|---------------------------------|----|------|--------------|----|------|
| | Statistic | df | Sig. | Statistic | df | Sig. |
| NLR ICH | .192 | 34 | .003 | .873 | 34 | .001 |
| non ICH | .140 | 29 | .153 | .933 | 29 | .066 |

a. Lilliefors Significance Correction

Mann-Whitney Test

Test Statistics^a

| | NLR |
|------------------------|---------|
| Mann-Whitney U | 156.000 |
| Wilcoxon W | 591.000 |
| Z | -4.649 |
| Asymp. Sig. (2-tailed) | .000 |

a. Grouping Variable: ICH

Nonparametric Correlations

a. Based on availability of workspace memory

Correlations

| | | | NLR | VolICH |
|----------------|--------|-------------------------|--------|--------|
| Spearman's rho | NLR | Correlation Coefficient | 1.000 | .487** |
| | | Sig. (2-tailed) | . | .003 |
| | | N | 63 | 34 |
| VolICH | VolICH | Correlation Coefficient | .487** | 1.000 |
| | | Sig. (2-tailed) | .003 | . |
| | | N | 34 | 34 |

**. Correlation is significant at the 0.01 level (2-tailed).

Means

Report

NLR

| Kategoriperdarah | Mean | N | Std. Deviation | Median | Minimum | Maximum |
|------------------|---------|----|----------------|---------|---------|---------|
| < 30 ml | 8.5730 | 30 | 2.92931 | 7.3500 | 5.30 | 16.00 |
| 30-60 ml | 14.7000 | 2 | .98995 | 14.7000 | 14.00 | 15.40 |
| 60-90 ml | 16.8000 | 2 | 2.26274 | 16.8000 | 15.20 | 18.40 |
| Total | 9.4174 | 34 | 3.65626 | 8.0000 | 5.30 | 18.40 |

LAMPIRAN 2 ETIK PENELITIAN



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
 UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
 KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
 RSPTN UNIVERSITAS HASANUDDIN
 RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
 Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
 JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK TELP. 081241850858, 0411 5780103, Fax : 0411-581431

REKOMENDASI PERSETUJUAN ETIK

Nomor : 106/UN4.6.4.5.31/ PP36/ 2023

Tanggal: 10 Februari 2023

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

| | | | |
|---------------------------------------|--|--|---------------------------|
| No Protokol | UH23010040 | No Sponsor Protokol | |
| Peneliti Utama | dr. Nola Tiorisman | Sponsor | |
| Judul Peneliti | HUBUNGAN VOLUME PERDARAHAN DENGAN NEUTROFIL TO LYMPHOSIT RATIO (NRL) PADA CT SCAN KEPALA PASIEN INTRACEREBRI (ICH) | | |
| No Versi Protokol | 2 | Tanggal Versi | 8 Februari 2023 |
| No Versi PSP | 2 | Tanggal Versi | 8 Februari 2023 |
| Tempat Penelitian | RSUP Dr. Wahidin Sudirohusodo Makassar | | |
| Jenis Review | <input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal | Masa Berlaku 10 Februari 2023 sampai 10 Februari 2024 | Frekuensi review lanjutan |
| Ketua KEP Universitas Hasanuddin | Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K) | Tanda tangan | |
| Sekretaris KEP Universitas Hasanuddin | Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K) | Tanda tangan | |

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

LAMPIRAN 3**CURRICULUM VITAE****A. Data Pribadi**

Nama : dr. Nola Tiorisman
TTL : Tanjung Alam, 15 April 1987
Alamat : Rusunawa 1 UNHAS
Agama : Islam

B. Riwayat pendidikan

SD : SD 1 Kalbang
SMP : SLTP Neg 1 Arga Makmur
SMA : SMAN 1 Arga Makmur
Strata 1 (Pendidikan Dokter) : Fakultas Kedokteran Universitas Sumatera Utara,
Program Pendidikan Dokter Spesialis-1 : Departemen Radiologi
Fakultas Kedokteran Universitas Hasanuddin, Makassar, Periode Juli 2019

C. Riwayat Pekerjaan

Dokter IGD RSUD Arga Makmur

D. Karya Ilmiah/Artikel yang telah dipublikasikan :

-

E. Makalah pada Seminar/Konfensi Ilmiah Nasional dan Internasional