

DAFTAR PUSTAKA

1. Pogatzki-Zahn EM, Segelcke D, Schug SA. Postoperative pain—from mechanisms to treatment. *Pain Rep* 2017; 2: 1–16.
2. Elvidiansyah, Fuadi I, Sitanggang RH. Perbandingan Efek Pregabalin 150 mg dengan Pregabalin 300 mg Dosis Tunggal terhadap Nilai Numeric Rating Scale dan Kebutuhan Analgetik Pascabedah pada Pasien Histerektomi Abdominal. *Jurnal Anestesi Perioperatif* 2014; 2: 145–52.
3. Roofthoof E, Joshi GP, Rawal N, et al. PROSPECT guideline for elective caesarean section: updated systematic review and procedure-specific postoperative pain management recommendations. *Anaesthesia* 2021; 76: 665–680.
4. Kaye AD, Urman RD, Vadivelu N. *Essentials of regional anesthesia*. 2012. Epub ahead of print 2012. DOI: 10.1007/978-1-4614-1013-3.
5. Denk F, Bennett DL, McMahon SB. Nerve Growth Factor and Pain Mechanisms. *Annu Rev Neurosci* 2017; 40: 307–325.
6. McKelvey L, Shorten GD, O’Keeffe GW. Nerve growth factor-mediated regulation of pain signalling and proposed new intervention strategies in clinical pain management. *J Neurochem* 2013; 124: 276–289.
7. Kawabata A. Prostaglandin E2 and pain - An update. *Biol Pharm Bull* 2011; 34: 1170–1173.
8. Waldman SD. *Functional anatomy of the nociceptors*. Elsevier Inc.
9. Woolf CJ, Max MB. Mechanism-based pain diagnosis: Issues for analgesic drug development. *Anesthesiology* 2001; 95: 241–249.
10. Richebé P, Capdevila X, Rivat C. Persistent Postsurgical Pain. *Anesthesiology* 2018; 129: 590–607.
11. Urch C. Normal Pain Transmission. *Rev Pain* 2007; 1: 2–6.

12. Yam MF, Loh YC, Tan CS, et al. General pathways of pain sensation and the major neurotransmitters involved in pain regulation. *Int J Mol Sci*; 19. Epub ahead of print 2018. DOI: 10.3390/ijms19082164.
13. Sullivan D, Lyons M, Montgomery R, et al. Exploring Opioid-Sparing Multimodal Analgesia Options in Trauma: A Nursing Perspective. *Journal of Trauma Nursing* 2016; 23: 361–375.
14. Ahmad MR, Taufik RH. Manajemen Nyeri Terkini pada Pasien Pasca Seksio Sesarea. *Jurnal Anestesi Obstetri Indonesia* 2021; 4: 63–78.
15. Berghella V, Baxter JK, Chauhan SP. Evidence-based surgery for cesarean delivery. *Am J Obstet Gynecol* 2005; 193: 1607–1617.
16. Caughey AB, Wood SL, Macones GA, et al. Guidelines for intraoperative care in cesarean delivery: Enhanced Recovery After Surgery Society Recommendations (Part 2). *Am J Obstet Gynecol* 2018; 219: 533–544.
17. Mukhtar K, Singh S. Transversus abdominis plane block. *The Journal of New York School* 2009; 12: 28–33.
18. Tsai HC, Yoshida T, Chuang TY, et al. Transversus Abdominis Plane Block: An Updated Review of Anatomy and Techniques. *Biomed Res Int* 2017; 2017: 3–9.
19. Yarwood J, Berrill A. Nerve blocks of the anterior abdominal wall. *Continuing Education in Anaesthesia, Critical Care and Pain* 2010; 10: 182–186.
20. Macones GA, Caughey AB, Wood SL, et al. Guidelines for postoperative care in cesarean delivery: Enhanced Recovery After Surgery (ERAS) Society recommendations (part 3). *Am J Obstet Gynecol* 2019; 221: 247.e1-247.e9.
21. Karasu D. Ultrasound-Guided Transversus Abdominis Plane Block for Postoperative Analgesia in Laparoscopic Cholecystectomy: A Retrospective Study. *North Clin Istanb* 2020; 8: 88–94.
22. Kalu R, Boateng P, Carrier L, et al. Effect of preoperative versus postoperative use of transversus abdominis plane block with plain 0.25 % bupivacaine on

- postoperative opioid use: a retrospective study. *BMC Anesthesiol* 2021; 21: 1–6.
23. Taylor A, McLeod G. Basic pharmacology of local anaesthetics. *BJA Educ* 2020; 20: 34–41.
 24. Zhang J, Deng X. Bupivacaine effectively relieves inflammation-induced pain by suppressing activation of the NF- κ B signalling pathway and inhibiting the activation of spinal microglia and astrocytes. *Exp Ther Med* 2017; 13: 1074–1080.
 25. Asdarina N, Salam SH, Tanra H. Efek Blok Transversus Abdominis Plane Teknik Landmark Terhadap Kebutuhan Analgetik Pascabedah Herniorafi. *JAI (Jurnal Anestesiologi Indonesia)* 2015; 7: 89.
 26. Aloe L, Rocco ML, Bianchi P, et al. Nerve growth factor: From the early discoveries to the potential clinical use. *J Transl Med* 2012; 10: 1–15.
 27. Barker PA, Mantyh P, Arendt-Nielsen L, et al. Nerve growth factor signaling and its contribution to pain. *J Pain Res* 2020; 13: 1223–1241.
 28. Carvalho B, Clark DJ, Angst MS. Local and Systemic Release of Cytokines, Nerve Growth Factor, Prostaglandin E2, and Substance P in Incisional Wounds and Serum Following Cesarean Delivery. *Journal of Pain* 2008; 9: 650–657.
 29. Kerr S, Gailer J, McNeil HP. COX-2-selective NSAIDs: New wonder drugs? *Prescribing, National Acn* 2010; 29.
 30. Ricciotti E, Fitzgerald GA. Prostaglandins and inflammation. *Arterioscler Thromb Vasc Biol* 2011; 31: 986–1000.
 31. Hönemann CW, Heyse TJ, Möllhoff T, et al. The inhibitory effect of bupivacaine on prostaglandin E2 (EP1) receptor functioning: Mechanism of action. *Anesth Analg* 2001; 93: 628–634.
 32. Takatori M, Kuroda Y, Hirose M. Local anesthetics suppress nerve growth factor-mediated neurite outgrowth by inhibition of tyrosine kinase activity of TrkA. *Anesth Analg* 2006; 102: 462–467.

33. McDonnell JG, O'Donnell B, Curley G, et al. The analgesic efficacy of transversus abdominis plane block after abdominal surgery: a prospective randomized controlled trial. *Anesth Analg* 2007; 104: 193–197.
34. Barker PA, Mantyh P, Arendt-Nielsen L, et al. Nerve growth factor signaling and its contribution to pain. *J Pain Res* 2020; 13: 1223.
35. Ilmanita D. Korelasi Antara Kadar Nerve Growth Factor (NGF) Serum Dan Intensitas Nyeri Setelah Pemberian Kombinasi Parasetamol-Amitriptilin Pada Pasien Nyeri Punggung Bawah Kronik. *Universitas Airlangga* 2020; 1: 1–25.
36. Kivitz AJ, Gimbel JS, Bramson C, et al. Efficacy and safety of tanezumab versus naproxen in the treatment of chronic low back pain. *Pain* 2013; 154: 1009–1021.
37. Lane NE, Schnitzer TJ, Birbara CA, et al. Tanezumab for the treatment of pain from osteoarthritis of the knee. *New England Journal of Medicine* 2010; 363: 1521–1531.
38. Beloeil H, Gentili M, Benhamou D, et al. The effect of a peripheral block on inflammation-induced prostaglandin E2 and cyclooxygenase expression in rats. *Anesth Analg* 2009; 109: 943–950.