

DAFTAR PUSTAKA

- Badano, L. P. et al. (2018) 'Standardization of left atrial, right ventricular, and right atrial deformation imaging using two-dimensional speckle tracking echocardiography: A consensus document of the EACVI/ASE/Industry Task Force to standardize deformation imaging', *European Heart Journal Cardiovascular Imaging*, 19(6), pp. 591–600. doi: 10.1093/ehjci/jey042.
- Badano, L. P. et al. (2020) 'How to do right ventricular strain', *European Heart Journal Cardiovascular Imaging*, 21(8), pp. 825–827. doi: 10.1093/ehjci/jeaa126.
- Badano, L. P. and Muraru, D. (2016) 'Subclinical Right Ventricular Dysfunction by Strain Analysis', pp. 6–8. doi: 10.1093/ehjci/jev014.3.
- Berrill, M. et al. (2022) 'Right Ventricular Dysfunction Predicts Outcome in Acute Heart Failure', *Frontiers in Cardiovascular Medicine*, 9(May), pp. 1–8. doi: 10.3389/fcvm.2022.911053.
- Bhargava, V. et al. (1998) 'Loss of adrenergic control of the force-frequency relation in heart failure secondary to idiopathic or ischemic cardiomyopathy', *American Journal of Cardiology*, 81(9), pp. 1130–1137. doi: 10.1016/S0002-9149(98)00133-7.
- Bundkirchen, A. and Schwinger, R. H. G. (2004) 'Epidemiology and economic burden of chronic heart failure', *European Heart Journal, Supplement*, 6(D), pp. 57–60. doi: 10.1016/j.ehjsup.2004.05.015.
- Cameli, M. et al. (2012) 'Right ventricular longitudinal strain correlates well with right ventricular stroke work index in patients with advanced heart failure referred for heart transplantation', *Journal of Cardiac Failure*, 18(3), pp. 208–215. doi: 10.1016/j.cardfail.2011.12.002.
- Carluccio, E. et al. (2019) 'Superior Prognostic Value of Right Ventricular Free Wall Compared to Global Longitudinal Strain in Patients With Heart Failure', *Journal of the American Society of Echocardiography*, 32(7), pp. 836-844.e1. doi: 10.1016/j.echo.2019.02.011.
- Damy, T. et al. (2009) 'Comparison of four right ventricular systolic echocardiographic parameters to predict adverse outcomes in chronic heart failure', *European Journal of Heart Failure*, 11(9), pp. 818–824. doi: 10.1093/eurjhf/hfp111.

- Danel, M. and Hetzer, R. (2016) 'Echocardiographic assessment of the right ventricle: Impact of the distinctly load dependency of its size, geometry and performance', *International Journal of Cardiology*, 221, pp. 1132–1142. doi: 10.1016/j.ijcard.2016.07.014.
- Davlouros, P. A. et al. (2006) 'The right ventricle in congenital heart disease', *Heart*, 92(SUPPL. 1), pp. 27–39. doi: 10.1136/hrt.2005.077438.
- Dolgin, M. (1994) 'Nomenclature and Criteria for Diagnosis of Diseases of the Heart and Great Vessels.', in Little, B. & C. (ed.) *Nomenclature and Criteria for Diagnosis of Diseases of the Heart and Great Vessels*. 9th editio. Boston: Criteria Committee of the New York Heart Association, pp. 253–256.
- Field, M. E. et al. (2006) 'Right Ventricular Dysfunction and Adverse Outcome in Patients With Advanced Heart Failure', *Journal of Cardiac Failure*, 12(8), pp. 616–620. doi: 10.1016/j.cardfail.2006.06.472.
- Focardi, M. et al. (2015) 'Traditional and innovative echocardiographic parameters for the analysis of right ventricular performance in comparison with cardiac magnetic resonance', *European heart journal cardiovascular Imaging*, 16(1), pp. 47–52. doi: 10.1093/eihjci/jeu156.
- Ghio, S. et al. (2000) 'Prognostic usefulness of the tricuspid annular plane systolic excursion in patients with congestive heart failure secondary to idiopathic or ischemic dilated cardiomyopathy', *American Journal of Cardiology*, 85(7), pp. 837–842. doi: 10.1016/S0002-9149(99)00877-2.
- Ghio, S. et al. (2013) 'Prognostic relevance of a non-invasive evaluation of right ventricular function and pulmonary artery pressure in patients with chronic heart failure.', *European journal of heart failure*, 15(4), pp. 408–414. doi: 10.1093/eurjhf/hfs208.
- Giusca, S. et al. (2010) 'Deformation imaging describes right ventricular function better than longitudinal displacement of the tricuspid ring', *Heart*, 96(4), pp. 281–288. doi: 10.1136/hrt.2009.171728.
- Grant, A. D. M. et al. (2012) 'Independent and incremental role of quantitative right ventricular evaluation for the prediction of right ventricular failure after left ventricular assist device implantation', *Journal of the American College of Cardiology*, 60(6), pp. 521–528. doi: 10.1016/j.jacc.2012.02.073.
- Haddad, F., Hunt, S. A., et al. (2008) 'Right ventricular function in

- cardiovascular disease, part I: Anatomy, physiology, aging, and functional assessment of the right ventricle', *Circulation*, 117(11), pp. 1436–1448. doi: 10.1161/CIRCULATIONAHA.107.653576.
- Haddad, F., Doyle, R., et al. (2008) 'Right ventricular function in cardiovascular disease, part II: Pathophysiology, clinical importance, and management of right ventricular failure', *Circulation*. Lippincott Williams & Wilkins, pp. 1717–1731. doi: 10.1161/CIRCULATIONAHA.107.653584.
 - Hamada-Harimura, Y. et al. (2018) 'Incremental Prognostic Value of Right Ventricular Strain in Patients With Acute Decompensated Heart Failure', *Circulation. Cardiovascular imaging*, 11(10), p. e007249. doi: 10.1161/CIRCIMAGING.117.007249.
 - Hernandez-suarez, D. F. (2017) 'Strain Imaging Echocardiography: What Imaging Cardiologists Should Know', *Current Cardiology Reviews*, 13, pp. 118–129. doi: 10.2174/1573403X126661610281.
 - Houard, L. et al. (2019) 'Additional Prognostic Value of 2D Right Ventricular Speckle-Tracking Strain for Prediction of Survival in Heart Failure and Reduced Ejection Fraction: A Comparative Study With Cardiac Magnetic Resonance', *JACC: Cardiovascular Imaging*, 12(12), pp. 2373–2385. doi: 10.1016/j.jcmg.2018.11.028.
 - Kasimir, M. T. et al. (2004) 'Reverse cardiac remodelling in patients with primary pulmonary hypertension after isolated lung transplantation', *European Journal of Cardio-thoracic Surgery*, 26(4), pp. 776–781. doi: 10.1016/j.ejcts.2004.05.057.
 - Kawata, T. et al. (2017) 'Echocardiographic assessment of right ventricular function in routine practice: Which parameters are useful to predict one-year outcome in advanced heart failure patients with dilated cardiomyopathy?', *Journal of Cardiology*, 70(4), pp. 316–322. doi: 10.1016/j.jjcc.2017.02.007.
 - Kemenkes RI (2018) 'Laporan_Nasional_RKD2018_FINAL.pdf', *Badan Penelitian dan Pengembangan Kesehatan*, p. 198. Available at: http://labdata.litbang.kemkes.go.id/images/download/laporan/RKD/2018/Laporan_Nasional_RKD2018_FINAL.pdf.
 - Kemp, C. D. and Conte, J. V. (2012) 'The pathophysiology of heart failure', *Cardiovascular Pathology*, 21(5), pp. 365–371. doi: 10.1016/j.carpath.2011.11.007.

- Konstam, M. A. *et al.* (2018) 'Evaluation and Management of Right-Sided Heart Failure: A Scientific Statement From the American Heart Association', *Circulation*. NLM (Medline), pp. e578–e622. doi: 10.1161/CIR.0000000000000560.
- Kou, S. *et al.* (2014) 'Echocardiographic reference ranges for normal cardiac chamber size: Results from the NORRE study', *European Heart Journal Cardiovascular Imaging*, 15(6), pp. 680–690. doi: 10.1093/ehjci/jet284.
- Lang, R. M., Badano, L. P., Mor-Avi, V., *et al.* (2015) 'Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American society of echocardiography and the European association of cardiovascular imaging', *European Heart Journal Cardiovascular Imaging*, 16(3), pp. 233–271. doi: 10.1093/ehjci/jev014.
- Lang, R. M., Badano, L. P., Victor, M. A., *et al.* (2015) 'Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging', *Journal of the American Society of Echocardiography*, 28(1), pp. 1-39.e14. doi: 10.1016/j.echo.2014.10.003.
- Leibundgut, G. *et al.* (2010) 'Dynamic Assessment of Right Ventricular Volumes and Function by Real-Time Three-Dimensional Echocardiography: A Comparison Study With Magnetic Resonance Imaging in 100 Adult Patients', *Journal of the American Society of Echocardiography*, 23(2), pp. 116–126. doi: 10.1016/j.echo.2009.11.016.
- Lily, L. S. *et al.* (2016) *Pathophysiology of Heart Disease: A Collaborative Project of Medical Students and Faculty, Sixth edition*. 6th ed. Boston: Wolters Kluwer.
- Lisi, M. *et al.* (2015) 'RV longitudinal deformation correlates with myocardial fibrosis in patients with end-stage heart failure', *JACC: Cardiovascular Imaging*, 8(5), pp. 514–522. doi: 10.1016/j.jcmg.2014.12.026.
- Longobardo, L. *et al.* (2017) 'Role of Two-Dimensional Speckle-Tracking Echocardiography Strain in the Assessment of Right Ventricular Systolic Function and Comparison with Conventional Parameters', *Journal of the American Society of Echocardiography*, 30(10), pp. 937-946.e6. doi:

- 10.1016/j.echo.2017.06.016.
- Lundorff, I. . *et al.* (2020) 'Right ventricular speckle tracking in patients with heart failure – a comparison of right ventricular measures', *European Heart Journal*, 41(Supplement_2), p. 2020. doi: 10.1093/ehjci/ehaa946.0145.
 - McDonagh, T. A. *et al.* (2021) '2021 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure', *European Heart Journal*, 42(36), pp. 3599–3726. doi: 10.1093/eurheartj/ehab368.
 - Meluzin, J. *et al.* (2005) 'Combined right ventricular systolic and diastolic dysfunction represents a strong determinant of poor prognosis in patients with symptomatic heart failure', *International Journal of Cardiology*, 105(2), pp. 164–173. doi: 10.1016/j.ijcard.2004.12.031.
 - Messika-Zeitoun, D. *et al.* (2004) 'Medical and surgical outcome of tricuspid regurgitation caused by flail leaflets', *Journal of Thoracic and Cardiovascular Surgery*, 128(2), pp. 296–302. doi: 10.1016/j.jtcvs.2004.01.035.
 - Monitillo, F. *et al.* (2020) 'Right ventricular function in chronic heart failure: From the diagnosis to the therapeutic approach', *Journal of Cardiovascular Development and Disease*, 7(2). doi: 10.3390/JCDD7020012.
 - Morris, D. A. *et al.* (2017) 'Normal range and usefulness of right ventricular systolic strain to detect subtle right ventricular systolic abnormalities in patients with heart failure: a multicentre study', *European heart journal cardiovascular Imaging*, 18(2), pp. 212–223. doi: 10.1093/ehjci/jew011.
 - Motoji, Y. *et al.* (2016) 'Association of Apical Longitudinal Rotation with Right Ventricular Performance in Patients with Pulmonary Hypertension: Insights into Overestimation of Tricuspid Annular Plane Systolic Excursion', *Echocardiography*, 33(2), pp. 207–215. doi: 10.1111/echo.13036.
 - Mukherjee, M. *et al.* (2016) 'Unique Abnormalities in Right Ventricular Longitudinal Strain in Systemic Sclerosis Patients', *Circulation: Cardiovascular Imaging*, 9(6), pp. 1–9. doi: 10.1161/CIRCIMAGING.115.003792.
 - Nuchioka, K. *et al.* (2018) 'Right Ventricular Function, Right Ventricular-

- Pulmonary Artery Coupling, and Heart Failure Risk in 4 US Communities: The Atherosclerosis Risk in Communities (ARIC) Study', *JAMA Cardiology*, 3(10), pp. 939–948. doi: 10.1001/jamacardio.2018.2454.
- Pastore, M. C. et al. (2020) 'Basic and advanced echocardiography in advanced heart failure: an overview', *Heart Failure Reviews*, 25(6), pp. 937–948. doi: 10.1007/s10741-019-09865-3.
 - Ponikowski, P. et al. (2014) 'Heart failure: preventing disease and death worldwide', *ESC Heart Failure*, 1(1), pp. 4–25. doi: 10.1002/ehf2.12005.
 - Ponikowski, P. et al. (2016) '2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure', *European Heart Journal*, 37(27), pp. 2129-2200m. doi: 10.1093/eurheartj/ehw128.
 - Rothschild, E. et al. (2020) 'Right ventricular strain for prediction of mortality in patients with preserved ejection fraction', *European Heart Journal*, 41(Supplement_2), p. 2020. doi: 10.1093/ehjci/ehaa946.0116.
 - Santamore, W. P. and Dell'Italia, L. J. (1998) 'Ventricular interdependence: Significant left ventricular contributions to right ventricular systolic function', *Progress in Cardiovascular Diseases*, 40(4), pp. 289–308. doi: 10.1016/S0033-0620(98)80049-2.
 - Sciaccaluga, C. et al. (2020) 'Traditional and Novel Imaging of Right Ventricular Function in Patients with Heart Failure and Reduced Ejection Fraction', *Current Heart Failure Reports*, 17(2), pp. 28–33. doi: 10.1007/s11897-020-00455-1.
 - Seo, J. et al. (2019) 'The prognostic value of 2D strain in assessment of the right ventricle in patients with dilated cardiomyopathy', *European Heart Journal Cardiovascular Imaging*, 20(9), pp. 1043–1050. doi: 10.1093/ehjci/jez015.
 - Smolarek, D., Gruchała, M. and Sobiczewski, W. (2017) 'Echocardiographic evaluation of right ventricular systolic function: The traditional and innovative approach', *Cardiology Journal*, 24(5), pp. 563–572. doi: 10.5603/CJ.a2017.0051.
 - Sugeng, L. et al. (2010) 'Multimodality Comparison of Quantitative Volumetric Analysis of the Right Ventricle', *JACC: Cardiovascular Imaging*, 3(1), pp. 10–18. doi: 10.1016/j.jcmg.2009.09.017.
 - Surkova, E. et al. (2019) 'Relative Prognostic Importance of Left and Right Ventricular Ejection Fraction in Patients With Cardiac Diseases', *Journal*

- of the American Society of Echocardiography*, 32(11), pp. 1407–1415.e3. doi: 10.1016/j.echo.2019.06.009.
- Thandavarayan, R. A., Chitturi, K. R. and Guha, A. (2020) ‘Pathophysiology of Acute and Chronic Right Heart Failure’, *Cardiology Clinics*, 38(2), pp. 149–160. doi: 10.1016/j.ccl.2020.01.009.
 - Venner, C. et al. (2016) ‘Right ventricular dysfunction in patients with idiopathic dilated cardiomyopathy: Prognostic value and predictive factors’, *Archives of Cardiovascular Diseases*, 109(4), pp. 231–241. doi: 10.1016/j.acvd.2015.10.006.
 - Vijiac, A. et al. (2021) ‘Forgotten No More—The Role of Right Ventricular Dysfunction in Heart Failure with Reduced Ejection Fraction: An Echocardiographic Perspective’, *Diagnostics*, 11(3), p. 548. doi: 10.3390/diagnostics11030548.
 - Vizzardi, E. et al. (2012) ‘Long-term prognostic value of the right ventricular myocardial performance index compared to other indexes of right ventricular function in patients with moderate chronic heart failure’, *Echocardiography*, 29(7), pp. 773–778. doi: 10.1111/j.1540-8175.2012.01703.x.
 - Voelkel, N. F. et al. (2006) ‘Right ventricular function and failure: Report of a National Heart, Lung, and Blood Institute working group on cellular and molecular mechanisms of right heart failure’, *Circulation*, 114(17), pp. 1883–1891. doi: 10.1161/CIRCULATIONAHA.106.632208.
 - Voigt, J. U. et al. (2015) ‘Definitions for a common standard for 2D speckle tracking echocardiography: Consensus document of the EACVI/ASE/industry task force to standardize deformation imaging’, *Journal of the American Society of Echocardiography*, 28(2), pp. 183–193. doi: 10.1016/j.echo.2014.11.003.
 - Wang, T. J. et al. (2003) ‘Natural history of asymptomatic left ventricular systolic dysfunction in the community’, *Circulation*, 108(8), pp. 977–982. doi: 10.1161/01.CIR.0000085166.44904.79.
 - Xu, H. et al. (2021) ‘Assessment of subclinical deterioration of right ventricular function by three-dimensional speckle tracking echocardiography in breast cancer patients undergoing anthracycline-based chemotherapy’, *International Journal of General Medicine*, 14, pp. 885–893. doi: 10.2147/IJGM.S300257.

- Yancy, C. W. *et al.* (2013) '2013 ACCF/AHA guideline for the management of heart failure: Executive summary: A report of the American college of cardiology foundation/American Heart Association task force on practice guidelines', *Circulation*, 128(16), pp. 1810–1852. doi: 10.1161/CIR.0b013e31829e8807.
- Yanikoglu, A., Altekin, R. and Yildirim, A. B. (2020) 'The Right Ventricular Free Wall Strain and Functional Capacity Assessed by 6 Minutes Walk Test in Heart Failure Patients with Reduced Ejection Fraction'. doi: 10.22541/au.158981488.89729677.
- Zhao, H. *et al.* (2019) 'Tricuspid annular plane systolic excursion is dependent on right ventricular volume in addition to function', *Echocardiography*, 36(8), pp. 1459–1466. doi: 10.1111/echo.14439.
- Zimbarra Cabrita, I. *et al.* (2010) 'Right ventricular function in patients with pulmonary hypertension; The value of myocardial performance index measured by tissue Doppler imaging', *European Journal of Echocardiography*, 11(8), pp. 719–724. doi: 10.1093/ejechocard/jeq051.
- Zornoff, L. A. M. *et al.* (2002) 'Right ventricular dysfunction and risk of heart failure and mortality after myocardial infarction', *Journal of the American College of Cardiology*, 39(9), pp. 1450–1455. doi: 10.1016/S0735-1097(02)01804-1.

LAMPIRAN

LAMPIRAN 1

<p>KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN RSPTN UNIVERSITAS HASANUDDIN RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR Sekretariat : Lantai 2 Gedung Laboratorium Terpadu JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245. Contact Person: dr. Agussalim Bukhari.,MMed,PhD, SpGK. TELP. 081241850858, 0411 5780103, Fax : 0411-581431</p>  			
REKOMENDASI PERSETUJUAN ETIK Nomor : 442/UN4.6.4.5.31/ PP36/ 2022			
Tanggal: 18 Agustus 2022			
Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :			
No Protokol	UH22070379	No Sponsor Protokol	
Peneliti Utama	dr. Sandy Cristine Dellumaya Palangi	Sponsor	
Judul Peneliti	PENILAIAN FREE WALL LONGITUDINAL STRAIN VENTRIKEL KANAN PADA GAGAL JANTUNG-PENURUNAN FRAKSI EJEKSI		
No Versi Protokol	1	Tanggal Versi	16 Juli 2022
No Versi PSP	1	Tanggal Versi	16 Juli 2022
Tempat Penelitian	RSUP Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 18 Agustus 2022 sampai 18 Agustus 2023	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	Nama dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)	Tanda tangan	
Kewajiban Peneliti Utama: <ul style="list-style-type: none"> Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah Menyerahkan laporan akhir setelah Penelitian berakhir Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation) Mematuhi semua peraturan yang ditentukan 			