

## DAFTAR PUSTAKA

- Akcay, M. and Sahin, M. (2019) 'Association of epicardial adipose tissue thickness with extent and complexity of coronary artery disease in patients with acute coronary syndrome', *Acta Cardiologica Sinica*, 35(5), pp. 459–467. doi:10.6515/ACS.201909\_35(5).20190119A.
- Ansaldi, A. M. et al. (2019) 'Epicardial adipose tissue and cardiovascular diseases', *International Journal of Cardiology*, 278(xxxx), pp. 254–260. doi: 10.1016/j.ijcard.2018.09.089.
- Andreini D, Arbelo E, Barbato E, et al. (2002). 'ESC Guidelines for the diagnosis and management CV disease during the COVID-19 pandemic'. European society of cardiology.
- Antman EL. Anbe DT. Armstrong PW. Bates ER, et al. (2004). 'ACC/AHA Guidelines for The Management of patients with ST-elevation myocardial infarction. ACC/AHA practice Guidelines'. 83-293
- Amitesh Aggarwal, Saurabh Srivastava, M.V. (2016) 'Newer perspectives of coronary artery disease in young', *World Journal of Cardiology*, 8(12), p. 728.
- Arbel, Y. et al. (2012) 'Neutrophil / lymphocyte ratio is related to the severity of coronary artery disease and clinical outcome in patients undergoing angiography', *Atherosclerosis*, 225(2), pp. 456–460. Available at: <https://doi.org/10.1016/j.atherosclerosis.2012.09.009>.
- Bangalore, S. et al. (2020) 'ST-Segment Elevation in Patients with Covid-19 — A Case Series', *New England Journal of Medicine*, pp. 2478–2480. Available at: <https://doi.org/10.1056/nejmc2009020>.
- Bihan, H. et al. (2021) 'Epicardial adipose tissue and severe Coronavirus Disease 19', *Cardiovascular Diabetology*, pp. 1–9. Available at: <https://doi.org/10.1186/s12933-021-01329-z>.
- Box, P.O. (1992) 'Leukemia Inhibitory Factor and Interleukin-1 Promote Maturation of Murine and Human Megakaryocytes In Vitro', 312, pp. 305–312.

- Bergheanu, S. C., Bodde, M. C. and Jukema, J. W. (2017) 'Pathophysiology and treatment of atherosclerosis: Current view and future perspective on lipoprotein modification treatment', *Netherlands Heart Journal*, 25(4), pp. 231–242. doi:10.1007/s12471-017-0959-2.
- Cammann, V. L. et al. (2020) 'Outcomes of acute coronary syndromes in coronavirus disease 2019', *Clinical Research in Cardiology*, 109(12), pp. 1601– 1604. doi: 10.1007/s00392-020-01742-6.
- Clerkin, K. J. et al. (2020) 'COVID-19 and Cardiovascular Disease', *Circulation*, 2019, pp. 1648–1655. doi: 10.1161/CIRCULATIONAHA.120.046941.
- Cowling, B. J., & Aiello, A. (2020) 'Public health measures to slow community spread of COVID-19', *The Journal of Infectious Diseases*, pp. 1–10.
- Cammann, V.L. et al. (2020) 'Outcomes of acute coronary syndromes in coronavirus disease 2019', *Clinical Research in Cardiology*, 109(12), pp. 1601–1604. Available at: <https://doi.org/10.1007/s00392-020-01742-6>.
- Conte, M. et al. (2022) 'Epicardial Adipose Tissue and Cardiac Arrhythmias : Focus on Atrial Fibrillation', 9(June), pp. 1–14. Available at: <https://doi.org/10.3389/fcvm.2022.932262>.
- Dharma S, Andriantoro H, Purnawan I, Dakota I, Basalamah F, Hartono B, et al. (2016) 'Characteristics, treatment and in-hospital outcomes of patients with STEMI in a metropolitan area of a developing country: an initial report of the extended Jakarta Acute Coronary Syndrome registry'. *BMJ Open*. 6(8): e 012193.
- Das B, Mishra TK (2016). 'Prevention and Management of Arrhythmias in Acute Myocardial Infarction'. *Journ of contemporary med resours*;3(5): 1401-140
- Daniel, M. et al. (2022) 'Age- and sex-specific trends in the incidence of myocardial infarction in Denmark , 2005 to 2021', 346(March), pp. 63–67. Available at: <https://doi.org/10.1016/j.atherosclerosis.2022.03.003>.
- Dhingra; Vasan, R.S. (2013) 'NIH Public Access', 96(1), pp. 87–91. Available at: <https://doi.org/10.1016/j.mcna.2011.11.003.Age>.

- Goeller M, Achenbach S, Marwan M, Doris MK, Cadet S, Commandeur F, Chen X, Slomka PJ, Gransar H, Cao JJ, Wong ND, Albrecht MH, Rozanski A, Tamarappoo BK, Berman DS, Dey D. Epicardial adipose tissue density and volume are related to subclinical atherosclerosis, inflammation and major adverse cardiac events in asymptomatic subjects. *J Cardiovasc Comput Tomogr.* 2018 Jan-Feb;12(1):67-73.
- Gawaz, M., Langer, H. and May, A.E. (2005) 'Review series Platelets in inflammation and atherogenesis', 115(12). Available at: <https://doi.org/10.1172/JCI27196.3378>.
- Göbölös, L. et al. (2022) 'Adverse Cardiac Effects of SARS-CoV-2 Infection Cardiac Effects of the SARS-CoV-2 Infection Phagocyte Actions in Host Tissue Damage'.
- Gomez-mesa, J. et al. (2022) 'Cardiovascular Risk Factors and Clinical Outcomes among Patients Hospitalized with COVID-19 : Findings from the World Heart Federation COVID-19 Study'. Available at: <https://doi.org/10.5334/gh.1128>.
- Grethe Albrektsen; Ivar Heuch; Maja-Lisa Lochen; et al (2016) 'Lifelong Gender Gap in Risk of Incident Myocardial Infarction The Tromsø Study', 176(11), pp. 1673–1679. Available at: <https://doi.org/10.1001/jamainternmed.2016.5451>.
- Huang, C. et al. (2020) 'Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China', *The Lancet*, 395(10223), pp. 497–506. doi: 10.1016/S0140-6736(20)30183-5.
- H. Hu, S.A. Chung, K.S. Nayak, H.A. Jackson, V. Gilsanz. Differential computed tomographic attenuation of metabolically active and inactive adipose tissues.J Comput Assist Tomogr., 35 (2011), pp. 65-71
- Iacobellis, G. et al. (2004) 'Relation between epicardial adipose tissue and left ventricular mass', *American Journal of Cardiology*, 94(8), pp. 1084–1087. doi: 10.1016/j.amjcard.2004.06.075.
- Iacobellis, G. (2014) 'Epicardial adipose tissue in endocrine and metabolic diseases', *Endocrine*, 46(1), pp. 8–15. doi: 10.1007/s12020-013-0099-4.

- Iacobellis, G., Corradi, D. and Sharma, A. M. (2005) 'Epicardial adipose tissue: Anatomic, biomolecular and clinical relationships with the heart', *Nature Clinical Practice Cardiovascular Medicine*, 2(10), pp. 536–543. doi:10.1038/ncpcardio0319.
- Iacobellis, G. (2022) 'Epicardial adipose tissue in contemporary cardiology', *Nature Reviews Cardiology*, 19(9), pp. 593–606. Available at: <https://doi.org/10.1038/s41569-022-00679-9>
- Ibanez, B. et al. (2018) '2017 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation', *European Heart Journal*, 39(2), pp. 119–177. doi: 10.1093/eurheartj/ehx393.
- Kim, I. (2020) 'Epicardial adipose tissue: fuel for COVID-19- induced cardiac injury?', *European Heart Journal*, 00, pp. 1–2. doi: 10.1002/oby.22831.
- Kwon, S.S., Choi, K., Da Nam, B. et al. Epicardial adipose tissue radiodensity is associated with all-cause mortality in patients undergoing hemodialysis. *Sci Rep* 11, 23090 (2021).
- Karampetsou, N. et al. (2022) 'Epicardial Adipose Tissue as an Independent Cardiometabolic Risk Factor for Coronary Artery Disease', *Cureus*, 14(6), pp. 1–11. Available at: <https://doi.org/10.7759/cureus.25578>.
- Liu, F. et al. (2020) 'Prognostic value of interleukin-6, C-reactive protein, and procalcitonin inpatients with COVID-19', *Journal of Clinical Virology*, 127(104370), pp. 1–5. doi: 10.1016/j.jcv.2020.104370.
- Labreuche, J., Mathieu, D. and Pattou, F. (2020) 'High Prevalence of Obesity in Severe Acute Respiratory Syndrome Coronavirus-2 ( SARS-CoV-2 ) Requiring Invasive Mechanical Ventilation', 28(7), pp. 1195–1199. Available at: <https://doi.org/10.1002/oby.22831>.
- Li, W., Liu, Q. and Tang, Y. (2017) 'Platelet to lymphocyte ratio in the prediction of adverse outcomes after acute coronary syndrome: a', *Nature Publishing Group*, (December 2016), pp. 1–9. Available at: <https://doi.org/10.1038/srep40426>.

- Mazurek, T. et al. (2003) 'Human Epicardial Adipose Tissue Is a Source of Inflammatory Mediators', *Circulation*, 108(20), pp. 2460–2466. doi: 10.1161/01.CIR.0000099542.57313.C5.
- Mehta, R. et al. (2021) 'Epicardial adipose tissue thickness is associated with increased severity and mortality related to SARS-CoV-2 infection', *medRxiv*, p. 2021.03.14.21253532. Available at: <http://medrxiv.org/content/early/2021/03/24/2021.03.14.21253532.abs> tract.
- Mozaffarian, D. et al. (2015) *Heart disease and stroke statistics-2015 update : A report from the American Heart Association, Circulation*. doi: 10.1161/CIR.0000000000000152.
- Mohamud, M.F.Y. (2022) 'Epidemiological Characteristics and Risk Factors Associated with Acute Myocardial Infarction in Somalia: A Single-Center Experience', *International Journal of General Medicine*, 15(September), pp. 7605–7617. Available at: <https://doi.org/10.2147/IJGM.S383690>.
- Ouwens, D. M. et al. (2010) 'The role of epicardial and perivascular adipose tissue in the pathophysiology of cardiovascular disease', *Journal of Cellular and Molecular Medicine*, 14(9), pp. 2223–2234. doi: 10.1111/j.1582-4934.2010.01141.x.
- Quadros, A. S. et al. (2012) 'Red versus white thrombi in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: Clinical and angiographic outcomes', *American Heart Journal*, 164(4), pp. 553– 560. doi: 10.1016/j.ahj.2012.07.022.
- Pramudita, A., Rosidah, S., Yudia, N., Simatupang, J., Sigit, W. P., Novariani, R., Myriarda, P., & Siswanto, B. B. (2022). Cardiometabolic Morbidity and Other Prognostic Factors for Mortality in Adult Hospitalized COVID-19 Patients in North Jakarta, Indonesia. *Global heart*, 17(1), 9.
- Pracon R, Kruk M, Kepka C, Pregowski J, Opolski MP, Dzielinska Z, Michalowska I, Chmielak Z, Demkow M, Ruzyllo W. Epicardial adipose tissue radiodensity is independently related to coronary atherosclerosis. A multidetector computed tomography study. Circ J. 2011;75(2):391-7.

- Pugliese, N.R. *et al.* (2021) 'Impact of epicardial adipose tissue on cardiovascular haemodynamics, metabolic profile, and prognosis in heart failure', *European Journal of Heart Failure*, 23(11), pp. 1858–1871. Available at: <https://doi.org/10.1002/ejhf.2337>.
- Rha, JW (2011). 'Sabatine M.S. Lilly, L.S. Acute Coronary Syndrome: in Pathophysiology of Heart Disease'. Fifth Edition: 161-189
- Rosen, E. D. and Spiegelman, B. M. (2006) 'Adipocytes as regulators of energy balance and glucose homeostasis', *Nature*, 444(7121), pp. 847–853. doi:10.1038/nature05483.
- Rodgers, J.L. *et al.* (2019) 'Cardiovascular Risks Associated with Gender and Aging'.
- Rubenstein, J. C., Cinquegrani, M. P. and Wright, J. (2012) 'Atrial fibrillation in acute coronary syndrome', *Journal of Atrial Fibrillation*, 2(11), pp. 35–42. doi: 10.5005/jp/books/13034\_70.
- Schiavone, M. *et al.* (2020) 'Acute Coronary Syndromes and Covid-19: Exploring the Uncertainties', *Journal of Clinical Medicine*, 9(6), p. 1683. doi: 10.3390/jcm9061683.
- Schmitt, J. *et al.* (2009) 'Atrial fibrillation in acute myocardial infarction: A systematic review of the incidence, clinical features and prognostic implications', *European Heart Journal*, 30(9), pp. 1038–1045. doi: 10.1093/eurheartj/ehn579.
- Shen, W. *et al.* (2003) 'Adipose tissue quantification by imaging methods: A proposed classification', *Obesity Research*, 11(1), pp. 5–16. doi: 10.1038/oby.2003.3.
- Shi, S. *et al.* (2020) 'Association of Cardiac Injury with Mortality in Hospitalized Patients with COVID-19 in Wuhan, China', *JAMA Cardiology*, 5(7), pp. 802–810.doi: 10.1001/jamacardio.2020.0950.
- Smorlesi, A. *et al.* (2012) 'The adipose organ: White-brown adipocyte plasticity and metabolic inflammation', *Obesity Reviews*, 13(SUPPL.2), pp. 83–96. doi: 10.1111/j.1467-789X.2012.01039.x.

- Soraya, G. V. and Ulhaq, Z. S. (2020) 'Crucial laboratory parameters in COVID-19 diagnosis and prognosis: An updated meta-analysis', *Medicina Clínica (English Edition)*, 155(4), pp. 143–151. doi: 10.1016/j.medcle.2020.05.004.
- Sharma, K. et al. (2017) 'Is Neutrophil-to-Lymphocyte Ratio a Predictor of Coronary Artery Disease in Western Indians?', 2017. Available at: <https://doi.org/10.1155/2017/4136126>.
- Thygesen, K. et al. (2012) 'Third universal definition of myocardial infarction', *Circulation*, 126(16), pp. 2020–2035. doi: 10.1161/CIR.0b013e31826e1058.
- Thanassoulis, G. et al. (2010) 'Pericardial fat is associated with prevalent atrial fibrillation: The framingham heart study', *Circulation: Arrhythmia and Electrophysiology*, 3(4), pp. 345–350. Available at: <https://doi.org/10.1161/CIRCEP.109.912055>.
- Tsao, H.M. et al. (2011) 'Quantitative analysis of quantity and distribution of epicardial adipose tissue surrounding the left atrium in patients with atrial fibrillation and effect of recurrence after ablation', *American Journal of Cardiology*, 107(10), pp. 1498–1503. Available at: <https://doi.org/10.1016/j.amjcard.2011.01.027>.
- Tu, K. and Petek, D. (2016) 'Comorbidities and characteristics of coronary heart disease patients : their impact on health-related quality of life', pp. 1–12. Available at: <https://doi.org/10.1186/s12955-016-0560-1>.
- Verma, B. et al. (2019) 'Relation of systolic and diastolic epicardial adipose tissue thickness with presence and severity of coronary artery disease ( The EAT CAD study )', pp. 1470–1475. Available at: <https://doi.org/10.4103/jfmpc.jfmpc>.
- Wang, D. et al. (2020) 'Clinical Characteristics of 138 Hospitalized Patients with 2019 Novel Coronavirus-Infected Pneumonia in Wuhan, China', *JAMA - Journal of the American Medical Association*, 323(11), pp. 1061–1069. doi:10.1001/jama.2020.1585.
- Wang, W. et al. (2019) 'High sensitivity C-reactive protein to prealbumin ratio measurement as a marker of the prognosis in acute coronary

- syndrome', *Scientific Reports*, 9(1), p. 11583. doi: 10.1038/s41598-019-48189-y.
- Wei, Z. et al. (2021) 'Pre-existing Health Conditions and Epicardial Adipose Tissue Volume : Potential Risk Factors for Myocardial Injury in COVID-19 Patients', 7, pp. 1–10. doi: 10.3389/fcvm.2020.585220.
- Woerden, G. van; et all (2022) 'Circulation: Heart Failure Epicardial Adipose Tissue and Outcome in Heart', (March), pp. 245–255. Available at: <https://doi.org/10.1161/CIRCHEARTFAILURE.121.009238>.
- Xiong, T. Y. et al. (2020) 'Coronaviruses and the cardiovascular system: Acute and long-term implications', *European Heart Journal*, 41(19), pp. 1798–1800. doi: 10.1093/eurheartj/ehaa231.
- D Ye, S. (2013). Cardiac Events. In: Gellman, M.D., Turner, J.R. (eds) Encyclopedia of Behavioral Medicine. Springer, New York, NY.
- Yamaguchi, Y. et al. (2015) 'Adipogenesis and epicardial adipose tissue: A novel fate of the epicardium induced by mesenchymal transformation and PPAR $\gamma$  activation', *Proceedings of the National Academy of Sciences of the United States of America*, 112(7), pp. 2070–2075. Available at: <https://doi.org/10.1073/pnas.1417232112>.
- Yañez-rivera, T.G. et al. (2014) 'Relationship between epicardial adipose tissue , coronary artery disease and adiponectin in a Mexican population', 12(1), pp. 1–6. Available at: <https://doi.org/10.1186/1476-7120-12-35>.
- Zhou, F. et al. (2020) 'Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: a retrospective cohort study', *The Lancet*, 395(10229), pp. 1054–1062. doi: 10.1016/S0140-6736(20)30566-3.
- Zhao, Y. et al. (2021) 'COVID-19 letter to the editor: Epicardial fat inflammation as possible enhancer in COVID-19?', *Metabolism: clinical and experimental*, 117,p. 154722. doi: 10.1016/j.metabol.2021.154722

**LAMPIRAN**

1. Rekomendasi Persetujuan Etik Penelitian

KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI  
 UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN

KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN

RSPTN UNIVERSITAS HASANUDDIN

RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR

Sekretariat : Lantai 2 Gedung Laboratorium Terpadu

JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.

Contact Person: dr. Agussalim Bukhari, MMed, PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431



**REKOMENDASI PERSETUJUAN ETIK**

Nomor : 470/UN4.6.4.5.31/ PP36/ 2022

Tanggal: 29 Agustus 2022

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH22070368	No Sponsor Protokol	
Peneliti Utama	<b>dr. Dwi Widya Puji Astuti</b>	Sponsor	
Judul Peneliti	Hubungan antara Ketebalan Lemak Epikardial dengan Major Adverse Cardiac Event Pada Pasien Pneumonia Corona Virus Disease -19 yang disertai Sindrom Koroner Akut The Relationship Between Epicardial Adipose Tissue Thickness and Major Adverse Cardiac Event in		
No Versi Protokol	<b>1</b>	Tanggal Versi	<b>14 Juli 2022</b>
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUP Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku <b>29 Agustus 2022</b> sampai <b>29 Agustus 2023</b>	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama <b>Prof.Dr.dr. Suryani As'ad, M.Sc.,Sp.GK (K)</b>	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	Nama <b>dr. Agussalim Bukhari, M.Med.,Ph.D.,Sp.GK (K)</b>	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan