

## DAFTAR PUSTAKA

- Almatsier, s., 2015. Prinsip Dasar Ilmu Gizi, PT. Gramedia Pustaka Utama, Jakarta
- Bunchorntavakul C, Supanun R, Atsawarungruangkit A. Nutritional Status and its Impact on Clinical Outcomes for Patients Admitted to Hospital with Cirrhosis. *J Med Assoc Thai.* 2016 Feb;99 Suppl 2:S47-55. PMID: 27266216.
- Carvalho, J. R. and Machado, M. V. (2018) 'New insights about albumin and liver disease', *Annals of Hepatology*, 17(4), pp. 547–560. doi: 10.5604/01.3001.0012.0916.
- Chan, J. F. W. et al. (2020) 'A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster', *The Lancet*, 395(10223), pp. 514–523. doi: 10.1016/S0140-6736(20)30154-9.
- Eghtesad, S., Poustchi, H. and Malekzadeh, R. (2013) 'Malnutrition in liver cirrhosis:the influence of protein and sodium.', *Middle East journal of digestive diseases*, 5(2), pp. 65–75. Available at:  
<http://www.ncbi.nlm.nih.gov/pubmed/24829672%0Ahttp://www.ncbi.nlm.nih.gov/pmc/articles/PMC3990138>.
- Evans, T. W. (2002) 'Biological effects of albumin unrelated to oncotic pressure.', *Aliment Pharmacol Ther*, 16(Supplement 5), pp. 6–11. doi: 10.1046/j.1365-2036.2002.00190.x.
- Girson Gunarsa, R. et al. (2011) 'Total Lymphocyte Count as a Nutritional Parameter in Hospitalized Patients', *The Indonesian Journal of Gastroenterology, Hepatology, and Digestive Endoscopy*, 12(2), pp. 89–94.
- Guy, J. and Peters, M. G. (2013) 'Liver disease in women: The influence of gender on epidemiology, natural history, and patient outcomes', *Gastroenterology and Hepatology*, 9(10), pp. 633–639.
- Ignacio De Ulíbarri, J. et al. (2005) 'CONUT: A tool for Controlling Nutritional Status. First validation in a hospital population', *Nutricion Hospitalaria*, 20(1), pp. 38–45.
- Kato, T. et al. (2020) 'Association with Controlling Nutritional Status (CONUT) Score and In-hospital Mortality and Infection in Acute Heart Failure', *Scientific Reports*, 10(1), pp. 1–10. doi: 10.1038/s41598-020-60404-9.
- Keller, U. (2019) 'Nutritional laboratory markers in malnutrition', *Journal of Clinical Medicine*, 8(6). doi: 10.3390/jcm8060775.
- Lee Y, S. W. C. L. [Updated 2021 J. 26]. I. S. [Internet]. T. I. (FL): S. P. 2022 J.-. (2021) *Cholesterol Levels Lee Y, Siddiqui WJ. Publication Details Introduction Lipids are circulating as lipoproteins, consisting of unesterified cholesterol, triglycerides, phospholipids, and protein. There are five major lipoproteins in blood: (1) chyl.* StatPearls Publishing LLC. Available at:  
[https://www.ncbi.nlm.nih.gov/books/NBK542294/#\\_NBK542294\\_pubdet\\_](https://www.ncbi.nlm.nih.gov/books/NBK542294/#_NBK542294_pubdet_).
- Lovena, A., Miro, S. and Efrida, E. (2017) 'Karakteristik Pasien Sirosis Hepatis di RSUP Dr. M. Djamil Padang', *Jurnal Kesehatan Andalas*, 6(1), p. 5. doi:

10.25077/jka.v6i1.636.

- Magdy, S. A. E.-M. A. (2018) ‘Subjective Global Assessment for Patients with Hepatic Cirrhosis, Egypt’, *International Journal of Science and Research (IJSR)*, 7(6), pp. 1419–1425. doi: 10.21275/ART20183477.
- Mahan, K., Escott-Stump, S. and Raymond, J. (2012) *Krause’s Food and the Nutrition Care Process*.
- Maharshi, S., Sharma, B. C. and Srivastava, S. (2015) ‘Malnutrition in cirrhosis increases morbidity and mortality’, *Journal of Gastroenterology and Hepatology (Australia)*, 30(10), pp. 1507–1513. doi: 10.1111/jgh.12999.
- Marcia Nahikian Nelms, Kathryn Sucher, Karen Lacey, S. L. R. (2017) *Nutrition Therapy and Pathophysiology*, 2e. second edi. Edited by Y. Cossio. canada: Cengage Learning. doi: 10.5005/jp/books/12923\_26.
- Nishikawa, H. et al. (2018) ‘The relationship between controlling nutritional (CONUT) score and clinical markers among adults with hepatitis C virus related liver cirrhosis’, *Nutrients*, 10(9). doi: 10.3390/nu10091185.
- Nusrat, S. et al. (2014) ‘Cirrhosis and its complications: Evidence based treatment’, *World Journal of Gastroenterology*, 20(18), pp. 5442–5460. doi: 10.3748/wjg.v20.i18.5442.
- Orman, E. S. et al. (2019) ‘Trends in Characteristics, Mortality, and Other Outcomes of Patients with Newly Diagnosed Cirrhosis’, *JAMA Network Open*, 2(6), pp. 1–13. doi: 10.1001/jamanetworkopen.2019.6412.
- Patasiuk, Y. Z., Waleleng, B. J. and Wantania, F. (2015) ‘Profil Pasien Sirosis Hati Yang Dirawat Inap Di Rsup Prof. Dr. R. D. Kandou Manado Periode Agustus 2012 – Agustus 2014’, *e-CliniC*, 3(1), pp. 3–8. doi: 10.35790/ecl.3.1.2015.6841.
- Peng, Y., Qi, X. and Guo, X. (2016) ‘Child-pugh versus MELD score for the assessment of prognosis in liver cirrhosis a systematic review and meta-analysis of observational studies’, *Medicine (United States)*, 95(8), pp. 1–29. doi: 10.1097/MD.0000000000002877.
- Plauth, M. et al. (2019) ‘ESPEN guideline on clinical nutrition in liver disease’, *Clinical Nutrition*, 38(2), pp. 485–521. doi: 10.1016/j.clnu.2018.12.022.
- Procopet, B. and Berzigotti, A. (2017) ‘Diagnosis of cirrhosis & portal hypertension: Imaging, non-invasive markers of fibrosis & liver biopsy’, *Gastroenterology Report*, 5(2), pp. 79–89. doi: 10.1093/gastro/gox012.
- Schmidt L.M., Barrit S.A., Oman S.E., H. H. P. (2015) ‘Decreasing Mortality Among Patients Hospitalized with Cirrhosis in the United States From 2002 Through 2010’, *Gastroenterology*, 148(5)(1), pp. 967–977. doi: 10.1053/j.gastro.2015.01.032.Decreasing.
- Schuppan, D. and Afshar, N. H. (2008) ‘Liver cirrhosis’, *The Lancet*, 371(9615), pp. 838–851. doi: 10.1016/S0140-6736(08)60383-9.
- Sepanlou, S. G. et al. (2020) ‘The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017’, *The Lancet Gastroenterology and Hepatology*, 5(3), pp. 245–266. doi: 10.1016/S2468-1253(19)30349-8.

- Sidiq T, K. N. (2015) ‘Nutrition as a Part of Therapy in the Treatment of Liver Cirrhosis’, *Journal of Nutrition & Food Sciences*, 5(S11). doi: 10.4172/2155-9600.1000S11004.
- Silbernagl, S. and Lang, F. (2019) *Color Atlas of Pathophysiology, Color Atlas of Pathophysiology*. doi: 10.1055/b-005-148940.
- Spoletini, G. et al. (2022) ‘CONUT Score Predicts Early Morbidity After Liver Transplantation: A Collaborative Study’, *Frontiers in Nutrition*, 8(January), pp. 1–9. doi: 10.3389/fnut.2021.793885.
- Sun, X. et al. (2017) ‘Controlling Nutritional Status (CONUT) score as a predictor of all-cause mortality in elderly hypertensive patients: A prospective follow-up study’, *BMJ Open*, 7(9), pp. 1–8. doi: 10.1136/bmjopen-2016-015649.
- Suva, M. (2018) ‘REVIEW ARTICLE A Brief Review on Liver Cirrhosis : Epidemiology, Etiology, Pathophysiology, Symptoms, Diagnosis and Its Management’, 2014(July), pp. 1–5.
- Walayat, S. et al. (2017) ‘Role of albumin in cirrhosis: from a hospitalist’s perspective’, *Journal of Community Hospital Internal Medicine Perspectives*, 7(1), pp. 8–14. doi: 10.1080/20009666.2017.1302704.
- Zhang, Z. et al. (2017) ‘Evaluation of blood biomarkers associated with risk of malnutrition in older adults: A systematic review and meta-analysis’, *Nutrients*, 9(8). doi: 10.3390/nu9080829.