

## DAFTAR PUSTAKA

1. Welbury R, Dugal SM.2017. Paediatric Dentistry.5<sup>th</sup> ed. New York: Oxford University.
2. Belmokhtar F, Belmokhtar R, Kerfou A. Cytogenetic Study of Down Syndrome In Algeria: Report and Review. J Genet Syndr Gene Ther. 2016;7(1):1-6.
3. Dey S.2011. Genetics and Etiology of Down Syndrome. Croatia: InTech.
4. Hidajat S, Garna H, Idjradinata P, Surjono A. Pemeriksaan Dermatoglifik dan Penilaian Fenotip Sindrom Down Sebagai Uji Diagnostik Kariotip Aberasi Penuh Trisomi 21. Sari Pediatri. 2005;7(2):97-104.
5. Biltagi M. Down syndrome from Epidemiologic Point of View. 2015:82-92.
6. Preethi B, Pyati A, Dodawad R. Evaluation of flow rate, ph, buffering capacity, calcium, total protein and total antioxidant levels of saliva in caries free and caries active children-An in vivo study. Biomedical Research. 2010;21(3):289-993.
7. Darshana B, Veeara R, Nandita K. Influence of Genetic factor on Dental Caries. Indian Journal of Research in Pharmacy and Biotechnology. 2014;2(3):1196-208.
8. Piddennavar R, Krishnappa P, Ramu S. Review On “Influence Of Host Genes On Dental Caries”. IOSR Journal of Dental and Medical Sciences (IOSR-JDMS). 2013;4(3):86- 93.

9. Nahid K, Sara L, Moawia A. Association between hereditary factor and dental caries among school aged children in Najran – KSA. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS)*. 2015;14(10):47-52.
10. Stefanovska E, Nakova M, Radojkova N, Ristoska S. Tooth-brushing intervention programme among children with mental handicap. *Bratisl Lek Listy* 2. 2010;111(5):299-302.
11. Taringan R. 2006. *Karies Gigi*. Jakarta: Hipokrates.
12. Yazeed E, Shehaby E, Salem. Relationship Between Salivary Composition and Dental Caries among a Group of Egyptian down Syndrome Children. *Australian Journal of Basic and Applied Science*. 2009;3(2):720-30.
13. Areias C, Sampaio-Maia B, Macho V, Leal I, Melo P. Does the chemistry in the saliva of Down syndrome children explain their low caries prevalence? *European Journal of Paediatric Dentistry*. 2013;14(1):23-7.
14. Khadra T. Prevalence of dental caries and oral hygiene status among Down's syndrome patients in Riyadh-Saudi Arabia. *Pakistan Oral and Dental Journal*. 2011;31(1):115-8.
15. Castilho A, Pardi V, Vicente C. Caries prevalence, level of mutans streptococci, salivary flow rate, and buffering capacity in subjects with Down syndrome. *Braz J Oral Sci*. 2007;6(21):1131-7.
16. Gopinath V, Arzreanne A. Saliva as a Diagnostic Tool for Assessment of Dental Caries. *Achieves of Orofacial Science*. 2006;1:57-9.
17. Amerongen A, Michels L, Roukema P, Veerman E, editors. *Ludah dan*

kelenjar ludah arti bagi kesehatan gigi. Yogyakarta: Gadjah Mada University Press; 1991.

18. Haydar T, Reeves R. Trisomy 21 and early brain development. *Trends in Neurosciences*. 2012;35(2):81-91.
19. Stookey G. The effect of saliva on dental caries. *JADA*. 2008;137:115-75.
20. Malekipour M, Messripour M, Shirani F. Buffering Capacity of Salivary Patient with active dental caries. *Asian Journal of Biochemistry*. 2008;3(5):280-4.
21. Animireddy D, Thimma V, Mohammad N. Evaluation of pH, buffering capacity, viscosity and flow rate levels of saliva in caries-free, minimal caries and nursing caries children: An in vivo study. *Contemp Clin Dent*. 2014;5(3):324-9.
22. Chitaranjan S. Correlation between dental caries with salivary flow, pH and buffering capacity in adult South Indian population: an in-vivo study. *Int J Res Ayurveda Pharm*. 2013;4(2):119-223.
23. Robertson T. *Cariology: the lesion, etiology, prevention, and control*. Dalam: Robertson T, editor. *Art and science of operative dentistry*. Edisi. St.Louis: Mosby Elsevier;2006.
24. Liena-Pay C. The role of saliva in maintaining oral health and as aid to diagnosis. *Med Oral Patol Oral Cir Bucal*. 2006;11(E):449-53.
25. Shetty C, Hegde M, Devadiga D. Correlation between dental caries with salivary flow, pH, and buffering capacity in adult south indian population:

- an in-vivo study. *Int J Res Ayurveda Pharm.* 2013;4(2):219-23.
26. Raurale A, Vidyasagar M, Dahapute S, Joshi S, Badakar C, Mitesh K, et al. Evaluation of oral health status, salivary characteristics and dental caries experience in Down's syndrome children. *NJIRM.* 2013;4(6):59-65.
  27. Castilho A, Pardi V, Pereira C. Dental caries experience in relation to salivary finding and molecular identification of *S mutans* and *S sobrinus* in subject with Down Syndrome. *Odontology.* 2011;99:162-7.
  28. Siqueira W, Siqueira M, Mustacchi Z, Oliveira E, Nicolau J. Salivary parameters in infants aged 12 to 60 month with Down syndrome. *Special care in dentistry: Official publication of the American Association of the American Society for Geriatric Dentistry.* 2007;27(5):202-5.
  29. Winer R, Chauncey H. Parotid Saliva Enzyme in Down's Syndrome. *J Dent Res.* 1975;54(1):62-4.
  30. Siqueira W, Oliveira Ed, Mustacchi Z, Nicolau J. Electrolyte concentrations in saliva of children aged 6-10 years with Down syndrome. *Oral Surg Oral Med Oral Pathol Endod.* 2004;98:76-9.
  31. Liu K, Case A. Advanced Reproductive Age and Fertility. *J Obstet Gynaecol Can* 2011;33(11):1165-75.
  32. Smith D, Wilson A. *The child with down's syndrome (mongolism)* St Louise Missouri: WB Saunders Co; 1973.
  33. Jan O, Tal T, Alexander E, Xiao N, Maya K, Li D, et al. The genetic architecture of Down syndrome phenotypes revealed by high-resolution

- analysis of human segmental trisomies. PNAS. 2009;106(29):7.
34. Desai S. Down syndrome: a review of the literature. Down syndrome: a review of the literature. 1997;84(3):279-85.
  35. Papavassiliou P, Charalsawadi C, Rafferty K, Jackson C. Mosaicism for Trisomy 21: A Review. American Journal of Medical Genetics. 2014:26-38.
  36. Help Me Understand Genetics Mutations and Health. Genetic Home Reference [serial on the Internet]. 2016.
  37. Areias C, Sampaio B, Macho V, Norton A, Macedo P, Casimiro D. Oral Health in Down Syndrome. Health Problems in Down Syndrome. Croatia: InTech; 2015.
  38. Cristina E, Matos J, Bonfim D, Maria E. Clinical profile of children with down syndrome treated in a genetics outpatient service in the Southeast of Brazil. Rev Assoc Med Bras. 2009;55(5):547-52.
  39. Macho V, Coelho A, Areias C, Macedo P, Andrade D. Craniofacial Features and Specific Oral Characteristics of Down Syndrome Children OHDM. 2014;13(2):408-11.
  40. Silva F, Sousa S. Down's Syndrome – Aspects of interest to dentists. Bauru. 2001;20(2):101-11.
  41. Quinn F. 2010. Common Otolaryngological Congenital Abnormalities.
  42. Shore S, Lightfoot T, Ansell P. Oral disease in children with Down syndrome: Causes and prevention. Community practitioner. The journal of

- the Community Practitioners & Health Visitors Association. 2010;83(2):18-21.
43. Mari L, Luiz C, Gustavo N, Patrícia P, Luis R. Dental Anomalies in Patients with Down Syndrome. *Braz Dent J* 2007;18(4):346-50.
  44. Davidovich E, Aframian D, Shapira J, Peretz B. A comparison of the sialochemistry, oral pH, and oral health status of down syndrome children to healthy children. *International Journal of Pediatric Dentistry*. 2010;20:345-0.
  45. Chaudary M, Chaudary S. *Essential of Pediatric Oral Pathology*. New Delhi: JaypeeBrothers Medical Publishers (P) Ltd; 2011.
  46. Regezi J, Sciubba J, Jordan R. *Oral Pathology: Clinical Pathologic Correlations*. 6, editor St Louis Missouri: Elsevier Saunders; 2012.
  47. Fejerskov O, Nyvad B, Kidd E. *Pathology of dental caries*. Fejerskov O, Kidd E, editor. Copenhagen: Munksgaard; 2008.
  48. Mathias M, Simionato M, Guare R. Some factors associated with dental caries in the primary dentition of children with Down syndrome. *European Journal of Paediatric Dentistry*. 2011;12(1):37-42.
  49. Deps T, Angelo G, Martins C, Paiva S, Pordeus I, Oliveira A. Association between Dental Caries and Down Syndrome: A Systematic Review and Metaanalysis. *Journalpone*.2015:1-11.
  50. Ritter A, Eidson R, Donovan T. Dental caries: etiology, clinical characteristics, riskassessment, and management. Dalam: Heyman H, Swift

- E, Ritter A, editor. Art and science of operative dentistry. Edisi ke-6. St.Louis: Elsevier Mosby; 2013. h. 41.
51. Zero D, Fontana M, Martinez-Mier E, Ferreira-Zandona A, Ando M, C G-C. The Biology, prevention, diagnosis and treatment of dental caries Scientific Advances in the United States. J Am Dent Assoc. 2009;140(suppl 1):25S-34S.
52. Rensburg J.1995. Oral Biology. Chicago: Quintessence Publishing Co. h. 459-67.
53. Roth G, Calmes. 1981.Oral biology. St. Louis: The CV Mosby company.
54. Helen W. 1996.Introduction: the anatomy and physiology of the salivary gland. Dalam: Edgar W, O'Mullane D, editor. Saliva and oral health.2<sup>nd</sup>. London: British Dental Association. h. 1-36.
55. Bradley R. 1995.Essential of Oral Physiology. St.Louis: Mosby-Yearbook.
56. Apriyono D, Fatimatuzzahro N. Pengaruh kumur-kumur dengan larutan triclosan 3% terhadap pH saliva. CDK 187. 2011;38(7):426-8.
57. Murthykumar K. Saliva Composition and Function. A review. 2014;4(3):72-85.
58. Walmsley A, Walsh T, Lumley P, Burke F, Shortall A, Hayes-Hall R. Restorative dentistry.2<sup>nd</sup>. Edinburgh: Churchill Livingstone Elsevier; 2007.
59. Almeida P, Gregio A, Machado M, Lima A, Azevedo L. Saliva Composition and Function: A Comprehensive Review. The Journal of

- Contemporary Dental Practice. 2008;9(3):1-12.
60. Park J, Oh Y, Chung K. Two key genes closely implicated with the neuropathological characteristics in Down syndrome: DYRK1A and RCAN1. *BMB reports*. 2008:8-15.
61. Franco G, Saab R, Variani L, Fernanda M, Paula A, Armando J. Analysis of salivary pH, flow rate, buffering capacity concentrations of calcium, urea and total protein in 2-8 years old children with Down's syndrome. *RSBO*. 2014;11(1):66-70.
62. Areias C, Sampaio B, Pereira M, Azevedo I, Melo I, Andrade I. Reduced salivary flow and colonization by mutans streptococci in children with Down syndrome. *CLINICS* 2012;67(9):1007-11.
63. Cruz J, Scott J, Rothen M, Mancl L, Lauhorn T, Brossel K. Salivary characteristic and dental caries: Evidence from general dental practice. *J Am Dent Assoc*. 2013;144(5):10.
64. Chandra N, Cyril C, Lakshminarayana P, Nallasivam P, Ramesh A, Gopinath P. Cytogenetic evaluation of Down syndrome: a review of 1020 referral case. *Int J Hum Genet* 2010. 2010;10:87-93.
65. Zarazúa L, Alois L, Kofman S, Pered A. Prevalence of mosaicism for trisomy 21 and cytogenetic variant analysis in patients with clinical diagnosis of Down syndrome: a 24-year review (1986-2010) at the Servicio de Genética, Hospital General de México "Dr. Eduardo Liceaga". *Bol Med Hosp Infant Me*. 2013;70(1):29-34.
66. Walsh L. Clinical aspect of salivary biology for the dental clinician.

International Dentistry South Africa (Australian Edition). 2007;2(3):16-20.

67. Normastura A, Norhayani Z, Azizah Y, Khairi M. Saliva and Dental Caries in Down Syndrome Children. Sains Malaysiana 2013;42(1):59-63.
68. Aminabadi N, Najafpour E, Rohani Z, Deljavan A, Ghojazadeh M, Jamali Z. Linear reciprocal interaction between dental caries and salivary characteristics. Journal of Oral Science. 2013;55(4):337-42.
69. Winer R, Feller R. Composition of Parotid and Submandibular Saliva and Serum in Down's Syndrome. Journal of Dental Research. 1972;51:449-54.

**L**

**A**

**M**

**P**

**I**

**R**

**A**

**N**

## Frequency Table

### Jenis\_Kelamin\_Sindrom\_Down

|       |           | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | Perempuan | 13        | 43.3    | 43.3          | 43.3               |
|       | Laki-Laki | 17        | 56.7    | 56.7          | 100.0              |
|       | Total     | 30        | 100.0   | 100.0         |                    |

### Jenis\_Kelamin\_Non\_Sindrom\_Down

|       |           | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|-----------|-----------|---------|---------------|--------------------|
| Valid | Perempuan | 11        | 36.7    | 36.7          | 36.7               |
|       | Laki-Laki | 19        | 63.3    | 63.3          | 100.0              |
|       | Total     | 30        | 100.0   | 100.0         |                    |

### Usia\_Sindrom\_Down

|       |               | Frequency | Percent | Valid Percent | Cumulative Percent |
|-------|---------------|-----------|---------|---------------|--------------------|
| Valid | Umur 5 Tahun  | 3         | 10.0    | 10.0          | 10.0               |
|       | Umur 6 Tahun  | 4         | 13.3    | 13.3          | 23.3               |
|       | Umur 7 Tahun  | 6         | 20.0    | 20.0          | 43.3               |
|       | Umur 8 Tahun  | 6         | 20.0    | 20.0          | 63.3               |
|       | Umur 9 Tahun  | 7         | 23.3    | 23.3          | 86.7               |
|       | Umur 10 Tahun | 1         | 3.3     | 3.3           | 90.0               |
|       | Umur 11 Tahun | 2         | 6.7     | 6.7           | 96.7               |
|       | Umur 12 Tahun | 1         | 3.3     | 3.3           | 100.0              |
|       | Total         | 30        | 100.0   | 100.0         |                    |

### Usia\_Non\_Sindrom\_Down

|       |               | Frequency | Percent | Valid Percent | Cumulative<br>Percent |
|-------|---------------|-----------|---------|---------------|-----------------------|
| Valid | Umur 5 Tahun  | 3         | 10.0    | 10.0          | 10.0                  |
|       | Umur 6 Tahun  | 3         | 10.0    | 10.0          | 20.0                  |
|       | Umur 7 Tahun  | 6         | 20.0    | 20.0          | 40.0                  |
|       | Umur 8 Tahun  | 8         | 26.7    | 26.7          | 66.7                  |
|       | Umur 9 Tahun  | 5         | 16.7    | 16.7          | 83.3                  |
|       | Umur 10 Tahun | 2         | 6.7     | 6.7           | 90.0                  |
|       | Umur 11 Tahun | 2         | 6.7     | 6.7           | 96.7                  |
|       | Umur 12 Tahun | 1         | 3.3     | 3.3           | 100.0                 |
|       | Total         | 30        | 100.0   | 100.0         |                       |

### Tests of Normality

|                          | Kelompok         | Kolmogorov-Smirnov <sup>a</sup> |    |      | Shapiro-Wilk |    |      |
|--------------------------|------------------|---------------------------------|----|------|--------------|----|------|
|                          |                  | Statistic                       | df | Sig. | Statistic    | df | Sig. |
| Hasil_Laju_Aliran_Saliva | Sindrom Down     | .488                            | 30 | .000 | .492         | 30 | .000 |
|                          | Non Sindrom Down | .390                            | 30 | .000 | .703         | 30 | .000 |
| Hasil_Viscositas         | Sindrom Down     | .457                            | 30 | .000 | .554         | 30 | .000 |
|                          | Non Sindrom Down | .407                            | 30 | .000 | .648         | 30 | .000 |
| Hasil_Kapasitas_Buffer   | Sindrom Down     | .473                            | 30 | .000 | .526         | 30 | .000 |
|                          | Non Sindrom Down | .528                            | 30 | .000 | .347         | 30 | .000 |
| Hasil_pH_Saliva          | Sindrom Down     | .528                            | 30 | .000 | .347         | 30 | .000 |
|                          | Non Sindrom Down | .398                            | 30 | .000 | .640         | 30 | .000 |
| Hasil_DMFT               | Sindrom Down     | .198                            | 30 | .004 | .905         | 30 | .011 |
|                          | Non Sindrom Down | .303                            | 30 | .000 | .832         | 30 | .000 |

a. Lilliefors Significance Correction

### Ranks

|                          | Kelompok         | N  | Mean Rank | Sum of Ranks |
|--------------------------|------------------|----|-----------|--------------|
| Hasil_Laju_Aliran_Saliva | Sindrom Down     | 30 | 21.80     | 654.00       |
|                          | Non Sindrom Down | 30 | 39.20     | 1176.00      |
|                          | Total            | 60 |           |              |
| Hasil_Viscositas         | Sindrom Down     | 30 | 19.33     | 580.00       |
|                          | Non Sindrom Down | 30 | 41.67     | 1250.00      |
|                          | Total            | 60 |           |              |
| Hasil_Kapasitas_Buffer   | Sindrom Down     | 30 | 28.50     | 855.00       |
|                          | Non Sindrom Down | 30 | 32.50     | 975.00       |
|                          | Total            | 60 |           |              |
| Hasil_pH_Saliva          | Sindrom Down     | 30 | 20.55     | 616.50       |
|                          | Non Sindrom Down | 30 | 40.45     | 1213.50      |
|                          | Total            | 60 |           |              |
| Hasil_DMFT               | Sindrom Down     | 30 | 37.38     | 1121.50      |
|                          | Non Sindrom Down | 30 | 23.62     | 708.50       |
|                          | Total            | 60 |           |              |

### Test Statistics<sup>a</sup>

|                        | Hasil_Laju_Aliran_Saliva | Hasil_Viscositas | Hasil_Kapasitas_Buffer | Hasil_pH_Saliva | Hasil_DMFT |
|------------------------|--------------------------|------------------|------------------------|-----------------|------------|
| Mann-Whitney U         | 189.000                  | 115.000          | 390.000                | 151.500         | 243.500    |
| Wilcoxon W             | 654.000                  | 580.000          | 855.000                | 616.500         | 708.500    |
| Z                      | -4.394                   | -5.335           | -1.374                 | -5.090          | -3.149     |
| Asymp. Sig. (2-tailed) | .000                     | .000             | .169                   | .000            | .002       |

a. Grouping Variable: Kelompok