

## **DAFTAR PUSTAKA**

- Agarwal A, Deepinder F, Sharma RK, Ranga G, Li J. 2008. Effect of cell phone usage on semen analysis in men attending infertility clinic: an observational study. *Fertil Steril*; 89: 124-128.
- Agarwal A, Durairajanayagam D. 2015. Are men talking their reproductive health away?. *Asian J Androl*; 17:433–4.
- Agarwal A, Mulgund A, Hamada A, Chyatte MR. 2015. A unique view on male infertility around the globe. *Reprod Biol Endocrinol*; 13(1):37. doi:10.1186/s12958-015-0032-1.
- Ahmed GA, Hasan HG, Rashid AO. 2012. Serum levels of male oligospermia glycoconjugate inhibin B hormone and α-L-fucose in Kurdish (Iraq) populations. *Int J Basic Appl Sci*; 12: 59-66.
- Al-Rekabe BKK, Al-Wayelli DAOJ, Khadim AHA. 2010. Evaluation of serum FSH, LH and testosterone levels in infertile patients affected with different male infertility factors after IUI technique. *Thi-Qar Med J*; 4: 37-46.
- Bhongade MB, Prasad S, Jiloha RC, Ray PC, Mohapatra S, Koner BC. 2015. Effect of psychological stress on fertility hormones and seminal quality in male partners of infertile couples. *Andrologia*; 47: 336–42.
- Buhling KJ, Laakmann E. 2014. The effect of micronutrient supplements on male fertility. *Curr Opin Obstet Gynecol*; 26:199–209. doi:10.1097/GCO. 0000000000000063.
- Bujan L, Daudin M, Charlet JP, Thonneau P, Mieusset R. 2000. Increase in scrotal temperature in car drivers. *Hum Reprod* 15: 1355-1357.

Calogero A, Polosa R, Perdichizzi A, Guarino F, La Vignera S, Scarfia A, Fratantonio E, Condorelli R, Bonanno O, Barone N, et al. 2009. Cigarette smoke extract immobilizes human spermatozoa and induces sperm apoptosis. *Reprod Biomed Online*; 19:564–571.

Chavarro JE, Toth TL, Wright DL, Meeker JD, Hauser R. 2010. Body mass index in relation to semen quality, sperm DNA integrity, and serum reproductive hormone levels among men attending an infertility clinic. *Fertil Steril*; 93:2222–22231.

Cremonese, C., Piccoli, C., Pasqualotto, F., Clapauch, R., Koifman, R. J., Koifman, S., & Freire, C. 2017. Occupational exposure to pesticides, reproductive hormone levels and sperm quality in young Brazilian men. *Reproductive Toxicology*; 67: 174–185. doi:10.1016/j.reprotox.2017.01.001

Curtis M. 2017. Inconceivable: how barriers to infertility treatment for low-income women amount to reproductive oppression. *Georgetown Journal on Poverty Law & Policy*; 25:323.

Durairajanayagam D, Agarwal A, Ong C. 2015. Causes, effects andmolecular mechanisms of testicular heat stress. *Reprod Biomed Online*; 30:14–27.

Durairajanayagam D, Sharma R, Du Plessis SS, Agarwal A. 2014. Testicular heat stress and sperm quality. In: Du Plessis SS, editor. *Male infertility: a complete guide to lifestyle and environ-mental factors*. New York: Springer Science + Business Media.

Durairajanayagam D, Sharma R, Du Plessis SS, Agarwal A. 2014. Testicular heat stress and sperm quality. In: Du Plessis SS, editor. *Male infertility: a complete guide to lifestyle and environ-mental factors*. New York: Springer Science + Business Media.

- Gaskins AJ, Mendiola J, Afeiche M, Jørgensen N, Swan SH, Chavarro JE. 2015. Physical activity and television watching in relation to semen quality in young men. *Br J Sports Med*; 49:265–70. doi:10.1136/bjsports-2012-091644.
- Gaur DS, Talekar MS, Pathak VP. 2010. Alcohol intake and cigarette smoking: Impact of two major lifestyle factors on male fertility. *Indian J Pathol Microbiol*; 53:35–40.
- Gaur, D. S., Talekar, M. S., & Pathak, V. P. 2010. Alcohol intake and cigarette smoking: impact of two major lifestyle factors on male fertility. *Indian journal of pathology & microbiology*, 53(1), 35–40. <https://doi.org/10.4103/0377-4929.59180>
- Gunes S, Hekim GNT, Arslan MA & Asci R. 2016. Effects of aging on the male reproductive system. *J Assist Reprod Genet* 33, 441–454.
- Harris, I. D., Fronczak, C., Roth, L., & Meacham, R. B. 2011. Fertility and the aging male. *Reviews in urology*; 13(4): e184–e190.
- Hellstrom WJ et al. 2006. Semen and sperm reference ranges for men 45years of age and older. *J Androl*; 27(3):421–8.
- Jensen TK, Swan SH, Skakkebaek NE, Rasmussen S, Jørgensen N. 2010. Caffeine intake and semen quality in a population of 2,554 young Danish men. *Am J Epidemiol*; 171:883–91. doi:10.1093/aje/kwq007.
- Jimoh AAG, Olawuyi TS, Omotoso GO, Oyewopo AO, Dare JK. 2012. Semen parameters and hormone profile of men investigated for infertility at Midland Fertility Centre, Ilorin, Nigeria. *J Basic Appl Sci*; 8: 110-113.
- Jung A, Leonhardt F, Schill WB, Schuppe HC. 2005. Influence of the type of undertrousers and physical activity on scrotal temperature. *Hum Reprod* 20: 1022-1027.

- Jurewicz, J., Radwan, M., Sobala, W., Radwan, P., Bochenek, M., & Hanke, W. 2014. Effects of occupational exposure - is there a link between exposure based on an occupational questionnaire and semen quality?. Systems biology in reproductive medicine;60(4): 227–233. <https://doi.org/10.3109/19396368.2014.907837>
- Kazemijaliseh H, Tehrani FR, Behboudi-Gandevani S, Hosseinpanah F, Khalili D, Azizi F. 2015. The prevalence and causes of primary infertility in Iran: a population-based study. Glob J Health Sci; 7(6):226.doi: 10.5539/gjhs. v7n6p226.
- Kort HI, Massey JB, Elsner CW, Mitchell-Leef D, Shapiro DB, et al. 2006. Impact of body mass index values on sperm quantity and quality. J Androl 27: 450-452.
- Li Y, Lin H, Li Y, Cao J. 2011. Association between socio-psycho-behavioral factors and male semen quality: systematic review and meta-analyses. Fertil Steril; 95:116–23
- Lotti F, Corona G, Vitale P, Maseroli E, Rossi M, Fino MG, et al. 2015. Current smoking is associated with lower seminal vesicles and ejaculate volume, despite higher testosterone levels, in male subjects of infertile couples. Hum Reprod; 30:590–602. doi:10.1093/humrep/deu347.
- Mahmoud AM, Goemaere S, El-Garem Y, Van Pottelbergh I, Comhaire FH, et al. 2003. Testicular volume in relation to hormonal indices of gonadal function in community-dwelling elderly men. J Clin Endocrinol Metab; 88: 179-184.
- Maleki BH, Tartibian B, Vaamonde D. 2014. The effects of 16 weeks of intensive cycling training on seminal oxidants and antioxidants in male road cyclists. Clin J Sport Med; 24:302–7.

Masoumi SZ, Parsa P, Darvish N, Mokhtari S, Yavangi M, Roshanaei G. 2015. An epidemiologic survey on the causes of infertility in patients referred to infertility center in Fatemeh Hospital in Hamadan. *Iran J Reprod Med*; 13(8):513.

Mehrotra A, Katiyar DK, Agarwal A, Das V, Pant KK. 2013. Role of total antioxidant capacity and lipid peroxidation in fertile and infertile men. *Biomed Res* 24: 347-352.

Meng Q, Ren A, Zhang L, et al. 2015. Incidence of infertility and risk factors of impaired fecundity among newly married couples in a Chinese population. *Reprod Biomed Online*; 30(1):92-100. doi:10.1016/j.rbmo.2014.10.002.

Mishra RK, Verma HP, Singh N, Singh SK. 2012. Male infertility: lifestyle and oriental remedies. *J Sci Res*; 56: 93-101.

Mitra A, Chakraborty B, Mukhopadhyay D, Pal M, Mukherjee S, Banerjee S, Chaudhuri K. 2012. Effect of smoking on semen quality, FSH, testosterone level, and CAG repeat length in androgen receptor gene of infertile men in an Indian city. *Syst Biol Reprod Med*; 58:255–262.

Nadeem F, Fahim A, Bugti S. 2012. Effects of cigarette smoking on male infertility. *Turk J Med Sci*; 42: 1400-1405.

Olayemi FO. 2010. A review on some causes of male infertility. *Afr J Biotechnol* 9: 2834-2842.

Olive K, Sekar K, Susila C. 2014. Level of anxiety among women with infertility problems, at Pondicherry city hospital, Puducherry: a descriptive study. *IJCN*; 1(1):48-51.

Palmer NO, Bakos HW, Owens JA, Setchell BP, Lane M. 2012. Diet and exercise in an obese mouse fed a high-fat diet improve metabolic health and reverse perturbed sperm function. *Am J Physiol Endocrinol Metab*; 302:E768–E780.

Pohl, E., Höffken, V., Schlatt, S., Kliesch, S., Gromoll, J., & Wistuba, J. 2019. Ageing in men with normal spermatogenesis alters spermatogonial dynamics and nuclear morphology in Sertoli cells. *Andrology*, 7(6), 827–839.  
<https://doi.org/10.1111/andr.12665>

Ramlau-Hansen CH, Thulstrup AM, Bonde JP, Olsen J, Bech BH. 2008. Semen quality according to prenatal coffee and present caffeine exposure: two decades offollow-up of a pregnancy cohort. *Hum Reprod*; 23:2799–2805.

Ricci E, Al Beitawi S, Cipriani S, Candiani M, Chiaffarino F, Viganò P, et al. 2017. Semen quality and alcohol intake: a systematic review and meta-analysis. *RBMO*; 34:38–47.

Ricci, E., Viganò, P., Cipriani, S., Somigliana, E., Chiaffarino, F., Bulfoni, A., & Parazzini, F. 2017. Coffee and caffeine intake and male infertility: a systematic review. *Nutrition journal*;16(1), 37. <https://doi.org/10.1186/s12937-017-0257-2>

Rodriguez-Purata J, Polyzos NP. 2018. The endometrium during and after ovarian hyperstimulation and the role of segmentation of infertility treatment. *Best Pract Res Clin Endocrinol Metab*; 33(1):61-75. doi: 10.1016/j.beem.2018.09.003

Safarinejad MR, Azma K, Kolahi AA. 2009. The effects of intensive, longterm treadmill running on reproductive hormones, hypothalamuspituitary- testis axis, and semen quality: a randomized controlled study. *J Endocrinol* 200: 259-271.

Sethi P, Sharma A, Goyal LD, Kaur G. 2016. Prevalence of psychiatric morbidity in females amongst infertile couples-A hospital based report. *J Clin Diagn Res*; 10(7):VC04. doi: 10.7860/JCDR/2016/19639.8090.

Sharma, R., Biedenharn, K. R., Fedor, J. M., & Agarwal, A. 2013. Lifestyle factors and reproductive health: taking control of your fertility. *Reproductive biology and endocrinology : RB&E*; 11(66): 1-15. <https://doi.org/10.1186/1477-7827-11-66>

Shokoohi M, Shoorei H, Soltani M, Abtahi-Eivari SH, Salimnejad R, Moghimian M. 2018. Protective effects of the hydroalcoholic extract of Fumaria parviflora on testicular injury induced by torsion/detorsion in adult rats. *Andrologia*; 16:e13047. doi/abs/10.1111/and.13047.

Skakkebaek NE, Rajpert-De Meyts E, Buck Louis GM, Toppari J, Andersson AM, Eisenberg ML, et al. 2016. Male Reproductive Disorders and Fertility Trends: Influences of Environment and Genetic Susceptibility. *Physiol Rev*; 96: 55–97. doi:10.1152/physrev.00017.2015.

Tremblay MS, Copeland JL, Van HW. 2004. Effect of training status and exercise mode on endogenous steroid hormones in men. *J Appl Physiol* 96: 531-539.

Tsao CW, Liu CY, Chou YC, Cha TL, Chen SC, Hsu CY. 2015. Exploration of the association between obesity and semen quality in a 7630 male population. *PLoS ONE*;10:e0119458. doi:10.1371/journal.pone.0119458.

Wdowiak A, Wdowiak L, Wiktor H. 2007. Evaluation of the effect of using mobile phones on male fertility. *Ann Agric Environ Med*; 14: 169-172.

WijesekaraGUS, Fernando DMS, Wijerathna S, Bandara N. 2015. Environmental and occupational exposures as a cause of male infertility. Ceylon Medical Journal; 60(2): 52-56

Wijesekara, G. U., Fernando, D. M., Wijerathna, S., & Bandara, N. 2015. Environmental and occupational exposures as a cause of male infertility. The Ceylon medical journal;60(2): 52–56. <https://doi.org/10.4038/cmj.v60i2.7090>

Wise LA, Cramer DW, Hornstein MD, Ashby RK, Missmer SA. 2011. Physical activity and semen quality among men attending an infertility clinic. Fertil Steril; 95:1025–1030.

Yang H, Chen Q, Zhou N, Sun L, Bao H, Tan L, et al. 2015. Lifestyles Associated With Human Semen Quality: Results From MARHCS Cohort Study in Chongqing, China. Medicine (Baltimore);94, e1166. doi:10.1097/MD.0000000000001166.