

DAFTAR PUSTAKA

- [1] C. Guan, L. Yang, L. Zhu, and D. Xia, "One-step removal of all pollutants to produce clean water: Construct a novel dual-functional aramid nanofibre membrane for simultaneous oil-in-water separation and single-ring aromatic compound removal," *J Clean Prod*, vol. 361, p. 132259, 2022, doi: <https://doi.org/10.1016/j.jclepro.2022.132259>.
- [2] B. M. W. P. K. Amarasinghe and R. A. Williams, "Tea waste as a low cost adsorbent for the removal of Cu and Pb from wastewater," *Chemical Engineering Journal*, vol. 132, no. 1, pp. 299–309, 2007, doi: <https://doi.org/10.1016/j.cej.2007.01.016>.
- [3] A. Abidli, Y. Huang, Z. ben Rejeb, A. Zaoui, and C. B. Park, "Sustainable and efficient technologies for removal and recovery of toxic and valuable metals from wastewater: Recent progress, challenges, and future perspectives," *Chemosphere*, vol. 292, p. 133102, 2022, doi: <https://doi.org/10.1016/j.chemosphere.2021.133102>.
- [4] R. Proshad, M. Uddin, A. M. Idris, and M. A. Al, "Receptor model-oriented sources and risks evaluation of metals in sediments of an industrial affected riverine system in Bangladesh," *Science of The Total Environment*, vol. 838, p. 156029, 2022, doi: <https://doi.org/10.1016/j.scitotenv.2022.156029>.
- [5] S. Dey, N. Haripavan, S. R. Basha, and G. v Babu, "Removal of ammonia and nitrates from contaminated water by using solid waste bio-adsorbents," *Current Research in Chemical Biology*, vol. 1, p. 100005, 2021, doi: <https://doi.org/10.1016/j.crchbi.2021.100005>.
- [6] M. Kumari, G. R. Chaudhary, S. Chaudhary, and A. Umar, "Transformation of solid plastic waste to activated carbon fibres for wastewater treatment," *Chemosphere*, vol. 294, p. 133692, 2022, doi: <https://doi.org/10.1016/j.chemosphere.2022.133692>.
- [7] H. Heryanto and D. Tahir, "The correlations between structural and optical properties of magnetite nanoparticles synthesised from natural iron sand," *Ceram Int*, vol. 47, no. 12, pp. 16820–16827, 2021, doi: <https://doi.org/10.1016/j.ceramint.2021.02.255>.
- [8] M. Basak, Md. L. Rahman, Md. F. Ahmed, B. Biswas, and N. Sharmin, "The use of X-ray diffraction peak profile analysis to determine the structural parameters of cobalt ferrite nanoparticles using Debye-Scherrer, Williamson-Hall, Halder-Wagner and Size-strain plot: Different precipitating agent approach," *J Alloys Compd*, vol. 895, p. 162694, 2022, doi: <https://doi.org/10.1016/j.jallcom.2021.162694>.

- [9] M. M. Kabir *et al.*, “Tea waste based natural adsorbent for toxic pollutant removal from waste samples,” *J Mol Liq*, vol. 322, p. 115012, 2021, doi: <https://doi.org/10.1016/j.molliq.2020.115012>.
- [10] Ş. Taşar, “Thermal conversion behavior of cellulose and hemicellulose fractions isolated from tea leaf brewing waste: kinetic and thermodynamic evaluation,” *Biomass Convers Biorefin*, vol. 12, no. 7, pp. 2935–2947, 2022, doi: [10.1007/s13399-021-01697-2](https://doi.org/10.1007/s13399-021-01697-2).
- [11] A. D. Sawarkar *et al.*, “Commercial clustering of sustainable bamboo species in India,” *Ind Crops Prod*, vol. 154, p. 112693, 2020, doi: <https://doi.org/10.1016/j.indcrop.2020.112693>.
- [12] K. Wu *et al.*, “The enrichment of sugars and phenols from fast pyrolysis of bamboo via ethanol-Fenton pretreatment,” *Bioresour Technol*, vol. 356, p. 127315, 2022, doi: <https://doi.org/10.1016/j.biortech.2022.127315>.
- [13] S. L. Ezung, M. Baruah, A. Supong, S. Sharma, and D. Sinha, “Experimental and theoretical insight into the adsorption of 2,4-dichlorophenol on low-cost bamboo sheath activated carbon,” *Sustain Chem Pharm*, vol. 26, p. 100643, 2022, doi: <https://doi.org/10.1016/j.scp.2022.100643>.
- [14] R. N. Oss, R. F. Gonçalves, S. T. Cassini, M. Â. S. Junior, D. F. Cipriano, and J. C. C. de Freitas, “Single step production of activated carbon from microalgae cultivated with urban wastewater,” *Algal Res*, vol. 64, p. 102669, 2022, doi: <https://doi.org/10.1016/j.algal.2022.102669>.
- [15] Y. Shao *et al.*, “Chemical modification of bamboo activated carbon surface and its adsorption property of simultaneous removal of phosphate and nitrate,” *Chemosphere*, vol. 287, p. 132118, 2022, doi: <https://doi.org/10.1016/j.chemosphere.2021.132118>.
- [16] K. Y. V. Beri, D. P. Barbosa, M. Zbair, S. Ojala, and S. B. de Oliveira, “Adsorption of Estradiol from aqueous solution by hydrothermally carbonized and steam activated palm kernel shells,” *Energy Nexus*, vol. 1, p. 100009, 2021, doi: <https://doi.org/10.1016/j.nexus.2021.100009>.
- [17] C. Dai *et al.*, “Mechanisms and product toxicity of activated carbon/peracetic acid for degradation of sulfamethoxazole: implications for groundwater remediation,” *Water Res*, vol. 216, p. 118347, 2022, doi: <https://doi.org/10.1016/j.watres.2022.118347>.
- [18] A. Othmani, J. John, H. Rajendran, A. Mansouri, M. Sillanpää, and P. Velayudhaperumal Chellam, “Biochar and activated carbon derivatives of lignocellulosic fibers towards adsorptive removal of pollutants from aqueous systems: Critical study and future insight,” *Sep Purif Technol*, vol. 274, p. 119062, 2021, doi: <https://doi.org/10.1016/j.seppur.2021.119062>.

- [19] V. v Dev, K. K. Nair, G. Baburaj, and K. A. Krishnan, "Pushing the boundaries of heavy metal adsorption: A commentary on strategies to improve adsorption efficiency and modulate process mechanisms," *Colloid Interface Sci Commun*, vol. 49, p. 100626, 2022, doi: <https://doi.org/10.1016/j.colcom.2022.100626>.
- [20] Y. A. B. Neolaka *et al.*, "Efficiency of activated natural zeolite-based magnetic composite (ANZ-Fe₃O₄) as a novel adsorbent for removal of Cr(VI) from wastewater," *Journal of Materials Research and Technology*, vol. 18, pp. 2896–2909, 2022, doi: <https://doi.org/10.1016/j.jmrt.2022.03.153>.
- [21] A. Akbari, E. Akbari, A. Azadmehr, and A. Hezarkhani, "Silica-functionalized pyrite core-shell particle as a new mesoporous adsorbent for water-soluble dyestuffs: Characterization, kinetic and thermodynamic studies," *J Environ Chem Eng*, vol. 9, no. 6, p. 106764, 2021, doi: <https://doi.org/10.1016/j.jece.2021.106764>.
- [22] A. N. Kani *et al.*, "Pollutant decontamination by polyethyleneimine-engineered agricultural waste materials: a review," *Environ Chem Lett*, vol. 20, no. 1, pp. 705–729, 2022, doi: [10.1007/s10311-021-01328-2](https://doi.org/10.1007/s10311-021-01328-2).
- [23] H. N. Tran, E. C. Lima, R.-S. Juang, J.-C. Bollinger, and H.-P. Chao, "Thermodynamic parameters of liquid–phase adsorption process calculated from different equilibrium constants related to adsorption isotherms: A comparison study," *J Environ Chem Eng*, vol. 9, no. 6, p. 106674, 2021, doi: <https://doi.org/10.1016/j.jece.2021.106674>.
- [24] M. Kumar, A. Seth, A. K. Singh, M. S. Rajput, and M. Sikandar, "Remediation strategies for heavy metals contaminated ecosystem: A review," *Environmental and Sustainability Indicators*, vol. 12, p. 100155, 2021, doi: <https://doi.org/10.1016/j.indic.2021.100155>.
- [25] S. Bolan *et al.*, "Sources, distribution, bioavailability, toxicity, and risk assessment of heavy metal(loid)s in complementary medicines," *Environ Int*, vol. 108, pp. 103–118, 2017, doi: <https://doi.org/10.1016/j.envint.2017.08.005>.
- [26] T. Tominaga *et al.*, "Effects of the chelating agent DTPA on naturally accumulating metals in the body," *Toxicol Lett*, vol. 350, pp. 283–291, 2021, doi: <https://doi.org/10.1016/j.toxlet.2021.08.001>.
- [27] A. Saravanan, P. S. Kumar, P. R. Yaashikaa, S. Karishma, S. Jeevanantham, and S. Swetha, "Mixed biosorbent of agro waste and bacterial biomass for the separation of Pb(II) ions from water system," *Chemosphere*, vol. 277, p. 130236, 2021, doi: <https://doi.org/10.1016/j.chemosphere.2021.130236>.

- [28] N. Abdullah, N. Ainirazali, and M. N. Mukhtar, "Tea waste residue as low-cost biosorbent for treatment of 2-chlorophenol," *Mater Today Proc*, vol. 57, pp. 1048–1052, 2022, doi: <https://doi.org/10.1016/j.matpr.2021.09.167>.
- [29] M. Bansal, P. K. Patnala, and T. Dugmore, "Adsorption of Eriochrome Black-T (EBT) using tea waste as a low cost adsorbent by batch studies: A green approach for dye effluent treatments," *Current Research in Green and Sustainable Chemistry*, vol. 3, p. 100036, 2020, doi: <https://doi.org/10.1016/j.crgsc.2020.100036>.
- [30] H. Çelebi, G. Gök, and O. Gök, "Adsorption capability of brewed tea waste in waters containing toxic lead(II), cadmium (II), nickel (II), and zinc(II) heavy metal ions," *Sci Rep*, vol. 10, no. 1, p. 17570, 2020, doi: [10.1038/s41598-020-74553-4](https://doi.org/10.1038/s41598-020-74553-4).
- [31] P. Kumbhar, D. Narale, R. Bhosale, C. Jambhale, J.-H. Kim, and S. Kolekar, "Synthesis of tea waste/Fe₃O₄ magnetic composite (TWMC) for efficient adsorption of crystal violet dye: Isotherm, kinetic and thermodynamic studies," *J Environ Chem Eng*, vol. 10, no. 3, p. 107893, 2022, doi: <https://doi.org/10.1016/j.jece.2022.107893>.
- [32] M. M. Kabir *et al.*, "Highly effective agro-waste based functional green adsorbents for toxic chromium(VI) ion removal from wastewater," *J Mol Liq*, vol. 347, p. 118327, 2022, doi: <https://doi.org/10.1016/j.molliq.2021.118327>.
- [33] C. S. Patil *et al.*, "Waste tea residue as a low cost adsorbent for removal of hydralazine hydrochloride pharmaceutical pollutant from aqueous media: An environmental remediation," *J Clean Prod*, vol. 206, pp. 407–418, 2019, doi: <https://doi.org/10.1016/j.jclepro.2018.09.140>.
- [34] N. Li, J. Wu, R. Su, N. Zhang, J. Zhao, and Z. Wang, "Bioinspired green tea waste/graphene aerogel for solar-enhanced uranium extraction from seawater," *Desalination*, vol. 545, p. 116153, 2023, doi: <https://doi.org/10.1016/j.desal.2022.116153>.
- [35] W. A. Shaikh, A. Kumar, S. Chakraborty, R. U. Islam, T. Bhattacharya, and J. K. Biswas, "Biochar-based nanocomposite from waste tea leaf for toxic dye removal: From facile fabrication to functional fitness," *Chemosphere*, vol. 291, p. 132788, 2022, doi: <https://doi.org/10.1016/j.chemosphere.2021.132788>.
- [36] H. Khurshid, M. R. U. Mustafa, U. Rashid, M. H. Isa, Y. C. Ho, and M. M. Shah, "Adsorptive removal of COD from produced water using tea waste biochar," *Environ Technol Innov*, vol. 23, p. 101563, 2021, doi: <https://doi.org/10.1016/j.eti.2021.101563>.

- [37] K. Wang, Z. Zhang, Q. Sun, P. Wang, and Y. Li, "Durian shell-derived N, O, P-doped activated porous carbon materials and their electrochemical performance in supercapacitor," *J Mater Sci*, vol. 55, no. 23, pp. 10142–10154, Aug. 2020, doi: 10.1007/s10853-020-04740-1.
- [38] G. K. Gupta and M. K. Mondal, "Mechanism of Cr(VI) uptake onto sagwan sawdust derived biochar and statistical optimization via response surface methodology," *Biomass Convers Biorefin*, 2020, doi: 10.1007/s13399-020-01082-5.
- [39] S. Jiang and H. Hu, "Characteristics of catechin loading rice porous starch/chitosan functional microsphere and its adsorption towards Pb²⁺," *Heliyon*, vol. 8, no. 8, p. e10048, 2022, doi: <https://doi.org/10.1016/j.heliyon.2022.e10048>.
- [40] S. Wadhawan, A. Jain, J. Nayyar, and S. K. Mehta, "Role of nanomaterials as adsorbents in heavy metal ion removal from waste water: A review," *Journal of Water Process Engineering*, vol. 33, p. 101038, 2020, doi: <https://doi.org/10.1016/j.jwpe.2019.101038>.

LAMPIRAN 1. Alat, Bahan, dan Hasil



FTIR



Magnetik Stirrer



XRD



Magnetik Bar



Spatula



Gelas Kimia



Gelas Ukur



AAS



Furnance

Gambar 1. Alat penelitian



Ampas Teh



Karbon Aktif Bambu



Bubuk Pb(II)



Aquadest



Bubuk FeSO₄

Gambar 2. Bahan Penelitian



Absorber Ampas Teh/Karbon aktif

Gambar 3. Hasil Penelitian

LAMPIRAN 2. Analisis Data

