

DAFTAR PUSTAKA

1. Angele, M.K. and Chaudry, I.H. (2005) 'Surgical trauma and immunosuppression: Pathophysiology and potential immunomodulatory approaches', *Langenbeck's Archives of Surgery*, 390(4). Available at: <https://doi.org/10.1007/s00423-005-0557-4>.
2. Appelgren, P. et al. (2001) 'Risk factors for nosocomial intensive care infection: A long-term prospective analysis', *Acta Anaesthesiologica Scandinavica*, 45(6). Available at: <https://doi.org/10.1034/j.1399-6576.2001.045006710.x>.
3. Arabi, Y.M. et al. (2017) 'The intensive care medicine research agenda in nutrition and metabolism', *Intensive Care Medicine*, 43(9), pp. 1239–1256. Available at: <https://doi.org/10.1007/s00134-017-4711-6>.
4. Barker, L.A., Gout, B.S. and Crowe, T.C. (2011) 'Hospital Malnutrition : Prevalence , Identification and Impact on Patients and the Healthcare System', pp. 514–527. Available at: <https://doi.org/10.3390/ijerph8020514>.
5. Bendavid, I. et al. (no date) 'Early Administration of Protein in Critically Ill Patients : A Retrospective Cohort Study', pp. 1–10. Available at: <https://doi.org/10.3390/nu11010106>.
6. Berger, M.M. and Pichard, C. (2012) 'Best timing for energy provision during critical illness', *Critical Care*, 16(2). Available at: <https://doi.org/10.1186/cc11229>.
7. Calder, P.C. and Jackson, A.A. (2000) 'Undernutrition, infection and immune function', *Nutrition Research Reviews*, 13(1). Available at: <https://doi.org/10.1079/095442200108728981>.
8. Chassard, D. et al. (2005) 'Glucose-lipid ratio is a determinant of nitrogen balance during total parenteral nutrition in critically ill patients : a prospective , randomized , multicenter blind trial with an intention-to-treat analysis', pp. 1394–1400. Available at: <https://doi.org/10.1007/s00134-005-2771-5>.
9. Cohen, S.H. (1996) 'Hospital Epidemiology and Infection Control', *Clinical Infectious Diseases*, 23(5). Available at: <https://doi.org/10.1093/clinids/23.5.1199>.
10. Correa, L. and Pittet, D. (2000) 'Problems and solutions in hospital-acquired bacteraemia', *Journal of Hospital Infection*. Available at: <https://doi.org/10.1053/jhin.2000.0803>.
11. COVID-19 Treatment Guidelines Panel. (2020) 'Coronavirus Disease 2019 (COVID-19) Treatment Guidelines. Disponible en: <https://covid19treatmentguidelines.nih.gov/>', National Institute of Health, 2019.
12. Edgeworth, J.D., Treacher, D.F. and Ekykyn, S.J. (1999) 'A 25-year study of nosocomial bacteremia in an adult intensive care unit', *Critical Care Medicine*. Available at: <https://doi.org/10.1097/00003246-199908000-00002>.
13. Edmond, M.B. et al. (1999) 'Nosocomial bloodstream infections in United States hospitals: A three- year analysis', *Clinical Infectious Diseases*, 29(2).

- Available at: <https://doi.org/10.1086/520192>.
- 14. 'Effect of Critical Illness on Triglyceride Absorption — Monash University' (no date).
 - 15. 'Effects of isoenergetic glucose-based or lipid-based parenteral nutrition on glucose metabolism, de novo lipogenesis, and respiratory gas exchanges in critically ill patients - PubMed' (no date).
 - 16. Green, P., Theilla, M. and Singer, P. (2016) 'Lipid metabolism in critical illness'. Available at: <https://doi.org/10.1097/MCO.0000000000000253>.
 - 17. Griffiths, R.D. and Bongers, T. (2005) 'Nutrition support for patients in the intensive care unit', *Postgraduate Medical Journal*, 81(960), pp. 629–636. Available at: <https://doi.org/10.1136/pgmj.2005.033399>.
 - 18. Gündoğan, K., Bayram, A. and Alp, E. (2014) 'Malnutrition in intensive care units: An important risk factor for intensive care unit-acquired infections', *Journal of Medical and Surgical Intensive Care Medicine*, 5(2). Available at: <https://doi.org/10.5152/dcbybd.2014.591>.
 - 19. Haley, R.W. et al. (1985) 'The efficacy of infection surveillance and control programs in preventing nosocomial infections in US hospitals', *American Journal of Epidemiology*, 121(2). Available at: <https://doi.org/10.1093/oxfordjournals.aje.a113990>.
 - 20. Han, Y. et al. (2016) 'The clinical and economic impact of the use of diabetes-specific enteral formula on ICU patients with type 2 diabetes', *Clinical Nutrition*, (October), pp. 1–6. Available at: <https://doi.org/10.1016/j.clnu.2016.09.027>.
 - 21. Heyland, D.K. et al. (2011) 'Identifying critically ill patients who benefit the most from nutrition therapy: the development and initial validation of a novel risk assessment tool.', *Critical care (London, England)*, 15(6). Available at: <https://doi.org/10.1186/cc10546>.
 - 22. Hill, A., Elke, G. and Weimann, A. (2021) 'Nutrition in the intensive care unit—a narrative review', *Nutrients*, 13(8), pp. 1–26. Available at: <https://doi.org/10.3390/nu13082851>.
 - 23. Hranjec, T. and Sawyer, R.G. (2014) 'Management of infections in critically ill patients', *Surgical Infections*, 15(5), pp. 474–478. Available at: <https://doi.org/10.1089/sur.2013.154>.
 - 24. Idrus Alwi et al. (2014) 'Buku Ajar Ilmu Penyakit Dalam Jilid II edisi VI', *Interna Publishing*.
 - 25. Kementerian Kesehatan RI Badan Penelitian dan Pengembangan (2018) *Hasil Utama Riset Kesehatan Dasar*, Kementerian Kesehatan Republik Indonesia.
 - 26. Kestriani, N.D., Budipratama, D. and Pradian, E. (2015) 'Terapi Nutrisi pada Pasien di ICU NutritionTherapy in ICU Patients', *Anesthesia & Critical Care*, 33(3), pp. 226–234.
 - 27. Khalid, I., Doshi, P. and DiGiovine, B. (2010) 'Early enteral nutrition and outcomes of critically ill patients treated with vasopressors and mechanical ventilation', *American Journal of Critical Care*, 19(3). Available at: <https://doi.org/10.4037/ajcc2010197>.
 - 28. Kim, H. et al. (2012) 'Why patients in critical care do not receive adequate

- enteral nutrition? A review of the literature', *Journal of Critical Care*, 27(6), pp. 702–713. Available at: <https://doi.org/10.1016/j.jcrc.2012.07.019>.
29. Kim, H. and Choi-Kwon, S. (2011) 'Changes in nutritional status in ICU patients receiving enteral tube feeding: A prospective descriptive study', *Intensive and Critical Care Nursing*, 27(4). Available at: <https://doi.org/10.1016/j.iccn.2011.05.002>.
 30. Koenig, S.M. and Truwit, J.D. (2006) 'Ventilator-associated pneumonia: Diagnosis, treatment, and prevention', *Clinical Microbiology Reviews*. Available at: <https://doi.org/10.1128/CMR.00051-05>.
 31. Martin, S.J. and Yost, R.J. (2012) 'Infectious Diseases in the Critically Ill Patients Steven', *Journal of Pharmacy Practice*, 24(I), pp. 35–43. Available at: <https://doi.org/10.1177/0897190010388906>.
 32. Maskoen, T.T. et al (2021) *Panduan Nutrisi Klinis pada Pasien Sakit Kritis*. Edisi 1. Jakarta: Perhimpunan Dokter Intensive Care Indonesia.
 33. McClave, S.A. et al. (2016) 'Guidelines for the Provision and Assessment of Nutrition Support Therapy in the Adult Critically Ill Patient: Society of Critical Care Medicine (SCCM) and American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.)', *Journal of Parenteral and Enteral Nutrition*, 40(2), pp. 159–211. Available at: <https://doi.org/10.1177/0148607115621863>.
 34. Miller, J. (2017) 'Critical Care Nursing: Diagnosis and Management 8th edition', *Critical Care Nurse*, 37(5). Available at: <https://doi.org/10.4037/ccn2017185>.
 35. Pierre, J.F. et al. (2013) 'Pharmaconutrition Review: Physiological Mechanisms', *Journal of Parenteral and Enteral Nutrition*, 37. Available at: <https://doi.org/10.1177/0148607113493326>.
 36. Pittet, D. (1994) 'Nosocomial bloodstream infection in critically ill patients. Excess length of stay, extra costs, and attributable mortality', *JAMA: The Journal of the American Medical Association*, 271(20). Available at: <https://doi.org/10.1001/jama.271.20.1598>.
 37. Pittet, D. and Wenzel, R.P. (1995) 'Nosocomial Bloodstream Infections: Secular Trends in Rates, Mortality, and Contribution to Total Hospital Deaths', *Archives of Internal Medicine*, 155(11). Available at: <https://doi.org/10.1001/archinte.1995.00430110089009>.
 38. Puleo, F. et al. (2011) 'Gut failure in the ICU', *Seminars in Respiratory and Critical Care Medicine*, 32(5). Available at: <https://doi.org/10.1055/s-0031-1287871>.
 39. Raymond, A. et al. (2019) 'Nutrition therapy and critical illness : practical guidance for the ICU , post-ICU , and long-term convalescence phases', pp. 1–10.
 40. Rodríguez, L., Cervantes, E. and Ortiz, R. (2011) 'Malnutrition and gastrointestinal and respiratory infections in children: a public health problem.', *International journal of environmental research and public health*. Available at: <https://doi.org/10.3390/ijerph8041174>.
 41. Rosenthal, V.D. et al. (2006) 'Device-associated nosocomial infections in 55 intensive care units of 8 developing countries', *Annals of Internal*

- Medicine*, 145(8). Available at: <https://doi.org/10.7326/0003-4819-145-8-200610170-00007>.
42. Santosa, B., Suwarman and Pradian, E. (2020) 'Terapi Nutrisi Pasien Di Intensive Care Unit (Icu)', *Jurnal Komplikasi Anestesi*, 7.
43. Schaller, S.J. et al. (2016) 'Early, goal-directed mobilisation in the surgical intensive care unit: a randomised controlled trial', *The Lancet*, 388(10052). Available at: [https://doi.org/10.1016/S0140-6736\(16\)31637-3](https://doi.org/10.1016/S0140-6736(16)31637-3).
44. Scott, R. and Bowling, T.E. (2015) 'Enteral tube feeding in adults', *Journal of the Royal College of Physicians of Edinburgh*, 45(1). Available at: <https://doi.org/10.4997/JRCPE.2015.112>.
45. Setianingsih and Anna, A. (2014) 'Perbandingan Enteral Dan Parenteral Nutrisi Pada Pasien Kritis', *Prosiding Seminar Nasional & Internasional*, 0.
46. Singer, P. et al. (2019) 'ESPEN guideline on clinical nutrition in the intensive care unit', *Clinical Nutrition*, 38(1), pp. 48–79. Available at: <https://doi.org/10.1016/j.clnu.2018.08.037>.
47. Siobal, M.S., Baltz, J.E. and Richardson, J. (2021) 'A Guide to the Nutritional Assessment and Treatment of the Critically Ill Patient'.
48. Sloane, D.S. (2004) 'Nutritional support of the critically ill and injured patient', *Critical Care Clinics*. Available at: [https://doi.org/10.1016/S0749-0704\(03\)00093-9](https://doi.org/10.1016/S0749-0704(03)00093-9).
49. Vincent, J. et al. (2009) 'The Extended Prevalence of Infection in the ICU Study: EPIC II', *Critical Care* [Preprint].
50. Vincent, J.L. (2003) 'Nosocomial infections in adult intensive-care units', *Lancet*. Available at: [https://doi.org/10.1016/S0140-6736\(03\)13644-6](https://doi.org/10.1016/S0140-6736(03)13644-6).
51. Wei, X. et al. (2015) 'The association between nutritional adequacy and long-term outcomes in critically ill patients requiring prolonged mechanical ventilation: A multicenter cohort study', *Critical Care Medicine*, 43(8), pp. 1569–1579. Available at: <https://doi.org/10.1097/CCM.0000000000001000>.
52. Zanten, A.R.H. Van (2016) 'Should We Increase Protein Delivery During Critical Illness ? Critically Ill Protein Catabolism in Critical Illness What Is the Best Protein Target in Critical Illness ?' Available at: <https://doi.org/10.1177/0148607115626905>.



REKOMENDASI PERSETUJUAN ETIK

Nomor : 655/UN4.6.4.5.31/ PP36/ 2023

Tanggal: 8 September 2023

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH23080629	No Sponsor	
Peneliti Utama	dr. Jeffry	Sponsor	
Judul Peneliti	Hubungan Antara Asupan Energi dengan kejadian Infeksi Pada Pasien Kritis Yang Mendapat Terapi Medik Gizi Di Ruang Perawatan Intensive Care Unit RSUP Wahidin Sudirohusodo		
No Versi Protokol	1	Tanggal Versi	26 Agustus 2023
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUP Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 8 September 2023 sampai 8 September 2024	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Nama Prof. dr. Muh Nasrum Massi, PhD, SpMK(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	Nama dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

