

## DAFTAR PUSTAKA

- [1] R. K. Fattah, "The Effect of Noise Pollution on Blood Pressure and Heart Rate of Beauty Salon Workers," *Qalaai Zanist Sci. J.*, vol. 8, no. 3, pp. 1085-1100, 2023, doi: 10.25212/Ifu.qzj.83.44.
- [2] J. Liu, H. Guo, and T. Wang, "A review of acoustic metamaterials and phononic crystals," *Crystals*, vol. 10, no. 4, 2020, doi: 10.3390/cryst10040305.
- [3] A. D. Laksono, L. Ernawati, and D. Maryanti, "Pengaruh Fraksi Volume Komposit Polyester Berpenguat Limbah Serbuk Kayu Bangkirai terhadap Sifat Material Akustik," *J. Rekayasa Mesin*, vol. 10, no. 3, pp. 277–285, 2019, doi:10.21776/ub.jrm.2019.010.03.8.
- [4] P. Pratiwi, H. Fahmi, and G. Saputra, "Pengaruh Panjang Serat terhadap Sifat Akustik Komposit Berpenguat Serat Kulit Buah Pinang dengan Matrik Epoxy," vol. 9, no. 2, 2019.
- [5] J. P. Arenas, R. del Rey, J. Alba, and R. Oltra, "Sound-absorption properties of materials made of esparto grass fibers," *Sustain.*, vol. 12, no. 14, 2020, doi:10.3390/su12145533.
- [6] U. Berardi and G. Iannace, "Acoustic characterization of natural fibers for sound absorption applications," *Build. Environ.*, vol. 94, no. July, pp. 840–852, 2015, doi: 10.1016/j.buildenv.2015.05.029.
- [7] E. W. Gaba, B. O. Asimeng, E. E. Kaufmann, S. K. Katu, E. J. Foster, and E. K. Tiburu, "Mechanical and structural characterization of pineapple leaf fiber," *Fibers*, vol. 9, no. 8, pp. 1–11, 2021, doi: 10.3390/fib9080051.
- [8] A. M. Abdelghany, A. A. Menazea, and A. M. Ismail, "Synthesis, characterization and antimicrobial activity of Chitosan/Polyvinyl Alcohol blend doped with Hibiscus Sabdariffa L. extract," *J. Mol. Struct.*, vol. 1197, pp. 603–609, 2019, doi: 10.1016/j.molstruc.2019.07.089.
- [9] H. Abrial *et al.*, "Effect of ultrasonication duration of polyvinyl alcohol (PVA) gel on characterizations of PVA film," *J. Mater. Res. Technol.*, vol. 9, no. 2, pp. 2477–2486, 2020, doi: 10.1016/j.jmrt.2019.12.078.

- [10] F. Frongia, L. Forti, and L. Arru, "Sound perception and its effects in plants and algae," *Plant Signal Behav.*, vol.15, no.12, 2020, doi:10.1080/15592324.2020.1828674
- [11] K. A. Sugianta, I. G. A. Gunadi, and G. Indrawan, "Analisis Pola Bunyi Sunari Berdasarkan Metode Fast Fourier Transform," *J. Ilmu Komput. Indones.*, vol. 5, no. 2, pp. 14–21, 2020.
- [12] A. Nasution, A. Wahab, and D. Nuari, "Analisis Pengaruh Benang Wol Dan Limbah Batang Pisang Dalam Rancangan Produk Komposit Peredam Bunyi Ruang Akustik," *J. Sist. Tek. Ind.*, vol. 20, no.2, pp. 53–62, 2018, doi:10.32734/jsti.v20i2.490.
- [13] M. Balirante, L. I. R. Lefrandt, and M. Kumaat, "Analisa Tingkat Kebisingan Lalu Lintas Di Jalan Raya Ditinjau Dari Tingkat Baku Mutu Kebisingan Yang Diizinkan," *J. Sipil Statik*, vol. 8, no. 2, pp. 249–256, 2020.
- [14] P. Garg, A. Jamwal, D. Kumar, K. K. Sadasivuni, C. M. Hussain, and P. Gupta, "Advance research progresses in aluminium matrix composites: manufacturing & applications," *J. Mater. Res. Technol.*, vol. 8, no. 5, pp. 4924–4939, 2019, doi:10.1016/j.jmrt.2019.06.028.
- [15] B. Basu *et al.*, "Investigating changes in noise pollution due to the COVID-19 lockdown: The case of Dublin, Ireland," *Sustain. Cities Soc.*, vol.65,no. October 2020, p.102597,2021, doi: 10.1016/j.scs.2020.102597.
- [16] N. Nabila and A. Mahyudin, "Pengaruh Ketebalan Pelepeh Pisang terhadap Koefisien Absorpsi Material Akustik," *J. Fis. Unand*, vol. 9, no. 2, pp. 244–249, 2020, doi: 10.25077/jfu.9.2.244-249.2020.
- [17] M. Y. R. Siahaan and D. Darianto, "Karakteristik Koefisien Serap Suara Material Concrete Foam Dicampur Serat Tandan Kosong Kelapa Sawit (TKKS) dengan Metode Impedance Tube," *J. Mech. Eng. Manuf. Mater. Energy*, vol. 4, no. 1, pp. 85–93, 2020, doi: 10.31289/jmemme.v4i1.3823.
- [18] U. M. Munifatuazzahroh, I. Yulianti, and F. Fianti, "Potensi Limbah Ampas Teh sebagai Alternatif Material Akustik Ramah Lingkungan," *Phys. Educ. Res. J.*, vol.3, no. 2, pp. 113–120, 2021, doi: 10.21580/perj.2021.3.2.8390.

- [19] J. Zhang, Y. Shen, B. Jiang, and Y. Li, “Sound absorption characterization of natural materials and sandwich structure composites,” *Aerospace*, vol. 5, no. 3, pp. 1–13, 2018, doi: 10.3390/aerospace5030075.
- [20] T. Yang *et al.*, “Sound absorption properties of natural fibers: A review,” *Sustain.*, vol. 12, no. 20, pp. 1–25, 2020, doi: 10.3390/su12208477.
- [21] M. Rusli, M. Irsyad, H. Dahlan, Gusriwandi, and M. Bur, “Sound absorption characteristics of the natural fibrous material from coconut coir, oil palm fruit bunches, and pineapple leaf,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 602, no. 1, 2019, doi: 10.1088/1757- 899X/602/1/012067.
- [22] J. Chen, Y. Yao, H. Zeng, and X. Zhang, “Integrated Metabolome and Transcriptome Analysis Reveals a Potential Mechanism for Water Accumulation Mediated Translucency in Pineapple (*Ananas comosus* (L.) Merr.) Fruit,” *Int. J. Mol. Sci.*, vol. 24, no. 8, 2023, doi: 10.3390/ijms24087199.
- [23] A. R. G. de Azevedo, M. T. Marvila, M. L. P. Antunes, E. C. Rangel, and R. Fediuk, “Technological Perspective for Use the Natural Pineapple Fiber in Mortar to Repair Structures,” *Waste and Biomass Valorization*, vol. 12, no. 9, pp. 5131–5145, 2021, doi: 10.1007/s12649-021-01374-5.
- [24] R. Siakeng, M. Jawaid, M. Asim, and S. Siengchin, “Accelerated weathering and soil burial effect on biodegradability, colour and texture of coir/pineapple leaf fibres/PLA biocomposites,” *Polymers (Basel)*, vol. 12, no. 2, 2020, doi: 10.3390/polym12020458.
- [25] Q. Aeni, S. R. Aini, and I. S. Pratama, “Kajian pustaka toksisitas tanaman nanas (*Ananas comosus* [L.] Merr),” *Sasambo J. Pharm.*, vol. 3, no. 1, pp. 49–62, 2022, doi: 10.29303/sjp.v3i1.164.
- [26] N. Kasmuri and M. S. A. Zait, “Enhancement of bio-plastic using eggshells and chitosan on potato starch based,” *Int. J. Eng. Technol.*, vol. 7, no. 3, pp. 110–115, 2018, doi: 10.14419/ijet.v7i3.32.18408.
- [27] K. Z. M. A. Motaleb, M. S. Islam, and M. B. Hoque, “Improvement of Physicomechanical Properties of Pineapple Leaf Fiber Reinforced

- Composite,” *Int. J. Biomater.*, vol. 2018, 2018, doi: 10.1155/2018/7384360.
- [28] N. Jain, V. K. Singh, and S. Chauhan, “A review on mechanical and water absorption properties of polyvinyl alcohol based composites/films,” *J. Mech. Behav. Mater.*, vol. 26, no. 5–6, pp. 213– 222, 2017, doi: 10.1515/jmbm-2017-0027.
- [29] L. Zhou and Z. Xu, “Ultralight, highly compressible, hydrophobic and anisotropic lamellar carbon aerogels from graphene/polyvinyl alcohol/cellulose nanofiber aerogel as oil removing absorbents,” *J. Hazard. Mater.*, vol. 388, p. 121804, 2020, doi:10.1016/j.jhazmat.2019.12184
- [30] K. Qiu and A. N. Netravali, “Fabrication and characterization of biodegradable characteristics of the natural fibrous material from coconut coir, oil palm fruit bunches, and pineapple leaf,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 602, no. 1, 2019, doi: 10.1088/1757- 899X/602/1/012067
- [31] Widayani, A. Noeriman, T. D. K. Wungu, and D. R. Adhika, “Sound Absorption Characterisation of Layered Arrangements of Pineapple Leaf Fiber-Epoxy Composite prepared by a Simple Mixing - Hot Pressing Process,” *J. Phys. Conf. Ser.*, vol. 2243, no. 1, 2022, doi: 10.1088/1742-6596/2243/1/012047.
- [32] C. W. Kang, E. S. Jang, S. S. Jang, J. I. Cho, and N. H. Kim, “Effect of heat treatment on the gas permeability, sound absorption coefficient, and sound transmission loss of Paulownia tomentosa wood,” *J. Korean Wood Sci. Technol.*, vol. 47, no. 5, pp. 644–654, 2019, doi: 10.5658/WOOD.2019.47.5.644.
- [33] N. Hafifah and E. Elvaswer, “Pemanfaatan Limbah Daun Nanas (Ananas Comosus) Untuk Panel Akustik Sebagai Absorpsi Kebisingan,” *J. Fis. Unand*, vol. 11, no. 4, pp. 467-473, 2022. doi: 10.25077/jfu.11.4.467-473.20
- [34] ISO 11654., 1997, Acoustic Sound Absorbers for Use in Buildings-Rating of Sound Absorption
- [35] P. Mutia, Ngatijo, and H. D Fahyuan, “Pengaruh Jenis Serat Alam Terhadap Koefisien Absorpsi Bunyi Sebagai Peredam Kebisingan,” *J. Ilmu Fisika dan*

*Pembelajarannya*, Vol. 3, no. 1, pp 18-23, 2019 doi  
: 10.19109/jifp.v3i1.3175

## LAMPIRAN

### Lampiran 1 : Perendaman Serat Daun Nanas



### Pembuatan Material Akustik



## Lampiran 2 : Pengukuran Koefisien Absorpsi

