

DAFTAR PUSTAKA

- Adiana, I. N., & Maha Putra, I. N. A. (2023). Hubungan Antara Tingkat Pendidikan Dan Komorbiditas Dengan Perilaku Perawatan Diri Pasien Penyakit Paru Obstruktif Kronis (PPOK). *Jurnal Riset Kesehatan Nasional*, 7(1), 72–77. <https://doi.org/10.37294/jrkn.v7i1.486>
- Agustiyaningsih, T. (2018). *Pengaruh Autogenic Training dengan Pursed Lips Breathing Terhadap Kecemasan Dan Forced Expiratory Volume In 1 Second (FEV1) Pasien PPOK. I*, 2–4.
- American Thoracic Society. (2002). ATS Statement: Guidelines for the Six-Minute Walk Test. *AMERICAN JOURNAL OF RESPIRATORY AND CRITICAL CARE MEDICINE*, 166, 111–117. <https://doi.org/10.1164/rccm.166/1/111>
- Amin M. (2016). *Diagnosis dan Penatalaksanaan PPOK*. Universitas Indonesia.
- ATS. (2002). Statement : Guidelines for the Six-Minute Walk Test. *American Thoracic Society ATS*, 166, 111–117. <https://doi.org/10.1164/rccm.166/1/111>
- Bakhtiar, A., & Amran, W. S. (2019). Faal Paru Statis. *Jurnal Respirasi*, 2(3), 91. <https://doi.org/10.20473/jr.v2-i.3.2016.91-98>
- BBKPM. (2020). *Laporan Tahunan 2019*.
- Black, M. J. & Hawks, H. J. (2014). *Medical surgical nursing: clinical management for continuity of care* (8th ed.). W.B. Saunders Company.
- Breyer, M. K., Rutten, E. P. A., Locantore, N. W., Watkins, M. L., Miller, B. E., & Wouters, E. F. M. (2012). Dysregulated adipokine metabolism in chronic obstructive pulmonary disease. *European Journal of Clinical Investigation*, 42(9), 983–991. <https://doi.org/10.1111/j.1365-2362.2012.02686.x>
- Brooks, D., Solway, S., Weinacht, K., Wang, D., & Thomas, S. (2003). Comparison between an indoor and an outdoor 6-minute walk test among individuals with chronic obstructive pulmonary disease. *Archives of Physical Medicine and Rehabilitation*, 84(6), 873–876. [https://doi.org/10.1016/S0003-9993\(03\)00011-X](https://doi.org/10.1016/S0003-9993(03)00011-X)
- Chwalba, A., Machura, E., Ziora, K., & Ziora, D. (2019). The role of adipokines in the pathogenesis and course of selected respiratory diseases. *Endokrynologia Polska*, 70(6), 504–510. <https://doi.org/10.5603/EP.a2019.0051>
- Cuttitta, G., Ferraro, M., Cibella, F., Alfano, P., Bucchieri, S., Patti, A. M., Muratori, R., Pace, E., & Bruno, A. (2023). Relationship among Body Composition,

- Adipocytokines, and Irisin on Exercise Capacity and Quality of Life in COPD: A Pilot Study. *Biomolecules*, 13(1). <https://doi.org/10.3390/biom13010048>
- Ekaputri Mersi. (2022). Karakteristik Demografi Pasien Dengan PPOK. *Jurnal Kesehatan Saintika Meditory*, 2(4657), 62–72.
- Fang, H., & Judd, R. L. (2018). Adiponectin regulation and function. *Comprehensive Physiology*, 8(3), 1031–1063. <https://doi.org/10.1002/cphy.c170046>
- Gayed, A. T., & Raafat, R. H. (2018). Serum adiponectin as a biomarker for chronic obstructive pulmonary disease and lung cancer and its relation to severity. *Egyptian Journal of Bronchology*, 12, 386–390. <https://doi.org/10.4103/ejb.ejb>
- Gestia Septiana, F., Hernawan, B., Aisyah, R., Wahyu Basuki, S., & Wahyu Basuki Alamat, S. (2021). *The Influence Of Body Mass Index And Sex Types Of Forced Expiratory Volume in 1 second / Forced Vital Capacity (FEV1/FVC) In Copd Patients. i*, 1392–1402.
- GOLD. (2020). *Global Strategy for the Diagnosis, Management, and Prevention of Chronic Obstructive Pulmonary Disease*. www.goldcopd.org
- GOLD. (2023). *GLOBAL STRATEGY FOR THE DIAGNOSIS, MANAGEMENT, AND PREVENTION OF CHRONIC OBSTRUCTIVE PULMONARY DISEASE (2023 REPORT)*. www.goldcopd.org
- GOLD guideline. (2023). Global Initiative for Chronic Obstructive Lung. *A Guide for Health Care Professionals*, 1(3), 261–266.
- Hall, J. E. (2020). *Guyton and Hall textbook of medical physiology e-Book*. Elsevier Health Sciences.
- Harpreet R, Michael W, B. M. (2011). Pulmonary Function Tests. *Ulster Medical Journal*, 80(2), 84–90.
- Hartina, S., Wahiduddin, W., & Rismayanti, R. (2021). FAKTOR RISIKO KEJADIAN PENYAKIT PARU OBSTRUKTIF KRONIK PADA PASIEN RSUD KOTA MAKASSAR. *Hasanuddin Journal of Public Health*, 2(2), 159–171. <https://doi.org/10.30597/hjph.v2i2.13139>
- Holland, A. E., Rasekaba, T., Fiore, J. F., Burge, A. T., & Lee, A. L. (2015). The 6-minute walk distance cannot be accurately assessed at home in people with COPD. *Disability and Rehabilitation*, 37(12), 1102–1106. <https://doi.org/10.3109/09638288.2014.956815>
- Jaswal, S., Saini1, V., Kaur, J., Gupta, S., Kaur, H., & Garg1, K. (2018). Association of Adiponectin with Lung Function Impairment and Disease

Severity in Chronic Obstructive Pulmonary Disease. *International Journal of Applied and Basic Medical Research*, 8(1), 14–18.

- Khudiakova, A. D., Polonskaya, Y. V., Shramko, V. S., Shcherbakova, L. V., Striukova, E. V., Kashtanova, E. V., & Ragino, Y. I. (2022). Blood Adipokines/Cytokines in Young People with Chronic Bronchitis and Abdominal Obesity. *Biomolecules*, 12(10).
<https://doi.org/10.3390/biom12101502>
- K.L. Moore, A. F. D. (2010). *Clinically Oriented Anatomy, sixth ed.* Lippincott Williams & Wilkins.
- Kolsum U, Roy K, Starkey C, Borrill Z, Truman N, V. J., & Al, E. (2009). The repeatability of interleukin-6, tumor necrosis factor-alpha, and C-reactive protein in COPD patients over one year. *Int J Chron Obstruct Pulmon Dis*, 4, 149–156.
- Kuroki, Y., Takahashi, M., & Nishitani, C. (2007). Pulmonary collectins in innate immunity of the lung. *Cellular Microbiology*, 9(8), 1871–1879.
<https://doi.org/10.1111/j.1462-5822.2007.00953.x>
- L. Sherwood. (2014). *Human Physiology, the Respiratory System* (ninth ed).
- Lapperre, T. S., Snoeck-Stroband, J. B., Gosman, M. M. E., Stolk, J., Sont, J. K., Jansen, D. F., Kerstjens, H. A. M., Postma, D. S., & Sterk, P. J. (2004). Dissociation of lung function and airway inflammation in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 170(5), 499–504. <https://doi.org/10.1164/rccm.200401-112OC>
- Lin, Y. H., Jiang, T. X., Hu, S. X., & Shi, Y. H. (2020). Association between serum adiponectin concentrations and chronic obstructive pulmonary disease: A meta-analysis. *Bioscience Reports*, 40(3), 1–10.
<https://doi.org/10.1042/BSR20192234>
- Miller, M., Cho, J. Y., Pham, A., Ramsdell, J., & Broide, D. H. (2013). *Adiponectin and Functional Adiponectin Receptor 1 Are Pulmonary Disease 1.*
- Moore K, Dalley A, & Agur A. (2017). *Clinically Oriented Anatomy* (8th edition). Lippincott Williams and Wilkins.
- Morales-Blanhir, J. J. E., Palafox Vidal, C. D., Rosas Romero, M. D. J., García Castro, M. M., Londoño Villegas, A., & Zamboni, M. (2011). Six-minute walk test: a valuable tool for assessing pulmonary impairment. *Jornal Brasileiro de Pneumologia*, 37(June 2010), 110–117.
- Naveed, B., Weiden, M. D., Kwon, S., Gracely, E. J., Comfort, A. L., Ferrier, N., Kasturiarachchi, K. J., Cohen, H. W., Aldrich, T. K., Rom, W. N., Kelly, K., Prezant, D. J., & Nolan, A. (2012). Metabolic syndrome biomarkers predict

- lung function impairment: A nested case-control study. *American Journal of Respiratory and Critical Care Medicine*, 185(4), 392–399.
<https://doi.org/10.1164/rccm.201109-1672OC>
- Oraby, S. S., Ahmed, E. S., Farag, T. S., Zayed, A. E., & Ali, N. K. (2014). Adiponectin as inflammatory biomarker of chronic obstructive pulmonary disease. *Egyptian Journal of Chest Diseases and Tuberculosis*, 63(3), 583–587. <https://doi.org/10.1016/j.ejcdt.2014.02.006>
- Papi A, Luppi F, Franco F, F. L. (2006). Pathophysiology of Exacerbations of Chronic Obstructive Pulmonary Disease. *Proc Am Thorac Soc*, 3(3), 245–251.
- Perhimpunan Dokter Paru Indonesia (PDPI). (2011). *Penyakit Paru Obstruksi Kronik : Diagnosis dan Penatalaksanaan*. Kementerian Kesehatan RI.
- Polkey, M. I., Spruit, M. A., Edwards, L. D., Watkins, M. L., Pinto-Plata, V., Vestbo, J., Calverley, P. M. A., Tal-Singer, R., Agustí, A., Bakke, P. S., Coxson, H. O., Lomas, D. A., MacNee, W., Rennard, S., Silverman, E. K., Miller, B. E., Crim, C., Yates, J., Wouters, E. F. M., & Celli, B. (2013a). Six-minute-walk test in chronic obstructive pulmonary disease: Minimal clinically important difference for death or hospitalization. *American Journal of Respiratory and Critical Care Medicine*, 187(4), 382–386.
<https://doi.org/10.1164/rccm.201209-1596OC>
- Polkey, M. I., Spruit, M. A., Edwards, L. D., Watkins, M. L., Pinto-Plata, V., Vestbo, J., Calverley, P. M. A., Tal-Singer, R., Agustí, A., Bakke, P. S., Coxson, H. O., Lomas, D. A., MacNee, W., Rennard, S., Silverman, E. K., Miller, B. E., Crim, C., Yates, J., Wouters, E. F. M., & Celli, B. (2013b). Six-minute-walk test in chronic obstructive pulmonary disease: Minimal clinically important difference for death or hospitalization. *American Journal of Respiratory and Critical Care Medicine*, 187(4), 382–386.
<https://doi.org/10.1164/rccm.201209-1596OC>
- R.Ahmad, F. F., Santoso, A., & Qanitha, A. (2020). Korelasi antara Kadar Kalsium Serum dengan Fungsi Paru pada Penderita Penyakit Paru Obstruksi Kronik (PPOK). *Jurnal Ilmu Kesehatan Masyarakat*, 9(01), 53–59.
<https://doi.org/10.33221/jikm.v9i01.488>
- Riset Kesehatan Dasar. (2018). *Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2018*.
- Romero, D., Blanco-Almazán, D., Groenendaal, W., Lijnen, L., Smeets, C., Ruttens, D., Catthoor, F., & Jané, R. (2022). Predicting 6-minute walking test outcomes in patients with chronic obstructive pulmonary disease without physical performance measures. *Computer Methods and Programs in Biomedicine*, 225, 107020. <https://doi.org/10.1016/j.cmpb.2022.107020>

- Sato, K., Shibata, Y., Abe, S., Inoue, S., Igarashi, A., Yamauchi, K., Aida, Y., Nunomiya, K., Nakano, H., Sato, M., Kimura, T., Nemoto, T., Watanabe, T., Konta, T., Ueno, Y., Kato, T., Kayama, T., & Kubota, I. (2014). Association between plasma adiponectin levels and decline in forced expiratory volume in 1 s in a general Japanese population: The takahata study. *International Journal of Medical Sciences*, *11*(8), 758–764. <https://doi.org/10.7150/ijms.8919>
- Takeda, Y., Nakanishi, K., Tachibana, I., & Kumanogoh, A. (2012). Adiponectin: A Novel Link Between Adipocytes and COPD. In *Vitamins and Hormones* (1st ed., Vol. 90). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-398313-8.00016-6>
- Tomoda, K., Yoshikawa, M., Itoh, T., Tamaki, S., Fukuoka, A., Komeda, K., & Kimura, H. (2007). Elevated circulating plasma adiponectin in underweight patients with COPD. *Chest*, *132*(1), 135–140. <https://doi.org/10.1378/chest.07-0227>
- Uzum, A. K., Aydin, M. M., Tutuncu, Y., Omer, B., Kiyani, E., & Alagol, F. (2014). Serum ghrelin and adiponectin levels are increased but serum leptin level is unchanged in low weight Chronic Obstructive Pulmonary Disease patients. *European Journal of Internal Medicine*, *25*(4), 364–369. <https://doi.org/10.1016/j.ejim.2013.02.012>
- Wibowo, D. S., & Paryana, W. (2009). *Anatomi Tubuh Manusia*. Graha Ilmu, Yogyakarta.
- World Health Organization (WHO). (2022). *Global Status Report on Noncommunicable Diseases*.
- Xie, J., Yang, X. Y., Shi, J. D., Deng, X. Q., & Long, W. (2010). A new inflammation marker of chronic obstructive pulmonary disease-adiponectin. *Chinese Journal of Emergency Medicine*, *19*(12), 1313–1316. <https://doi.org/10.3760/cma.j.issn.1671-0282.2010.12.021>
- Yoon, H. II, Li, Y., Man, S. F. P., Tashkin, D., Wise, R. A., Connett, J. E., Anthonisen, N. A., Churg, A., Wright, J. L., & Sin, D. D. (2012). The complex relationship of serum adiponectin to COPD outcomes. *Chest*, *142*(4), 893–899. <https://doi.org/10.1378/chest.11-2173>
- Yoshikawa, T., & Kanazawa, H. (2012). Association of plasma adiponectin levels with cellular hydration state measured using bioelectrical impedance analysis in patients with COPD. *International Journal of COPD*, *7*, 515–521. <https://doi.org/10.2147/COPD.S34556>

Lampiran 1**KUESIONER PENELITIAN****A. KARAKTERISTIK RESPONDEN**

Petunjuk :

Jawablah pertanyaan dibawah ini dengan cara menuliskan jawaban atau melingkari alternatif jawaban yang telah tersedia

No. Responden :

No. Rekam Medis :

No. Register Lab :

Usia : Tahun

Jenis Kelamin : 1. Laki-laki 2. Perempuan

Alamat :

No. HP :

Pekerjaan :

Tingkat Pendidikan : SD / SMP / SMA / Diploma /S1/ S2 / S3

Status pernikahan : belum menikah/ menikah/ janda/duda

Data Keluarga Dekat

Nama :

No. HP :

Hubungan Dengan Pasien: Suami / Istri / Anak/ lainnya.....

B. Hasil pemeriksaan

Berat Badan :Kg

Tinggi badan :cm

Riwayat Penyakit :

Hasil Pemeriksaan Spirometri :

Jarak tempuh 6MWT :

Tanggal Pemeriksaan :

C. Pemeriksaan Penunjang

1. Pemeriksaan Radiologi

:

2. Pemeriksaan Darah Rutin

:

Lampiran 2

MASTER TABEL PENELITIAN

No responden	Umur	Jenis Kelamin	Tingkat Pendidikan	Indeks Massa Tubuh	FEV1	Kemampuan exercise 6MWT	Kadar Adiponectin serum
1	55	L	S2	23	49.12	520	6.7
2	38	P	SMA	22.4	67.89	450	4.7
3	73	L	SD	16.9	35.53	420	7.1
4	68	L	SD	19.1	81.53	340	34.5
5	56	L	SMA	22.6	48.12	415	7.7
6	83	L	SD	19.8	58.60	495	17
7	72	L	SMA	21.8	51.76	520	8.18
8	68	L	SMA	16.5	15.78	510	27.6
9	67	L	SMP	20	22.32	490	12.3
10	66	L	S2	22.5	20.53	525	9.3
11	66	L	SD	21.9	93.56	445	9.9
12	38	P	SMA	16.7	49.60	475	27.8
13	54	L	S1	21.8	29.00	520	19.4
14	68	L	SD	16.8	26.50	490	30.1
15	62	L	S1	15.4	43.19	515	35.1
16	70	L	S1	24.8	68.27	495	6.1
17	53	P	S2	24.1	55.64	435	13
18	50	L	SMP	19.5	32.52	415	11.7
19	75	P	SD	21.9	50.34	410	32.8
20	65	L	S1	20.6	48.11	515	7.2
21	51	P	SMA	20.3	10.09	400	50.6
22	65	L	SMA	24.3	76.68	525	11
23	75	L	SD	24.4	62.90	420	7.8
24	47	L	SMA	24.6	89.76	415	12.8
25	71	L	SMA	23.7	4032	395	28.7
26	59	P	SD	16	48.45	415	29.9
27	59	L	SMA	24.7	29.89	535	8.9
28	52	L	SMP	20.2	18.76	515	6.1
29	50	L	SMP	24.9	59.03	520	10.7
30	50	L	SD	16.4	22.01	540	45.6
31	43	L	SMA	22.3	25.49	505	59.7
32	69	L	SMP	17.2	27.29	430	44.9

33	45	L	SMA	20.8	26.07	390	32.81
34	66	L	S1	22.9	86.86	535	17.6
35	65	L	SMA	22.7	45.64	395	36.3
36	47	L	S2	24.9	49.36	495	9.6
37	33	L	SMP	13.7	15.53	345	31.2
38	43	L	SD	21.3	24.13	435	9.1
39	54	L	SMP	19.6	64.97	415	29.8
40	50	L	SMA	15.1	22.65	425	37.2
41	56	L	SMA	17.8	35.85	415	12.5
42	56	L	SMA	22.6	40.72	535	15.3
43	48	L	SMA	23.5	36.49	525	27.4
44	54	L	SMP	18.1	18.20	510	29.7
45	63	P	S1	19.4	32.14	315	6
46	48	P	SMA	21.3	18.66	455	19.5
47	57	L	SMA	18.7	40.52	390	15.5
48	61	L	SD	17.6	41.48	495	14.7

Lampiran 3

Descriptives

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Umur	48	33	83	58.00	11.063
Indeks Massa Tubuh	48	13.70	24.90	20.5646	3.04404
FEV1	48	10.09	93.56	42.8719	21.04588
Kemampuan exercise 6MWT	48	315	540	460.21	59.331
Kadar Adiponectin serum	48	4.70	59.70	20.6060	13.62982
riwayat_PPOK	48	1	9	4.69	1.926
Valid N (listwise)	48				

A. Frequencies

Statistics

		Kadar Adipoctin Serum	Fungsi Paru	6MWT	Jenis Kelamin	Usia	Tingkat Pendidikan	IMT
N	Valid	48	48	48	48	48	48	48
	Missing	0	0	0	0	0	0	0

B. Frequency Table

Kadar Adipoctin Serum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Normal	31	64.6	64.6	64.6
	Tidak normal	17	35.4	35.4	100.0
	Total	48	100.0	100.0	

Fungsi Paru

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Ringan	4	8.3	8.3	8.3
	Sedang	10	20.8	20.8	29.2
	Berat	17	35.4	35.4	64.6
	Sangat berat	17	35.4	35.4	100.0
	Total	48	100.0	100.0	

6MWT

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Baik	37	77.1	77.1	77.1
	Kurang	11	22.9	22.9	100.0
	Total	48	100.0	100.0	

Jenis Kelamin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Laki-laki	39	81.2	81.2	81.2
	Perempuan	9	18.8	18.8	100.0
	Total	48	100.0	100.0	

Usia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	31-40 tahun	3	6.2	6.2	6.2
	41-50 tahun	10	20.8	20.8	27.1
	51-60 tahun	14	29.2	29.2	56.2
	> 61 tahun	21	43.8	43.8	100.0
	Total	48	100.0	100.0	

Tingkat Pendidikan

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	SD	11	22.9	22.9	22.9
	SMP	8	16.7	16.7	39.6
	SMA	19	39.6	39.6	79.2
	S1	6	12.5	12.5	91.7
	S2	4	8.3	8.3	100.0
	Total	48	100.0	100.0	

IMT

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Normal (18,5-25,0)	35	72.9	72.9	72.9
	Kurang (<18,5)	13	27.1	27.1	100.0
	Total	48	100.0	100.0	

terapi_PPOK

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	LABA	32	66.7	66.7	66.7
	LABA+ICS	16	33.3	33.3	100.0
	Total	48	100.0	100.0	

Riwayat_Eksaserbasi

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0-1 kali dalam setahun	29	60.4	60.4	60.4
	2 kali dalam setahun	19	39.6	39.6	100.0
	Total	48	100.0	100.0	

C. Crosstabs

Kategori kadar Adiponectin serum * kategori fungsi paru Crosstabulation

		kategori fungsi paru			Total	
		Ringan-sedang	berat	sangat berat		
Kategori kadar Adiponectin serum	Normal	Count	12	12	7	31
		Expected Count	9.0	11.0	11.0	31.0
		% within kategori fungsi paru	85.7%	70.6%	41.2%	64.6%
Tidak normal	Tidak	Count	2	5	10	17
		Expected Count	5.0	6.0	6.0	17.0
		% within kategori fungsi paru	14.3%	29.4%	58.8%	35.4%
Total		Count	14	17	17	48
		Expected Count	14.0	17.0	17.0	48.0
		% within kategori fungsi paru	100.0%	100.0%	100.0%	100.0%

Kruskal-Wallis Test

		Ranks	
	Kategori kadar Adiponectin serum	N	Mean Rank
kategori fungsi paru	Normal	31	20.84
	Tidak normal	17	31.18
	Total	48	

Test Statistics^{a,b}

	kategori fungsi paru
Chi-Square	6.751
Df	1
Asymp. Sig.	.009

a. Kruskal Wallis Test

b. Grouping Variable: Kategori kadar Adiponectin serum

D. Crosstabs

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
6MWT * Kadar Adipocitin Serum	48	100.0%	0	.0%	48	100.0%

6MWT * Kadar Adipocitin Serum Crosstabulation

Kategori kadar Adiponectin serum * Kategori Kemampuan exercise 6MWT Crosstabulation

			Kategori Kemampuan exercise 6MWT		Total
			Baik	Kurang	
Kategori kadar Adiponectin serum	Normal	Count	25	6	31
		Expected Count	23.9	7.1	31.0
		% within Kategori Kemampuan exercise 6MWT	67.6%	54.5%	64.6%
	Tidak normal	Count	12	5	17
		Expected Count	13.1	3.9	17.0
		% within Kategori Kemampuan exercise 6MWT	32.4%	45.5%	35.4%
Total		Count	37	11	48
		Expected Count	37.0	11.0	48.0
		% within Kategori Kemampuan exercise 6MWT	100.0%	100.0%	100.0%

6MWT * Kadar Adiponectin Serum Crosstabulation

		Kadar Adiponectin Serum		Total
		Normal	Tidak normal	
Total	Expected Count	31.0	17.0	48.0
	% of Total	64.6%	35.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	.629 ^a	1	.428		
Continuity Correction ^b	.188	1	.664		
Likelihood Ratio	.614	1	.433		
Fisher's Exact Test				.486	.327
Linear-by-Linear Association	.616	1	.433		
N of Valid Cases ^b	48				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 3,90.

b. Computed only for a 2x2 table

Crosstabs

Kategori IMT * Kategori kadar Adiponectin serum Crosstabulation

			Kategori kadar Adiponectin serum		Total
			Normal	Tidak normal	
Kategori IMT	Normal (18.5 - 25)	Count	27	8	35
		Expected Count	22.6	12.4	35.0
		% within Kategori kadar Adiponectin serum	87.1%	47.1%	72.9%
	Kurang (<18.5)	Count	4	9	13
		Expected Count	8.4	4.6	13.0
		% within Kategori kadar Adiponectin serum	12.9%	52.9%	27.1%
Total	Count	31	17	48	
	Expected Count	31.0	17.0	48.0	
	% within Kategori kadar Adiponectin serum	100.0%	100.0%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	8.912 ^a	1	.003		
Continuity Correction ^b	7.000	1	.008		
Likelihood Ratio	8.722	1	.003		
Fisher's Exact Test				.006	.004
Linear-by-Linear Association	8.727	1	.003		
N of Valid Cases ^b	48				

a. 1 cells (25,0%) have expected count less than 5. The minimum expected count is 4,60.

b. Computed only for a 2x2 table

Lampiran 4

