

DAFTAR PUSTAKA

- Antika, S. R. V., Ludji, P. A., & Rina, R. (2014). Perkembangan *Sitophilus oryzae* Linnaeus (Coleoptera: Curculionidae) pada Berbagai Jenis Pakan. *HPT*, 2(4), 77–84.
- Antunes, C., Mendes, R., Lima, A., Barros, G., Fields, P., Da Costa, L. B., Rodrigues, J. C., Silva, M. J., Correia, A. M., & Carvalho, M. O. (2016). Resistance of Rice Varieties to the Stored-Product Insect, *Sitophilus zeamais* (Coleoptera: Curculionidae). *Journal of Economic Entomology*, 109(1), 445–453. <https://doi.org/10.1093/jee/tov260>
- Ardiansyah, A. (2016). Pengaruh Aplikasi Tiga Jenis Inert dust terhadap Mortalitas Imago dan Pertumbuhan Populasi *Sitophilus zeamais* Motschulsky (Coleoptera: Curculionidae) pada Benih Benih Jagung. Universitas Brawijaya.
- Astuti, L. P. (2019). Feeding Preference and Development of *Sitophilus oryzae* L. on Organic and Inorganic Rice Cultivation. *Agrivita*, 41(3), 561–568. <https://doi.org/10.17503/agrivita.v41i3.2362>
- Astuti, L. P., Mario, M. B., & Widjayanti, T. (2018). Preference, Growth and Development of *Oryzaephilus surinamensis* (L.) (Coleoptera: Silvanidae) on Red, White and Black Rice in Whole Grain and Flour Form. *Journal of Entomological Research*, 42(4), 461. <https://doi.org/10.5958/0974-4576.2018.00077.4>
- Astuti, L. P., Mudjiono, G., Rasminah Ch., S., & Rahardjo, B. T. (2013). Susceptibility of Milled Rice Varieties to the Lesser Grain Borer (*Rhyzopertha dominica*, F.). *Journal of Agricultural Science*, 5(2), 145–149. <https://doi.org/10.5539/jas.v5n2p145>
- Astuti, L. P., Mudjiono, G., Rasminah, S., & Rahardjo, B. T. (2013). Influence of Temperature and Humidity on the Population Growth of *Rhyzopertha dominica* (F.) (Coleoptera: Bostrichidae) on Milled Rice. *Journal of Entomology*, 10(2), 86–94. <https://doi.org/10.3923/je.2013.86.94>
- Baltzegar, J. F., & Gould, F. (2023). Development of the First High-Density Linkage Map in the Maize Weevil, <i>Sitophilus zeamais</i>. *PeerJ*, 11, 1–14. <https://doi.org/10.7717/peerj.15414>
- Baltzegar, J., Jones, M. S., Willcox, M., Ramsey, J. M., & Gould, F. (2023). Population Genetic Structure of the Maize Weevil, *Sitophilus zeamais*, in Southern Mexico. *PLoS ONE*, 18(4 April), 1–12. <https://doi.org/10.1371/journal.pone.0264469>
- Bhadriraju, S., & Hagstrum, D. (1996). *Integrated Management of Insects in Stored Products*. Marcel Dekker, Inc.
- Cao, Y., Jian, L., Athanassiou, C. G., Yang, Y., Hu, Q., Zhang, X., Dai, F., & Maggi, F. (2024). Behavioral Responses of *Rhyzopertha dominica* (F.) to Volatiles of Different Stored Grains. *Journal of Stored Products Research*, 105(December 2023). <https://doi.org/10.1016/j.jspr.2023.102235>
- Cao, Y., Zhang, C., Chen, Q., Li, Y., Qi, S., Tian, L., & Ren, Y. (2014). Identification of Species and Geographical Strains of *Sitophilus oryzae* and *Sitophilus zeamais* Using the Visible / Near-Infrared Hyperspectral Imaging Technique. August. <https://doi.org/10.1002/ps.3893>
- Carvalho, M. O., Fradinho, P., Martins, M. J., Magro, A., Raymundo, A., & de Sousa, I. (2019). Paddy Rice Stored Under Hermetic Conditions: The effect of Relative

- Humidity, Temperature and Storage time in suppressing *Sitophilus zeamais* and Impact on Rice Quality. *Journal of Stored Products Research*, 80, 21–27. <https://doi.org/10.1016/j.jspr.2018.11.002>
- Correâ, A. S., Vinson, C. C., Braga, L. S., Guedes, R. N. C., & De Oliveira, L. O. (2017). Ancient Origin and Recent Range Expansion of the Maize Weevil *Sitophilus zeamais*, and its Genealogical Relationship to the Rice Weevil *S. oryzae*. *Bulletin of Entomological Research*, 107(1), 9–20. <https://doi.org/10.1017/S0007485316000687>
- Dobie, P., & Kilminster, A. M. (1978). The Susceptibility of Triticale to Post-Harvest Infestation by *Sitophilus zeamais* Motschulsky *Sitophilus oryzae* (L.) and *Sitophilus granarius* (L.). *Journal of Stored Products Research*, 14(2–3), 87–93. [https://doi.org/10.1016/0022-474X\(78\)90003-6](https://doi.org/10.1016/0022-474X(78)90003-6)
- Fan, K., Yip, H. Y., Taddi, S., Huang, Y. Y., Wong, F. L., Hui, J. H. L., & Lam, H.-M. (2022). *Pursuing Greener Farming by Clarifying Legume-insect Pest Interactions and Developing Marker-assisted Molecular Breeding* (pp. 211–258). <https://doi.org/10.1016/bs.abr.2022.02.018>
- FAO. (2023). *FAO Cereal Supply and Demand Brief*. Food and Agriculture Organization of the United Nations.
- Foschia, M., Peressini, D., Sensidoni, A., & Brennan, C. S. (2013). The Effects of Dietary Fibre Addition on The Quality of Common Cereal Products. *Journal of Cereal Science*, 58(2), 216–227. <https://doi.org/10.1016/j.jcs.2013.05.010>
- Ghodjani, Z., Shakarami, J., Mardani-Talaee, M., & Eduardo Serrão, J. (2023). Effect of Different Wheat Cultivars on Two Sex Life Table Parameters of *Sitotroga cerealella* (Lepidoptera: Gelechiidae). *Journal of Stored Products Research*, 101, 102097. <https://doi.org/10.1016/j.jspr.2023.102097>
- Heinrichs, E. A., Medrano, F. G., & Rapusas, H. R. (1985). *Genetic Evaluation for Insect Resistance in Rice*.
- Hendrival, & Melinda, L. (2017). Pengaruh Kepadatan Populasi *Sitophilus oryzae* (L.) terhadap Pertumbuhan Populasi dan Kerusakan Beras. *Biospecies*, 10(1). <https://doi.org/10.22437/biospecies.v10i1.3484>
- Jood, S., Kapoor, A. C., & Singh, R. (1996). Effect of Insect Infestation and Storage on Lipids of Cereal Grains. *Journal of Agricultural and Food Chemistry*, 44(6), 1502–1506. <https://doi.org/10.1021/jf950270e>
- Kumar Singh, A., Kumar, K., Kumar, S., & Arun Kumar Singh, C. (2018). Taxonomic redescription of the rice weevil (*Sitophilus oryzae*). ~ 36 ~ *Journal of Pharmacognosy and Phytochemistry*, 1.
- Laskowski, W., Górska-Warsewicz, H., Rejman, K., Czecztok, M., & Zwolińska, J. (2019). How important are cereals and cereal products in the average polish diet? *Nutrients*, 11(3), 679. <https://doi.org/10.3390/nu11030679>
- Lattanzio V, Lattanzio VMT, C. A. (2015). Role of phenolics in the resistance mechanisms of plants against fungal pathogens and insects. In *Phytochemistry* (Vol. 661, Issue 2).
- Le, J., Dianxuan, W., Chao, Z., Ruijie, Z., & Fangfang, Z. (2018). The Sizes of *Sitophilus zeamais* in Different Life Stage. *Grain & Oil Science and Technology*, 1(4), 163–170. <https://doi.org/10.3724/SP.J.1447.GOST.2018.18054>

- Majd-Marani, S., Naseri, B., Hassanpour, M., Razmjou, J., & Jalaeian, M. (2023). Life History and Life Table Parameters of the Rice Weevil, *Sitophilus oryzae* L. (Coleoptera: Curculionidae) Fed on 10 Rice Cultivars and Lines in Iran. *Journal of Stored Products Research*, 102. <https://doi.org/10.1016/j.jspr.2023.102118>
- Mansoor-ul-Hasan, Aslam, A., Jafir, M., Javed, M. W., Shehzad, M., Chaudhary, M. Z., & Aftab, M. (2017). Effect of Temperature and Relative Humidity on Development of *Sitophilus oryzae* L. (coleoptera: curculionidae). *Journal of Entomology and Zoology Studies*, 5(6), 85–90.
- Manueke, J., Tulung, M., & Mamahit, J. M. E. (2015). BIOLOGI *Sitophilus oryzae* dan *Sitophilus zeamais* (Coleoptera: Curculionidae) pada Beras dan Benih Jagung Pipilan. *Eugenia*, 21(1). <https://doi.org/10.35791/eug.21.1.2015.11802>
- Mentari, A. D., Setiawan, B., & Palupi, E. (2022). Pengembangan RUTF (Ready To Use Therapeutic Food) Berbahan Serealia dan Kedelai Bagi Balita Malnutrisi Akut Berat. *Media Gizi Indonesia (National Nutrition Journal)*, 17(1), 11–20.
- Muluken, G., & Ketema, B. (2014). Susceptibility of sorghum seed varieties to the maize weevil *Sitophilus zeamais* Motschulsky (Coleoptera: Curculionidae). *African Journal of Agricultural Research*, 9(31), 2419–2426. <https://doi.org/10.5897/ajar2014.8634>
- Mwenda, E. T., Ringo, J. H., & Mbega, E. R. (2019). The Implication of Kernel Phenology in Convening Resistance to Storage Weevil and Varietal Development in Sorghum seed. *Journal of Stored Products Research*, 83, 176–184. <https://doi.org/10.1016/j.jspr.2019.06.010>
- Nonci, N., & Muis, A. (2016). Biologi, Gejala Serangan, dan Pengendalian Hama Bubuk Benih jagung *Sitophilus zeamais* Motschulsky (Coleoptera: Curculionidae). *Jurnal Penelitian Dan Pengembangan Pertanian*, 34(2), 61. <https://doi.org/10.21082/jp3.v34n2.2015.p61-70>
- Ojo, J. A., & Omoloye, A. A. (2016). Development and Life History of *Sitophilus zeamais* (Coleoptera: Curculionidae) on Cereal Crops. *Advances in Agriculture*, 2016. <https://doi.org/10.1155/2016/7836379>
- Okram, S., & Hath, T. K. (2019). Biology of *Sitophilus oryzae* (L.) (Coleoptera: Curculionidae) on Stored Rice Grains during Different Seasons in Terai Agro-Ecology of West Bengal. *International Journal of Current Microbiology and Applied Sciences*, 8(04), 1955–1963. <https://doi.org/10.20546/ijcmas.2019.804.229>
- Panda, N., & Heinrichs, E. A. (1983). Levels of Tolerance and Antibiosis in Rice Varieties Having Moderate Resistance to the Brown Planthopper, *Nilaparvata lugens* (Stål) (Hemiptera: Delphacidae). *Environmental Entomology*, 12(4), 1204–1214. <https://doi.org/10.1093/ee/12.4.1204>
- Rahardjo, B. T., Astuti, L. P., Sugiarto, A. N., & Rizali, A. (2017). Susceptibility of Maize Genotypes to Maize Weevil *Sitophilus zeamais* motsch. (Coleoptera: Curculionidae). *Agrivita*, 39(3), 329–334. <https://doi.org/10.17503/agrivita.v39i3.1278>
- Robinson, W. H. (2005). *Urban Insects and Arachnids*. Cambridge University Press.
- Rochmadi, I. (2022). *Kebijakan dan Program Pengembangan Benih sorgum di Indonesia*. Kementerian Pertanian Direktorat Jenderal Tanaman Pangan.
- Salazar-López, N. J., Ovando-Martínez, M., & Domínguez-Avila, J. A. (2019). Cereal/Grain By-products. *Food Wastes and By-Products: Nutraceutical and Health*

- Potential, 1–34. <https://doi.org/10.1002/9781119534167.ch1>
- Sarwar, H. (2013). The Importance of Cereals (Poaceae: Gramineae) Nutrition in Human Health: A Review. *Journal of Cereals and Oilseeds*, 4(3), 32–35. <https://doi.org/10.5897/jco12.023>
- Singh, S., Kaur, I., & Kariyat, R. (2021). The Multifunctional Roles of Polyphenols in Plant-Herbivore Interactions. *International Journal of Molecular Sciences*, 22(3), 1442. <https://doi.org/10.3390/ijms22031442>
- Smith, C. M., & Clement, S. L. (2012). Molecular Bases of Plant Resistance to Arthropods. *Annual Review of Entomology*, 57(1), 309–328. <https://doi.org/10.1146/annurev-ento-120710-100642>
- Stuhl, C. J., & Romero, M. (2021). Attraction of *Sitophilus zeamais* (Coleoptera: Curculionidae) to Four Host Plants. *Florida Entomologist*, 104(3), 158–161. <https://doi.org/10.1653/024.104.0302>
- Swamy, K. C. N., Mutthuraju, G. P., Jagadeesh, E., & Thirumalaraju, G. T. (2014). Biology of *Sitophilus oryzae* (L.) (Coleoptera : Curculionidae) on stored maize grains. *Current Biotica*, 8(1), 76–81.
- Tadesse, W., El-Hanafi, S., El-Fakhouri, K., Imseg, I., Ezzahra Rachdad, F., El-Gataa, Z., & El Bouhssini, M. (2022). Wheat Breeding for Hessian Fly Resistance at ICARDA. *The Crop Journal*, 10(6), 1528–1535. <https://doi.org/10.1016/j.cj.2022.07.021>
- Vijay, S., & Bhuvaneswari, K. (2018). Biology and development of *Sitophilus oryzae* L. feeding on split pulses. *Indian Journal of Agricultural Research*, 52(2), 111–118. <https://doi.org/10.18805/IJARe.A-4693>

LAMPIRAN

(a)



(b)



(c)



(d)

Gambar Lampiran 1. Jenis biji serealia yang digunakan dalam penelitian: (a) beras giling, (b) benih padi, (c) benih jagung, (d) benih sorgum.



(a)



(b)




(c)



(d)

Gambar Lampiran 2. Kerusakan *Sitophilus zeamais* pada biji serealia: (a) beras giling, (b) benih padi, (c) benih jagung, (d) benih sorgum.



Gambar Lampiran 3. Imago jantan dan betina *Sitophilus zeamais* pada biji serealia: (a) beras giling, (b) benih padi, (c) benih jagung, (d) benih sorgum.

Tabel Lampiran 1. Analisis ragam kehadiran *Sitophilus zeamais* pada empat jenis biji serealia

		<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Kehadiran total	Perlakuan	2153,250	3	717,750	41,288	0,000
	Residual	486,750	28	17,384		
	Total	2640,000	31			
Kehadiran imago betina	Perlakuan	396,000	3	132,000	30,295	0,000
	Residual	122,000	28	4,357		
	Total	518,000	31			
Kehadiran imago jantan	Perlakuan	705,250	3	235,083	22,796	0,000
	Residual	288,750	28	10,313		
	Total	994,000	31			

Tabel Lampiran 2. Analisis ragam kematian imago *Sitophilus zeamais* pada empat jenis biji serealia dalam *free choice test*

	<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Perlakuan	24,250	3	8,083	2,235	0,106
Residual	101,250	28	3,616		
Total	125,500	31			

Tabel Lampiran 3. Analisis kemunculan imago baru *Sitophilus zeamais* pada empat jenis biji serealia dalam *free choice test*

		<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Kehadiran total	Perlakuan	66,147	3	22,049	43,982	0,000
	Residual	14,037	28	0,501		
	Total	80,184	31			
Kehadiran imago betina	Perlakuan	32,851	3	10,950	33,687	0,000
	Residual	9,102	28	0,325		
	Total	41,952	31			
Kehadiran imago jantan	Perlakuan	29,152	3	9,717	33,945	0,000
	Residual	8,016	28	0,286		
	Total	37,168	31			

Tabel Lampiran 4. Analisis kematian imago *Sitophilus zeamais* pada empat jenis biji serealia dalam *no choice test*.

	<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Perlakuan	1524,500	3	508,167	52,024	0,000
Residual	273,500	28	9,768		
Total	1798,000	31			

Tabel Lampiran 5. Analisis kemunculan imago baru *Sitophilus zeamais* pada empat jenis biji serealia dalam no choice test

		<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Kehadiran total	Perlakuan	191,906	3	63,969	97,685	0,000
	Residual	18,336	28	0,655		
	Total	210,242	31			
Kehadiran imago betina	Perlakuan	94,742	3	31,581	65,023	0,000
	Residual	13,599	28	0,486		
	Total	108,342	31			
Kehadiran imago jantan	Perlakuan	92,989	3	30,996	95,427	0,000
	Residual	9,095	28	0,325		
	Total	102,084	31			

Tabel Lampiran 6. Analisis median developmental period *Sitophilus zeamais* pada empat jenis biji serealia

	<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Perlakuan	677,500	3	225,833	24,089	0,000
Residual	262,500	28	9,375		
Total	940,000	31			

Tabel Lampiran 7. Analisis kehilangan berat biji *Sitophilus zeamais* pada empat jenis biji serealia

	<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Perlakuan	28,595	3	9,532	75,138	0,000
Residual	3,552	28	0,127		
Total	32,147	31			

Tabel Lampiran 8. Analisis lama pradewasa *Sitophilus zeamais* pada empat jenis biji serealia

	<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Perlakuan	0,020	3	0,007	4,999	0,003
Residual	0,102	76	0,001		
Total	0,122	79			

Tabel Lampiran 9. Analisis lama praoviposisi *Sitophilus zeamais* pada empat jenis biji serealia

	<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Perlakuan	4,352	2	2,176	36,460	0,000
Residual	1,850	31	0,060		
Total	6,203	33			

Tabel Lampiran 10. Analisis siklus hidup *Sitophilus zeamais* pada empat jenis biji serealia

	<i>Sum of Squares</i>	<i>df</i>	<i>Mean Square</i>	<i>F</i>	<i>Sig.</i>
Perlakuan	121,421	2	60,710	4,687	0,017
Residual	401,550	31	12,953		
Total	522,971	33			

Tabel Lampiran 11. Suhu dan kelembapan laboratorium entomologi

Tanggal	Suhu/Kelembaban					
	Pagi	Siang	Sore	(°C)	(%)	(°C)
20 Oktober 2023	27,9	74	28	57	27,3	43
21 Oktober 2023	26,3	60	28,4	58	27,4	63
22 Oktober 2023	27,4	57	29,1	49	28,3	61
23 Oktober 2023	27,6	69	28,2	64	28,9	76
24 Oktober 2023	28,7	67	29,2	55	29,2	61
25 Oktober 2023	27,9	31	29,4	56	28,2	64
26 Oktober 2023	28	57	28,1	46	28,0	60
27 Oktober 2023	28,9	67	29,4	65	29,8	69
28 Oktober 2023	27,9	68	28,9	68	30	62
29 Oktober 2023	27,6	68	30,2	50	27,6	67
30 Oktober 2023	28,1	67	29,3	61	27,8	52
31 Oktober 2023	29	53	30,1	52	26,9	46
Rerata	28,5	61,5	28	56,8	30	60,3
01 November 2023	27,4	52	30,1	76	28,1	52
02 November 2023	27,9	62	28,7	64	28,9	62
03 November 2023	28,1	58	29,1	61	30,1	58
04 November 2023	28	63	29	67	30,0	63
05 November 2023	29	47	30	52	27,8	47
06 November 2023	28,1	77	29,1	63	28,9	77
07 November 2023	28	62	28,3	46	27,3	62
08 November 2023	29	46	29,3	65	27,5	46
09 November 2023	27,3	68	28,9	58	28,4	65
10 November 2023	27,6	78	27,3	67	28,5	55
11 November 2023	28,1	65	28,1	68	29	56
12 November 2023	27,9	52	29,9	68	27,1	46
13 November 2023	28	63	29	67	28,8	65
14 November 2023	28,1	66	28	53	28,1	68
15 November 2023	28,3	77	29	52	28	76

Tanggal	Suhu/Kelembaban					
	Pagi		Siang		Sore	
	(°C)	(%)	(°C)	(%)	(°C)	(%)
16 November 2023	27	76	29,2	58	29,1	61
17 November 2023	28	64	29	78	26,9	64
18 November 2023	27,1	61	28	61	28,9	60
19 November 2023	27,3	67	28,7	63	27,8	69
20 November 2023	27,6	52	29	47	27,4	68
21 November 2023	27,2	63	29,1	77	29,9	78
22 November 2023	28	46	28,4	62	28,4	65
23 November 2023	26,9	65	28,4	46	28,5	52
24 November 2023	26,9	58	27,1	68	28,0	63
25 November 2023	27,1	76	28	68	27,9	66
26 November 2023	28	32	29	67	29	77
27 November 2023	27	52	28	53	29	76
28 November 2023	29	58	29,9	52	29,1	64
29 November 2023	27,4	78	29		30	61
30 November 2023	27	61	28	46	27	67
Rerata	28	61,5	28,7	61,1	28,7	63,0
01 Desember 2023	28	47	27	68	27,3	37
02 Desember 2023	28,4	77	28,3	76	28,8	67
03 Desember 2023	28,8	62	30	61	28,3	68
04 Desember 2023	28,1	46	28,3	46	27	58
05 Desember 2023	27,9	65	28,3	65	27,1	67
06 Desember 2023	28,1	55	28,3	55	29,2	68
07 Desember 2023	28,2	56	27,1	56	28	68
08 Desember 2023	27,7	47	27,9	47	29	68
09 Desember 2023	28	77	28,4	77	27,1	67
10 Desember 2023	28,1	62	29,2	62	27,8	53
11 Desember 2023	27,2	46	28,0	46	27	52
12 Desember 2023	28,8	68	29,2	64	28,9	
13 Desember 2023	29,6	68	28,4	60	26,8	46
14 Desember 2023	28,1	67	27,5	69	28,7	65
15 Desember 2023	27,7	53	28,1	68	27,1	68
16 Desember 2023	26,3	52	28,0	78	27	76
17 Desember 2023	27	46	27,9	65	28,1	61
18 Desember 2023	26,4	65	29	52	28	64
19 Desember 2023	25	68	30	63	27,8	65
20 Desember 2023	26,1	76	30,1	66	27,4	58

Tanggal	Suhu/Kelembaban					
	Pagi		Siang		Sore	
	(°C)	(%)	(°C)	(%)	(°C)	(%)
21 Desember 2023	28,2	61	28,4	77	30	67
22 Desember 2023	28,0	64	28,3	76	28	68
23 Desember 2023	29,2	65	27,9	63	28,1	68
24 Desember 2023	27,3	58	27	46	28,7	68
25 Desember 2023	28,4	67	28,4	65	28	67
26 Desember 2023	27,6	68	26,9	58	28	67
27 Desember 2023	28,7	68	29	76	29	53
28 Desember 2023	27,1	68	29,8		29,3	52
29 Desember 2023	27,7	68	28,4	52	27,9	58
30 Desember 2023	26,4	67	28,4	63	29	78
31 Desember 2023	28,4	53	29	46	29	61
Rerata	27	61,6	28,7	62,2	28,2	62,8