

## DAFTAR PUSTAKA

- Afifa, E. P. V., & Damayanti, R. W. (2023). Six Sigma Implementation on Wash Motor Twin Tub Washing Machine: A Case Study. *E3S Web of Conferences*, 465. <https://doi.org/10.1051/e3sconf/202346502045>
- Anggamawarti, M. F., Pratikto, P., & Sumantri, Y. (2022). THE APPLICATION OF SIX SIGMA-DMAIC METHOD TO REDUCE DEFECTS AND IMPROVE THE CARTRIDGE CASE PROCESS IN AMMUNITION COMPANY. *Journal of Engineering and Management in Industrial System*, 10(1), 50–59. <https://doi.org/10.21776/ub.jemis.2022.010.01.5>
- Buestan, M., & Perez, C. (2022). Identification of Predictive Nursing Workload Factors: A Six Sigma Approach. *Sustainability (Switzerland)*, 14(20). <https://doi.org/10.3390/su142013169>
- Chen, P. W., Cheng, C. S., & Wang, C. W. (2023). A Study on the Laney p' Control Chart with Parameters Estimated from Phase I Data: Performance Evaluation and Applications. *Mathematics*, 11(15). <https://doi.org/10.3390/math11153411>
- Dahari, S., Talib, M. A., & Ghapor, A. A. (2025). Robust Control Chart Application in Semiconductor Manufacturing Process. *Journal of Advanced Research in Applied Sciences and Engineering Technology*, 43(2), 203–219. <https://doi.org/10.37934/araset.43.2.203219>
- Fitri, M., Jauhari, G., & Ridwani, S. (2019). *Penerapan Metode Six Sigma (DMAIC) Untuk Menuju Zero Defect Pada Produk Air Minum Ayia Cup 240 ml* (Vol. 3, Issue 1).
- Kulkarni, S. D., Prasanna, N. D., Mirunalini, S., Akshaya, C., Deekshitha, R., Kousalya, N., & Agalya, A. (2022). Enhancing the process capability of machining process of boring tool holder by application of six sigma methodology. *Materials Today: Proceedings*, 52, 329–338. <https://doi.org/10.1016/j.matpr.2021.09.043>
- Laga Putra Agung, A., Ciptaningtyas, D., Hasta Pratopo, L., & Thoriq, A. (2024). Restoration of treated domestic wastewater quality at a bottled water factory in North Sumatra, Indonesia using DMAIC framework. *Environmental Nanotechnology, Monitoring and Management*, 22. <https://doi.org/10.1016/j.enmm.2024.100959>
- Lei, M., Liu, Z., & Wang, F. (2024). Review of lightweight cellular concrete: Towards low-carbon, high-performance and sustainable development. In *Construction and Building Materials* (Vol. 429). Elsevier Ltd. <https://doi.org/10.1016/j.conbuildmat.2024.136324>
- Maia, D. dos R. P., Lizarelli, F. L., & Gambi, L. D. N. (2024). Industry 4.0 and Six Sigma: a systematic review of the literature and research agenda proposal. In

- Benchmarking* (Vol. 31, Issue 3, pp. 1009–1037). Emerald Publishing. <https://doi.org/10.1108/BIJ-05-2022-0289>
- Mittal, A., Gupta, P., Kumar, V., Al Owad, A., Mahlawat, S., & Singh, S. (2023). The performance improvement analysis using Six Sigma DMAIC methodology: A case study on Indian manufacturing company. *Heliyon*, 9(3). <https://doi.org/10.1016/j.heliyon.2023.e14625>
- Musa Issa, S., & Saleh Al-Jabi, I. T. M. (2022). USE OF THE MODIFIED DEMING TECHNOLOGY (PDSA) TO IMPROVE THE QUALITY OF HEALTH SERVICES IN AL-KADHIMIN (PEACE BE UPON HIM) MEDICAL CITY. *Proceedings on Engineering Sciences*, 4(2), 203–216. <https://doi.org/10.24874/PES04.02.010>
- Pribadi, N. A., & Ahsan, M. (2023). *Monitoring Quality of KAI Access Application Based on Customer Reviews on Google Play Store Using Laney p' Control Chart Based on Convolutional Neural Network* (pp. 175–184). [https://doi.org/10.2991/978-94-6463-332-0\\_20](https://doi.org/10.2991/978-94-6463-332-0_20)
- Sanchez-Marquez, R., & Jabaloyes Vivas, J. (2021). Building a Cpk control chart – A novel and practical method for practitioners. *Computers and Industrial Engineering*, 158. <https://doi.org/10.1016/j.cie.2021.107428>
- Smętkowska, M., & Mrugalska, B. (2018). Using Six Sigma DMAIC to Improve the Quality of the Production Process: A Case Study. *Procedia - Social and Behavioral Sciences*, 238, 590–596. <https://doi.org/10.1016/j.sbspro.2018.04.039>
- Snyder, D. A., Schuller, J., Ameen, Z., Toth, C., & Kemper, A. R. (2022). Improving Patient-Provider Continuity in a Large Urban Academic Primary Care Network. *Academic Pediatrics*, 22(2), 305–312. <https://doi.org/10.1016/j.acap.2021.11.005>
- Sony, M., Antony, J., Park, S., & Mutingi, M. (2020). Key Criticisms of Six Sigma: A Systematic Literature Review. In *IEEE Transactions on Engineering Management* (Vol. 67, Issue 3, pp. 950–962). Institute of Electrical and Electronics Engineers Inc. <https://doi.org/10.1109/TEM.2018.2889517>
- Vidhya, S. C., & Professor, A. (n.d.-a). QUALITY MANAGEMENT IN A RESIDENTIAL BUILDING USING SIX SIGMA CONSTRUCTION TECHNIQUES. In *International Research Journal of Modernization in Engineering Technology and Science @International Research Journal of Modernization in Engineering* (Vol. 645). [www.irjmets.com](http://www.irjmets.com)
- Vidhya, S. C., & Professor, A. (n.d.-b). QUALITY MANAGEMENT IN A RESIDENTIAL BUILDING USING SIX SIGMA CONSTRUCTION TECHNIQUES. In *International Research Journal of Modernization in Engineering Technology and Science @International Research Journal of Modernization in Engineering* (Vol. 645). [www.irjmets.com](http://www.irjmets.com)

Yusof, N., & Lee, K. L. (2022). Improve Product Quality and Production Process with Integration of Six Sigma and Quality Management System ISO 9001: A Case Study of Bakery Shop in France. *International Journal of Industrial Management*, 14(1), 557–579. <https://doi.org/10.15282/ijim.14.1.2022.7598>

## LAMPIRAN

Lampiran 1 Tabel Konversi DPMO ke Nilai Sigma

Nilai Sigma	DPMO						
0,00	933.193	0,51	838.913	1,02	684.386	1,53	488.033
0,01	931.888	0,52	836.457	1,03	680.822	1,54	484.047
0,02	930.563	0,53	833.977	1,04	677.242	1,55	480.061
0,03	929.219	0,54	831.472	1,05	673.645	1,56	476.078
0,04	927.855	0,55	828.944	1,06	670.031	1,57	472.097
0,05	926.471	0,56	826.391	1,07	666.402	1,58	468.119
0,06	925.066	0,57	823.814	1,08	662.757	1,59	464.144
0,07	923.641	0,58	821.214	1,09	659.097	1,60	460.172
0,08	922.196	0,59	818.589	1,10	655.422	1,61	456.205
0,09	920.730	0,60	815.940	1,11	651.732	1,62	452.242
0,10	919.243	0,61	813.267	1,12	648.027	1,63	448.283
0,11	917.736	0,62	810.570	1,13	644.309	1,64	444.330
0,12	916.207	0,63	807.850	1,14	640.576	1,65	440.382
0,13	914.656	0,64	805.106	1,15	636.831	1,66	436.441
0,14	913.085	0,65	802.338	1,16	633.072	1,67	432.505
0,15	911.492	0,66	799.546	1,17	629.300	1,68	428.576
0,16	909.877	0,67	796.731	1,18	625.516	1,69	424.655
0,17	908.241	0,68	793.892	1,19	621.719	1,70	420.740
0,18	906.582	0,69	791.030	1,20	617.911	1,71	416.834
0,19	904.902	0,70	788.145	1,21	614.092	1,72	412.936
0,20	903.199	0,71	785.236	1,22	610.261	1,73	409.046
0,21	901.475	0,72	782.305	1,23	606.420	1,74	405.165
0,22	899.727	0,73	779.350	1,24	602.568	1,75	401.294
0,23	897.958	0,74	776.373	1,25	598.706	1,76	397.432
0,24	896.165	0,75	773.373	1,26	594.835	1,77	393.580
0,25	894.350	0,76	770.350	1,27	590.954	1,78	389.739
0,26	892.512	0,77	767.305	1,28	587.064	1,79	385.908
0,27	890.651	0,78	764.238	1,29	583.166	1,80	382.089
0,28	888.767	0,79	761.148	1,30	579.260	1,81	378.281
0,29	886.860	0,80	758.036	1,31	575.345	1,82	374.484
0,30	884.930	0,81	754.903	1,32	571.424	1,83	370.700
0,31	882.977	0,82	751.748	1,33	567.495	1,84	366.928
0,32	881.000	0,83	748.571	1,34	563.559	1,85	363.169
0,33	878.999	0,84	745.373	1,35	559.618	1,86	359.424
0,34	876.976	0,85	742.154	1,36	555.670	1,87	355.691
0,35	874.928	0,86	738.914	1,37	551.717	1,88	351.973
0,36	872.857	0,87	735.653	1,38	547.758	1,89	348.268
0,37	870.762	0,88	732.371	1,39	543.795	1,90	344.578
0,38	868.643	0,89	729.069	1,40	539.828	1,91	340.903
0,39	866.500	0,90	725.747	1,41	535.856	1,92	337.243
0,40	864.334	0,91	722.405	1,42	531.881	1,93	333.598
0,41	862.143	0,92	719.043	1,43	527.903	1,94	329.969
0,42	859.929	0,93	715.661	1,44	523.922	1,95	326.355
0,43	857.690	0,94	712.260	1,45	519.939	1,96	322.758
0,44	855.428	0,95	708.840	1,46	515.953	1,97	319.178
0,45	853.141	0,96	705.402	1,47	511.967	1,98	315.614
0,46	850.830	0,97	701.944	1,48	507.978	1,99	312.067
0,47	848.495	0,98	698.468	1,49	503.989	2,00	308.538
0,48	846.136	0,99	694.974	1,50	500.000	2,01	305.026
0,49	843.752	1,00	691.462	1,51	496.011	2,02	301.532
0,50	841.345	1,01	687.933	1,52	492.022	2,03	298.056

Nilai Sigma	DPMO	Nilai Sigma	DPMO	Nilai Sigma	DPMO	Nilai Sigma	DPMO
2,04	294.598	2,55	146.859	3,06	59.380	3,57	19.226
2,05	291.160	2,56	144.572	3,07	58.208	3,58	18.763
2,06	287.740	2,57	142.310	3,08	57.053	3,59	18.309
2,07	284.339	2,58	140.071	3,09	55.917	3,60	17.864
2,08	280.957	2,59	137.857	3,10	54.799	3,61	17.429
2,09	277.595	2,60	135.666	3,11	53.699	3,62	17.003
2,10	274.253	2,61	133.500	3,12	52.616	3,63	16.586
2,11	270.931	2,62	131.357	3,13	51.551	3,64	16.177
2,12	267.629	2,63	129.238	3,14	50.503	3,65	15.778
2,13	264.347	2,64	127.143	3,15	49.471	3,66	15.386
2,14	261.086	2,65	125.072	3,16	48.457	3,67	15.003
2,15	257.846	2,66	123.024	3,17	47.460	3,68	14.629
2,16	254.627	2,67	121.001	3,18	46.479	3,69	14.262
2,17	251.429	2,68	119.000	3,19	45.514	3,70	13.903
2,18	248.252	2,69	117.023	3,20	44.565	3,71	13.553
2,19	245.097	2,70	115.070	3,21	43.633	3,72	13.209
2,20	241.964	2,71	113.140	3,22	42.716	3,73	12.874
2,21	238.852	2,72	111.233	3,23	41.815	3,74	12.545
2,22	235.762	2,73	109.349	3,24	40.929	3,75	12.224
2,23	232.695	2,74	107.488	3,25	40.059	3,76	11.911
2,24	229.650	2,75	105.650	3,26	39.204	3,77	11.604
2,25	226.627	2,76	103.835	3,27	38.364	3,78	11.304
2,26	223.627	2,77	102.042	3,28	37.538	3,79	11.011
2,27	220.650	2,78	100.273	3,29	36.727	3,80	10.724
2,28	217.695	2,79	98.525	3,30	35.930	3,81	10.444
2,29	214.764	2,80	96.801	3,31	35.148	3,82	10.170
2,30	211.855	2,81	95.098	3,32	34.379	3,83	9.903
2,31	208.970	2,82	93.418	3,33	33.625	3,84	9.642
2,32	206.108	2,83	91.759	3,34	32.884	3,85	9.387
2,33	203.269	2,84	90.123	3,35	32.157	3,86	9.137
2,34	200.454	2,85	88.508	3,36	31.443	3,87	8.894
2,35	197.662	2,86	86.915	3,37	30.742	3,88	8.656
2,36	194.894	2,87	85.344	3,38	30.054	3,89	8.424
2,37	192.150	2,88	83.793	3,39	29.379	3,90	8.198
2,38	189.430	2,89	82.264	3,40	28.716	3,91	7.976
2,39	186.733	2,90	80.757	3,41	28.067	3,92	7.760
2,40	184.060	2,91	79.270	3,42	27.429	3,93	7.549
2,41	181.411	2,92	77.804	3,43	26.803	3,94	7.344
2,42	178.786	2,93	76.359	3,44	26.190	3,95	7.143
2,43	176.186	2,94	74.934	3,45	25.588	3,96	6.947
2,44	173.609	2,95	73.529	3,46	24.998	3,97	6.756
2,45	171.056	2,96	72.145	3,47	24.419	3,98	6.569
2,46	168.528	2,97	70.781	3,48	23.852	3,99	6.387
2,47	166.023	2,98	69.437	3,49	23.295	4,00	6.210
2,48	163.543	2,99	68.112	3,50	22.750	4,01	6.037
2,49	161.087	3,00	66.807	3,51	22.216	4,02	5.868
2,50	158.655	3,01	65.522	3,52	21.692	4,03	5.703
2,51	156.248	3,02	64.256	3,53	21.178	4,04	5.543
2,52	153.864	3,03	63.008	3,54	20.675	4,05	5.386
2,53	151.505	3,04	61.780	3,55	20.182	4,06	5.234
2,54	149.170	3,05	60.571	3,56	19.699	4,07	5.085

Nilai Sigma	DPMO	Nilai Sigma	DPMO	Nilai Sigma	DPMO	Nilai Sigma	DPMO
4,08	4.940	4,59	1.001	5,10	159	5,61	20
4,09	4.799	4,60	968	5,11	153	5,62	19
4,10	4.661	4,61	936	5,12	147	5,63	18
4,11	4.527	4,62	904	5,13	142	5,64	17
4,12	4.397	4,63	874	5,14	136	5,65	17
4,13	4.269	4,64	845	5,15	131	5,66	16
4,14	4.145	4,65	816	5,16	126	5,67	15
4,15	4.025	4,66	789	5,17	121	5,68	15
4,16	3.907	4,67	762	5,18	117	5,69	14
4,17	3.793	4,68	736	5,19	112	5,70	13
4,18	3.681	4,69	711	5,20	108	5,71	13
4,19	3.573	4,70	687	5,21	104	5,72	12
4,20	3.467	4,71	664	5,22	100	5,73	12
4,21	3.364	4,72	641	5,23	96	5,74	11
4,22	3.264	4,73	619	5,24	92	5,75	11
4,23	3.167	4,74	598	5,25	88	5,76	10
4,24	3.072	4,75	577	5,26	85	5,77	10
4,25	2.980	4,76	557	5,27	82	5,78	9
4,26	2.890	4,77	538	5,28	78	5,79	9
4,27	2.803	4,78	519	5,29	75	5,80	9
4,28	2.718	4,79	501	5,30	72	5,81	8
4,29	2.635	4,80	483	5,31	70	5,82	8
4,30	2.555	4,81	467	5,32	67	5,83	7
4,31	2.477	4,82	450	5,33	64	5,84	7
4,32	2.401	4,83	434	5,34	62	5,85	7
4,33	2.327	4,84	419	5,35	59	5,86	7
4,34	2.256	4,85	404	5,36	57	5,87	6
4,35	2.186	4,86	390	5,37	54	5,88	6
4,36	2.118	4,87	376	5,38	52	5,89	6
4,37	2.052	4,88	362	5,39	50	5,90	5
4,38	1.988	4,89	350	5,40	48	5,91	5
4,39	1.926	4,90	337	5,41	46	5,92	5
4,40	1.866	4,91	325	5,42	44	5,93	5
4,41	1.807	4,92	313	5,43	42	5,94	5
4,42	1.750	4,93	302	5,44	41	5,95	4
4,43	1.695	4,94	291	5,45	39	5,96	4
4,44	1.641	4,95	280	5,46	37	5,97	4
4,45	1.589	4,96	270	5,47	36	5,98	4
4,46	1.538	4,97	260	5,48	34	5,99	4
4,47	1.489	4,98	251	5,49	33	6,00	3
4,48	1.441	4,99	242	5,50	32	<i>Catatan:</i> Tabel konversi ini Mencakup pergeseran 1,5- sigma untuk semua nilai Z	
4,49	1.395	5,00	233	5,51	30		
4,50	1.350	5,01	224	5,52	29		
4,51	1.306	5,02	216	5,53	28		
4,52	1.264	5,03	208	5,54	27		
4,53	1.223	5,04	200	5,55	26		
4,54	1.183	5,05	193	5,56	25		
4,55	1.144	5,06	185	5,57	24		
4,56	1.107	5,07	179	5,58	23		
4,57	1.070	5,08	172	5,59	22		
4,58	1.035	5,09	165	5,60	21		

Lampiran 2 Proses Produksi Bata Ringan PT. Hebel Cipta Sarana Bumi



Lampiran 3 Proses Pengambilan Data Cacat Produk



### Lampiran 4 Proses Diskusi Braisntorming dengan pihak Perusahaan

No	Defect	Material / Cause	RPN	Priority
1	Retak	Material - Pasir terlalu berlumut	252	4%
2	Retak	Material - Penggunaan semen dengan kadar alkali yang tinggi	252	4%
3	Retak	Material - Material terkontaminasi dengan air yang berlebihan	252	4%
4	Retak	Machine - Kecepatan Bali Mill yang tidak tepat	252	4%
5	Retak	Machine - Piston Mesin cutting kendat sehingga tekanan udara pada mesin kompresor kurang	252	4%
6	Retak	Machine - Adanya bentakan pada saat proses cutting	252	4%
7	Retak	Machine - Tekanan autoclave yang tidak tepat	252	4%
8	Cull	Machine - Piston mesin cutting kendat sehingga tekanan udara dari mesin kompresor kurang	252	4%
9	Cull	Machine - Getakan yang aus dan tidak rata	252	4%
10	Patah	Enviro - Getaran dan benturan yang berlebihan pada tempat bata ringan	252	4%
11	Patah	Enviro - Bata ringan disusun tidak sesuai dengan kemampuan tekanannya, terlalu banyak tumpuk	252	4%
12	Patah	Machine - Hentakan Rel saat proses cutting	252	4%

### Lampiran 5 Pengolahan Data Aktual Measure menggunakan Excel dan MiniTab

**Summary Table:**

Item	Group	Defect	Part	Project Defect	Defect	Defect	Defect	Defect	Defect	Defect	Defect	Defect
9	54770	1333	800	511	286	3.48%	0.0209	0.0117	0.0209	3	10416.768	3.77
10	76330	1244	627	418	209	3.4%	0.0209	0.0119	0.0279	3	10476.190	3.81
11	65900	960	576	384	1920	3.20%	0.0209	0.0120	0.0278	3	10475.563	3.80
12	76180	1118	671	487	238	2.97%	0.0209	0.0118	0.0280	3	10481.617	3.83
2	72800	758	455	303	1516	2.08%	0.0209	0.0118	0.0280	3	8941.392	3.94
<b>Total</b>	<b>410,000</b>	<b>6,442</b>	<b>3,686</b>	<b>2,426</b>	<b>12,284</b>						<b>409,640</b>	<b>3.82</b>

**Process Capability Analysis:**

- Stabilitas Proses:**
  - Process Defect: 105
  - Upper Defect: 2076
  - Lower Defect: 1176
- Pengendalian Kapabilitas Proses:**
  - Upper Defect: 1200
  - Lower Defect: 1033.9814
  - Upper Defect: 1000
  - Lower Defect: 1002.9800

**P Chart of Jumlah cacat:**

Test Results for P Chart of Jumlah cacat:

TEST 1. One point more than 3.00 standard deviations from center line. Test Failed at points: 3, 4, 6, 11, 14, 15, 16.

Test performed with unequal sample sizes.