

DAFTAR PUSTAKA


- Almeida, C., Monteiro, C., & Silvestre, S. 2021. Inhibitors of 11 β -hydroxysteroid dehydrogenase type 1 as potential drugs for type 2 diabetes mellitus—a systematic review of clinical and in vivo preclinical studies. *Scientia Pharmaceutica*. 89. (1): 1-14.
- Agu, P. C., Afiukwa, C. A., Orji, O. U., Ezeh, E. M., Ofoke, I. H., Ogbu, C. O., Ugwuja, E. I & Aja, P. M. 2023. Molecular docking as a tool for the discovery of molecular targets of nutraceuticals in diseases management. *Scientific Reports*. 13. (1):13398.
- Gunathilaka, T. L., Samarakoon, K., Ranasinghe, P., & Peiris, L. D. C. 2020. Antidiabetic potential of marine brown algae—a mini review. *Journal of diabetes research*. 2020. (1): 1-13.
- Hosfield, D. J., Wu, Y., Skene, R. J., Hilgers, M., Jennings, A., Snell, G. P., & Aertgeerts, K. (2005). Conformational flexibility in crystal structures of human 11 β -hydroxysteroid dehydrogenase type I provide insights into glucocorticoid interconversion and enzyme regulation. *Journal of Biological Chemistry*, 280(6), 4639-4648.
- International Diabetes Federation (IDF). 2022. *International Diabetic Federation Diabetic Atlas 10th edition*.
- Kang, M. C., Wijesinghe, W. A. J. P., Lee, S. H., Kang, S. M., Ko, S. C., Yang, X., ... & Jeon, Y. J. 2013. Dieckol isolated from brown seaweed Ecklonia cava attenuates type II diabetes in db/db mouse model. *Food and chemical toxicology*, 53, 294-298.
- Krishnan, N et al., 2015. PTP1B inhibition suggests a therapeutic strategy for Rett syndrome. *The Journal of Clinical Investigation*. Vol. 125. No. 8.
- Kwon, M., Lee, B., Lim, S. J., Choi, J. S., & Kim, H. R. 2019. Sargahydroquinoic acid, a major compound in *Sargassum serratifolium* (C. Agardh) C. Agardh, widely activates lipid catabolic pathways, contributing to the formation of beige-like adipocytes. *Journal of Functional Foods*, 58, 355-366.
- Lauritano, C., & Ianora, A. 2016. Marine organisms with anti-diabetes properties. *Marine drugs*. 14. (12): 1-14.
- Lee, S. H., Kang, N., Kim, E. A., Heo, S. J., Moon, S. H., Jeon, B. T., & Jeon, Y. J. (2014). Antidiabetogenic and antioxidative effects of octaphlorethol a isolated from the brown algae *Ishige foliacea* in streptozotocin-induced diabetic mice. *Food Science and Biotechnology*. 23. (1): 1261-1266.
- Lee, S. H., & Jeon, Y. J. (2013). Anti-diabetic effects of brown algae derived phlorotannins, marine polyphenols through diverse mechanisms. *Fitoterapia*, 86, 129-136.
- Liu, R., Mathieu, C., Berthelet, J., Zhang, W., Dupret, J. M., & Rodrigues Lima, F. (2022). Human protein tyrosine phosphatase 1B (PTP1B): From structure

- to clinical inhibitor perspectives. *International Journal of Molecular Sciences*. 23. (13): 1-20.
- Maeda, H. 2013. Anti-obesity and anti-diabetic activities of algae. In *Functional ingredients from algae for foods and nutraceuticals*. 453-472.
- Momtaz, S., Salek-Maghsoudi, A., Abdolghaffari, A. H., Jasemi, E., Rezazadeh, S., Hassani, S., Motjaba, Z., Mohammad, A., Sahar, B., & Nabavi, S. M. (2019). Polyphenols targeting diabetes via the AMP-activated protein kinase pathway; future approach to drug discovery. *Critical Reviews in Clinical Laboratory Sciences*. 56. (7): 472-492.
- Irwan. 2016. *Epidemiologi Penyakit Tidak Menular*. Yogyakarta: deepublish
- Siswandono. 2016. *Kimia Medisinal 1*. Surabaya: Airlangga University Press
- Wiraningtyas, A., & Ruslan, R. 2020. Perbandingan Metode Ekstraksi Zat Warna Dari Rumput Laut Sargassum sp. *Jurnal Redoks: Jurnal Pendidikan Kimia Dan Ilmu Kimia*. 3. (1):13-17.
- Pal, A., Kamthania, M. C., & Kumar, A. 2014. Bioactive compounds and properties of seaweeds—a review. *Open Access Library Journal*. 1. (4): 1-17.
- Pawestri, S., Wijayanti, R., & Kurnianto, D. 2021. Kajian Pustaka: Potensi Kandungan Polifenol pada Sargassum sp. sebagai Alternatif Penanganan Diabetes Mellitus Tipe 2 Literature Review: Polyphenols of Sargassum sp. Potential as Alternative Treatment for Type 2 Diabetes Mellitus. *Jurnal Ilmu Pangan dan Hasil Pertanian*. 5. (2): 118-139.
- Pradhan, B., Nayak, R., Patra, S., Jit, B. P., Ragusa, A., & Jena, M. (2020). Bioactive metabolites from marine algae as potent pharmacophores against oxidative stress-associated human diseases: A comprehensive review. *Molecules*. 26. (1): 1-25.
- Riset Kesehatan Dasar (Riskesdas). 2023. Badan Penelitian dan Pengembangan Kesehatan Kementerian RI tahun 2023. https://yankes.kemkes.go.id/view_artikel/1131/diabetes-melitus-adalah-masalah-kita
- Rao, M.M., and Hariprasad, T.P.N., 2021. In silico analysis of a potential antidiabetic phytochemical erythrin against therapeutic targets of diabetes. In *in silico Pharmacology*. Vol. 9. No. 5
- Rushdi, M. I., Abdel-Rahman, I. A., Saber, H., Attia, E. Z., Abdelraheem, W. M., Madkour, H. A., Hassan, H. M., Elmaidomy, A. H., & Abdelmohsen, U. R. 2020. Pharmacological and natural products diversity of the brown algae genus Sargassum. *RSC advances*. 10.(42): 24951-24972.
- Taniguchi, R., Ito, C., Keitoku, S., Miyake, Y., Itoigawa, M., Matsui, T., & Shibata, T. 2022. Analysis on the Structure of Phlorethols Isolated From the Warm-Temperate Brown Seaweed Sargassum carpophyllum and Their Antioxidant Properties. *Natural Product Communications*. 17. (6): 1-7.










- Thomas, N. V., & Kim, S. K. 2011. Potential pharmacological applications of polyphenolic derivatives from marine brown algae. *Environmental toxicology and pharmacology*. 32. (3): 325-335.
- Yang, Y. I., Jung, S. H., Lee, K. T., & Choi, J. H. 2014. 8, 8'-Bieckol, isolated from edible brown algae, exerts its anti-inflammatory effects through inhibition of NF- κ B signaling and ROS production in LPS-stimulated macrophages. *International immunopharmacology*, 23(2), 460-468.
- Zaidan, S., Abdillah, S., Rahmat, D., Djamil, R., & Mumpuni, E. 2019. Aktivitas Senyawa Sargassum sp. sebagai Anti-aterosklerosis dengan Perbandingan Ligan-Reseptor HMG-CoA Reduktase-Simvastatin (1HW9) dan Uji Toksisitas secara In-Silico. *Jurnal Ilmu Kefarmasian Indonesia*. 17. (1): 120-125.





LAMPIRAN

Lampiran 1. Skema Kerja






Lampiran 2. Senyawa *Sargassum* sp.



Senyawa 1	Senyawa 2	Senyawa 3
		
Phloroglucinol (Thomas, 2011)	Eckol (Thomas, 2011)	Phlorofucofuroeckol B (Thomas, 2011)
Senyawa 4	Senyawa 5	Senyawa 6
		
Dioxinodehydroeckol (Thomas, 2011)	2-Phloroeckol (Thomas, 2011)	7-phloroeckol (Thomas, 2011)
Senyawa 7	Senyawa 8	Senyawa 9
		
Fucufuroeckol A (Thomas, 2011)	Triphlorethol B (Taniguchi <i>et al.</i> , 2022)	tetraphlorethol C (Taniguchi <i>et al.</i> , 2022)










Senyawa 10Phlorofucofuroeckol A
(Thomas, 2011)**Senyawa 11**Octaphloretol A (Lee *et al.*, 2014)**Senyawa 12**Sargafuran (Rushdi *et al.*, 2020)**Senyawa 13**










Dieckol (Thomas, 2011)










Senyawa 14Fucosterol (Gunathilaka *et al.*, 2020)**Senyawa 15**Fucoxanthin (Gunathilaka *et al.*, 2020)**Senyawa 16**

8,8'-Bieckol (Thomas, 2011)

Senyawa 17Sargahydroquinoic acid
(Gunathilaka *et al.*, 2020)**Senyawa 18**Pheophytin-A
(Gunathilaka *et al.*, 2020)

Senyawa 196,6'-Bieckol (Thomas,
2011)**Senyawa 20**Fucodiphloroethol G
(Gunathilaka *et al.*,
2020)**Senyawa 21**Pheophorbide-A
(Gunathilaka *et al.*,
2020)**Senyawa 22**Ergosterol (Pawestri,
2021)**Senyawa 23**Palmitic Acid (Maeda,
2013)**Senyawa 24**Eribulin (Lauritano,
2016)**Senyawa 25**Trabectedin (Lauritano,
2016)**Senyawa 26**Vestitone (Rushdi *et al.*,
2020)**Senyawa 27**Coumarin (Pradhan, *et al.* 2020)

Senyawa 28	Senyawa 29	Senyawa 30
		
Thunbergol B (Rushdi <i>et al.</i> , 2020)	(+)-Kjellmanianone (Rushdi <i>et al.</i> , 2020)	Stigmasterol (Rushdi <i>et al.</i> , 2020)
Senyawa 31	Senyawa 32	Senyawa 33
		
Cholesterol (Rushdi <i>et al.</i> , 2020)	Saringosterol (Rushdi <i>et al.</i> , 2020)	Nahocol A (Rushdi <i>et al.</i> , 2020)
Senyawa 34	Senyawa 35	Senyawa 36
		
Isonahocol D1 (Rushdi <i>et al.</i> , 2020)	Sargaquinal (Rushdi <i>et al.</i> , 2020)	sargachromanol K (Rushdi <i>et al.</i> , 2020)

Senyawa 37Liquiritigenin (Rushdi *et al.*, 2020)**Senyawa 38**22-dehydrocholesterol (Rushdi *et al.*, 2020)**Senyawa 39**(+) -Epiloliolide (Rushdi *et al.*, 2020)**Senyawa 40**Beta-Sitosterol (Rushdi *et al.*, 2020)**Senyawa 41**Loliolide (Rushdi *et al.*, 2020)**Senyawa 42**sargaquinoic acid (Rushdi *et al.*, 2020)**Senyawa 43**Aurantiamide acetate (Rushdi *et al.*, 2020)**Senyawa 44**Tuberatolide B (Rushdi *et al.*, 2020)**Senyawa 45**Sargachromenol (Rushdi *et al.*, 2020)

