

## DAFTAR PUSTAKA

- Aksi Agraris Kanisius, A. (1990). *Budidaya Tanaman Padi*. Kanisius.
- Ali, A., Rice, S. D.-B., & 2017, undefined. (2017). Nutritional and health benefits of rice bran oil. Springer. [https://link.springer.com/chapter/10.1007/978-3-319-59011-0\\_9](https://link.springer.com/chapter/10.1007/978-3-319-59011-0_9)
- Alwi, I. (2012). Kriteria Empirik Dalam Menentukan Ukuran Sampel. *Jurnal Formatif*, 2(2), 140–148.
- Amaki, M., Konagai, N., Fujino, M., Kawakami, S., Nakao, K., Hasegawa, T., Sugano, Y., Tahara, Y., & Yasuda, S. (2017). Report of the American Heart Association (AHA) Scientific Sessions 2016, New Orleans. *Circulation Journal*, 81(1), 22–27. <https://doi.org/10.1253/circj.CJ-16-1222>
- Amarasinghe, Kumarasiri, & Gangodavilage. (2009). Pengaruh Metode Stabilisasi Pada Ekstraksi Air Minyak Dedak Padi. *Pengolahan Makanan Dan Bioproduk*, 108–114.
- Anderson, N., Tobin, J. N., & Zazula, T. (2012). National Cholesterol Education Program (Ncep). *Encyclopedia of Health and Behavior*. <https://doi.org/10.4135/9781412952576.n154>
- Anies. (2015). *Kolesterol dan Penyakit Jantung Koroner*. Ar-Ruzz Media.
- Anwar, T. B. (2004). *Dislipidemia Sebagai Faktor Risiko Penyakit Jantung Koroner*. Fakultas Kedokteran. Universitas Sumatera Utara.
- Arora, S., Sharma, S., Goel, S., & US, S. (2005). Use of Rice Bran Oil in Patients with Hyperlipidemia. *Natl Med J India*, 292–296.
- Astawan, M., & Leomitro, A. (2009). *Khasiat Whole Grain: Makanan Kaya Serat untuk Hidup Sehat*. Gramedia Pustaka Utama.
- Auliana, R. (2011). *Manfaat Bekatul dan Kandungan Giziinya*. April, 1–11.
- Azis, T., Dewi, L. K., & Hendra. (2008). Optimasi Pemucatan Minyak Mentah Dedak Padi dengan Menggunakan Karbon Aktif. *Jurnal Teknik Kimia*, 15.
- Badan Kefarmasian dan Alat Kesehatan. (2017). Farmakope Herbal Indonesia. In Kemenkes RI (II). <https://doi.org/10.1201/b12934-13>
- Berger, A., Rein, D., Schäfer, A., Monnard, I., Gremaud, G., Lambelet, P., & Bertoli, C. (2005). Similar cholesterol-lowering properties of rice bran oil, with varied  $\gamma$ -oryzanol, in mildly hypercholesterolemic men. *European Journal of Nutrition*, 44(3), 163–173. <https://doi.org/10.1007/S00394-004-0508-9>

- Borg, W. R., Gall, M. ., & Gall, J. P. (2007). *Educational Research*. Pearson Education.
- Brasher LV. (2008). <https://doi.org/10.1016/j.foodchem.2009.07.001> (2nd ed.). EGC.
- Bumrungpert, A., Chongsuwat, R., Phosat, C., & Butacnum, A. (2018). Rice Bran Oil Containing Gamma-Oryzanol Improves Lipid Profiles and Antioxidant Status in Hyperlipidemic Subjects: A Randomized Double-Blind Controlled Trial. *The Journal of Alternative and Complementary Medicine*, 25(3), 353–358. <https://doi.org/10.1089/acm.2018.0212>
- Butsat, S., & Siriamornpun, S. (2010). Antioxidant capacities and phenolic compounds of the husk, bran and endosperm of Thai rice. *Food Chemistry*, 119(2), 606–613. <https://doi.org/10.1016/j.foodchem.2009.07.001>
- Cahyanine, M., Estiasih, T., & Nisa, F. C. (2008). High- High - Tocopherol Fraction from Rice Bran ( *Oryza sativa* ) Prepared by Low - Temperature Solvent Crystallization Technique. 9(3), 165–172.
- Chen, C.-W., & Cheng, H.-H. (2006). A Rice Bran Oil Diet Increases LDL-Receptor and HMG-CoA Reductase mRNA Expressions and Insulin Sensitivity in Rats with Streptozotocin/Nicotinamide-Induced Type 2 Diabetes. *The Journal of Nutrition*, 136(6), 1472–1476. <https://doi.org/10.1093/jn/136.6.1472>
- Chen, M.-H., & Bergman, C. J. (2005). A Rapid Procedure for Analysing Rice Bran Tocopherol, Tocotrienol and γ-Oryzanol Contents. *Journal of Food Composition and Analysis*, 18(2–3), 139–151. <https://doi.org/10.1016/j.jfca.2003.09.004>
- Cicero, A. F. G., & Gaddi, A. (2001). Rice bran oil and γ-oryzanol in the treatment of hyperlipoproteinaemias and other conditions. *Phytotherapy Research*, 15(4), 277–289. <https://doi.org/10.1002/PTR.907>
- Citrakesumasari, Daud, N. A., Syam, A., Russeng, S., Hidayanty, H., Hadju, V., Burhanuddin, Baharuddin, Virani, D., Sipato, S. R., Auliya, H., Nuntung, M., & Amir, S. (2021). Effects of Rice Bran Oil on Lipid Profiles of Hypercholesterolemic Junior High School Teachers. *Current Research in Nutrition and Food Science Journal*, 9(3), 1090–1103. <https://doi.org/10.12944/CRNFSJ.9.3.34>
- CLEVERDON, C. W. (1970). REVIEW OF The ORIGINS AND DEVELOPMENT OF RESEARCH. *Aslib Proceedings*, 22(11), 538–549. <https://doi.org/10.1108/eb050265>
- Devarajan, S., Chatterjee, B., Urata, H., Zhang, B., Ali, A., Singh, R., &

- Ganapathy, S. (2016). A Blend of Sesame and Rice Bran Oils Lowers Hyperglycemia and Improves the Lipids. *The American Journal of Medicine*, 129(7), 731–739. <https://doi.org/10.1016/J.AMJMED.2016.02.044>
- Dhani, S. R., & Yamasari, Y. (2014). Rancang Bangun Sistem Pakar Untuk Mendiagnosa Penyakit Degeneratif. *Manajemen Informatika*, 3(2), 17–25.
- Dhvavani, S., Poorna Chandra Rao, Y., & Lokesh, B. R. (2014). Total Antioxidant Activity of Selected Vegetable Oils and their Influence on Total Antioxidant Values in Vivo: A Photochemiluminescence Based Analysis. *Food Chemistry*, 164, 551–555. <https://doi.org/10.1016/j.foodchem.2014.05.064>
- Eady, S., Wallace, A., Willis, J., Scott, R., & Frampton, C. (2011). Consumption of a Plant Sterol-Based Spread Derived from Rice Bran Oil is Effective at Reducing Plasma Lipid Levels in Mildly Hypercholesterolaemic Individuals. *British Journal of Nutrition*, 105(12), 1808–1818. <https://doi.org/10.1017/S0007114510005519>
- Erlinawati, N. D., Oetoro, S., & Gunarti, D. R. (2017a). Effect of Rice Bran Oil on The Lipid Profile of Mild-Moderate Hypercholesterolemic Male Age 19-55 Year Old. *World Nutrition Journal*, 1(1), 52–57. <https://doi.org/10.25220/WNJ.V01I1.0010>
- Erlinawati, N. D., Oetoro, S., & Gunarti, D. R. (2017b). Effect of Rice Bran Oil on the Lipid Profile of Mild-Moderate Hypercholesterolemic Male Aged 19-55 year. *World Nutrition Journal*, 1(1), 51–56. <https://doi.org/10.25220/WNJ.V01I1.0010>
- Fang, N., Yu, S., & Badger, T. M. (2003). Characterization of Triterpene Alcohol and Sterol Ferulates in Rice Bran Using LC-MS/MS. *Journal of Agricultural and Food Chemistry*, 51(11), 3260–3267. <https://doi.org/10.1021/jf021162c>
- Garnadi Y. (2012). *Hidup Nyaman Dengan Hiperkolesterol*. Argo Media Pustaka.
- Hadipernata, M. (2007). Mengolah Dedak Menjadi Minyak (Rice Bran Oil). In *Warta Penelitian dan Pengembangan Pertanian* (Vol. 29, Issue 4).
- Hadipernata, M., Supartono, W., & Falah, M. A. F. (2012). Proses Stabilisasi Dedak Padi Sebagai Pakan Tambahan Rusa. *Buletin Plasma Nutfah*, 9(2), 32–27.
- Hanmoungjai, P., Pyle, D. L., & Niranjan, K. (2001). Enzymatic process for extracting oil and protein from rice bran. *Journal of the American Oil Chemists' Society*, 78(8), 817–821. <https://doi.org/10.1007/s11746-001-0348-2>

- Hanum, G. R., & Ardiansyah, S. (2018). Deteksi Dini Penyakit Degeneratif pada Remaja Anggota Karang Taruna. *Jurnal Abadimas Adi Buana*, 2(1), 1–3. <https://doi.org/10.36456/abadimas.v2.i1.a1615>
- Hanum, N. N. (2013). *Hubungan Kadar Glukosa Darah Sewaktu Dengan Profil Lipid Pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Daerah Kota Cilegon Periode Januari-April 2013*. Islam Negeri Syarif Hidayatullah Jakarta.
- Hardisman. (2010). Pencegahan Penyakit Degeneratif Dan Pengaturan Makanan Dalam Kajian Kedokteran Dan Al-Quran. *Majalah Kedokteran Andalas*, 34.
- Harikumar, K., Althaf, A. ., & Kumar, K. B. (2013). Review of Hyperlipidemic. Department of Pharmacology, Sri Venkateswara College of Pharmacy, R.V.S. Nagar, Chittoor, Andhra Pradesh, International. *Journal of Novel Trends in Pharmaceutical Sciences*, 3, 59–71.
- Henderson, A. J., Ollila, C. A., Kumar, A., Borresen, E. C., Raina, K., Agarwal, R., & Ryan, E. P. (2012). Chemopreventive Properties of Dietary Rice Bran: Current Status and Future Prospects. *Advances in Nutrition*, 3(5), 643–653. <https://doi.org/10.3945/an.112.002303>
- Hernawati, Manalu, W., Suprayogi, A., & Astuti, D. A. (2013). Perbaikan Parameter Lipid Darah Mencit Hipercolesterolemia dengan Suplemen Pangan Bekatul Improvement of Blood Lipid Parameters of Hypercholesterolemic Mice by Supplementation of Rice Bran. *MKB*, 45(1), 1–9. [https://www.academia.edu/49630879/Perbaikan\\_Parameter\\_Lipid\\_Darah\\_Mencit\\_Hipercolesterolemia\\_dengan\\_Suplemen\\_Pangan\\_Bekatul](https://www.academia.edu/49630879/Perbaikan_Parameter_Lipid_Darah_Mencit_Hipercolesterolemia_dengan_Suplemen_Pangan_Bekatul)
- Hidayat, M. A., & Kuswandi, B. (2012). *Obat Sintetik dan Obat Herbal, Kimia Farmasi*.
- Hui, Y. H. (1996). *Bailey's Industrial Oil and Fat Products, Industrial and Consumer Non Edible Products from Oils and Fats* (5th ed.). John Wiley & Sons, Ltd.
- Imam, S. (2004). *Serangan Jantung dan Stroke Hubungannya dengan Lemak dan Kolesterol*. Gramedia Pustaka Utama.
- Jolfaie, N. R., Rouhani, M. H., Surkan, P. J., Siassi, F., & Azadbakht, L. (2016). Rice Bran Oil Decreases Total and LDL Cholesterol in Humans: A Systematic Review and Meta-Analysis of Randomized Controlled Clinical Trials. *Hormone and Metabolic Research*, 48(7), 417–426.
- Kemenkes RI. (2017). Formularium Ramuan Obat Tradisional Indonesia.

- In Keputusan Menteri Kesehatan Republik Indonesia. <https://pesquisa.bvsalud.org/portal/resource/en/mdl-20203177951%0Ahttp://dx.doi.org/10.1038/s41562-020-0887-9%0Ahttp://dx.doi.org/10.1038/s41562-020-0884-z%0Ahttps://doi.org/10.1080/13669877.2020.1758193%0Ahttp://sersc.org/journals/index.php/IJAST/article>
- Kennedy, G., & Burlingame, B. (2003). Analysis of Food Composition Data on Rice from a Plant Genetic Resources Perspective. *Food Chemistry*, 80(4), 589–596. [https://doi.org/10.1016/S0308-8146\(02\)00507-1](https://doi.org/10.1016/S0308-8146(02)00507-1)
- Kharisma, T. (2015). *Studi Hipokolesterolemik Beras Analog Secara In Vivo Pada Tikus Sprague dawley (SD)*.
- Kota, S., Kota, S., Krishna, S. S., Meher, L., Modi, K., Rao, E., & Jammula, S. (2013a). Nutraceuticals in Dyslipidemia Management. *Journal of Medical Nutrition and Nutraceuticals*, 2(1), 26. <https://doi.org/10.4103/2278-019X.105328>
- Kota, S., Kota, S., Krishna, S. S., Meher, L., Modi, K., Rao, E., & Jammula, S. (2013b). Nutraceuticals in Dyslipidemia Management. *Journal of Medical Nutrition and Nutraceuticals*, 2(1), 26. <https://doi.org/10.4103/2278-019X.105328>
- Krishna, A. G. G., Khatoon, S., & Sheila, P. M. (2001). Effect of Refining of Crude RBO on the Retention of Oryzanol in the Refined Oil. *Journal of the American Oil Chemists' Society*, 78(2001), 127–131. <https://doi.org/https://doi.org/10.1007/s11746-001-0232-0>
- Kuriyan, R., Gopinath, N., Vaz, M., & Kuroad, A. V. (2005). Use of Rice Bran Oil in Patients with Hyperlipidemia. *Natl Med J India*, 18(6).
- Lai, M.-H., Chen, Y.-T., Chen, Y.-Y., Chang, J.-H., & Cheng, H.-H. (2012). Effects of Rice Bran Oil on The Blood Lipids Profiles and Insulin Resistance in Type 2 Diabetes Patients. *Journal of Clinical Biochemistry and Nutrition*, 51(1), 15–18. <https://doi.org/10.3164/JCBN.11-87>
- Libby, P., Buring, J. E., Badimon, L., Hansson, G. K., Deanfield, J., Bittencourt, M. S., Tokgözoglu, L., & Lewis, E. F. (2019). Atherosclerosis. *Nature Reviews Disease Primers*, 5(1), 56. <https://doi.org/10.1038/s41572-019-0106-z>
- Magfirah, U., Setyowati, & Sumairah. (2014). Faktor-faktor yang Berhubungan dengan Kadar Kolesterol Darah Pasien Penyakit Jantung Rawat Inap di RSUD Banyumas. *Jurnal Nutrisia*, 10–16.
- Marjoni, R. (2016). *Dasar-Dasar Fitokimia untuk Diploma III Farmasi* (1st ed.). Trans Info Media.

- Massarolo, K., Souza, T. D. de, Christ-Ribeiro, A., Badiale-Furlong, E., & Souza-Soares, L. A. de. (2016). Influence of Cultivation Rhizopus Oryzae on Rice Bran on Lipid Fraction: Fatty Acids and Phospholipids. *Biocatalysis and Agricultural Biotechnology*, 8, 204–208. [https://doi.org/https://doi.org/10.1016/j.bcab.2016.10.002](https://doi.org/10.1016/j.bcab.2016.10.002)
- Maurya, N. K., & Kushwaha, R. (2018). *Pharmacognosy of Rice Bran Oil - A Review*. October. <https://doi.org/10.22377/ijgp.v12i04.2255>
- Minatel, I., Francisqueti, F., Corrêa, C., & Lima, G. (2016). Antioxidant Activity of  $\gamma$ -Oryzanol: A Complex Network of Interactions. *International Journal of Molecular Sciences*, 17(8), 1107. <https://doi.org/10.3390/ijms17081107>
- Minhajuddin, M., ZH, B., & Iqbal, J. (2005). Hypolipidemic and Antioxidant Properties of Tocotrienol Rich Fraction Isolated from Rice Bran Oil in Experimentally Induced Hyperlipidemic Rats. *Food Chem Toxicol*, 737–753.
- Moher, D., Shamseer, L., Clarke, M., Ghersi, D., Liberati, A., Petticrew, M., Shekelle, P., Stewart, L. A., & Group, P.-P. (2015). Preferred reporting items for systematic review and meta-analysis protocols (prisma-p) 2015 statement. *BioMed Central*.
- Moldenhauer, K., ET, C., DR, M., & H, G. (2003). Functional products from rice. In: Mazza G (ed) Functional foods. *Technomic Publishing Co. Inc., Lancaster*, 71–89.
- Mukminah, C., & Wagustina, S. (2016). Hubungan Kebiasaan Konsumsi Makanan Tinggi Lemak Jenuh Dengan Kadar Kolesterol Total Penderita Penyakit Jantung Koroner Rawat Jalan di BLUD RSUD Meuraxa Banda Aceh. *AcTion Journal*, 1(1). <https://doi.org/10.30867/action.v1i1.1>
- Naiman, A., & Rosenfelf, R. (1993). *Understanding Statistic*. McGraw-Hill.
- Nasir, S., Fitriyanti, & Kamila, H. (2009). Ekstraksi Dedak Padi Menjadi Minyak Mentah Dedak Padi (Crude Rice Bran Oil) dengan Pelarut N-Hexane dan Etanol. *Jurnal Teknik Kimia*, 16(2).
- Ojah, K., Gogoi, G., Chaliha, M., & Borah, A. (2017). Hypolipidemic Effect of RICE Bran Oil and Olve Oil Hypercholesterolemic Rats. *Indian J Basic Appl Med Res*, 98–108.
- Ovani, I. (2013). Pengembangan Minuman Emulsi Minyak Bekatul Berflavor Kaya Antioksidan Untuk Pencegahan Penyakit Tidak Menular. In *Skripsi tidak diterbitkan*. Bogor: Institut Pertanian Bogor. <https://repository.ipb.ac.id/handle/123456789/66298>
- PERKI. (2015). *Pedoman Tatalaksana Sindrom Koroner Akut Edisi Ketiga*.

- PERMENKES. (2016). *Nomor 72 Standar Pelayanan Kefarmasian di Rumah Sakit.*  
<http://www.ncbi.nlm.nih.gov/pubmed/26849997%0Ahttp://doi.wiley.com/10.1111/jne.12374>
- Phunikhom, K., Sattayasai, J., Tiamkao, S., & Gaysonsiri, D. (2021). A Randomized, Double Blind Clinical Study to Assess the Effects of a Gamma-Oryzanol-Enriched Rice Bran Oil on Lipid Profile in the Hypercholesterolemic Patients. *Journal of the Medical Association of Thailand*, 104(2), S64–S69.  
<https://doi.org/10.35755/jmedassocthai.2021.S01.12239>
- Purnomo, D. (2013). *Identifikasi Asam Lemak dan Penentuan Masa Simpan Bekatul Ditinjau dari Pengaruh Gelombang Mikro.* Prosiding Seminar Nasional Penelitian.
- Putri, S. S., & Larasati, T. (2020). Penatalaksanaan Holistik Hiperkolesterolemia pada Ibu Rumah Tangga. *Medical Journal of Lampung University*, 9(2), 73–83.
- Qureshi, A. A., Sami, S. A., Salser, W. A., & Khan, F. A. (2002). Dose-dependent suppression of serum cholesterol by tocotrienol-rich fraction (TRF25) of rice bran in hypercholesterolemic humans. *Atherosclerosis*, 161(1), 199–207. [https://doi.org/10.1016/S0021-9150\(01\)00619-0](https://doi.org/10.1016/S0021-9150(01)00619-0)
- Rajnarayana, K., Prabhakar, M., & Krishna, D. (2001). Influence of Rice Bran Oil on Serum Lipid Peroxides and Lipid in Human Subjects. *Indian J Physiol Pharmacol*, 442–444.
- Rini, D. (2015). *Hubungan Asupan Karbohidrat dan Lemak dengan Kadar Profil Lipid Pada Pasien Jantung Koroner Rawat Jalan di RSUD Dr. Moewardi Surakarta.*
- Riskesdas. (2018). *HASIL UTAMA RISKESDAS 2018.*
- Rukmini, C., & Raghuram, T. C. (1991). Nutritional and biochemical aspects of the hypolipidemic action of rice bran oil: a review. *Journal of the American College of Nutrition*, 10(6), 593–601. <https://doi.org/10.1080/07315724.1991.10718181>
- Sarafatayat, Luhtfiyah, F., Wirawan, S., & Sulendri, N. K. S. (2018). Pengaruh Pemberian Puding Buah Naga Merah (*Hylocereus polyrhizus*) Terhadap Kadar Kolesterol Total Pasien Hiperkolesterolemia Rawat Jalan di RSUD Kota Mataram. *Jurnal Gizi Prima (Prime Nutrition Journal)*, 3(2), 100–107.
- Sari, Y. D., Sri, P., & Krisnawati, B. (2014). Asupan Serat Makanan dan Kadar Kolesterol-LDL Penduduk Berusia 25-65 Tahun di Kelurahan Kebon Kalapa, Bogor. *Panel Gizi Makan*, 37(1), 51–58.

- Sayre, B., & Saunders, R. (1990). Rice bran and rice bran oil. *Lipid Techol*, 72–76.
- Setiawati, A. E., & Asy-syahid, Y. S. (2018). *Penjumputan Wax dari Bekatul dengan Metode Pendinginan dan Ekstraksi Pelarut*, Serpong, Tangerang Selatan: s.n.
- Siddiqui, S., Rashid Khan, M., & Siddiqui, W. A. (2010). Comparative hypoglycemic and nephroprotective effects of tocotrienol rich fraction (TRF) from palm oil and rice bran oil against hyperglycemia induced nephropathy in type 1 diabetic rats. *Chemico-Biological Interactions*, 188(3), 651–658. <https://doi.org/10.1016/j.cbi.2010.08.010>
- Sugiyono. (2017). *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Alfabeta.
- Suharjo, & Kuharto, C. (2010). *Prinsip-prinsip Ilmu Gizi* (Cetakan 12). Kanisius.
- Sumarna, D. (2006). Proses Degumming CPO (Crude Palm Oil) Menggunakan Membran Ultrafiltrasi. *Jurnal Teknologi Pertanian*, 2.
- Supardi, S. (1993). Populasi dan Sampel Penelitian. *Unisia*, 13(17), 100–108. <https://doi.org/10.20885/unisia.vol13.iss17.art13>
- Tjitosoepomo, G. (1994). *Taksonomi Tumbuhan Obat-obatan (I)*. Gajah Mada University Press.
- Tuarita, M. Z., Sadek, N. F., Sukarno, Yuliana, N. D., & Budijanto, S. (2017). Pengembangan bekatul sebagai pangan fungsional: peluang, hambatan, dan tantangan. *Pangan*, 26(2), 167–176.
- Ujiani, S. (2016). Hubungan Antara Usia dan Jenis Kelamin Dengan Kadar Kolesterol Penderita Obesitas RSUD Abdul Moeloek Provinsi Lampung. *Jurnal Kesehatan*, 43–48.
- Ujiani, S. (2015). Hubungan Antara Usia dan Jenis Kelamin Dengan Kadar Kolesterol Penderita Obesitas RSUD Abdul Moeloek Provinsi Lampung. *Kesehatan*, 3.
- Vissers, M. N., Zock, P. L., Meijer, G. W., & Katan, M. B. (2000). Effect of Plant Sterols from Rice Bran Oil and Triterpene Alcohols from sheanut Oil on Serum Lipoprotein Concentrations in Humans. *The American Journal of Clinical Nutrition*, 72(6), 1510–1515. <https://doi.org/10.1093/ajcn/72.6.1510>
- Vorarat, S. M., Iamthanakul, L., Soparat, W., & Kamkaen, N. (2010). Examination of Antioxidant Activity and Development of Rice Bran Oil and Gamma-Oryzanol Microemulsion. *J Health Rest*, 24(2), 67–72.
- Wang, M., Hettiarachchy, N. S., Qi, M., Burks, W., & Siebenmorgen, T. (1999). Preparation and Functional Properties of Rice Bran Protein

- Isolate. *Journal of Agricultural and Food Chemistry*, 47(2), 411–416. <https://doi.org/10.1021/jf9806964>
- Wang, O., Liu, J., Cheng, Q., Guo, X., Wang, Y., Zhao, L., Zhou, F., & Ji, B. (2015). Effects of Ferulic Acid and  $\gamma$ -Oryzanol on High-Fat and High-Fructose Diet-Induced Metabolic Syndrome in Rats. *PLOS ONE*, 10(2), e0118135. <https://doi.org/10.1371/journal.pone.0118135>
- Wang, T., Hicks, K. B., & Moreau, R. (2002). Antioxidant Activity of Phytosterols, Oryzanol, and other Phytosterol Conjugates. *Journal of the American Oil Chemists' Society*, 79(12), 1201–1206. <https://doi.org/10.1007/s11746-002-0628-x>
- Wicaksana, A. L., Septiani, V. E., Destiana, A. K., Artawan, I. P. A. A., Jumayanti, & Lukitasari. (2017). Buku Saku Pedoman Pengkajian dan Pengelolaan Risiko Penyakit Kardiovaskuler Versi Bahasa Indonesia. *Universitas Gadjah Mada*. [https://www.researchgate.net/publication/321330134\\_Pedoman\\_Pengkajian\\_dan\\_Pengelolaan\\_Risiko\\_Kardiovaskuler\\_-versi\\_Bahasa\\_Indonesia/link/5a1cfce7458515373189463a/download](https://www.researchgate.net/publication/321330134_Pedoman_Pengkajian_dan_Pengelolaan_Risiko_Kardiovaskuler_-versi_Bahasa_Indonesia/link/5a1cfce7458515373189463a/download)
- Wijayanthie, N., Gunarti, D. R., Manikam, N. R., & Yulhasri. (2019). Effects of Extra Virgin Olive Oil Versus Rice Bran Oil on Glycemic Control in Patients with Type-2 Diabetes Mellitus. *International Journal of Applied Pharmaceutics*, 56–59. <https://doi.org/10.22159/ijap.2019.v11s6.33540>
- Wikipedia. (2019). <https://id.wikipedia.org/wiki/Bekatul>.
- Wilson, T. A., Nicolosi, R. J., Woolfrey, B., & Kritchevsky, D. (2007). Rice Bran Oil and Oryzanol Reduce Plasma Lipid and Lipoprotein Cholesterol Concentrations and Aortic Cholesterol Ester Accumulation to a Greater Extent than Ferulic Acid in Hypercholesterolemic Hamsters. *The Journal of Nutritional Biochemistry*, 18(2), 105–112. <https://doi.org/10.1016/j.jnutbio.2006.03.006>
- World Health Organization. (2018). Noncommunicable Disease Country Profiles 2018. In *Heart of Africa: Clinical Profile of an Evolving Burden of Heart Disease in Africa*. <https://doi.org/10.1002/9781119097136.part5>
- World Health Statistic. (2017). *STATUS OF THE HEALTH-RELATED SDGs*.
- Yani, M. (2014). Mengendalikan Kadar Kolesterol pada Hiperkolesterolemia. In *Climate Change 2013 – The Physical Science Basis* (Vol. 11, Issue 2, pp. 1–30). Cambridge University Press. <https://doi.org/10.1017/CBO9781107415324.004>

- Yu, F., Lin, Q., Chen, X., & Wei, X. (2013). High Resolution Gas Chromatography Analysis of Rice Bran Oil. *PIAGENG 2013: Intelligent Information, Control, and Communication Technology for Agricultural Engineering*, 8762, 87621E. <https://doi.org/10.1117/12.2019622>
- Yuanita, O. (2014). *Daya Terima Bubur Bekatul Instan Pada Anak Obesitas Usia Sekolah Dasar Di Makassar Tahun 2014*. Univerisitas Hasanuddin.
- Zavoshy, R., Noroozi, M., & Jahanihashemi, H. (2012). Effect of Low Calorie Diet with Rice Bran Oil on Cardiovascular Risk Factors in Hyperlipidemic Patients. *Journal of Research in Medical Sciences*, 626–631. <https://doaj.org/article/684a3f0cfcb9472ab066d2938bacce84>